



**OIL DRAIN PLUGS**  
**&**  
**GASKETS**  
**Application Data**

**2010**

## **NOTE**

**The information provided in this application catalog is to the best of our ability and is to be used as a reference. Please refer to the vehicle owners manual for verification.**

# Oil Drain Plugs & Gaskets

## Table Of Contents

Acura.....	5	Mazda Truck .....	23
Audi.....	5	Mercury .....	24
Buick .....	5-6	Mitsubishi.....	25
Cadillac .....	6-7	Mitsubishi Truck.....	25
Chevrolet .....	7-8	Nissan .....	25-26
Chevrolet/GMC Truck .....	8-10	Nissan Truck.....	26
Chrysler .....	10-11	Oldsmobile .....	26-27
Dodge .....	11-13	Plymouth .....	27-28
Dodge Truck .....	13	Pontiac.....	28-29
Eagle .....	13-14	Saab .....	29
Ford.....	14-15	Saturn .....	29
Ford Truck.....	15-16	Scion.....	30
GEO.....	16-17	Suzuki .....	30
Honda .....	17-18	Toyota .....	30-31
Hummer.....	18	Toyota Truck .....	31-32
Hyundai .....	18-19		
Infiniti.....	19	Visual Reference .....	33-34
Isuzu .....	19		
Isuzu Truck.....	19-20		
Jaguar.....	20		
Jeep .....	20-21		
Kia .....	21		
Lexus.....	21-22		
Lincoln .....	22		
Mazda .....	22-23		



Manufacturer/Engine	Year	Description	Thread Size	Oil Drain Plug	OE Gasket	Fiber Gasket	Drain Plug Torque Specification Foot lbs.	Drain Plug Torque Specification Inch lbs.
<b>Acura</b>								
<b>4 cyl. - 2.0L (1998cc)</b>								
	2006-02	RSX,Exc. S Series	M14-1.50	DP-075	G-015	G-026	33	396
	2006-02	RSX, S Series	M14-1.50	DP-033	G-015	G-026	29	348
<b>4 Cyl. - 2.4L (2354cc)</b>								
	2008-04	TSX	M14-1.50	DP-075	G-015	G-026	33	396
<b>4 Cyl. - All</b>								
	2001-86		M14-1.50	DP-075	G-015	G-026	33	396
<b>4-cyl -2.3L (2300CC)</b>								
	2009-07	RDX	M14-1.50	DP-033	G-015	G-026	29	348
<b>5 Cyl. - All</b>								
	1998-92		M14-1.50	DP-033	G-015	G-026	24	288
<b>6 Cyl. - 2.5L (2494cc)</b>								
	1987-86	Legend	M14-1.50	DP-075	G-015	G-026	33	396
<b>6 Cyl. - 2.7L (2675cc)</b>								
	1990-87	Legend	M14-1.50	DP-075	G-015	G-026	33	396
<b>6 Cyl. - 3.0L (2977cc)</b>								
	2005-91	NSK	M14-1.50	DP-075	G-015	G-026	33	396
	1999-97	CL	M14-1.50	DP-033	G-015	G-026	33	396
<b>6 Cyl. - 3.2L (3179cc)</b>								
	2005-97	NSX	M14-1.50	DP-075	G-015	G-026	33	396
<b>6 Cyl. - 3.2L (3206cc)</b>								
	1998-91	Legend,SLX, TL	M14-1.50	DP-033	G-015	G-026	33	396
<b>6 Cyl. - 3.2L (3210cc)</b>								
	2008-99	CL, TL	M14-1.50	DP-033	G-015	G-026	33	396
<b>6 Cyl. - 3.5L (3471cc)</b>								
	2009-01	MDX, RL, TL	M14-1.50	DP-033	G-015	G-026	33	396
<b>6 Cyl. - 3.5L (3475cc)</b>								
	2006-96	RL	M14-1.50	DP-033	G-015	G-026	33	396
	1999-98	SLX	M14-1.50	DP-033	G-010	G-026	33	396
<b>6 Cyl. -3.7L (3664cc)</b>								
	2009-07	MDX, RL, TL	M14-1.50	DP-033	-	G-026	29	348
<b>Audi</b>								
<b>4 Cyl. - All</b>								
	1990-80		M14-1.50	-	G-010	G-026	22	264
<b>5 Cyl. - All</b>								
	1992		M14-1.50	-	G-010	G-026	29	348
	1991-90	Coupe Quatro	M26-1.50	-	-	-	29	348
	1991-90	Exc. Coupe Quatro	M14-1.50	-	G-010	G-026	29	348
	1994	Cabriolet	M14-1.50	-	-	-	29	348
	1994	Exc. Cabriolet	M14-1.50	-	G-010	G-026	29	348
	1993-92		M14-1.50	-	G-010	G-026	29	348
<b>6 Cyl. - All</b>								
	2001-95		M14-1.50	-	-	-	-	-
<b>Buick</b>								
<b>4 Cyl. - 2.2L (134)</b>								
	1996-93	Magnetic	M12-1.75	DP-079	NR	NR	35	420
	1996-93	Non-Magnetic	M12-1.75	DP-034	-	G-016	35	420
<b>4 Cyl. - 2.3L (138)</b>								
	1995-92		M12-1.75	DP-079	NR	NR	20	240
	1991-88		M12-1.75	-	-	G-016		
<b>4 Cyl. - 2.4L (146)</b>								
	1998-97		M12-1.75	DP-091	NR	NR	20	240
	1996		M12-1.75	DP-079	NR	NR	20	240

Manufacturer/Engine	Year	Description	Thread Size	Oil Drain Plug	OE Gasket	Fiber Gasket	Drain Plug Torque Specification Foot lbs.	Drain Plug Torque Specification Inch lbs.
<b>BUICK - cont'd.</b>								
<b>4 Cyl. - 2.5L (151)</b>								
	1992-88		M85-2.50	-		-		
<b>6 Cyl. - 3.1L (189)</b>								
	2005-04		M12-1.75	DP-156	NR	NR	18	216
	2003-97		M12-1.75	DP-091	NR	NR	18	216
	1996-94		M12-1.75	DP-079	NR	NR	18	216
	1993-89		M12-1.75	DP-034	-	G-016	-	-
<b>6 Cyl. - 3.3L (204)</b>								
	1993-89		1/2-20	DP-052	-	G-016	30	360
<b>6 Cyl. - 3.4L (207)</b>								
	2005-04		M12-1.75	DP-156	NR	NR	18	216
	2003-02		M12-1.75	DP-091	NR	NR	18	216
<b>6 Cyl. - 3.5L (213)</b>								
	2006-05		M12-1.75	DP-156	NR	NR	18	216
	2007	Magnetic	M12-1.75	DP-091	NR	NR	18	216
<b>6 Cyl. - 3.6L (217)</b>								
	2006-04		M12-1.75	DP-156	NR	NR	18	216
	2007	Magnetic	M12-1.75	DP-091	NR	NR	18	216
<b>6 Cyl. - 3.8L (231)</b>								
	2006-05		M12-1.75	DP-156	NR	NR	30	360
	2007-97		M12-1.75	DP-091	NR	NR	30	360
	1996-95		M12-1.75	DP-079	NR	NR	30	360
	1994-75		1/2-20	DP-052	-	G-016	30	360
<b>6 Cyl. - 3.9L (237)</b>								
	2007	Magnetic	M12-1.75	DP-091	NR	NR	18	216
<b>6 Cyl. - 4.2L (256)</b>								
	2006-04	Non-Magnetic	M12-1.75	DP-156	NR	NR	19	228
	2007-06	Magnetic	M12-1.75	DP-091	NR	NR	19	228
<b>8 Cyl. - 4.6L (281)</b>								
	2007	Magnetic	M12-1.75	DP-091	NR	NR	15	180
<b>8 Cyl. - 5.3L (323)</b>								
	2007-06	Magnetic	M12-1.75	DP-091	NR	NR	18	216
<b>8 Cyl. - 5.3L (325)</b>								
	2006-04	Non-Magnetic	M12-1.75	DP-156	NR	NR	18	216
<b>8 Cyl. - 5.7L (350)</b>								
	1996	English Thread	1/2-20	DP-052	-	G-016	15	180
	1996	Metric Thread	M12-1.75	DP-079	NR	NR	15	180
	1995-92		1/2-20	DP-052	-	G-016	15	180
<b>8 Cyl. - 5.0L (305)</b>								
	1991		1/2-20	DP-052	-	G-016	15	180
<b>8 Cyl. - 5.0L (307)</b>								
	1990-81	VIN Y	1/2-20	DP-052	-	G-027	30	360

## Cadillac

<b>6 Cyl. - 2.8L (170)</b>								
	2007		M12-1.75	DP-091	NR	NR	18	216
	2006		M12-1.75	DP-156	NR	NR	18	216
<b>6 Cyl. - 3.0L (181)</b>								
	2001-97	Catera	M14-1.50	-	-	-	-	-
<b>6 Cyl. - 3.2L (197)</b>								
	2005-03	CTS	M14-1.50	-	-	-	-	-
<b>6 Cyl. - 3.6L (217)</b>								
	2007		M12-1.75	DP-091	NR	NR	18	216
	2006-04		M12-1.75	DP-156	NR	NR	18	216
<b>8 Cyl. - 4.4L (267)</b>								
	2007		M12-1.75	DP-091	NR	NR	18	216
	2006		M12-1.75	DP-156	NR	NR	18	216

Manufacturer/Engine	Year	Description	Thread Size	Oil Drain Plug	OE Gasket	Fiber Gasket	Drain Plug Torque Specification Foot lbs.	Drain Plug Torque Specification Inch lbs.
<b>CADILLAC - cont'd.</b>								
<b>8 Cyl. - 4.5L (273)</b>								
	1992-89	Allante	M12-1.75	DP-034	-	G-016	22	264
	1990-88		M12-1.75	DP-079	NR	NR	22	264
<b>8 Cyl. - 4.6L (281)</b>								
	2006-04		M12-1.75	DP-156	NR	NR	18	216
	2007-97		M12-1.75	DP-091	NR	NR	15	180
	1996-93		M12-1.75	DP-079	NR	NR	15	180
<b>8 Cyl. - 4.9L (300)</b>								
	1995		M12-1.75	DP-034	-	G-016	15	180
	1994-91		M12-1.75	DP-079	NR	NR	15	180
<b>8 Cyl. - 5.3L (323)</b>								
	2005-02	Escalade	M12-1.75	DP-091	NR	NR	18	216
<b>8 Cyl. - 5.7L (350)</b>								
	2005-04	CTS						
	2000-99	Escalade	M12-1.75	DP-091	NR	NR	18	216
	1996		1/2-20	DP-052	-	G-016	30	360
	1996		M12-1.75	DP-079	NR	NR	30	360
	1994-94		1/2-20	DP-052	-	G-016	15	180
	1993-92	Magnetic	1/2-20	-	-	G-016	15	180
	1993-92	Non-Magnetic	1/2-20	DP-052	-	G-016	15	180
	1991-90		1/2-20	DP-052	-	G-016	15	180
<b>8 Cyl. - 5.0L (305)</b>								
	1992-91		1/2-20	DP-052	-	G-016	33	396
<b>8 Cyl. - 5.0L (307)</b>								
	1990-86	VIN Y	1/2-20	DP-052	-	G-027	30	360
<b>8 Cyl. - 6.2L (378)</b>								
	2007	Escalade	M12-1.75	DP-091	NR	NR	18	216
<b>8 Cyl. - 6.0L (364)</b>								
	2007-02	Escalade	M12-1.75	DP-091	NR	NR	18	216
<b>Chevrolet</b>								
<b>3 Cyl. - 1.0L (993cc)</b>								
	2000-99	Metro	M14-1.50	DP-075	-	G-026	22-29	264-348
<b>3 Cyl. - All</b>								
	1991-85	Sprint	M14-1.50	DP-075	-	G-026	22-29	264-348
<b>4 Cyl. - 1.3L (1295cc)</b>								
	2001-99	Metro	M14-1.50	DP-075	-	G-026	26	312
<b>4 Cyl. - 1.8L (110)</b>								
	2002-98	Prizm	M12-1.25	DP-049	-	G-016	26-32	312-384
<b>4 Cyl. - 2.0L (122)</b>								
	2007		M12-1.75	DP-091	NR	NR	18	216
<b>4 Cyl. - 2.2L (134)</b>								
	2007-97		M12-1.75	DP-091	NR	NR	35	420
	1996		M12-1.75	DP-079	NR	NR	35	420
	1995-93	Magnetic	M12-1.75	DP-079	NR	NR	35	420
	1995-93	Non-Magnetic	M12-1.75	DP-034	-	G-016	35	420
	1992-90		M12-1.75	DP-034	-	G-016	35	420
<b>4 Cyl. - 2.3L (138)</b>								
	1995-90		M12-1.75	DP-079	NR	NR	20	240
<b>4 Cyl. - 2.4L (145)</b>								
	2007	HHR: LT	M12-1.75	DP-091	NR	NR	18	216
<b>4 Cyl. - 2.4L (146)</b>								
	2007-04	Magnetic	M12-1.75	DP-091	NR	NR	18	216
	2003-97	Magnetic	M12-1.75	DP-091	NR	NR	19	228
	1996		M12-1.75	DP-079	NR	NR	20	240

Manufacturer/Engine	Year	Description	Thread Size	Oil Drain Plug	OE Gasket	Fiber Gasket	Drain Plug Torque Specification Foot lbs.	Drain Plug Torque Specification Inch lbs.
<b>CHEVROLET - cont'd.</b>								
<b>4 Cyl. - 2.5L (151)</b>								
	1992-88		M85-2.50	-	-	-	-	-
<b>6 Cyl. - 3.1L (189)</b>								
	2003-97	Magnetic	M12-1.75	DP-091	NR	NR	18	216
	1996		M12-1.75	DP-079	NR	NR	18	216
	1995	AT	M12-1.75	DP-079	NR	NR	18	216
	1995	MT	M12-1.75	DP-034	-	G-016	18	216
	1994	Beretta/Corsica	M12-1.75	DP-079	NR	NR	18	216
	1994	Exc. Beretta/Corsica	M12-1.75	DP-034	-	G-016	18	216
	1993-90		M12-1.75	DP-034	-	G-016	18	216
<b>6 Cyl. - 3.4L (207)</b>								
	2006-04		M12-1.75	DP-156	NR	NR	18	216
	2007-97	Magnetic	M12-1.75	DP-091	NR	NR	18	216
	1996		M12-1.75	DP-079	NR	NR	18	216
	1995	Camaro	M12-1.75	DP-034	-	G-016	18	216
	1995	Exc. Camaro	M12-1.75	DP-079	NR	NR	18	216
	1994-91		M12-1.75	DP-034	-	G-016	18	216
<b>6 Cyl. - 3.5L (213)</b>								
	2006-04		M12-1.75	DP-156	NR	NR	18	216
<b>6 Cyl. - 3.8L (231)</b>								
	2007-97	Magnetic	M12-1.75	DP-091	NR	NR	22	264
	1996-95		M12-1.75	DP-079	NR	NR	32	384
	1994-78		1/2-20	DP-052	-	G-016	30	360
<b>6 Cyl. - 3.9L (237)</b>								
	2006		M12-1.75	DP-156	NR	NR	18	216
	2007	Magnetic	M12-1.75	DP-091	NR	NR	18	216
<b>6 Cyl. - 4.3L (262)</b>								
	1993-85		1/2-20	DP-052	-	G-016	20	240
<b>8 Cyl. - 4.3L (265)</b>								
	1996-94	Caprice	1/2-20	DP-052	-	G-016	15	180
<b>8 Cyl. - 5.3L (323)</b>								
	2007	Magnetic	M12-1.75	DP-091	NR	NR		
<b>8 Cyl. - 5.3L (325)</b>								
	2006		M12-1.75	DP-156	NR	NR	18	216
<b>8 Cyl. - 5.7L (350)</b>								
	2004-97	Magnetic	M12-1.75	DP-091	NR	NR	18	216
	1996		1/2-20	DP-052	-	G-016	15	180
	1996		M12-1.75	DP-079	NR	NR	15	180
	1995-90		1/2-20	DP-052	-	G-016	-	-
	1995-90	Corvette	5/8-18	-	-	-	-	-
<b>8 Cyl. - 5.0L (305)</b>								
	1993-80		1/2-20	DP-052	-	G-016	15	280
<b>8 Cyl. - 5.0L (307)</b>								
	1990-86	VIN Y	1/2-20	DP-052	-	G-027	30	360
<b>8 Cyl. - 6.0L (364)</b>								
	2007	Corvette	M12-1.75	DP-091	NR	NR	18	216
	2006		M12-1.75	DP-156	NR	NR	18	216
<b>8 Cyl. - 7.0L (427)</b>								
	2007	Corvette	M12-1.75	DP-091	NR	NR	18	216
	2006		M12-1.75	DP-156	NR	NR	18	216
<b>Chevrolet/GM Truck</b>								
<b>4 Cyl. - 1.6L (98)</b>								
	2000-99	Tracker	M14-1.50	DP-075	-	G-026	26	312
<b>4 Cyl. - 2.0L (122)</b>								
	2003-99	Tracker	M14-1.50	DP-075	-	G-026	26	312



Manufacturer/Engine	Year	Description	Thread Size	Oil Drain Plug	OE Gasket	Fiber Gasket	Drain Plug Torque Specification Foot lbs.	Drain Plug Torque Specification Inch lbs.
<b>CHEVROLET/GMC Truck – cont'd.</b>								
<b>4 Cyl. - 2.2L (134)</b>								
	2004-97		M12-1.75	DP-091	NR	NR	33	396
	1996-95	Magnetic	M12-1.75	DP-079	NR	NR	33	396
	1996-95	Non-Magnetic	M12-1.75	DP-034	-	G-016	33	396
	1994		1/2-20	DP-052	-	G-016	33	396
<b>4 Cyl. - 2.5L (151)</b>								
	1993-91		1/2-20	DP-052	-	G-016	15-20	180-240
	1990-89		M12-1.75	DP-034	-	G-016	15-20	180-240
<b>4 Cyl. - 2.8L (169)</b>								
	2006-04	Colorado & Canyon	M12-1.75	DP-091	NR	NR	19	228
<b>4 Cyl. - 3.9L (239)</b>								
	1991-89	P30; Diesel	1/2-20	DP-052	-	G-016	-	-
<b>5 Cyl. - 3.5L (211)</b>								
	2007-04		M12-1.75	DP-091	NR	NR	19	228
<b>6 Cyl. - 2.5L (153)</b>								
	2004-01	Tracker	M14-1.50	DP-075	-	G-026	26	312
<b>6 Cyl. - 2.8L (173)</b>								
	1993-91		1/2-20	DP-052	-	G-016	15-20	180-240
	1990-87		M12-1.75	DP-034	-	G-016	15-20	180-240
<b>6 Cyl. - 3.1L (189)</b>								
	1995	Lumina APV & VentureVan	M12-1.75	DP-079	NR	NR	-	-
	1994-90	Lumina APV & VentureVan	M12-1.75	DP-034	-	G-016	18	216
<b>6 Cyl. - 3.4L (207)</b>								
	2005-97	Lumina APV & VentureVan	M12-1.75	DP-091	NR	NR	18	216
	1996	Lumina APV & VentureVan	M12-1.75	DP-079	NR	NR	18	216
	1994-91	Lumina APV & VentureVan	M12-1.75	DP-034	-	G-016	18	216
<b>6 Cyl. - 3.8L (231)</b>								
	1995	Lumina APV & VentureVan	M12-1.75	DP-079	NR	NR	30	360
	1994-92	Lumina APV & VentureVan	1/2-20	DP-052	-	G-016	30	360
<b>6 Cyl. - 4.2L (256)</b>								
	2006-04	Non-Magnetic	M12-1.75	DP-156	NR	NR	19	228
	2007-02		M12-1.75	DP-091	NR	NR	19	228
<b>6 Cyl. - 4.3L (262)</b>								
	2006-04	Non-Magnetic	M12-1.75	DP-156	NR	NR	18	216
	2007-97		M12-1.75	DP-091	NR	NR	18	216
	1996		M12-1.75	DP-079	NR	NR	18	216
	1995	Exc. S or P-Series	1/2-20	DP-052	-	G-016	18	216
	1995	S-Series	1/2-20	-	-	G-016	-	-
	1995	P-Series; 1st Design	1/2-20	DP-052	-	G-016	18	216
	1995	P-Series; 2nd Design	M12-1.75	DP-079	NR	NR	18	216
	1994-91	S-Series; Magnetic	1/2-20	-	-	G-016	-	-
	1994-91	Exc. S-Series	1/2-20	DP-052	-	G-016	18	216
	1994-91	S-Series; Non-Magnetic	1/2-20	DP-052	-	G-016	18	216
	1990-85		1/2-20	DP-052	-	G-016	18	216
<b>6 Cyl. - 4.8L (292)</b>								
	1990-80		1/2-20	DP-052		G-027	20	240
<b>8 Cyl. - 4.8L (294)</b>								
	2007-99		M12-1.25	DP-091	NR	NR	18	216
<b>8 Cyl. - 5.3L (323)</b>								
	2007-06		M12-1.75	DP-091	NR	NR	18	216
<b>8 Cyl. - 5.3L (325)</b>								
	2006-04	Non-Magnetic	M12-1.25	DP-156	NR	NR	18	216
	2003-99		M12-1.75	DP-091	NR	NR	18	216

Manufacturer/Engine	Year	Description	Thread Size	Oil Drain Plug	OE Gasket	Fiber Gasket	Drain Plug Torque Specification Foot lbs.	Drain Plug Torque Specification Inch lbs.
<b>CHEVROLET/GMC Truck – cont'd.</b>								
<b>8 Cyl. - 5.7L (350)</b>								
	2002-97		M12-1.75	DP-091	NR	NR	18	216
	1996		M12-1.75	DP-079	NR	NR	18	216
	1995	Magnetic	1/2-20	-	-	G-027	-	-
	1995	Non- Magnetic	1/2-20	DP-052	-	G-027	20	240
	1995		M12-1.75	DP-079	NR	NR	20	240
	1994-87	Non-Magnetic	1/2-20	DP-052	-	G-027	20	240
	1994-87	Magnetic	1/2-20	-	-	G-027	-	-
<b>8 Cyl. - 5.0L (305)</b>								
	2003-97		M12-1.75	DP-091	NR	NR	18	216
	1996		M12-1.75	DP-079	NR	NR	18	216
	1995	1st Design	1/2-20	DP-052	-	G-027	20	240
	1995	2nd. Design	M12-1.75	DP-079	NR	NR	20	240
	1994-80		1/2-20	DP-052	-	G-027	20	240
<b>8 Cyl. - 6.2L (379)</b>								
	1993-91		1/2-20	DP-052	-	G-027	-	-
	1993-91		M12-1.75	DP-079	NR	NR	-	-
	1990-82		1/2-20	DP-052	-	G-027	-	-
<b>8 Cyl. - 6.5L (395)</b>								
	2002-97		M12-1.75	DP-091	NR	NR	17	204
	1996-92		1/2-20	DP-052	-	G-027	20	240
	1996-92		M12-1.75	DP-079	NR	NR	20	240
<b>8 Cyl. - 6.0L (364)</b>								
	2006-05		M12-1.75	DP-156	NR	NR	20	240
	2007-99		M12-1.75	DP-091	NR	NR	18	216
<b>8 Cyl. - 6.0L (366)</b>								
	2000-97		M12-1.75	DP-091	NR	NR	18	216
	1996-91		1/2-20	DP-052	-	G-027	18	216
	1996-91		M12-1.75	DP-079	NR	NR	18	216
	1990-83		1/2-20	-	-	G-027	-	-
<b>8 Cyl. - 7.0L (427)</b>								
	2000-97		M12-1.75	DP-091	NR	NR	-	-
	1996-91		1/2-20	-	-	-	-	-
	1996-91		M12-1.75	DP-079	NR	NR	-	-
	1990-83		1/2-20	-	-	-	-	-
<b>8 Cyl. - 7.4L (454)</b>								
	2000-97		M12-1.75	DP-091	NR	NR	18	216
	1996-95		1/2-20	DP-052	-	G-027	20	240
	1996-95		M12-1.75	DP-079	NR	NR	20	240
	1994-80		1/2-20	DP-052	-	G-027	20	240
<b>8 Cyl. - 8.1L (496)</b>								
	2007-01		M12-1.75	DP-091	NR	NR	18	216
<b>Chrysler</b>								
<b>4 Cyl. - 2.0L (122)</b>								
	2000-95		M14-1.50	DP-098	NR	NR	20	240
<b>4 Cyl. - 2.2L (135)</b>								
	1990-82		1/2-20	DP-052	-	G-027	20	240
<b>4 Cyl. - 2.4L (144)</b>								
	2009-07	Sebring	M14-1.50	DP-115	NR	NR	30	360
<b>4 Cyl. - 2.4L (148)</b>								
	2009-06	PT Cruiser	M14-1.50	DP-115	NR	NR	20	240
	2006-05	Sebring, Exc. Coupe	M14-1.50	DP-115	NR	NR	20	240
	2008-03	PT Cruiser	M14-1.50	DP-115	NR	NR	20	240
	2004-03	Sebring, SOHC (Vin G)	M14-1.50	DP-075	G-141	G-026	20	240
	2004-03	Voyager	M14-1.50	DP-115	NR	NR	20	240
	2004-03	Sebring, DOHC (Vin X)	M14-1.50	DP-115	NR	NR	20	240
	2002	PT Cruiser	M14-1.50	DP-115	NR	NR	20	240

Manufacturer/Engine	Year	Description	Thread Size	Oil Drain Plug	OE Gasket	Fiber Gasket	Drain Plug Torque Specification Foot lbs.	Drain Plug Torque Specification Inch lbs.
<b>CHRYSLER – cont'd.</b>								
	2002	Sebring, DOHC (Vin X)	M14-1.50	DP-098	NR	NR	20	240
	2002	Sebring, SOHC (Vin G)	M14-1.50	DP-075	G-141	G-026	20	240
	2002	Voyager	M14-1.50	DP-115	NR	NR	20	240
	2001	Voyager	M14-1.50	-	-	-	-	-
	2001	Sebring, DOHC (Vin X)	M14-1.50	DP-115	NR	NR	20	240
	2001	PT Cruiser	M14-1.50	DP-098	NR	NR	20	240
	2001	Sebring, SOHC (Vin G)	M14-1.50	DP-075	G-141	G-026	20	240
	2000-96		M14-1.50	DP-098	NR	NR	20	240
	1995		1/2-20	DP-058	NR	NR	20	240
<b>4 Cyl. - 2.5L (153)</b>								
	1993-86		1/2-20	DP-052	-	G-027	20	240
<b>6 Cyl. - 2.5L (152)</b>								
	2000-99		M14-1.50		G-141	G-026	20	240
	2000-95		M14-1.50	DP-075	G-141	G-026	20	240
<b>6 Cyl. - 2.7L (167)</b>								
	2006	300	M14-1.50	DP-115	NR	NR	20	240
	2009-06	Sebring, Exc. Coupe	M14-1.50	DP-115	NR	NR	20	240
	2005-01		M14-1.50	DP-115	NR	NR	20	240
	2000-98		M14-1.50	DP-098	NR	NR	20	240
<b>6 Cyl. - 3.0L (181)</b>								
	2005-00		M14-1.50	DP-075	G-141	G-026	20	240
	1995-93		M14-1.50	DP-075	G-141	G-026	20	240
	1992-88		M14-1.50	DP-075	G-141	G-026	20	240
<b>6 Cyl. - 3.2L (197)</b>								
	2006-05		M14-1.50	-	-	-	-	-
	2004-01		M14-1.50	DP-115	NR	NR	20	240
	2000-98		M14-1.50	DP-098	NR	NR	20	240
<b>6 Cyl. - 3.3L (201)</b>								
	2009-03		M14-1.50	DP-115	NR	NR	20	240
	2002-00		M14-1.50	DP-098	NR	NR	20	240
	1999-90		1/2-20	DP-058	NR	NR	25	300
<b>6 Cyl. - 3.5L (215)</b>								
	2009-00		M14-1.50	DP-115	NR	NR	20	240
	1999		M14-1.50	DP-098	NR	NR	20	240
	1997-93		1/2-20	DP-058	NR	NR	25	300
<b>6 Cyl. - 3.8L (230)</b>								
	2009-03		M14-1.50	DP-115	NR	NR	20	240
	2002-00		M14-1.50	DP-098	NR	NR	20	240
	1999-97		1/2-20	DP-058	NR	NR	20	240
	1996-91		1/2-20	DP-052	-	G-027	20	240
<b>6 Cyl. - 4.0L (241)</b>								
	2009-07	Pacifica	M14-1.50	DP-115	NR	NR	20	240
<b>8 Cyl. - 5.7L (345)</b>								
	2009-05		M14-1.50	DP-115	NR	NR	20	240
<b>8 Cyl. - 6.1L (370)</b>								
	2009-05		M14-1.50	DP-115	NR	NR	20	240
<b>Dodge</b>								
<b>4 Cyl. - 1.5L (1468cc)</b>								
	1994-85		M14-1.50	DP-075	G-141	G-026	26-32	312-384
<b>4 Cyl. - 1.6L (1597cc)</b>								
	1990-83	Colt	M14-1.50	DP-075	G-141	G-026	26-32	312-384
<b>4 Cyl. - 1.8L (1754cc)</b>								
	1994-89		M14-1.50	DP-075	G-141	G-026	29	348
<b>4-Cyl. - 1.8L (110)</b>								
	2009-07	Caliber	M14-1.50	DP-115	NR	NR	30	360

Manufacturer/Engine	Year	Description	Thread Size	Oil Drain Plug	OE Gasket	Fiber Gasket	Drain Plug Torque Specification Foot lbs.	Drain Plug Torque Specification Inch lbs.
<b>DODGE – cont'd.</b>								
<b>4 Cyl. - 2.0L (122)</b>								
	2009-02		M14-1.50	DP-115	NR	NR	20	240
	2001-96		M14-1.50	DP-098	NR	NR	20	240
	1995	Neon, Stratus	1/2-20	DP-058	NR	NR	20	240
	1995	Avenger	M14-1.50	DP-098	NR	NR	20	240
<b>4 Cyl. - 2.0L (2000cc)</b>								
	1991-84	Colt Vista	M14-1.50	DP-075	G-141	G-026	29	348
<b>4 Cyl. - 2.2L (135)</b>								
	1994-81		1/2-20	DP-052	-	G-027	20	240
<b>4 Cyl. - 2.4L (144)</b>								
	2009-07		M14-1.50	DP-115	NR	NR	30	360
<b>4 Cyl. - 2.4L (148)</b>								
	2006	Stratus, Sedan	M14-1.50	DP-115	NR	NR	20	240
	2005		M14-1.50	DP-115	NR	NR	20	240
	2004-03	Caravan	M14-1.50	DP-115	NR	NR	20	240
	2004-03	Neon	M14-1.50	DP-115	NR	NR	20	240
	2004-03	Stratus, DOHC (VIN X)	M14-1.50	DP-115	NR	NR	20	240
	2004-03	Stratus, SOHC (VIN G)	M14-1.50	DP-075	G-141	G-026	20	240
	2002	Caravan	M14-1.50	DP-115	NR	NR	20	240
	2002	Stratus, DOHC (VIN X)	M14-1.50	DP-098	NR	NR	20	240
	2002	Stratus, SOHC (VIN G)	M14-1.50	DP-075	G-141	G-026	20	240
	2001	Stratus, SOHC (VIN G)	M14-1.50	DP-075	G-141	G-026	20	240
	2001	Caravan	M14-1.50	DP-115	NR	NR	20	240
	2001	Stratus, DOHC (VIN X)	M14-1.50	DP-115	NR	NR	20	240
	2000-96		M14-1.50	DP-098	NR	NR	20	240
	1995		1/2-20	DP-058	NR	NR	20	240
<b>4 Cyl. - 2.5L (153)</b>								
	1995-86		1/2-20	DP-052		G-027	20	240
<b>6 Cyl. - 2.5L (152)</b>								
	2000-95		M14-1.50	DP-075	G-141	G-026	29	348
<b>6 Cyl. - 2.7L (167)</b>								
	2009-06	Avenger,Charger & Magnum	M14-1.50	DP-115	NR	NR	20	240
	2006	Stratus, Sedan	M14-1.50	DP-115	NR	NR	20	240
	2005		M14-1.50	DP-115	NR	NR	20	240
	2004-01		M14-1.50	DP-115	NR	NR	20	240
	2000-98	Intrepid	M14-1.50	DP-098	NR	NR	20	240
<b>6 Cyl. - 3.0L (181)</b>								
	2003-93		M14-1.50	DP-075	G-141	G-026	30	360
	1992-90	Exc. Monaco	M14-1.50	DP-075	G-141	G-026	30	360
<b>6 Cyl. - 3.2L (197)</b>								
	2001	Intrepid	M14-1.50	DP-115	NR	NR	20	240
	2000-98	Intrepid	M14-1.50	DP-098	NR	NR	20	240
<b>6 Cyl. - 3.3L (201)</b>								
	2007-03		M14-1.50	DP-115	NR	NR	20	240
	2008-00		M14-1.50	DP-098	NR	NR	25	300
	1999-90		1/2-20	DP-058	NR	NR	25	300
<b>6 Cyl. - 3.5L (215)</b>								
	2009-00		M14-1.50	DP-115	NR	NR	20	240
	1997-93		1/2-20	DP-058	NR	NR	25	300
<b>6 Cyl. - 3.8L (230)</b>								
	2009-03		M14-1.50	DP-115	NR	NR	20	240
	2002-00		M14-1.50	DP-098	NR	NR	20	240
	1999-97		1/2-20	DP-058	NR	NR	20	240
	1996-94		1/2-20	DP-052		G-027	20	240
<b>6 Cyl. - 4.0L (241)</b>								
	2008-07		M14-1.50	DP-115	NR	NR	20	240
<b>8 Cyl. - 5.7L (345)</b>								
	2009-05		M14-1.50	DP-115	NR	NR	20	240

Manufacturer/Engine	Year	Description	Thread Size	Oil Drain Plug	OE Gasket	Fiber Gasket	Drain Plug Torque Specification Foot lbs.	Drain Plug Torque Specification Inch lbs.
<b>DODGE – cont'd.</b>								
<b>8 Cyl. - 6.1L (370)</b>								
	2009-06		M14-1.50	DP-115	NR	NR	20	240
<b>10 Cyl. - 8.0L (488)</b>								
	2002-92	Viper	1/2-20	-	-	-	-	-
<b>10 Cyl. - 8.3L (500)</b>								
	2003	Viper	1/2-20	-	-	-	-	-
<b>10 Cyl. - 8.3L (505)</b>								
	2006		M14-1.50	DP-115	NR	NR	25	300
	2005-04	Viper	1/2-20	DP-058	NR	NR	-	-
<b>10 Cyl. - 8.4L (515)</b>								
	2009-08	Viper	M14-1.50	DP-115	NR	NR	-	-
<b>Dodge Truck</b>								
<b>4 Cyl. - 2.4L (143)</b>								
	1993-90		M14-1.50	DP-075	G-141	G-026	20	240
<b>4 Cyl. - 2.5L (153)</b>								
	2002-94		1/2-20	DP-058	NR	NR	20	240
	1993-89		1/2-20	DP-052	-	G-027	20	240
<b>6 Cyl. - 3.0L (181)</b>								
	1991-89		M14-1.50	DP-075	G-141	G-026	30	360
<b>6 Cyl. - 3.7L (225)</b>								
	2003		M14-1.50	DP-098	NR	NR	25	300
<b>6 Cyl. - 3.9L (239)</b>								
	2003-92		1/2-20	DP-058	NR	NR	25	300
	1991-73		1/2-20	DP-052	-	G-027	25	300
<b>8 Cyl. - 4.7L (287)</b>								
	2006-04		M14-1.50	-	-	-	-	-
	2003	Dakota & Durango	M14-1.50	DP-098	NR	NR	25	300
	2002-00		M14-1.50	DP-098	NR	NR	25	300
<b>8 Cyl. - 5.2L (318)</b>								
	2003-92		1/2-20	DP-058	NR	NR	25	300
	1991-62		1/2-20	DP-052	-	G-027	25	300
<b>8 Cyl. - 5.7L (345)</b>								
	2005-04		M14-1.50	-	-	-	-	-
	2003		M14-1.50	DP-098	NR	NR	25	300
<b>8 Cyl. - 5.9L (360)</b>								
	2003-92		1/2-20	DP-058	NR	NR	25	300
	1991-66		1/2-20	DP-052	-	G-027	25	300
<b>10 Cyl. - 8.0L (488)</b>								
	2003-94		1/2-20	DP-058	NR	NR	25	300
<b>Eagle</b>								
<b>4 Cyl. - 1.5L (1468cc)</b>								
	1996-89		M14-1.50	DP-075	G-141	G-026	29	348
<b>4 Cyl. - 1.6L (1597cc)</b>								
	1990-89		M14-1.50	DP-075	G-141	G-026	26-32	312-384
<b>4 Cyl. - 1.8L (107)</b>								
	1996-92		M14-1.50	DP-075	G-141	G-026	29	348
<b>4 Cyl. - 2.0L (122)</b>								
	1998-95	w/Turbo	M14-1.50	DP-075	G-141	G-026	20	240
	1998-95	wo/Turbo	M14-1.50	DP-098	NR	NR	20	240
	1994-90		M14-1.50	DP-075	G-141	G-026	20	240
<b>4 Cyl. - 2.4L (2351cc)</b>								
	1996-92		M14-1.50	DP-075	G-141	G-026	29	348

Manufacturer/Engine	Year	Description	Thread Size	Oil Drain Plug	OE Gasket	Fiber Gasket	Drain Plug Torque Specification Foot lbs.	Drain Plug Torque Specification Inch lbs.
<b>EAGLE - cont'd.</b>								
<b>6 Cyl. - 3.0L (181)</b>								
	1992-88		M16-1.50	-	-	-	-	-
<b>6 Cyl. - 3.3L (201)</b>								
	1997-93		1/2-20	DP-058	NR	NR	25	300
<b>6 Cyl. - 3.5L (215)</b>								
	1997-95		1/2-20	DP-058	NR	NR	25	300
	1994-93		1/2-20	DP-052	-	G-027	25	300
<b>Ford</b>								
<b>4 Cyl. - 1.3L (1295cc)</b>								
	1997-88		M14-1.50	DP-075	-	G-026	22-30	264-360
<b>4 Cyl. - 1.8L (110)</b>								
	1996-91		M14-1.50	DP-033	-	G-026	22-30	264-360
<b>4 Cyl. - 1.9L (113)</b>								
	1996	From 12/12/95	M12-1.75	DP-059	NR	NR	15-25	180-300
	1996	To 12/11/95	M14-1.50	DP-053	-	G-026	15-25	180-300
	1995-85		M14-1.50	DP-053	-	G-026	15-25	180-300
<b>4 Cyl. - 2.0L (121)</b>								
	2010-07	Focus	M14-1.50	DP-115	NR	NR	21	252
<b>4 Cyl. - 2.0L (122)</b>								
	2006	Focus	M14-1.50	DP-115	NR	NR	18	216
	2005-01	Escort, ZX2 & Focus (DOHC)	M14-1.50	DP-115	NR	NR	18	216
	2005-01	Escort, ZX2 & Focus (SOHC)	M12-1.75	DP-156	NR	NR	18	216
	2000	Contour	M14-1.50	DP-115	NR	NR	18	216
	2000	Escort, ZX2 & Focus (Multi Port Inj)	M14-1.50	DP-115	NR	NR	18	216
	2000	Escort, ZX2 & Focus (SOHC)	M12-1.75	DP-156	NR	NR	18	216
	1999-98	Contour	M14-1.50	DP-115	NR	NR	18	216
	1999-98	Escort, ZX2 (Multi Port Inj.)	M14-1.50	DP-115	NR	NR	18	216
	1999-98	Escort, ZX2 (Split Port Inj.)	M12-1.75	DP-059	NR	NR	18	216
	1997	Contour	M14-1.50	DP-033	-	G-026	18	216
	1997	Escort	M12-1.75	DP-059	NR	NR	18	216
	1997	Probe	M14-1.50	DP-075	-	G-026	18	216
	1996-95	Contour	M14-1.50	DP-033	-	G-026	18	216
	1996-95	Probe	M14-1.50	DP-075	-	G-026	18	216
	1994-93	Probe	M14-1.50	DP-075	-	G-026	18	216
<b>4 Cyl. - 2.2L (133)</b>								
	1992-89	Probe	M14-1.50	DP-075	-	G-026	15-25	180-300
<b>4 Cyl. - 2.3L (140)</b>								
	2009-04	Focus, Fusion	M14-1.50	DP-115	NR	NR	22-30	264-360
	1994-80		M14-1.50	DP-053	-	G-026	15-25	180-300
<b>4 Cyl. - 2.5L (152)</b>								
	2010	Fusion, Fusion Hybrid	M14-1.50	DP-115	NR	NR	21	252
<b>4 Cyl. - 2.5L (153)</b>								
	1990-86		M14-1.50	DP-053	-	G-026	15-25	180-300
<b>6 Cyl. - 2.5L (152)</b>								
	2000-99	Contour	M12-1.75	DP-156	NR	NR	19	228
	1998-95	Contour	M12-1.75	DP-059	NR	NR	19	228
	1997-95	Probe	M14-1.50	DP-075	-	G-026	19	228
<b>6 Cyl. - 3.0L (182)</b>								
	2006-05	Five Hundred, Freestyle	M12-1.75	DP-156	NR	NR	16-22	192-264
	2007-01	Taurus 12 Valve	M14-1.50	DP-161	NR	NR	15-25	180-300
	2006-01	Taurus 24 Valve	M12-1.75	DP-156	NR	NR	16-22	192-264
	2000-97	Taurus 24 Valve	M12-1.75	DP-059	NR	NR	16-22	192-264
	1996	Taurus 24 Valve	M12-1.75	DP-059	NR	NR	16-22	192-264
	1996	Exc. Taurus 24 Valve	M14-1.50	DP-053	-	G-026	15-25	180-300
	1995-89	Exc. Taurus SHO	M14-1.50	DP-053	-	G-026	15-25	180-300
	1995-89	Taurus SHO	M14-1.50	DP-033	-	G-026	16-22	192-264

Manufacturer/Engine	Year	Description	Thread Size	Oil Drain Plug	OE Gasket	Fiber Gasket	Drain Plug Torque Specification Foot lbs.	Drain Plug Torque Specification Inch lbs.
<b>FORD – cont'd.</b>								
<b>6 Cyl. - 3.2L (195)</b>								
	1995-93	Taurus SHO	M14-1.50	DP-033	-	G-026	15-25	180-300
<b>6 Cyl. - 3.5L (182)</b>								
	2008-07	Edge	M14-1.50	DP-161	NR	NR	20	240
<b>6 Cyl. - 3.8L (232)</b>								
	2004-01		M12-1.75	DP-156	NR	NR	15-25	180-300
	2000-96		M12-1.75	DP-059	NR	NR	15-25	180-300
	1995	Mustang, Thunderbird	M12-1.75	DP-059	NR	NR	15-25	180-300
	1995	Taurus	M14-1.50	DP-053	-	G-026	15-25	180-300
	1994-82		M14-1.50	DP-053	-	G-026	15-25	180-300
<b>6 Cyl. - 4.0L (245)</b>								
	2010-05	Mustang	M14-1.50	DP-115	NR	NR	19	228
<b>8 Cyl. - 3.4L (207)</b>								
	1999-96	Taurus SHO	M14-1.50	DP-033	-	G-026	15-25	180-300
<b>8 Cyl. - 3.9L (242)</b>								
	2008-02	Thunderbird	M14-1.50	DP-161	NR	NR	17	204
<b>8 Cyl. - 4.6L (281)</b>								
	2010-98		M14-1.50	DP-161	NR	NR	18	216
	1997-92		M14-1.50	DP-053	-	G-026	10	120
<b>8 Cyl. - 5.0L (302)</b>								
	1995-91		M14-1.50	DP-053	-	G-026	15-25	180-300
	1990		1/2-20	DP-005	-	G-027	15-25	180-300
	1990		M14-1.50	DP-053	-	G-026	15-25	180-300
<b>8 Cyl. - 5.4L (330)</b>								
	2010-08	Mustang: Shelby Gt500	M14-1.50	DP-161	NR	NR	19	228
	2006-05		M12-1.75	DP-156	NR	NR	10	120
<b>8 Cyl. - 5.8L (351)</b>								
	1995		1/2-20	DP-005	-	G-027	15-25	180-300
	1991-80		1/2-20	DP-005	-	G-027	15-25	180-300
<b>Ford Truck</b>								
<b>4 Cyl. - 2.5L (152)</b>								
	2010-09	Escape	M14-1.50	DP-115	NR	NR	21	252
<b>4 Cyl. - 2.0L (122)</b>								
	2004-01	Escape	M14-1.50	DP-115	NR	NR	18	216
<b>4 Cyl. - 2.3L (140)</b>								
	2008-07	Escape: XLS, XLT	M14-1.50	DP-115	NR	NR	21	252
	2006-05	Escape	M12-1.75	DP-156	NR	NR	21	252
	2008-05	Escape Hybrid	M14-1.50	DP-115	NR	NR	21	252
	2010-07	Ranger: XL, XLT	M14-1.50	DP-115	NR	NR	21	252
	2006-04	Ranger	M12-1.75	DP-156	NR	NR	21	252
	1997-95		M12-1.75	DP-059	NR	NR	15-25	180-300
	1994-83		M14-1.50	DP-053	-	G-026	15-25	180-300
<b>4 Cyl. - 2.5L (153)</b>								
	2001-98	Ranger	M12-1.75	DP-156	NR	NR	15-25	180-300
<b>6 Cyl. - 2.9L (177)</b>								
	1992-86		M14-1.50	DP-053	-	G-026	22-30	264-360
<b>6 Cyl. - 3.0L (182)</b>								
	2006-01	Escape	M12-1.75	DP-156	NR	NR	19	228
	2007-01	Ranger	M14-1.50	DP-161	NR	NR	10	120
	2000-99		M14-1.50	DP-161	NR	NR	10	120
	1998	Ranger	M14-1.50	DP-161	NR	NR	10	120
	1998	Windstar	M14-1.50	DP-053	-	G-026	19	228
	1997-86		M14-1.50	DP-053	-	G-026	15-25	180-300
<b>6 Cyl. - 3.8L (232)</b>								
	2003-01	Windstar	M12-1.75	DP-156	NR	NR	19	228
	2000-95	Windstar	M14-1.50	DP-033	-	G-026	19	228

Manufacturer/Engine	Year	Description	Thread Size	Oil Drain Plug	OE Gasket	Fiber Gasket	Drain Plug Torque Specification Foot lbs.	Drain Plug Torque Specification Inch lbs.
<b>FORD TRUCK – cont'd.</b>								
<b>6 Cyl. - 3.9L (242)</b>								
	2006-04		M12-1.75	DP-156	NR	NR	19	228
<b>6 Cyl. - 4.0L (245)</b>								
	2006-01		M14-1.50	DP-115	NR	NR	19	228
	2000-96	Aerostar, Ranger	M14-1.50	DP-053	-	G-026	15-25	180-300
	2010-96	Explorer, Ranger	M14-1.50	DP-115	NR	NR	28	336
	1995-90		M14-1.50	DP-053	-	G-026	15-25	180-300
<b>6 Cyl. - 4.2L (256)</b>								
	2006-04	Freestar	M12-1.75	DP-156	NR	NR	19	228
	2000-97	F-Series Pickup	M12-1.75	DP-156	NR	NR	8-12	96-144
	2000-97		M12-1.75	DP-059	NR	NR	8-12	96-144
<b>6 Cyl. - 4.9L (300)</b>								
	1996-75		1/2-20	DP-005	-	G-027	18	216
<b>8 Cyl. - 4.6L (281)</b>								
	2009-99		M14-1.50	DP-161	NR	NR	10	120
	1998-97		M14-1.50	DP-053	-	G-026	10	120
<b>8 Cyl. - 5.0L (302)</b>								
	2000-99	13mm Head	M14-1.50	DP-033	-	G-026	15-25	180-300
	2000-99	14mm Head	M14-1.50	DP-161	NR	NR	15-25	180-300
	1998	15mm Head	M12-1.75	DP-059	NR	NR	15-25	180-300
	1998	14mm Head	M14-1.50	DP-161	NR	NR	15-25	180-300
	1998	13mm Head	M14-1.50	DP-033	-	G-026	15-25	180-300
	1997	15mm Head	M12-1.75	DP-059	NR	NR	15-25	180-300
	1997	13mm Head	M14-1.50	DP-033	-	G-026	15-25	180-300
	1996	Exc. Explorer	1/2-20	DP-005	-	G-027	15-25	180-300
	1996	Explorer	M14-1.50	DP-033	-	G-026	15-25	180-300
	1995-80		1/2-20	DP-005	-	G-027	15-25	180-300
<b>8 Cyl. - 5.4L (329)</b>								
	1998-97		M14-1.50	DP-053	-	G-026	10	120
<b>8 Cyl. - 5.4L (330)</b>								
	2010-99		M14-1.50	DP-161	NR	NR	10	120
<b>8 Cyl. - 5.8L (351)</b>								
	1997-92		M14-1.50	DP-053	-	G-026	15-25	180-300
	1991-90		1/2-20	DP-005	-	G-027	15-25	180-300
	1991-90		M14-1.50	DP-053	-	G-026	15-25	180-300
<b>8 Cyl. - 7.3L (445)</b>								
	2005-90	Diesel	M14-1.25	-	-	-	-	-
<b>8 Cyl. - 7.5L (460)</b>								
	1997-86		M14-1.50	DP-053	-	G-026	15-25	180-300
<b>10 Cyl. - 6.8L (415)</b>								
	2010-97		M14-1.50	DP-161	NR	NR	10	120
<b>GEO</b>								
<b>3 Cyl. - 1.0L (993cc)</b>								
	2000-89	Metro	M14-1.50	DP-075	-	G-026	26	312
<b>4 Cyl. - 1.3L (1295cc)</b>								
	2001-95	Metro	M14-1.50	DP-075	-	G-026	26	312
<b>4 Cyl. - 1.6L (1588cc)</b>								
	2000-94	Tracker	M14-1.50	DP-075	-	G-026	26	312
	1993-89	Storm	M14-1.50	DP-033	-	G-026	25	300
	1993-89	Tracker	M14-1.50	DP-075	-	G-026	26	312
	1997-94	Prizm	M12-1.25	DP-049	-	G-016	27	324
	1993-89	Prizm	M12-1.25	DP-049	-	G-016	27	324
<b>4 Cyl. - 1.8L (1788cc)</b>								
	1993-92	Storm	M14-1.50	DP-033	-	G-026	-	-
	2001-93	Prizm	M12-1.25	DP-049	-	G-016	33	396



Manufacturer/Engine	Year	Description	Thread Size	Oil Drain Plug	OE Gasket	Fiber Gasket	Drain Plug Torque Specification Foot lbs.	Drain Plug Torque Specification Inch lbs.
<b>GEO – cont'd.</b>								
<b>4 Cyl. - 2.0L (122)</b>								
	2001-99	Tracker	M14-1.50	DP-075	-	G-026	26	312
<b>Honda</b>								
<b>4 Cyl. - 1.0L (1000cc)</b>								
	2006-00	Insight	-	-	-	-	-	-
<b>4 Cyl. - 1.3L (1339cc)</b>								
	2010-03	Civic Hybrid	M14-1.50	DP-033	G-015	G-026	16	192
<b>4 Cyl. - 1.5L (1487cc)</b>								
	1995-84		M14-1.50	DP-075	G-015	G-026	33	396
<b>4 Cyl. - 1.6L (1590cc)</b>								
	2000-98	Civic (DX,LX Series)	M14-1.50	DP-075	G-015	G-026	33	396
	2000-98	Civic (Exc. DX,LX,SI Series)	M14-1.50	DP-033	G-015	G-026	33	396
	1997-96	Civic (Exc. DX,LX Series)	M14-1.50	DP-033	G-015	G-026	33	396
	1997-96	Civic Del Sol	M14-1.50	DP-075	G-015	G-026	33	396
	1997-96	Civic (DX,LX Series)	M14-1.50	DP-075	G-015	G-026	33	396
	1995-89		M14-1.50	DP-075	G-015	G-026	33	396
<b>4 Cyl. - 1.7L (1700cc)</b>								
	2005-01	Civic (Exc. DX,LX Series)	M14-1.50	DP-033	G-015	G-026	33	396
	2005-01	Civic (DX,LX Series)	M14-1.50	DP-075	G-015	G-026	29-33	348-396
<b>4 Cyl. - 1.8L (1799cc)</b>								
	2010-06	Civic	M14-1.50	DP-033	G-015	G-026	29	348
<b>4 Cyl. - 2.0L (1955cc)</b>								
	1991-85		M14-1.50	DP-075	G-015	G-026	33	396
<b>4 Cyl. - 2.0L (1972cc)</b>								
	2003-02	S2000	M14-1.50	DP-033	G-015	G-026	33	396
	2001-00	CR-V	M14-1.50	DP-075	G-015	G-026	33	396
	1999-97	CR-V	M14-1.50	DP-075	G-015	G-026	33	396
<b>4 Cyl. - 2.0L (1997cc)</b>								
	2001-00	S2000	M14-1.50	DP-033	G-015	G-026	33	396
<b>4 Cyl. - 2.0L (1998cc)</b>								
	2010-06	Civic SI	M14-1.50	DP-033	G-015	G-026	33	396
	2005-02	Civic	M14-1.50	DP-075	G-015	G-026	33	396
<b>4 Cyl. - 2.2L (2156cc)</b>								
	2001-98	Prelude	M14-1.50	DP-033	G-015	G-026	33	396
	1997	Prelude	M14-1.50	DP-033	G-015	G-026	33	396
	1997	Accord, Odyssey	M14-1.50	DP-075	G-015	G-026	33	396
	1996-90		M14-1.50	DP-075	G-015	G-026	33	396
<b>4 Cyl. - 2.2L (2157cc)</b>								
	2009-04		M14-1.50	DP-033	G-015	G-026	33	396
<b>4 Cyl. - 2.3L (2234cc)</b>								
	2002-98	Accord, Odyssey	M14-1.50	DP-075	G-015	G-026	33	396
<b>4 Cyl. - 2.3L (2259cc)</b>								
	1996-92	Prelude	M14-1.50	DP-075	G-015	G-026	33	396
<b>4 Cyl. - 2.4L (2354cc)</b>								
	2010-07	Accord, CR-V	M14-1.50	DP-033	G-015	G-026	33	396
<b>4 Cyl. - 2.4L (2354cc)</b>								
	2010-02		M14-1.50	DP-075	G-015	G-026	33	396
<b>4 Cyl. - 2.6L (2559cc)</b>								
	1996-94	Passport	M14-1.50	-	-	-	-	-
<b>4-Cyl. - 1.5L (1497cc)</b>								
	2010-07	Fit, Fit Sport, DX, LX	M14-1.50	DP-033	G-015	G-026	33	396
<b>6 Cyl. - 3.5L (3471cc)</b>								
	2010	Accord Crosstour	M14-1.50	DP-033	G-015	G-026	33	396
	2010-08	Accord: EX	M14-1.50	DP-033	G-015	G-026	33	396
	2010-05	Odyssey	M14-1.50	DP-033	G-015	G-026	33	396
	2010-06	Pilot, Ridgeline	M14-1.50	DP-033	G-015	G-026	33	396

Manufacturer/Engine	Year	Description	Thread Size	Oil Drain Plug	OE Gasket	Fiber Gasket	Drain Plug Torque Specification Foot lbs.	Drain Plug Torque Specification Inch lbs.
<b>HONDA – cont'd.</b>								
<b>6 Cyl. - 2.7L (2675cc)</b>								
	1997-95	Accord	M14-1.50	DP-075	G-015	G-026	33	396
<b>6 Cyl. - 3.0L (2997cc)</b>								
	2007-05	Accord, Accord Hybrid	M14-1.50	DP-033	G-015	G-026	33	396
<b>6 Cyl. - 3.0L (3000cc)</b>								
	2006-98	Accord	M14-1.50	DP-033	G-015	G-026	33	396
<b>6 Cyl. - 3.2L (3165cc)</b>								
	2002-94	Passport	M14-1.50	DP-033	G-010	G-026	33	396
<b>6 Cyl. - 3.5L (3475cc)</b>								
	2006-99		M14-1.50	DP-033	G-015	G-026	33	396
<b>Hummer</b>								
<b>5 Cyl. - 3.5L (211)</b>								
	2006		M12-1.75	DP-091	NR	NR	-	-
<b>5 Cyl. - 3.7L (223)</b>								
	2007	H3	M12-1.75	DP-091	NR	NR	-	-
<b>8 Cyl. - 6.0L (364)</b>								
	2007-03		M12-1.75	DP-091	NR	NR	-	-
<b>8 Cyl. - All</b>								
	2000-92		1/2-20	-	-	-	-	-
<b>Hyundai</b>								
<b>4 Cyl. - 1.6L (1599cc)</b>								
	2010-02	Accent	M14-1.50	DP-033	-	G-026	29-32	348-384
<b>4 Cyl. - 2.0L (1975cc)</b>								
	2010-06	Elantra	M14-1.50	DP-033	-	G-026	-	-
	2008-02	Tiburon	M14-1.50	DP-033	-	G-026	29-33	348-396
	2009-06	Tucson	M14-1.50	DP-033	-	G-026	29-33	348-396
<b>4 Cyl. - 2.0L (1998cc)</b>								
	2010	Genesis Coupe	M14-1.50	DP-033	-	G-026	29-36	348-432
<b>4 Cyl. - 2.4L (2351cc)</b>								
	2005-02		M14-1.50	DP-033	-	G-026	26-32	312-384
<b>4 Cyl. - 2.4L (2359cc)</b>								
	2010	Tucson	M14-1.50	DP-033	-	G-026	25-33	300-396
	2010-06	Sonata	M14-1.50	DP-033	-	G-026	25-33	300-396
<b>4 Cyl. - All</b>								
	2001-87		M14-1.50	DP-033	G-141	G-026	26-32	312-384
<b>6 Cyl. - 2.7L (2359cc)</b>								
	2009-05	Tucson, Santa Fe	M14-1.50	DP-033	-	G-026	26-33	312-396
	2008-06	Tiburon	M14-1.50	DP-033	-	G-026	25-33	300-396
<b>6 Cyl. - 2.7L (2656cc)</b>								
	2008-02		M14-1.50	DP-033	-	G-026	26-33	312-396
<b>6 Cyl. - 3.3L (3342cc)</b>								
	2010-07	Azera	M14-1.50	DP-033	-	G-026	25-33	300-396
	2009-07	Santa Fe	M14-1.50	DP-033	-	G-026	29-36	348-432
	2010-06	Sonata	M14-1.50	DP-033	-	G-026	25-32	300-384
<b>6 Cyl. - 3.5L (3467cc)</b>								
	2006		M14-1.50	DP-033	-	G-026	25-33	300-396
<b>6 Cyl. - 3.5L (3500cc)</b>								
	2005-02		M14-1.50	DP-033	-	G-026	25-33	300-396
<b>6 Cyl. - 3.8L (3778cc)</b>								
	2008-07	Entourage	M14-1.50	DP-033	-	G-026	25-33	300-396
	2010-07	Veracruz	M14-1.51	DP-033	-	G-026	25-33	300-396
	2010-09	Genesis Coupe	M14-1.52	DP-033	-	G-026	25-33	300-396
	2010-06	Azera	M14-1.53	DP-033	-	G-026	25-33	300-396

Manufacturer/Engine	Year	Description	Thread Size	Oil Drain Plug	OE Gasket	Fiber Gasket	Drain Plug Torque Specification Foot lbs.	Drain Plug Torque Specification Inch lbs.
<b>HYUNDAI – cont'd.</b>								
<b>6 Cyl. - All</b>								
	2001-90		M14-1.50	DP-033	G-141	G-026	26-32	312-384
<b>Infiniti</b>								
<b>4 Cyl. - All</b>								
	2002-91		M12-1.25	DP-038	-	G-016	22-29	264-348
<b>6 Cyl. - 3.5L (3498cc)</b>								
	2008-07		M12-1.25	DP-038	-	G-016	22-29	264-348
<b>6 Cyl. - 3.7L (3696)</b>								
	2010-08	G37	M12-1.25	DP-038	-	G-016	22-29	264-348
<b>6 Cyl. - All</b>								
	2005-99	QX4 & G35	M12-1.25	DP-038	-	G-016	22-29	264-348
	1998-90		M12-1.25	DP-038	-	G-016	22-29	264-348
<b>6-Cyl - 3.5L (3498cc)</b>								
	2010-99	Exc. QX4& Q35	M12-1.25	DP-038	-	G-016	22-29	264-348
<b>8 Cyl. - All</b>								
	2010-90		M12-1.25	DP-038	-	G-016	22-29	264-348
<b>Isuzu</b>								
<b>4 Cyl. - 1.6L (1588cc)</b>								
	1993-89	Impulse, Stylus	M14-1.50	DP-033	G-015	G-026	-	-
<b>4 Cyl. - 1.8L (1817cc)</b>								
	1992	Impulse, Stylus	M14-1.50	DP-033	G-015	G-026	-	-
<b>Isuzu Truck</b>								
<b>4 Cyl. - 2.2L (2156cc)</b>								
	1997-96	Oasis	M14-1.50	DP-075	G-015	G-026	33	396
<b>4 Cyl. - 2.2L (2180cc)</b>								
	2003-01	Amigo, Rodeo, Rodeo Sport	M14-1.50	-	-	-	-	-
	2000-97	Hombre	M12-1.75	DP-091	NR	NR	33	396
	2000-97	Amigo, Rodeo	M14-1.50	-	-	-	-	-
	1996	Hombre	M12-1.75	DP-034	-	G-016	33	396
<b>4 Cyl. - 2.3L (2234cc)</b>								
	2000-98	Oasis	M14-1.50	DP-075	G-015	G-026	33	396
	1995-86	Amigo, Pickup, Trooper	M14-1.50	DP-075	G-015	G-026	58	696
<b>4 Cyl. - 2.6L (2559cc)</b>								
	1997-88	Amigo, Pickup,Rodeo, Trooper	M14-1.50	DP-075	G-015	G-026	58	696
<b>4 Cyl. - 2.8L (2770cc)</b>								
	2006	I-280	M12-1.75	DP-156	NR	NR	19	228
<b>5 cyl. - 3.5L (3460cc)</b>								
	2006	I-350	M12-1.75	DP-156	NR	NR	19	228
<b>5 Cyl. - 3.7L (3654cc)</b>								
	2008-07		M12-1.75	DP-091	NR	NR	19	228
<b>6 Cyl. - 4.2L (256)</b>								
	2008-07	Ascender	M12-1.75	DP-091	NR	NR	19	228
<b>8 Cyl. - 5.3L (325)</b>								
	2007	Ascender	M12-1.75	DP-091	NR	NR	19	228
<b>6 Cyl. - 2.8L (2827cc)</b>								
	1991-89	Trooper	M14-1.50	DP-075	G-015	G-026	-	-
<b>4 Cyl. - 2.9L (2921cc)</b>								
	2008-07		M12-1.75	DP-091	NR	NR	19	228
<b>6 Cyl. - 3.1L (3137cc)</b>								
	1994-91	Pickup, Rodeo	M12-1.75	DP-034	-	G-016	-	-

Manufacturer/Engine	Year	Description	Thread Size	Oil Drain Plug	OE Gasket	Fiber Gasket	Drain Plug Torque Specification Foot lbs.	Drain Plug Torque Specification Inch lbs.
<b>ISUZU TRUCK – cont'd.</b>								
<b>6 Cyl. - 3.2L (3165cc)</b>								
	2004-92	Amigo, Rodeo, Trooper	M14-1.50	DP-033	-	G-026	33	396
<b>6 Cyl. - 3.5L (3475cc)</b>								
	2004-98	Axiom, Trooper, Vehicross	M14-1.50	DP-033	-	G-026	58	696
<b>6 Cyl. - 4.3L (4294cc)</b>								
	2000-97	Hombre	M12-1.75	DP-091	NR	NR	18	216
<b>Jaguar</b>								
<b>6 Cyl. - 3.6L (3590cc)</b>								
	1989-88		M20-2.50	-	-	-	-	-
<b>6 Cyl. - 4.0L (3980cc)</b>								
	1997-93		M20-2.50	-	-	-	-	-
	1992-90		M20-2.50	-	-	-	-	-
<b>8 Cyl. - 4.0L (3996cc)</b>								
	2000-99	XJR	M20-2.50	-	-	-	-	-
	1998	XJR	M20-2.50	-	-	-	-	-
	1998	Vanden Plas, XJ8, XK8	M14-1.50	DP-033	G-010	G-026	22-30	264-360
	1997	XK8	M14-1.50	DP-033	G-010	G-026	-	-
<b>12 Cyl.</b>								
	1996-71		M16-1.50	-	-	-	-	-
<b>Jeep</b>								
<b>4 Cyl - 2.0L (122)</b>								
	2009-07	Compass, Patriot	M14-1.50	DP-115	NR	NR	30	360
<b>4 Cyl. - 2.4L (144)</b>								
	2009-07	Compass, Patriot	M14-1.50	DP-115	NR	NR	30	36
<b>4 Cyl. - 2.4L (148)</b>								
	2006-02		1/2-20	DP-058	NR	NR	20	240
<b>4 Cyl. - 2.5L (150)</b>								
	2002-91		1/2-20	DP-058	NR	NR	25	300
	1990-85		M14-1.25	-	-	-	-	-
<b>6 Cyl. - 3.7L (226)</b>								
	2006-04		M14-1.50	-	-	-	-	-
	2003-02		M14-1.50	DP-098	NR	NR	25	300
<b>6 Cyl. - 3.8L (231)</b>								
	2009-07	Wrangler	M14-1.50	DP-115	NR	NR	20	240
<b>6 Cyl. - 4.0L (242)</b>								
	2006-92		1/2-20	DP-058	NR	NR	25	300
	1991-87		M14-1.25	-	-	-	-	-
<b>6 Cyl. - 4.2L (258)</b>								
	1990-87		M14-1.25	-	-	-	-	-
<b>8 Cyl. - 4.7L (287)</b>								
	2006-04		M14-1.50	-	-	-	-	-
	2003-99		M14-1.50	DP-098	NR	NR	25	300
<b>8 Cyl. - 5.2L (318)</b>								
	1998-93		1/2-20	DP-058	NR	NR	25	300
<b>8 Cyl. - 5.7L (345)</b>								
	2009-05		M14-1.25	DP-115	NR	NR	20	240
<b>8 Cyl. - 5.9L (360)</b>								
	1998		1/2-20	DP-058	NR	NR	25	300
	1991-72	Magnetic	1/2-20	-	-	-	-	-
	1991-72	Non-Magnetic, 7/8 Head	1/2-20	-	-	-	-	-
	1991-72	Non-Magnetic, 9/16 Head	1/2-20	DP-052	-	G-027	25	300

Manufacturer/Engine	Year	Description	Thread Size	Oil Drain Plug	OE Gasket	Fiber Gasket	Drain Plug Torque Specification Foot lbs.	Drain Plug Torque Specification Inch lbs.
<b>JEEP – cont'd.</b>								
<b>8 Cyl. - 6.1L (370)</b>								
	2009-07	Grand Cherokee: SRT8	M14-1.50	DP-115	NR	NR	20	240
<b>KIA</b>								
<b>4 Cyl. - 1.5L (1493cc)</b>								
	2002-01	Rio	M14-1.50	DP-033	-	G-026	29-41	348-492
<b>4 Cyl. - 1.5L (1500cc)</b>								
	2002	Rio	M14-1.50	DP-033	-	G-026	29-41	348-492
<b>4 Cyl. - 1.6L (1594cc)</b>								
	2005-03		M14-1.50	DP-033	-	G-026	25-33	300-396
<b>4 Cyl. - 1.6L (1597cc)</b>								
	1997-93	Sephia	M14-1.50	DP-075	-	G-026	22-30	264-360
<b>4 Cyl. - 1.6L (1599cc)</b>								
	2010-06	Rio	M14-1.50	DP-033	-	G-026	29-33	348-396
<b>4 Cyl. - 1.8L (1793cc)</b>								
	2004-03		M14.1.50	DP-053	-	G-026	29-32	348-384
<b>4 Cyl. - 1.8L (1839cc)</b>								
	1997-95	Sephia	M14-1.50	DP-033	-	G-026	22-30	264-360
<b>4 Cyl. - 2.0L (1975cc)</b>								
	2009-05	Spectra, Sportage	M14-1.50	DP-033	-	G-026	29-33	348-396
	2004	Spectra EX, LX	M14-1.50	DP-053	-	G-026	29-33	348-396
<b>4 Cyl. - 2.0L (1998cc)</b>								
	1998-95	Sportage	M14-1.50	DP-075	-	G-026	29-41	348-492
<b>4 Cyl. - 2.4L (2351cc)</b>								
	2006-02		M14.1.50	DP-033	-	G-026	25-33	300-396
<b>4 Cyl. - 2.4L (2359cc)</b>								
	2009-06	Optima	M14-1.50	DP-033	-	G-026	29-33	348-396
	2009-07	Rondo	M14-1.50	DP-033	-	G-026	29-33	348-396
<b>6 Cyl. - 2.7L (2656cc)</b>								
	2010	Magentis	M14-1.50	DP-033	-	G-026	25-33	300-396
	2010-06	Optima	M14-1.50	DP-033	-	G-026	25-33	300-396
	2010-07	Rondo	M14-1.50	DP-033	-	G-026	25-33	300-396
	2010-06	Sportage	M14-1.50	DP-033	-	G-026	26-33	312-396
<b>6 Cyl. - 3.5L (3597cc)</b>								
	2006-02		M14-1.50	DP-033	-	G-026	25-33	300-396
<b>6 Cyl. - 3.8L (3778cc)</b>								
	2009-07	Amanti	M14-1.50	DP-033	-	G-026	25-32	300-384
	2009	Borrego	M14-1.50	DP-033	-	G-026	25-32	300-384
	2009-06	Sedona	M14-1.50	DP-033	-	G-026	25-33	300-396
	2009-07	Sorento	M14-1.50	DP-033	-	G-026	25-33	300-396
<b>8 Cyl. - 4.6L (4627cc)</b>								
	2009	Borrego	M14-1.50	DP-033	-	G-026	25-32	300-384
<b>Lexus</b>								
<b>6 Cyl. - 2.5L (2499cc)</b>								
	2010-06	IS250	M12-1.25	DP-038	-	G-016	30	360
<b>6 Cyl. - 2.5L (2508cc)</b>								
	1991	2VZFE (From 5/91)	M12-1.25	DP-038	-	G-016	29	348
	1991	2VZFE (To 5/91)	M12-1.25	DP-038	-	G-016	29	348
	1990	2VZFE Eng	M12-1.25	DP-038	-	G-016	29	348
<b>6 Cyl. - 3.0L (2959cc)</b>								
	2003-94	1 MZFE Eng	M12-1.25	DP-049	-	G-016	29	348
	1993-92	3 VZFE Eng	M12-1.25	DP-038	-	G-016	33	396
<b>6 Cyl. - 3.0L (2999cc)</b>								
	2003-92	2JZGE Eng	M12-1.25	DP-049	-	G-016	25	300
	2005-94	2JZGE Eng	M12-1.25	DP-038	-	G-016	33	396

Manufacturer/Engine	Year	Description	Thread Size	Oil Drain Plug	OE Gasket	Fiber Gasket	Drain Plug Torque Specification Foot lbs.	Drain Plug Torque Specification Inch lbs.
<b>LEXUS - cont'd.</b>								
<b>6 Cyl. - 3.3L (3300cc)</b>								
	2008-04	3MZFE Eng	M12-1.25	DP-038	-	G-016	33	396
<b>6 Cyl. - 3.5L (3456cc)</b>								
	2010-06		M12-1.25	DP-038	-	G-016	30	360
<b>6 Cyl. - 4.5L (4477cc)</b>								
	1997-96	1FZFE Eng	M12-1.25	DP-049	-	G-016	25	300
<b>8 Cyl. - 4.0L (3966cc)</b>								
	2000-95	1UZFE Eng	M12-1.25	DP-038	-	G-016	18	216
	1994-90	1UZFE Eng	M12-1.25	DP-038	-	G-016	18	216
<b>8 Cyl. - 4.3L (4300cc)</b>								
	2006-01	3UZFE Eng	M12-1.25	DP-038	-	G-016	29	348
<b>8 Cyl. - 4.6L (4608cc)</b>								
	2010-07		M12-1.25	DP-038	-	G-016	30	360
<b>8-Cyl. - 4.3L (4293cc)</b>								
	2010-06		M12-1.25	DP-038	-	G-016	29	348
<b>8 Cyl. - 4.7L (4663cc)</b>								
	2009-06	2UZFE	M12-1.25	DP-038	-	G-016	18	216
<b>8 Cyl. - 5.0L (4968cc)</b>								
	2010-08		M12-1.25	DP-038	-	G-016	30	360
<b>8 Cyl. - 5.7L (5663cc)</b>								
	2010-08		M12-1.25	DP-038	-	G-016	30	360
<b>Lincoln</b>								
<b>6 Cyl. - 3.0L (182)</b>								
	2005-04		M12-1.75	DP-156	NR	NR	15-25	180-300
<b>6 Cyl. - 3.5L (213)</b>								
	2008-07		M14-1.50	DP-161	NR	NR	20	240
<b>6 Cyl. - 3.8L (232)</b>								
	1994-88		M14-1.50	DP-053	-	G-026	15-25	180-300
<b>8 Cyl. - 3.9L (242)</b>								
	2006-00	LS	M14-1.50	DP-161	NR	NR	17	204
<b>8 Cyl. - 4.6L (281)</b>								
	2009-98		M14-1.50	DP-161	NR	NR	18	216
	1997-91		M14-1.50	DP-053	-	G-026	10	120
<b>8 Cyl. - 5.0L (302)</b>								
	1992-91		M14-1.50	DP-053	-	G-026	15-25	180-300
	1990		1/2-20	DP-005	-	G-027	15-25	180-300
	1990		M14-1.50	DP-053	-	G-026	15-25	180-300
<b>8 Cyl. - 5.4L (329)</b>								
	1998	Navigator	M14-1.50	DP-053	-	G-026	10	120
<b>8 Cyl. - 5.4L (330)</b>								
	2010-99		M14-1.50	DP-161	NR	NR	10	120
<b>Mazda</b>								
<b>2 Cyl. - 1.3L (1308cc)</b>								
	2008-04		M14-1.50	DP-075	G-015	G-026	22-30	264-360
	1995-84		M14-1.50	DP-075	G-015	G-026	22-30	264-360
<b>4 Cyl. - 1.5L (1489cc)</b>								
	1998-96		M14-1.50	DP-075	G-015	G-026	22-30	264-360
<b>4 Cyl. - 1.6L (1589cc)</b>								
	2001-99		M14-1.50	DP-075	G-015	G-026	22-30	264-360
<b>4 Cyl. - 1.6L (1597cc)</b>								
	1995-94		M14-1.50	DP-075	G-015	G-026	22-30	264-360
	1993-90	Miata	M14-1.50	DP-033	G-015	G-026	22-30	264-360
	1993-90	MX3,323	M14-1.50	DP-075	G-015	G-026	22-30	264-360

Manufacturer/Engine	Year	Description	Thread Size	Oil Drain Plug	OE Gasket	Fiber Gasket	Drain Plug Torque Specification Foot lbs.	Drain Plug Torque Specification Inch lbs.
<b>MAZDA – cont'd.</b>								
<b>4 Cyl. - 1.8L (1839cc)</b>								
	2005-01	Miata	M14-1.50	DP-033	G-015	G-026	22-30	264-360
	2000-99	Miata	M14-1.50	DP-033	G-015	G-026	22-30	264-360
	2000-99	Protege	M14-1.50	DP-075	G-015	G-026	22-30	264-360
	1998-90		M14-1.50	DP-033	G-015	G-026	22-30	264-360
<b>4 Cyl. - 2.0L (1991cc)</b>								
	2003-01	626, Tribute	M14-1.50	DP-075	G-015	G-026	22-30	264-360
	2000-93		M14-1.50	DP-075	G-015	G-026	22-30	264-360
<b>4 Cyl. - 2.0L (2000cc)</b>								
	2003-01	Protege	M14-1.50	DP-075	G-015	G-026	22-30	264-360
<b>4 Cyl. - 2.2L (2184cc)</b>								
	1993-88		M14-1.50	DP-075	G-015	G-026	22-30	264-360
<b>4 Cyl. - 2.3L (2260cc)</b>								
	2008-07		M14-1.50	DP-115	NR	NR	23-30	276-360
<b>4 Cyl. - 2.5L (2488cc)</b>								
	2010-09		M14-1.50	DP-115	NR	NR	23-30	276-360
<b>4 Cyl. - 2.6L (2606cc)</b>								
	1994-89		M14-1.50	DP-075	G-015	G-026	22-30	264-360
<b>6 Cyl. - 1.8L (1845cc)</b>								
	1995-92		M14-1.50	DP-075	G-015	G-026	22-30	264-360
<b>6 Cyl. - 2.3L (2254cc)</b>								
	2002-95		M14-1.50	DP-075	G-015	G-026	22-30	264-360
<b>6 Cyl. - 2.5L (2497cc)</b>								
	2002-00	626, Millenia	M14-1.50	DP-075	G-015	G-026	22-30	264-360
	1999-93		M14-1.50	DP-075	G-015	G-026	22-30	264-360
<b>6 Cyl. - 3.0L (2954cc)</b>								
	1998-88		M14-1.50	DP-075	G-015	G-026	22-30	264-360
<b>Mazda Truck</b>								
<b>4 Cyl. - 2.2L (2184cc)</b>								
	1993-87		M14-1.50	DP-075	G-015	G-026	22-30	264-360
<b>4 Cyl. - 2.3L (2295cc)</b>								
	1997-96		M12-1.75	DP-059	NR	NR	22-30	264-360
<b>4 Cyl. - 2.3L 140)</b>								
	2008	Tribute	M14-1.50	DP-115	NR	NR	21	252
<b>4 Cyl. - 2.5L (2488cc)</b>								
	2010-09	Tribute, Tribute Hybrid	M14-1.50	DP-115	NR	NR	21	252
<b>4 Cyl. - 2.5L (2492cc)</b>								
	2002-00		-	-	-	-	-	-
	1999		M12-1.75	DP-059	NR	NR	22-30	264-360
<b>4 Cyl. - 2.6L (2606cc)</b>								
	1993-89		M14-1.50	DP-075	G-015	G-026	22-30	264-360
<b>6 Cyl. - 2.3L (2254cc)</b>								
	1997-96		M14-1.50	DP-161	NR	NR	22-30	264-360
	1995-94		M14-1.50	DP-161	NR	NR	22-30	264-360
<b>6 Cyl. - 3.0L (2954cc)</b>								
	2007-03		M14-1.50	DP-161	NR	NR	17	204
<b>6 Cyl. - 3.0L (2999cc)</b>								
	2005-01		M14-1.25	DP-161	NR	NR	10	120
	2000-94		M14-1.50	DP-161	NR	NR	10	120
<b>6 Cyl. - 4.0L (4016cc)</b>								
	2009-95		M14-1.50	DP-115	NR	NR	28	336
	1994-91		M14-1.50	DP-053	-	G-026	22-30	264-360

Manufacturer/Engine	Year	Description	Thread Size	Oil Drain Plug	OE Gasket	Fiber Gasket	Drain Plug Torque Specification Foot lbs.	Drain Plug Torque Specification Inch lbs.
<b>Mercury</b>								
<b>4 Cyl. - 1.6L (1598cc)</b>								
	1994-91	Capri; wo/Turbo	M14-1.50	DP-075	G-015	G-026	22-30	264-360
	1994-91	Capri; w/Turbo	M14-1.50	DP-033	G-015	G-026	22-30	264-360
<b>4 Cyl. - 1.8L (110)</b>								
	1996-91		M14-1.50	DP-033	G-010	G-026	22-30	264-360
<b>4 Cyl. - 1.9L (113)</b>								
	1996	From 12/12/95	M12-1.75	DP-059	NR	NR	15-25	180-300
	1996	To 12/11/95	M14-1.50	DP-053	-	G-026	15-25	180-300
	1995-91		M14-1.50	DP-053	-	G-026	15-25	180-300
<b>4 Cyl. - 2.0L (122)</b>								
	2002-00		M14-1.50	DP-115	NR	NR	18	216
	1999-98	Exc. Tracer	M14-1.50	DP-115	NR	NR	18	216
	1999-97	Tracer	M12-1.75	DP-059	NR	NR	29-41	348-492
	1997-95	Mystique	M14-1.50	DP-033	-	G-026	18	216
<b>4 Cyl. - 2.3L (140)</b>								
	2009-07	Mariner, Milan	M14-1.50	DP-115	NR	NR	19	228
	2006-05	Mariner	M12-1.75	DP-156	NR	NR	21	252
	1994-80		M14-1.50	DP-053	-	G-026	15-25	180-300
<b>4 Cyl. - 2.5L (152)</b>								
	2010-09	Mariner, Milan	M14-1.50	DP-115	NR	NR	21	252
	2002-99		M12-1.75	DP-156	NR	NR	19	228
	1998-95		M12-1.75	DP-059	NR	NR	15-25	180-300
<b>6 Cyl. - 3.0L (182)</b>								
	2006-05	Montego, Mariner	M12-1.75	DP-156	NR	NR	19	228
	2006-97	Sable; 12 Valve	M14-1.50	DP-161	NR	NR	15-25	180-300
	2006-01	Sable; 24 Valve	M12-1.75	DP-156	NR	NR	16-22	192-264
	2000-97	Sable; 24 Valve	M12-1.75	DP-059	NR	NR	16-22	192-264
	1998-93	Villager	M12-1.25	DP-038	-	G-016	22-29	264-348
	1996	Sable; 24 Valve	M12-1.75	DP-059	NR	NR	16-22	192-264
	1996	Sable; 12 Valve	M14-1.50	DP-053	-	G-026	15-25	180-300
	1995-93	Sable, Topaz	M14-1.50	DP-053	-	G-026	15-25	180-300
	1992-86	Sable, Topaz	M14-1.50	DP-053	-	G-026	15-25	180-300
<b>6 Cyl. - 3.3L (3275cc)</b>								
	2002-99	Villager	M12-1.25	DP-038	-	G-016	22-29	264-348
<b>6 Cyl. - 3.8L (232)</b>								
	1997-96		M12-1.75	DP-059	NR	NR	15-25	180-300
	1995	Cougar	M12-1.75	DP-059	NR	NR	15-25	180-300
	1995	Sable	M14-1.50	DP-053	-	G-026	15-25	180-300
	1994-82		M14-1.50	DP-053	-	G-026	15-25	180-300
<b>6 Cyl. - 4.0L (245)</b>								
	2010-98	Mountaineer	M14-1.50	DP-115	NR	NR	19	228
<b>6 Cyl. - 4.2L (256)</b>								
	2006-04	Monterey	M12-1.75	DP-156	NR	NR	19	228
<b>8 Cyl. - 4.6L (281)</b>								
	2010-98		M14-1.50	DP-161	NR	NR	10	120
	1997-92		M14-1.50	DP-053	-	G-026	10	120
<b>8 Cyl. - 5.0L (302)</b>								
	2000-98	Mountaineer	M14-1.50	DP-161	NR	NR	15-25	180-300
	1997	Mountaineer	M14-1.50	DP-033	-	G-026	15-25	180-300
	1995-91		M14-1.50	DP-053	-	G-026	15-25	180-300
	1990		1/2-20	DP-005	-	G-027	15-25	180-300
	1990		M14-1.50	DP-053	-	G-026	15-25	180-300



Manufacturer/Engine	Year	Description	Thread Size	Oil Drain Plug	OE Gasket	Fiber Gasket	Drain Plug Torque Specification Foot lbs.	Drain Plug Torque Specification Inch lbs.
<b>Mitsubishi</b>								
<b>4 Cyl. - 1.5L (1468cc)</b>								
	2002-95	Mirage	M14-1.50	DP-075	G-141	G-026	26-32	312-384
	1994-87	Mirage	M14-1.50	DP-075	G-141	G-026	26-32	312-384
	1994-87	Precis	M14-1.50	DP-033	G-141	G-026	26-32	312-384
<b>4 Cyl. - 1.6L (1597cc)</b>								
	1992-85	Mirage	M14-1.50	DP-075	G-141	G-026	26-32	312-384
<b>4 Cyl. - 1.8L (1755cc)</b>								
	1994-90	Eclipse	M14-1.50	DP-075	G-141	G-026	26-32	312-384
<b>4 Cyl. - 1.8L (1834cc)</b>								
	2002-92	Expo, Expo LRV, Mirage	M14-1.50	DP-075	G-141	G-026	29	348
<b>4 Cyl. - 2.0L (1997cc)</b>								
	1999-98		1/2-20	DP-058	NR	NR	26-32	312-384
	1997-96	wo/Turbo	M14-1.50	DP-098	G-141	G-026	26-32	312-384
	1997-96	w/Turbo	M14-1.50	DP-075	G-141	G-026	26-32	312-384
	1995		M14-1.50	DP-098	G-141	G-026	26-32	312-384
	1994-84		M14-1.50	DP-075	G-141	G-026	26-32	312-384
<b>4 Cyl. - 2.0L (1998cc)</b>								
	2010-07	Lancer	M14-1.50	DP-075	G-141	G-026	26-32	312-384
<b>4 Cyl. - 2.0L (1999cc)</b>								
	2007-05	Lancer	M14-1.50	DP-075	G-141	G-026	26-32	312-384
<b>4 Cyl. - 2.0L (2000cc)</b>								
	2004-02	Lancer	M14-1.50	DP-075	G-141	G-026	26-32	312-384
<b>4 Cyl. - 2.4L (2351cc)</b>								
	2005-00		M14-1.50	DP-075	G-141	G-026	26-32	312-384
	1999-98	Eclipse	1/2-20	DP-058	NR	NR	26-32	312-384
	1999-98	Galant	M14-1.50	DP-075	G-141	G-026	26-32	312-384
	1997-85		M14-1.50	DP-075	G-141	G-026	26-32	312-384
<b>4 Cyl. - 2.4L (2360cc)</b>								
	2010-09	Lancer: GTS	M14-1.50	DP-075	G-141	G-026	26-32	312-384
	2008-05		M14-1.50	DP-075	G-141	G-026	26-32	312-384
<b>4 Cyl. - 2.4L (2378cc)</b>								
	2010-07	Eclipse, Galant	M14-1.50	DP-075	G-141	G-026	26-32	312-384
<b>6 Cyl. - 3.0L (2972cc)</b>								
	2005-88		M14-1.50	DP-075	G-141	G-026	26-32	312-384
<b>6 Cyl. - 3.5L (3497cc)</b>								
	2004-97		M14-1.50	DP-033	G-141	G-026	26-32	312-384
<b>6 Cyl. - 3.8L (3828cc)</b>								
	2010-07		M14-1.50	DP-075	G-141	G-026	26-32	312-384
<b>Mitsubishi Truck</b>								
<b>4 Cyl. - All</b>								
	2000-83		M14-1.50	DP-075	G-141	G-026	26-32	312-384
<b>6 Cyl. - All</b>								
	2010-89		M14-1.50	DP-075	G-141	G-026	26-32	312-384
<b>Nissan</b>								
<b>4 Cyl. - 1.6L (1597cc)</b>								
	2001-91	GA16DE Eng	M12-1.25	DP-038	-	G-016	22-29	264-348
	1990-89	GA16i Eng	M12-1.25	DP-038	-	G-016	22-29	264-348
<b>4 Cyl. - 1.6L (1598cc)</b>								
	2010-09	HR16DE	M12-1.25	DP-038	-	G-016	25	300
<b>4 Cyl. - 1.8L (1798cc)</b>								
	2010-07		M12-1.25	DP-038	-	G-016	25	300
<b>4 Cyl. - 1.8L (1809cc)</b>								
	2006-05	Sentra	M12-1.25	DP-038	-	G-016	22-29	264-348

Manufacturer/Engine	Year	Description	Thread Size	Oil Drain Plug	OE Gasket	Fiber Gasket	Drain Plug Torque Specification Foot lbs.	Drain Plug Torque Specification Inch lbs.
<b>NISSAN – cont'd.</b>								
<b>4 Cyl. - 2.0L (1998cc)</b>								
	2010-07		M12-1.25	DP-038	-	G-016	25	300
	2001-91	SR20DE Eng	M12-1.25	DP-038	-	G-016	22-29	264-348
<b>4 Cyl. - 2.4L (2389cc)</b>								
	2001-89	KA24DE, KA24E Engs	M12-1.25	DP-038	-	G-016	22-29	264-348
	1990-87	Z24i Eng	M12-1.25	DP-038	-	G-016	22-29	264-348
<b>4 Cyl. - 2.5L (2500cc)</b>								
	2009-02		M12-1.25	DP-038	-	G-016	22-29	264-348
<b>6 Cyl. - 3.0L (2960cc)</b>								
	1998-84	VG30, VG30DE, VG30DETT, VG30E, VG30T Engs	M12-1.25	DP-038	-	G-016	22-29	264-348
<b>6 Cyl. - 3.0L (2988cc)</b>								
	2001-95	VQ30DE Eng	M12-1.25	DP-038	-	G-016	22-29	264-348
<b>6 Cyl. - 3.3L (3275cc)</b>								
	2002-99	VG33E Eng	M12-1.25	DP-038	-	G-016	22-29	264-348
<b>6 Cyl. - 3.5L (3498cc)</b>								
	2010-06		M12-1.25	DP-038	-	G-016	25	300
<b>6 Cyl. - 3.5L (3500cc)</b>								
	2005-02		M12-1.25	DP-038	-	G-016	22-29	264-348
<b>6 Cyl. - 3.7L (3696cc)</b>								
	2010-09		M12-1.25	DP-038	-	G-016	25	300
<b>6 Cyl. - 3.8L (3799cc)</b>								
	2010-06		M12-1.25	DP-038	-	G-016	25	300
<b>Nissan Truck</b>								
<b>4 Cyl. - 2.4L (2389cc)</b>								
	2004-90	KA24DE, KA24E Engs	M12-1.25	DP-038	-	G-016	22-29	264-348
<b>4 Cyl. - 2.5L (2500cc)</b>								
	2008-05	VR25DE	M12-1.25	DP-038	-	G-016	22-29	264-348
<b>6 Cyl. - 3.0L (2960cc)</b>								
	1995-86	VG30, VG30E Engs	M12-1.25	DP-038	-	G-016	22-29	264-348
<b>6 Cyl. - 3.3L (3275cc)</b>								
	2004-99	VG33E Eng	M12-1.25	DP-038	-	G-016	22-29	264-348
	1998-96	VG33E Eng	M12-1.25	DP-038	-	G-016	22-29	264-348
<b>6 Cyl. - 3.5L (3500cc)</b>								
	2004-01		M12-1.25	DP-038	-	G-016	22-29	264-348
<b>6 Cyl. - 4.0L (3954cc)</b>								
	2010-06		M12-1.25	DP-038	-	G-016	25	300
<b>6 Cyl. - 4.0L (4000cc)</b>								
	2005	VQ40DE	M12-1.25	DP-038	-	G-016	22-29	264-348
<b>8 Cyl. - 5.6L (5552cc)</b>								
	2010-04	VK56DE Eng	M12-1.25	DP-038	-	G-016	22-29	264-348
<b>8 Cyl. - 5.6L (5882cc)</b>								
	2008-07		M12-1.75	DP-038	-	G-016	25	300
<b>Oldsmobile</b>								
<b>4 Cyl. - 2.2L (134)</b>								
	2004-02		M12-1.75	DP-091	NR	NR	18	216
	1996-93	Magnetic	M12-1.75	DP-079	NR	NR	25	300
	1996-93	Non-Magnetic	M12-1.75	DP-034	-	G-016	25	300
<b>4 Cyl. - 2.3L (138)</b>								
	1995-92		M12-1.75	DP-079	NR	NR	20	240
	1991-90	Cutlass Supreme	M12-1.75	DP-079	NR	NR	20	240
	1991-87	Cutlass Calais	M12-1.75	-	-	G-016	20	240

Manufacturer/Engine	Year	Description	Thread Size	Oil Drain Plug	OE Gasket	Fiber Gasket	Drain Plug Torque Specification Foot lbs.	Drain Plug Torque Specification Inch lbs.
<b>OLDSMOBILE – cont'd.</b>								
<b>4 Cyl. - 2.4L (146)</b>								
	2002-97		M12-1.75	DP-091	NR	NR	18	216
	1996		M12-1.75	DP-079	NR	NR	20	240
<b>4 Cyl. - 2.5L (151)</b>								
	1992-88		M85-2.50	-	-	-	-	-
<b>6 Cyl. - 3.1L (189)</b>								
	1999-97		M12-1.75	DP-091	NR	NR	18	216
	1996-95		M12-1.75	DP-079	NR	NR	18	216
	1994	Magnetic	M12-1.75	DP-079	NR	NR	18	216
	1994	Non-Magnetic	M12-1.75	DP-034	-	G-016	18	216
	1993-89		M12-1.75	DP-034	-	G-016	-	-
<b>6 Cyl. - 3.3L (204)</b>								
	1993-89		M12-1.75	DP-052	-	G-016	30	360
<b>6 Cyl. - 3.4L (207)</b>								
	2005-97		M12-1.75	DP-091	NR	NR	18	216
	2004		M12-1.75	DP-156	NR	NR	18	216
	1996-94		M12-1.75	DP-079	NR	NR	18	216
	1993-91		M12-1.75	DP-034	-	G-016	18	216
<b>6 Cyl. - 3.5L (214)</b>								
	2002-99		M12-1.75	DP-091	NR	NR	15	180
<b>6 Cyl. - 3.8L (231)</b>								
	1999-97		M12-1.75	DP-091	NR	NR	30	360
	1996-95		M12-1.75	DP-079	NR	NR	30	360
	1994-77		1/2-20	DP-052	-	G-016	30	360
<b>6 Cyl. - 4.2L (256)</b>								
	2005-02	Bravada	M12-1.75	DP-091	NR	NR	18	216
	2004	Non-Magnetic	M12-1.75	DP-156	NR	NR	19	228
<b>6 Cyl. - 4.3L (262)</b>								
	2002-97	Bravada	M12-1.75	DP-091	NR	NR	18	216
	1996	Bravada	M12-1.75	DP-079	NR	NR	18	216
	1994-91	Bravada	1/2-20	DP-052	-	G-016	18	216
<b>8 Cyl. - 4.0L (244)</b>								
	2003-97	Aurora	M12-1.75	DP-091	NR	NR	15	180
	1996-95	Aurora	M12-1.75	DP-079	NR	NR	15	180
<b>8 Cyl. - 5.0L (305)</b>								
	1992-91		1/2-20	DP-052	-	G-016	15	180
<b>8 Cyl. - 5.0L (307)</b>								
	1990-81		1/2-20	DP-052	-	G-027	30	360
<b>8 Cyl. - 5.7L (350)</b>								
	1992		1/2-20	DP-052	-	G-016	15	180
<b>Plymouth</b>								
<b>4 Cyl. - 1.5L (1468cc)</b>								
	1994-85		M14-1.50	DP-075	G-141	G-026	26-32	312-384
<b>4 Cyl. - 1.6L (1597cc)</b>								
	1990-83	Colt	M14-1.50	DP-075	G-141	G-026	26-32	312-384
<b>4 Cyl. - 1.8L (1754cc)</b>								
	1994-89		M14-1.50	DP-075	G-141	G-026	26-32	312-384
<b>4 Cyl. - 2.0L (122)</b>								
	2001-96		M14-1.50	DP-098	-	NR	20	240
	1995		1/2-20	DP-058	-	NR	20	240
	1994-84		M14-1.50	DP-075	G-141	G-026	20	240
<b>4 Cyl. - 2.2L (135)</b>								
	1994-81		1/2-20	DP-052	-	G-027	20	240
<b>4 Cyl. - 2.4L (148)</b>								
	2000-96		M14-1.50	DP-098	-	NR	20	240

Manufacturer/Engine	Year	Description	Thread Size	Oil Drain Plug	OE Gasket	Fiber Gasket	Drain Plug Torque Specification Foot lbs.	Drain Plug Torque Specification Inch lbs.
<b>PLYMOUTH - cont'd.</b>								
<b>4 Cyl. - 2.4L (2351cc)</b>								
	1994-92	Colt, Colt Vista	M14-1.50	DP-075	G-141	G-026	26-32	312-384
<b>4 Cyl. - 2.5L (153)</b>								
	1995-86		1/2-20	DP-052	-	G-027	20	240
<b>6 Cyl. - 2.5L (152)</b>								
	1998-95		M14-1.50	DP-075	G-141	G-026	29	348
<b>6 Cyl. - 3.0L (181)</b>								
	2000-90		M14-1.50	DP-075	G-141	G-026	20	240
<b>6 Cyl. - 3.3L (201)</b>								
	2000		M14-1.50	DP-098	NR	NR	20	240
	1999-90		1/2-20	DP-058	NR	NR	20	240
<b>6 Cyl. - 3.5L (215)</b>								
	2001-00	Prowler	M14-1.50	-	-	-	-	-
	1999	Prowler	M14-1.50	DP-098	NR	NR	20	240
	1997	Prowler	1/2-20	DP-058	NR	NR	25	300
<b>6 Cyl. - 3.8L (230)</b>								
	1999-97		1/2-20	DP-058	NR	NR	20	240
	1996-94		1/2-20	DP-052	NR	NR	20	240
<b>Pontiac</b>								
<b>4 Cyl. - 1.6L (98)</b>								
	1993-88		M14-1.50	DP-033	G-015	G-026	33	396
<b>4 Cyl. - 1.8L (1762cc)</b>								
	2005-03	Vibe	M12-1.25	DP-049	-	G-016	18	216
<b>4 Cyl. - 1.8L (1794cc)</b>								
	2008-06		M12-1.25	DP-038	-	G-016	26	312
<b>4 Cyl. - 1.8L (1798cc)</b>								
	2010-09		M12-1.25	DP-038	-	G-016	27	324
<b>4 Cyl. - 2.0L (122)</b>								
	1994-87		M14-1.50	DP-033	G-015	G-026	33-34	396-408
<b>4 Cyl. - 2.2L (134)</b>								
	2004-97		M12-1.75	DP-091	NR	NR	35	420
	1996		M12-1.75	DP-079	NR	NR	35	420
	1995	Magnetic	M12-1.75	DP-079	NR	NR	35	420
	1995	Non-Magnetic	M12-1.75	DP-034	-	G-016	35	420
<b>4 Cyl. - 2.3L (138)</b>								
	1995-92		M12-1.75	DP-079	NR	NR	20	240
	1991-90	Grand Prix	M12-1.75	DP-079	NR	NR	20	240
	1991-88	Grand Am	M12-1.75	-	-	G-016	20	240
<b>4 Cyl. - 2.4L (146)</b>								
	2003-97		M12-1.75	DP-091	NR	NR	19	228
	1996		M12-1.75	DP-079	NR	NR	20	240
<b>4 Cyl. - 2.4L (2362cc)</b>								
	2010-09		M12-1.25	DP-038	-	G-016	18	216
<b>4 Cyl. - 2.5L (151)</b>								
	1991-88		M85-2.50	-	-	-	-	-
<b>6 Cyl. - 3.1L (189)</b>								
	2003-97		M12-1.75	DP-091	NR	NR	18	216
	1996-94		M12-1.75	DP-079	NR	NR	18	216
	1994	Magnetic	M12-1.75	DP-079	NR	NR	18	216
	1994	Non-Magnetic	M12-1.75	DP-034	-	G-016	18	216
	1993-88		M12-1.75	DP-034	-	G-016	-	-
<b>6 Cyl. - 3.3L (204)</b>								
	1993-92		1/2-20	DP-052		G-027	30	360

Manufacturer/Engine	Year	Description	Thread Size	Oil Drain Plug	OE Gasket	Fiber Gasket	Drain Plug Torque Specification Foot lbs.	Drain Plug Torque Specification Inch lbs.
<b>PONTIAC - cont'd.</b>								
<b>6 Cyl. - 3.4L (207)</b>								
	2006-04		M12-1.75	DP-156	NR	NR	18	216
	2007-97		M12-1.75	DP-091	NR	NR	18	216
	1996-95		M12-1.75	DP-079	NR	NR	18	216
	1995	Exc. Firebird	M12-1.75	DP-079	NR	NR	18	216
	1995	Firebird	M12-1.75	DP-034	-	G-016	18	216
	1994-91		M12-1.75	DP-034	-	G-016	18	216
<b>6 Cyl. - 3.5L (213)</b>								
	2006-05		M12-1.75	DP-156	NR	NR	18	216
<b>6 Cyl. - 3.8L (231)</b>								
	2007-97		M12-1.75	DP-091	NR	NR	22	264
	1996-95		M12-1.75	DP-079	NR	NR	22	264
	1994-77		1/2-20	DP-052	-	G-027	30	360
<b>6 Cyl. - 3.9L (237)</b>								
	2006		M12-1.75	DP-156	NR	NR	18	216
<b>8 Cyl. - 4.6L (281)</b>								
	2005-04		M12-1.75	DP-156	NR	NR	15	180
<b>8 Cyl. - 5.0L (305)</b>								
	1992-77		1/2-20	DP-052	-	G-027	30	360
<b>8 Cyl. - 5.3L (325)</b>								
	2006-05		M12-1.75	DP-156	NR	NR	18	216
<b>8 Cyl. - 5.7L (350)</b>								
	2004		M12-1.75	DP-156	NR	NR	18	216
	2002-97		M12-1.75	DP-091	NR	NR	18	216
	1996		M12-1.75	DP-079	NR	NR	15	180
	1995-87		1/2-20	DP-052	-	G-027	15	180
<b>8 Cyl. - 6.0L (364)</b>								
	2006-05		M12-1.75	DP-156	NR	NR	18	216
<b>Saab</b>								
<b>4 Cyl. - All</b>								
	2000-94		M14-1.50	DP-033	-	G-026	20	240
<b>4 Cyl. - All</b>								
	1993-80		M14-1.50	DP-033	G-010	G-026	37	444
<b>6 Cyl. - All</b>								
	2000-94		M14-1.50	DP-033	-	G-026	41	492
<b>Saturn</b>								
<b>4 Cyl. - 1.9L (116)</b>								
	2002-91		M12-1.75	-	-	-	-	-
<b>4 Cyl. - 2.0L (122)</b>								
	2006-04		-	-	-	-	-	-
<b>4 Cyl. - 2.2L (134)</b>								
	2005-03		-	-	-	-	-	-
	2002-00		M12-1.75	DP-079	NR	NR	18	216
<b>6 Cyl. - 3.0L (181)</b>								
	2004-00		M14-1.50	-	-	-	-	-
<b>6 Cyl. - 3.5L (213)</b>								
	2006		M12-1.75	DP-156	NR	NR	18	216
<b>6 Cyl. - 3.6L (217)</b>								
	2007		M12-1.75	DP-091	NR	NR	18	216
<b>6 Cyl. - 3.9L (237)</b>								
	2007	Relay - 3, 2, 1	M12-1.75	DP-091	NR	NR	18	216
	2006	Relay - 3	M12-1.75	DP-156	NR	NR	18	216
<b>6 Cyl. - 3.5L (3475cc)</b>								
	2006-04	Vue	M14-1.50	-	-	-	-	-

Manufacturer/Engine	Year	Description	Thread Size	Oil Drain Plug	OE Gasket	Fiber Gasket	Drain Plug Torque Specification Foot lbs.	Drain Plug Torque Specification Inch lbs.
<b>Scion</b>								
<b>4 Cyl. - 1.5L (1497cc)</b>								
	2006-05	1NZFE Eng	M12-1.25	DP-038	-	G-016	28	336
<b>4 Cyl. - 1.8L (1798cc)</b>								
	2010-08		M12-1.25	DP-038	-	G-016	27	324
<b>4 Cyl. - 2.4L (2362cc)</b>								
	2010-08		M12-1.25	DP-038	-	G-016	30	360
<b>4 Cyl. - 2.4L (2398cc)</b>								
	2009-05	2AZFE Eng	M12-1.25	DP-038	-	G-016	30	360
<b>Suzuki</b>								
<b>4 Cyl. - 1.3L (1298cc)</b>								
	2001-89		M14-1.50	DP-075	G-010	G-026	26	312
<b>4 Cyl. - 1.6L (1590cc)</b>								
	2002-92		M14-1.50	DP-075	G-010	G-026	26	312
	1991-89		M14-1.50	DP-075	-	G-026	26	312
<b>4 Cyl. - 1.8L (1790cc)</b>								
	2002-99	Esteem	M14-1.50	DP-075	G-010	G-026	26	312
<b>4 Cyl. - 1.8L (1840cc)</b>								
	1998-96	Sidekick	M14-1.50	DP-075	G-010	G-026	26	312
<b>4 Cyl. - 2.0L (1998cc)</b>								
	2008-06	Reno	M14-1.50	DP-033	G-010	G-026	26	312
<b>4 Cyl. - 2.0L (2000cc)</b>								
	2008-06	Forenza, Verona	M14-1.50	DP-033	G-010	G-026	26	312
	2003-99	Aerio, Vitara	M14-1.50	DP-075	G-010	G-026	26	312
<b>4 Cyl. - 2.3L (2290cc)</b>								
	2007-99		M14-1.50	DP-075	G-010	G-026	26	312
<b>4 Cyl. - 2.3L (2300cc)</b>								
	2005-04	Aerio	M14-1.50	DP-075	G-010	G-026	36.5	438
<b>6 Cyl. - 2.5L (2500cc)</b>								
	2005-99	Grand Vitara, Vitara	M14-1.50	DP-075	G-010	G-026	37	444
<b>6 Cyl. - 2.7L (2700cc)</b>								
	2005-01	Grand Vitara, Vitara	M14-1.50	DP-075	G-010	G-026	36.5	438
<b>6 Cyl. - 2.7L (2737cc)</b>								
	2007		M14-1.50	DP-075	G-010	G-026	36.5	438
<b>Toyota</b>								
<b>4 Cyl. - 1.5L (1456cc)</b>								
	1994-92	3E,3EE, Engs	M12-1.25	DP-049	-	G-016	25	300
	1991	3E,3EE, Engs (from 2/91)	M12-1.25	DP-049	-	G-016	33	396
	1991	3E,3EE, Engs (to 2/91)	M12-1.25	DP-038	-	G-016	18	216
<b>4 Cyl. - 1.5L (1497cc)</b>								
	2003-01	1NZFXE Eng	M12-1.25	DP-049	-	G-016	33	396
	2003-00	1NZFE Eng	M12-1.25	DP-049	-	G-016	18	216
	2000-92	5EFE Engs	M12-1.25	DP-049	-	G-016	26	312
	2010-04	1NZFE Eng	M12-1.25	DP-038	-	G-016	28	336
	2009-04	1NZFXE Eng	M12-1.25	DP-038	-	G-016	28	336
<b>4 Cyl. - 1.6L (1587cc)</b>								
	1997-90	4AFE Eng	M12-1.25	DP-049	-	G-016	18	216
	1991-90	4AGE Eng	M12-1.25	DP-049	-	G-016	18	216
<b>4 Cyl. - 1.8L (1762cc)</b>								
	2003-98	1ZZFE Eng	M12-1.25	DP-049	-	G-016	28	336
	2003-00	2ZZGE Eng	M12-1.25	DP-049	-	G-016	28	336
	1997-93	7AFE Eng	M12-1.25	DP-049	-	G-016	18	216
	2006-04	1ZZFE Eng	M12-1.25	DP-038	-	G-016	27	324
	2006-04	2ZZGE Eng	M12-1.25	DP-038	-	G-016	27	324

Manufacturer/Engine	Year	Description	Thread Size	Oil Drain Plug	OE Gasket	Fiber Gasket	Drain Plug Torque Specification Foot lbs.	Drain Plug Torque Specification Inch lbs.
<b>TOYOTA – cont'd.</b>								
<b>4 Cyl. - 1.8L (1794cc)</b>								
	2008-06	1ZZFE Eng	M12-1.25	DP-038	-	G-016	27	324
<b>4 cyl. - 1.8L (1798cc)</b>								
	2010-09		M12-1.25	DP-038	-	G-016	27	324
<b>4 Cyl. - 2.0L (1998cc)</b>								
	1995-91	3SGTE Eng	M12-1.25	DP-049	-	G-016	25	300
	1991	3SFE Eng	M12-1.25	DP-049	-	G-016	25	300
	1990	3SGTE Eng (From 12/89)	M12-1.25	DP-049	-	G-016	28	336
	1990	3SFE Eng (From 12/89)	M12-1.25	DP-049	-	G-016	28	336
	1990	3SGTE Eng (To 12/89)	M12-1.25	DP-038	-	G-016	18	216
	1990	3SFE Eng (To 12/89)	M12-1.25	DP-038	-	G-016	18	216
<b>4 Cyl. - 2.2L (2164cc)</b>								
	2001-92	5SFE Eng	M12-1.25	DP-049	-	G-016	25	300
	2001	5SNFE Eng	M12-1.25	DP-049	-	G-016	29	348
	1991-90	5SFE Eng	M12-1.25	DP-038	-	G-016	29	348
<b>4 Cyl. - 2.4L (2362cc)</b>								
	2010-06	2AZFE Eng	M12-1.25	DP-038	-	G-016	18	216
<b>4 Cyl. - 2.4L (2398cc)</b>								
	2003-02	2AZFE Eng	M12-1.25	DP-049	-	G-016	29	348
	2006-04	2AZFE Eng	M12-1.25	DP-038	-	G-016	18	216
<b>4 Cyl. - 2.4L (2438cc)</b>								
	1997-94	2TZFE,2TZFZE Engs	M12-1.25	DP-049	-	G-016	29	348
	1993-91	2TZFE,2TZFZE Engs	M12-1.25	DP-038	-	G-016	18	216
<b>6 Cyl. - 2.5L (2508cc)</b>								
	1991-88	2VZFE Eng	M12-1.25	DP-038	-	G-016	18	216
<b>6 Cyl. - 3.0L (2954cc)</b>								
	1992-86	7MGE, 7MGTE Engs	M18-1.50	-	-	G-016	25	300
<b>6 Cyl. - 3.0L (2959cc)</b>								
	1993-92	3VZFE Eng (Camry)	M12-1.25	DP-038	-	G-016	27	324
<b>6 Cyl. - 3.0L (2995cc)</b>								
	2003-94	1MZFE Eng	M12-1.25	DP-049	-	G-016	29	348
	2006-04	1MZFE Eng	M12-1.25	DP-038	-	G-016	18	216
<b>6 Cyl. - 3.0L (2997cc)</b>								
	1998-93	2JZGE, 2JZGTE Engs	M12-1.25	DP-049	-	G-016	-	-
<b>6 Cyl. - 3.3L (2672cc)</b>								
	2010-09	1ARFE Venza	M12-1.25	DP-038	-	G-016	30	360
<b>6 Cyl. - 3.3L (3300cc)</b>								
	2008-04	3MZFE Eng	M12-1.25	DP-038	-	G-016	33	396
<b>6 Cyl. - 3.5L (3456cc)</b>								
	2010-05	2GRFE Eng	M12-1.25	DP-038	-	G-016	30	360
<b>Toyota Truck</b>								
<b>4 Cyl. - 2.0L (1998cc)</b>								
	2003-01	1AZFE Eng	M12-1.25	DP-049	-	G-016	29	348
	2000-96	3SFE Eng	M12-1.25	DP-049	-	G-016	18	216
<b>4 Cyl. - 2.4L (2362cc)</b>								
	2008-06	2AZFE Eng	M12-1.25	DP-038	-	G-016	30	360
<b>4 Cyl. - 2.4L (2366cc)</b>								
	1995-93	22R,22RE,22REC,22RTEC Engs	M12-1.25	DP-049	-	G-016	18	216
	1992	22R,22RE,22REC,22RTEC Engs (From 3/92)	M12-1.25	DP-049	-	G-016	33	396
	1992	22R,22RE,22REC,22RTEC Engs (To 3/92)	M12-1.25	DP-038	-	G-016	26-32	312-384
	1991-85	22R,22RE,22REC,22RTEC Engs	M12-1.25	DP-038	-	G-016	26-32	312-384
<b>4 Cyl. - 2.4L (2398cc)</b>								
	2003-01	2AZFE Eng	M12-1.25	DP-049	-	G-016	18	216
	2006-04	2AZFE Eng	M12-1.25	DP-038	-	G-016	27	324

Manufacturer/Engine	Year	Description	Thread Size	Oil Drain Plug	OE Gasket	Fiber Gasket	Drain Plug Torque Specification Foot lbs.	Drain Plug Torque Specification Inch lbs.
<b>TOYOTA TRUCK – cont'd.</b>								
<b>4 Cyl. - 2.4L (2438cc)</b>								
	2003-95	2RZFE Eng	M12-1.25	DP-049	-	G-016	29	348
	2004	2RZFE Eng	M12-1.25	DP-038	-	G-016	27	324
<b>4 Cyl. - 2.7L (2672cc)</b>								
	2010-09	1ARFE Eng	M12-1.25	DP-038	-	G-016	30	360
<b>4 Cyl. - 2.7L (2694cc)</b>								
	2003-94	3RZFE Eng	M12-1.25	DP-049	-	G-016	29	348
	2010-05	2TRFE Eng	M12-1.25	DP-038	-	G-016	27	324
	2004	3RZFE Eng	M12-1.25	DP-038	-	G-016	27	324
<b>6 Cyl. - 3.0L (2959cc)</b>								
	1995-92	3VZFE Eng	M12-1.25	DP-038	-	G-016	18	216
	1991-88	3VZFE Eng	M12-1.25	DP-038	-	G-016	18	216
<b>6 Cyl. - 3.0L (2995cc)</b>								
	2003-01	1MZFE Eng	M12-1.25	DP-049	-	G-016	26-32	312-384
	2005-04	1MZFE Eng	M12-1.25	DP-038	-	G-016	33	396
<b>6 Cyl. - 3.3L (3300cc)</b>								
	2010-04	3MZFE Eng	M12-1.25	DP-038	-	G-016	33	396
<b>6 Cyl. - 3.3L (3456cc)</b>								
	2010-06	2GRFE Eng	M12-1.25	DP-038	-	G-016	30	360
<b>6 Cyl. - 3.4L (3378cc)</b>								
	2005-95	5VZFE Eng	M12-1.25	DP-038	-	G-016	27	324
<b>6 Cyl. - 4.0L (3956cc)</b>								
	1992-91	3FE Eng	M12-1.25	DP-038	-	G-016	18	216
	2010-88	3FE Eng	M12-1.25	DP-038	-	G-016	18	216
<b>6 Cyl. - 4.0L (4000cc)</b>								
	2006-03	1GRFE Eng	M12-1.25	DP-038	-	G-016	18	216
<b>6 Cyl. - 4.5L (4477cc)</b>								
	1997-93	1FZFE Eng	M12-1.25	DP-049	-	G-016	26-32	312-384
<b>8 Cyl. - 4.6L (4608cc)</b>								
	2010	1URFE Eng	M12-1.25	DP-038	-	G-016	30	360
<b>8 Cyl. - 4.7L (4663cc)</b>								
	2009-98	2UZFE Eng	M12-1.25	DP-038	-	G-016	18	216
	1992-91	2UZFE Eng	M12-1.25	DP-038	-	G-016	18	216
<b>8 Cyl. - 5.7L (5663cc)</b>								
	2010-09	3URFBE (FLEX)	M12-1.25	DP-038	-	G-016	30	360
	2010-07	3URFBE	M12-1.25	DP-038	-	G-016	30	360



# OIL DRAIN PLUGS & Gaskets



Box Qty.  
5

## DP-005

Size  
1/2"-20

Standard Zinc



Box Qty.  
5

## DP-058

Size  
1/2"-20

Pilot Point w/Gasket



Box Qty.  
5

## DP-033

Size  
M14-1.50

Standard Zinc



Box Qty.  
5

## DP-059

Size  
M12-1.75

Pilot Point w/Gasket



Box Qty.  
5

## DP-034

Size  
M12-1.75

Pilot Point



Box Qty.  
5

## DP-075

Size  
M14-1.50

Standard Zinc



Box Qty.  
5

## DP-038

Size  
M12-1.25

Standard Zinc



Box Qty.  
5

## DP-079

Size  
M12-1.75

Pilot Point w/Gasket



Box Qty.  
5

## DP-049

Size  
M12-1.25

Pilot Point




Box Qty.  
5

## DP-091

Size  
M12-1.75

Pilot Point w/Gasket  
Magnetic



Box Qty.  
5

## DP-052

Size  
1/2"-20

Pilot Point



Box Qty.  
5

## DP-098

Size  
M14-1.50

Pilot Point w/Gasket



Box Qty.  
5

## DP-053

Size  
M14-1.50

Pilot Point



Box Qty.  
5

## DP-115

Size  
1/Size  
M14-1.50

Pilot Point w/Gasket

# OIL DRAIN PLUGS & Gaskets




Box Qty.  
5

## DP-156

Size  
M12-1.75

Pilot Point w/Gasket



Box Qty.  
5

## DP-5B

Size  
1/2-20  
Double Oversize  
Piggyback



Box Qty.  
5

## DP-161

Size  
M14-1.50

Pilot Point w/Gasket



Box Qty.  
5

## DP-28B

Size  
M14-1.50  
Single  
Oversize

## Thread Repair Drain Plugs



Box Qty.  
5

## DP-29B

Size  
M12-1.75  
Single  
Oversize



Box Qty.  
5

## DP-1B

Size  
1/2"  
Single  
Oversize



Box Qty.  
5

## DP-30B

Size  
M12-1.25  
Single  
Oversize



Box Qty.  
5

## DP-2B

Size  
1/2-20  
Double  
Oversize



Box Qty.  
5

## DP-3B

Size  
1/2-20  
Triple  
Oversize



Box Qty.  
5

## DP-4B

Size  
1/2-20  
Single Oversize  
Piggyback





**151 Snyder Ave. • Barberton, OH 44203**

**Toll Free**

**888-571-1141**

**[www.dynamicautosupplies.com](http://www.dynamicautosupplies.com)**