K-TOOL INTERNATIONAL PROFESSIONAL TOOLS BUILT TO WITHSTAND THE MOST RUGGED SHOP ENVIRONMENTS

WHEN IT HAS TO BE RUGGED, RELIABLE AND REASONABLY PRICED





Table of Contents Screwdrivers, Nut Drivers, Pry Bars _______1-4 Standard (black, red, orange, green) and Professional Series Screwdrivers, Torq Screwdrivers, Nut Drivers, Hex Bits, Pry Bars (bent head, rolling head)

external), Flip Sockets, Spindle Nut Sockets, Hex Bit Sockets, Spark Plug Sockets, Universal Joints, Adapters, Reducers, Extensions, Ratchets, Breaker Bars, T-handle, Spinner Handles
Wrenches
Pliers, Hammers, Punches, Chisels, Files
Specialty
Brake, Wheel, Tire, TPMS
Lighting
Battery Chargers, Booster Cables, Clamps
Creepers, Carts, Tool Storage and Organization
Shop Equipment
Electric Tools, Air Tools and PB&E
Electrical and Hardware Components
Displays and Merchandisers163-178
Index by Part Number179-187

Electrical and Hardware Components					
Displays and Merchandisers163-178					
Index by Part Number179-187					
Index by Category					

Warranty Information190-191

Icon Legend
Product is proudly made in the USA
Product is 1/4-inch drive
Product is 3/8-inch drive
Product is 1/2-inch drive
Product is 3/4-inch drive
Product is 1-inch drive
Product has 6 internal points of contact
Product has 12 internal points of contact
Repair or replacement parts are available
Product is also sold individually
WARRANTYProduct is covered by lifetime warranty
Oversized product ships via freight company







Screwdrivers, Nut Drivers and Pry Bars

KTI-19000

8-piece Black Screwdriver Set



Eight-piece screwdriver set includes: 1# Phillips 3" blade; #2 Phillips 1-1/2" stubby; #2 Phillips 4" blade; stubby slotted; 3" slotted; 4" slotted; 6" slotted; 8" slotted. Tools feature high quality chrome vanadium blades, heavy-duty colored handles and hex bolsters for wrench assist. Packaged with plastic tray. Black handles.

Set includes (also available individually):

KTI-19113 - #1 Phillips 3" KTI-19203 - 3" slotted KTI-19121 - #2 Phillips Stubby KTI-19204 - 4" slotted KTI-19124 - #2 Phillips 4" KTI-19206 - 6" slotted KTI-19201 - Stubby slotted KTI-19208 - 8" slotted





KTI-19800

8-piece Red Screwdriver Set



Eight-piece screwdriver set includes: 1# Phillips 3" blade; #2 Phillips 1-1/2" stubby; #2 Phillips 4" blade; stubby slotted; 3" slotted; 4" slotted; 6" slotted; 8" slotted. Tools feature high quality chrome vanadium blades, heavy-duty colored handles and hex bolsters for wrench assist. Packaged with plastic tray. Red handles.

Set includes (also available individually):

KTI-19813 - #1 Phillips 3"
KTI-19803 - 3" slotted
KTI-19821 - #2 Phillips Stubby
KTI-19824 - #2 Phillips 4"
KTI-19801 - Stubby slotted
KTI-19808 - 8" slotted





KTI-16000

10-piece Professional Screwdriver Set

Ten-piece professional screwdriver set includes the perfect assortment of slotted and Phillips screwdrivers for a variety of projects. Tools feature comfortable triangular grip, non-slip material and chrome vanadium blades. Ultimate professional quality. Includes: 3" slotted, 4" slotted, 6" slotted, 8" slotted and 1-1/2" stubby slotted and #1 Phillips, #3 Phillips, #2 x 4" Phillips, #2 x 10" Phillips and 1-1/2" stubby Phillips. Also sold in 5-piece slotted set, 5-piece Phillips set or individually.

Available in sets or individually:

KTI-16001 - 5-piece Slotted Set

KTI-16201 - stubby slotted

KTI-16203 - 3" slotted

KTI-16204 - 4" slotted

KTI-16206 - 6" slotted

KTI-16208 - 8" slotted





8-piece Orange Screwdriver Set



Eight-piece screwdriver set includes: 1# Phillips 3" blade; #2 Phillips 1-1/2" stubby; #2 Phillips 4" blade; stubby slotted; 3" slotted; 4" slotted; 6" slotted; 8" slotted. Tools feature high quality chrome vanadium blades, heavy-duty colored handles and hex bolsters for wrench assist. Packaged with plastic tray. Orange handles.

Set includes (also available individually):

KTI-19713 - #1 Phillips 3" KTI-19703 - 3" slotted KTI-19721 - #2 Phillips Stubby KTI-19724 - #2 Phillips 4" KTI-19706 - 6" slotted KTI-19701 - Stubby slotted KTI-19708 - 8" slotted





KTI-19900

8-piece Green Screwdriver Set



Eight-piece screwdriver set includes: 1# Phillips 3" blade; #2 Phillips 1-1/2" stubby; #2 Phillips 4" blade; stubby slotted; 3" slotted; 4" slotted; 6" slotted; 8" slotted. Tools feature high quality chrome vanadium blades, heavy-duty colored handles and hex bolsters for wrench assist. Packaged with plastic tray. Green handles.

Set includes (also available individually):

KTI-19913 - #1 Phillips 3"
KTI-19903 - 3" slotted
KTI-19921 - #2 Phillips Stubby
KTI-19924 - #2 Phillips 4"
KTI-19901 - Stubby slotted
KTI-19908 - 8" slotted







KTI-16002 - 5-piece Phillips Set

KTI-16113 - stubby Phillips

KTI-16121 - #1 Phillips

KTI-16124 - #3 Phillips

KTI-16129 - #2 Phillips 4"

KTI-16136 - #2 Phillips 10"





Screwdrivers, Nut Drivers and Pry Bars

KTI-11100

Interchangeable Screwdriver Set

Screwdriver set features three dual-sided interchangeable inserts - 3 slotted, 3 phillips bits. Includes: #1 phillips and 3/16" slotted; #2 phillips and 1/4" slotted; #3 phillips and 5/16" slotted. Rubber o-ring provides a secure, non-slip grip. Each screwdriver bit boasts a 2-5/8" blade at each end (6" overall bit length) and a hex bolster for wrench assist (7/16" fractional or 11mm metric). Set includes storage pouch for convenience and flexibility. Plastic contoured handle for maximum torque and comfort. Anodized alloy shank for high durability.





KTI-14219



19-inch Jumbo Screwdriver

Features a 19" x 1/2" blade. Extra large handles and shafts for use on hard to reach areas of large machinery, farm equipment, manufacturing equipment, automobiles and more. Square shank allows for use with wrenches for larger torque jobs. Black oxide finish. Made in U.S.A.





KTI-14400

7-piece Fractional **Nut Driver Set**



Seven-piece professional fractional nut driver set includes sizes: 3/16" x 3", 1/4" x 3", 5/16" x 3", 11/32" x 3", 3/8" x 3", 7/16" x 3" and 1/2" x3". Rugged and designed for shop environments, tools feature hollow shafts, ergonomic soft grip handles, and alloy steel sockets and shafts. Set is color coded for easy identification. Tools packaged in handy plastic hanging organizer. Available individually.

Set includes (also available individually):

KTI-14406 - 3/16" x 3" KTI-14412 - 3/8" x 3" KTI-14408 - 1/4" x 3" KTI-14414 - 7/16" x 3" KTI-14410 - 5/16" x 3" KTI-14416 - 1/2" x 3"

KTI-14411 - 11/32" x 3"







Tora **Screwdrivers**



Large grip handle and chrome vanadium blades make light work of headlight and trim screws.

Sold separately:

KTI-11310 - T10 Torq screwdriver KTI-11315 - T15 Torq screwdriver KTI-11320 - T20 Torg screwdriver



KTI-14500

7-piece Metric **Nut Driver Set**



Seven-piece professional metric nut driver set includes sizes: 5 mm x 75, 6 mm x 75, 7 mm x 75, 8 mm x 75, 9 mm x 75, 10 mm x 75 and 11 mm x 75. Rugged and designed for shop environments, tools feature hollow shafts, ergonomic soft grip handles, and alloy steel sockets and shafts. Set is color coded for easy identification. Tools packaged in handy plastic hanging organizer. Available individually.

Set includes (also available individually): **KTI-14505** - 5mm x 75mm **KTI-14509** - 9mm x 75mm KTI-14506 - 6mm x 75mm KTI-14510 - 10mm x 75mm KTI-14507 - 7mm x 75mm KTI-14511 - 11mm x 75mm KTI-14508 - 8mm x 75mm







Hex Bits -5/16" Shank



Bits are designed to be used with impact drivers or for use in sockets. Available in five sizes.

Sold separately:

KTI-18801 - small slotted KTI-18702 - #2 Phillips KTI-18802 - large slotted KTI-18703 - #3 Phillips KTI-18920 - T-20 bit (1/4" shank)





Screwdrivers, Nut Drivers and Pry Bars

KTI-10330

326-piece **Master Drill Bit Set**

KTI's Master Drill Bit is a comprehensive set of drill bits and accessories. This 326-piece set includes bits and accessories for nearly every job. The unique storage case fully opens to access the bit and accessories you need. Two (2) bottom trays fold and slide into portable carrying case. Transport from job to job quickly and easily!

<u>Qty:</u> 64	Description: HSS Twist Drill Bits:
	3/64" (8), 1/16" (8), 5/64" (5), 3/32" (5), 7/64" (5), 1/8" (5), 9/64" (5), 5/32" (5), 3/16" (4), 7/32" (4), 15/64", 1/4", 17/64", 9/32", 5/16",
	11/32", 3/8", 7/16", 15/32" and 1/2"
54	Titanium Coated High Speed Drill Bits: 3/64" (6), 1/16" (6), 5/64" (4), 3/32" (4), 7/64" (4), 1/8" (4), 9/64" (4),
	5/32" (4), 1/16" (6), 3/16" (2), 7/32" (2), 15/64", 1/4", 17/64", 9/32",
	5/16", 11/32", 3/8", 7/16", 15/32" and 1/2"
10	Nutdrivers:
	5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16" and 1/2"
37	2" Screwdriver Bits:
	7 Slotted, 6 Phillips, 6 Pozi, 8 Star, 7 Metric Hex and 8 Square
64	1" Screwdriver Bits:
_	14 Slotted, 10 Phillips, 10 Pozi, 8 Star, 7 Hex, 9 Metric Hex and 6 Square
3	14" Masonry Drill Bits:
	5/16", 3/8" and 1/2"
21	Masonry Drill Bits:
	5/32" (2), 11/64" (2), 3/16" (2), 7/32" (2), 15/64" (2), 1/4" (2), 17/64", 9/32", 5/16", 21/64", 11/32", 3/8", 7/16", 15/32" and 1/2"
4	Nail Pouch:
7	1/32", 1/16", 3/32" and 1/8"
	170E, 1710, 070E and 170



1/8", 5/32", 3/16", 1/4", 5/16" and 3/8"

Allen Key - 2.5mm Magnetic Holder Counter Sink

Gauge

Qty:

5

Hole Saws:

1¾", 21/8", 2¾" and 21/2" Hole Saw Adapter

Wood Boring Drill Bits:

1/8" (3), 5/32" (4), 11/64" (8), 3/16" (4), 13/64" (4), 7/32" (4), 15/64" (4), 1/4" (4), 17/64", 9/32", 5/16", 11/32", 3/8", 7/16", 15/32" and 1/2"

Flat Wood Bits:

1/2", 5/8", 3/4", 7/8" and 11/4"

12" Flat Wood Bits:

5/16", 3/8", 1/2" and 9/16"

KTI-19240

4-piece

Pry Bar Set

Four-piece bent-end pry bar set includes: 9", 12", 18", 24". Tools feature smooth, comfortable square handles. Packaged in plastic formed box. Available individually.

Set includes (also available individually):

KTI-19209 - 9"

KTI-19212 - 12" KTI-19218 - 18"

KTI-19224 - 24"





4-piece

Pry Bar Set

Superior quality, heat-treated pry bars. Tools feature high leverage rolling head and long tapered body to align drift. Includes 6", 12", 16" and 20" pry bars.

Set includes (also available individually):

KTI-71606 - 6"

KTI-71612 - 12"

KTI-71616 - 16"

KTI-71620 - 20"









	1/4-inch D Fractional and Chrome So	d Metric	KTI-21000	KTI-21044	KTI-21100	KTI-21200	KTI-26000	KTI-26100	KTI-26200
	3/16"	KTI-21106	•	•	•				
	7/32"	KTI-21107	•	•	•				
ONAL	1/4"	KTI-21108	•	•	•				
ACTIC	9/32"	KTI-21109	•	•	•				
6-POINT SHORT FRACTIONAL	5/16"	KTI-21110	•	•	•				
SHOR	11/32"	KTI-21111	•	•					
Ĭ.	3/8"	KTI-21112	•	•	•				
6-P	7/16"	KTI-21114	•	•	•				
	1/2"	KTI-21116	•	•	•				
	9/16"	KTI-21118		•					
	3/16"	KTI-21206							
	7/32"	KTI-21207				•			
Ψ¥Γ	1/4"	KTI-21208	•	•		•			
3-POINT DEEP FRACTIONAL	9/32"	KTI-21209	•	•		•			
FRAC	5/16"	KTI-21210	•	•		•			
JE .	11/32"	KTI-21211	•	•		•			
TNIC	3/8"	KTI-21212	•	•		•			
6-PC	7/16"	KTI-21214	•	•		•			
	1/2"	KTI-21216	•	•		•			
	9/16"	KTI-21218		•					
	4mm	KTI-26104		•			•		
-	5mm	KTI-26105		•			•		
-	5.5mm	KTI-26155		•			•		
	6mm	KTI-26106		•			•	•	
RIC	7mm	KTI-26107		•			•	•	
S-POINT SHORT METRIC	8mm	KTI-26108		•			•	•	
HORT	9mm	KTI-26109		•			•	•	
N T S	10mm	KTI-26110		•			•	•	
6-PO	11mm	KTI-26111		•			•	•	
	12mm	KTI-26112		•				•	
-	13mm	KTI-26113		•				•	
-	14mm	KTI-26114		•					
-	15mm	KTI-26115		•					
	5.5mm	KTI-26255					•		
-	6mm	KTI-26206		•			•		•
OI .	7mm	KTI-26200		•			•		•
	8mm	KTI-26207		•			•		•
ETR.	9mm	KTI-26208		•			•		•
EEP N	10mm	KTI-26210		•			•		•
6-POINT DEEP METRIC	11mm	KTI-26210		•			•		•
	11mm 12mm	KTI-26211		•					•
-				•					•
}	13mm	KTI-26213		•					
	14mm	KTI-26214 KTI-26215		•					



3/8-inch Drive Fractional Chrome Sockets 6-point				KTI-22047	KTI-22100	KTI-22201
	1/4"	KTI-22108		•		
	5/16"	KTI-22110		•	•	
	3/8"	KTI-22112	•	•	•	
ų	7/16"	KTI-22114	•	•	•	
6-POINT SHORT FRACTIONAL	1/2"	KTI-22116	•	•	•	
RAC	9/16"	KTI-22118	•	•	•	
JRT F	5/8"	KTI-22120	•	•	•	
T SHC	11/16"	KTI-22122	•	•	•	
PON	3/4"	KTI-22124	•	•	•	
6-P	13/16"	KTI-22126	•	•	•	
	7/8"	KTI-22128	•	•	•	
	15/16"	KTI-22130				
	1"	KTI-22132				
	1/4"	KTI-22208				
	5/16"	KTI-22210				
	3/8"	KTI-22212	•	•		•
	7/16"	KTI-22214	•	•		•
ONAL	1/2"	KTI-22216	•	•		•
ACTI	9/16"	KTI-22218	•	•		•
E.	5/8"	KTI-22220	•	•		•
T DE	11/16"	KTI-22222	•	•		•
6-POINT DEEP FRACTIONAL	3/4"	KTI-22224	•	•		•
ġ	13/16"	KTI-22226	•	•		•
	7/8"	KTI-22228		•		•
	15/16"	KTI-22230				
	1"	KTI-22232				
SPARK PLUG SOCKETS	5/8" Extra Deep	KTI-22219				
	5/8" (carded)	KTI-22221				
	13/16" (carded)	KTI-22227				
¥ L	5/8" (bulk)	KTI-22521				
SPA	13/16" (bulk)	KTI-22527				

F	3/8-inch D Fractional Chron 12-poir	ne Sockets	KTI-20045	KTI-22401	KTI-22501	KTI-22547
	5/16"	KTI-20210	•			
	3/8"	KTI-20212	•			
NAL	7/16"	KTI-20214	•			
СТЮ	1/2"	KTI-20216	•			
T FR.	9/16"	KTI-20218	•			
SPLINE SHORT FRACTIONAL	5/8"	KTI-20220	•			
INE S	11/16"	KTI-20222	•			
SPL	3/4"	KTI-20224	•			
	13/16"	KTI-20226	•			
	7/8"	KTI-20228	•			
	3/8"	KTI-20412	•			
	7/16"	KTI-20414	•			
ONAL	1/2"	KTI-20416	•			
SPLINE DEEP FRACTIONAL	9/16"	KTI-20418	•			
EP FR	5/8"	KTI-20420	•			
E DE E	11/16"	KTI-20422	•			
PLIN	3/4"	KTI-20424	•			
S	13/16"	KTI-20426	•			
	7/8"	KTI-20428	•			
	1/4"	KTI-22408		•		
	5/16"	KTI-22410		•		
	3/8"	KTI-22412		•		•
	7/16"	KTI-22414		•		•
ONAL	1/2"	KTI-22416		•		•
ACTIC	9/16"	KTI-22418		•		•
12-POINT DEEP FRACTIONAL	5/8"	KTI-22420		•		•
T DEE	11/16"	KTI-22422		•		•
POIN	3/4"	KTI-22424		•		•
12-1		KTI-22424		•		•
	13/16" 7/8"	KTI-22428		•		•
	15/16"	KTI-22420		•		_
	1"	KTI-22430		•		
					•	•
	1/4"	KTI-22508			•	•
	5/16"	KTI-22510			•	•
	3/8"	KTI-22512			•	•
CTIONAL	7/16"	KTI-22514				-
	1/2"	KTI-22516			•	-
T FR,	9/16"	KTI-22518			•	•
12-POINT SHORT FRA	5/8"	KTI-22520			•	•
	11/16"	KTI-22522			•	•
	3/4"	KTI-22524			•	•
	13/16"	KTI-22526			•	•
	7/8"	KTI-22528			•	•
	15/16"	KTI-22530			•	
	1"	KTI-22532			•	







	3/8-inch D Metric Chrome 6-poin	Sockets	KTI-22047	KTI-27000	KTI-27101	KTI-27201
	6mm	KTI-27106	•			_
	7mm	KTI-27107	•		•	
	8mm	KTI-27108	•	•	•	
	9mm	KTI-27109	•	•	•	
	10mm	KTI-27110	•	•	•	
	11mm	KTI-27111	•	•	•	
	12mm	KTI-27112	•	•	•	
	13mm	KTI-27113	•	•	•	
RIC	14mm	KTI-27114	•	•	•	
T ME	15mm	KTI-27115	•	•	•	
6-POINT SHORT METRIC	16mm	KTI-27116	•	•	•	
	17mm	KTI-27117	•	•	•	
	18mm	KTI-27118	•	•	•	
	19mm	KTI-27119	•	•	•	
	20mm	KTI-27120		•		
	21mm	KTI-27121		•		
	22mm	KTI-27122				
	23mm	KTI-27123				
	24mm	KTI-27124				
	25mm	KTI-27125				
	26mm	KTI-27126				
	10mm	KTI-27210	•	•		•
	11mm	KTI-27211	•	•		•
	12mm	KTI-27212	•	•		•
	13mm	KTI-27213	•	•		•
	14mm	KTI-27214	•	•		•
	15mm	KTI-27215	•			•
RIC	16mm	KTI-27216	•	•		•
MET	17mm	KTI-27217	•	•		•
DEEF	18mm	KTI-27218	•	•		•
6-POINT DEEP METRIC	19mm	KTI-27219	•	•		
	20mm	KTI-27220				
	21mm	KTI-27221				
	22mm	KTI-27222				
	23mm	KTI-27223				
	24mm	KTI-27224				
	25mm	KTI-27225				
	26mm	KTI-27226				L

10mm		3/8-inch D Metric Chrome		KTI-20045	KTI-22547	CTI-27401	KTI-27501
11mm		12-poir	nt	Η̈́	ΚŢ	ΚŢ	Ė
12mm		10mm	KTI-20310	•			
1.2mm				•			
17mm	SPLINE DEEP METRIC	12mm	KTI-20312	•			
17mm		13mm	KTI-20313	•			
17mm		14mm	KTI-20314	•			
17mm		15mm	KTI-20315	•			
17mm	SPLIN	16mm	KTI-20316	•			
19mm	0,	17mm	KTI-20317	•			
Part		18mm	KTI-20318	•			
Seman KTI-20708		19mm	KTI-20319	•			
9mm KTI-20709		7mm	KTI-20707	•			
10mm		8mm	KTI-20708	•			
11mm		9mm	KTI-20709	•			
16mm		10mm	KTI-20710	•			
16mm KTI-20716	RIC	11mm	KTI-20711	•			
16mm KTI-20716	T MET			•			
16mm KTI-20716	HOR		KTI-20713	•			
16mm KTI-20716	INE S	14mm	KTI-20714	•			
17mm	SPL	15mm	KTI-20715	•			
18mm		16mm	KTI-20716	•			
19mm		17mm	KTI-20717	•			
Time		18mm	KTI-20718	•			
Section Sect		19mm	KTI-20719	•			
9mm KTI-27410 • • • • • • • • • • • • • • • • • • •		7mm	KTI-27407			•	
10mm KTI-27410 • • • • 11mm KTI-27411 • • • • 12mm KTI-27412 • • • 13mm KTI-27413 • • • 13mm KTI-27413 • • • 14mm KTI-27414 • • • 15mm KTI-27415 • • • 15mm KTI-27416 • • • 17mm KTI-27417 • • 18mm KTI-27418 • • • 17mm KTI-27418 • • • 17mm KTI-27419 • • 18mm KTI-27419 • • 18mm KTI-27420 • 17mm KTI-27421 • • 17mm KTI-27506 • 17mm KTI-27507 • 18mm KTI-27508 • 19mm KTI-27508 • 19mm KTI-27510 • 11mm KTI-27511 • 12mm KTI-27511 • 12mm KTI-27512 • 13mm KTI-27513 • 14mm KTI-27515 • 16mm KTI-27516 • 17mm KTI-27517 • 18mm KTI-27517 • 18mm KTI-27517 • 18mm KTI-27518 • • • 18mm KTI-27518 • • • • • • • • •		8mm	KTI-27408			•	
10mm KTI-27410 • • • 11mm KTI-27411 • • • 12mm KTI-27412 • • • 13mm KTI-27413 • • • 13mm KTI-27413 • • • 13mm KTI-27414 • • • 14mm KTI-27414 • • • 15mm KTI-27415 • • • 16mm KTI-27416 • • • 17mm KTI-27417 • • 18mm KTI-27418 • • • 17mm KTI-27418 • • • 17mm KTI-27419 • • 18mm KTI-27419 • • 18mm KTI-27419 • • 18mm KTI-27420 • 17mm KTI-27421 • • 17mm KTI-27506 • 17mm KTI-27507 • 18mm KTI-27508 • 19mm KTI-27509 • 10mm KTI-27510 • 11mm KTI-27511 • 12mm KTI-27512 • 13mm KTI-27513 • 14mm KTI-27514 • 15mm KTI-27516 • 16mm KTI-27516 • 17mm KTI-27517 • 18mm KTI-27517 • 18mm KTI-27518 • • 18mm KTI-27518 • 18mm 18mm KTI-27518 • 18mm 1						•	
12mm KTI-27412 0 0 0 0 0 0 0 0 0			KTI-27410		•	•	
17mm KTI-27417 • • •		11mm	KTI-27411		•	•	
17mm KTI-27417 • • •	RIC	12mm	KTI-27412		•	•	
17mm KTI-27417 • • •	MET	13mm	KTI-27413		•	•	
17mm KTI-27417 • • •	DEEF	14mm	KTI-27414		•	•	
17mm KTI-27417 • • •	OINT	15mm	KTI-27415		•	•	
18mm KTI-27418 • • •	12-P	16mm	KTI-27416		•	•	
19mm KTI-27419 • • •		17mm	KTI-27417		•	•	
19mm KTI-27419 • • •		18mm	KTI-27418		•	•	
20mm KTI-27420 •					•	•	
21mm KTI-27421						•	
7mm KTI-27507 • • • • • • • • • • • • • • • • • • •						•	
7mm KTI-27507 • • • • • • • • • • • • • • • • • • •					•		
Section Sect					•		•
9mm KTI-27509 • • • • • • • • • • • • • • • • • • •					•		•
10mm KTI-27510 • • • • • • • • • • • • • • • • • • •					•		•
11mm KTI-27511 • • • • • • • • • • • • • • • • • •					•		•
12mm KTI-27512 • • • • • • • • • • • • • • • • • • •	METRIC	11mm			•		•
16mm KTI-27516 • • • • • • • • • • • • • • • • • • •					•		•
16mm KTI-27516 • • • • • • • • • • • • • • • • • • •	ORT N				•		•
16mm KTI-27516 • • • • • • • • • • • • • • • • • • •	T SH				•		•
16mm KTI-27516 • • • • • • • • • • • • • • • • • • •	POIN				•		•
17mm KTI-27517 • • • • • • • • • • • • • • • • • • •	12-				•		•
18mm KTI-27518 •					•		•
					•		•
					•		•
20mm KTI-27520 •							•
							•







1/2-inch Drive Fractional Chrome Sockets			KTI-23000	KTI-23110	KTI-23200	KTI-23800
	3/8"	KTI-23112				
	7/16"	KTI-23114	•	•		
	1/2"	KTI-23116	•	•		
	9/16"	KTI-23118	•	•		
	5/8"	KTI-23120	•	•		
	11/16"	KTI-23122	•	•		
NAL	3/4"	KTI-23124	•	•		
6-POINT SHORT FRACTIONAL	13/16"	KTI-23126	•	•		
TFR	7/8"	KTI-23128	•	•		
SHOR	15/16"	KTI-23130	•	•		
TNIC	1"	KTI-23132	•	•		
9-P(1-1/16"	KTI-23134	•	•		
	1-1/8"	KTI-23136	•	•		
	1-1/4"	KTI-23140	•	•		
	1-5/16"	KTI-23142				
	1-3/8"	KTI-23144				
	1-7/16"	KTI-23146				
	1-1/2"	KTI-23148				
	7/16"	KTI-23214				
	1/2"	KTI-23216			•	
	9/16"	KTI-23218			•	
	5/8"	KTI-23220			•	
	11/16"	KTI-23222			•	
	3/4"	KTI-23224			•	
ONAL	13/16"	KTI-23226			•	
RACT	7/8"	KTI-23228			•	
6-POINT DEEP FRACTIONAL	15/16"	KTI-23230			•	
T DE	1"	KTI-23232				
-POI	1-1/16"	KTI-23234				
9	1-1/8"	KTI-23236				
	1-1/4"	KTI-23240				
	1-5/16"	KTI-23242				
	1-3/8"	KTI-23244				
	1-7/16"	KTI-23246				
	1-1/2"	KTI-23348				
<u>م</u>	14"	KTI-23808				•
FRACTIONAL STUD REMOVERS	5/16"	KTI-23810				•
CTIONAL ST REMOVERS	3/8"	KTI-23812				•
FRAC	7/16"	KTI-23814				•

	1/2-inch D Metric Chrome		KTI-28000	KTI-28100	KTI-28200	KTI-28206	KTI-23900
	10mm	KTI-28110					
	11mm	KTI-28111					
	12mm	KTI-28112					
	13mm	KTI-28113					
	14mm	KTI-28114					
	15mm	KTI-28115	•	•			
	16mm	KTI-28116	•	•			
TRIC	17mm	KTI-28117	•	•			
T ME	18mm	KTI-28118	•	•			
6-POINT SHORT METRIC	19mm	KTI-28119	•	•			
TNIC.	20mm	KTI-28120	•	•			
6-PC	21mm	KTI-28121	•	•			
	22mm	KTI-28122	•	•			
	23mm	KTI-28123	•	•			
	24mm	KTI-28124	•	•			
	25mm	KTI-28125	•	•			
	26mm	KTI-28126	•	•			
	27mm	KTI-28127	•	•			
	28mm	KTI-28128	•	•			
	10mm	KTI-28210					
	11mm	KTI-28211					
	12mm	KTI-28212					
	13mm	KTI-28213					
	14mm	KTI-28214					
	15mm	KTI-28215			•		
	16mm	KTI-28216			•		
RIC	17mm	KTI-28217			•		
6-POINT DEEP METRIC	18mm	KTI-28218			•		
DEEP	19mm	KTI-28219			•		
DINT	20mm	KTI-28220			•		
6-P	21mm	KTI-28221			•		
	22mm	KTI-28222			•		
	23mm	KTI-28223			•		
	24mm	KTI-28224			•		
	25mm	KTI-28225					
	26mm	KTI-28226					
	27mm	KTI-28227					
	28mm	KTI-28228					
Ø	29mm	KTI-28229				•	
SPINDLE NUT SOCKETS	30mm	KTI-28230				•	
	32mm	KTI-28232				•	
	34mm	KTI-28234				•	
	35mm	KTI-28235				•	
	36mm	KTI-28236				•	
۵.,	6mm	KTI-23906					•
STU	8mm	KTI-23908					•
METRIC STUD REMOVERS	10mm	KTI-23910					•
∑¤	12mm	KTI-23912					•







F	3/4-inch Drive Fractional Chrome Sockets							
	3/4"	KTI-24124		• KTI-24121				
	7/8"	KTI-24128		•				
	15/16"	KTI-24130		•				
	1"	KTI-24132		•				
	1-1/16"	KTI-24134		•				
	1-1/8"	KTI-24136		•				
	1-3/16"	KTI-24138		•				
ų.	1-1/4"	KTI-24140		•				
6-POINT SHORT FRACTIONAL	1-5/16"	KTI-24142		•				
-RAC	1-3/8"	KTI-24144		•				
ORTE	1-7/16"	KTI-24146		•				
E S	1-1/2"	KTI-24148		•				
N O	1-5/8"	KTI-24152		•				
9	1-3/4"	KTI-24156		•				
	1-7/8"	KTI-24160		•				
	2"	KTI-24164		•				
	2-1/16"	KTI-24166	•					
	2-1/8"	KTI-24168	•					
	2-3/16"	KTI-24170	•					
	2-1/4"	KTI-24172	•					
	2-3/8"	KTI-24176	•					



INDIVIDUAL SOCKETS

All sockets listed individually or as part of a display ship on a hangtag. Each tag is clearly marked with the drive size, socket size and other important information. Each hangtag is barcoded for point-of-sale scanning and inventory control. Hangtags are a perfect way to merchandize and organize sockets in order to locate and replenish stock quickly and easily.





F	3/8-inch I ractional Impa		KTI-32100	KTI-32200	KTI-32400	KTI-32500	KTI-37042
	5/16"	KTI-32110					•
	3/8"	KTI-32112	•				•
NAL	7/16"	KTI-32114	•				•
6-POINT SHORT FRACTIONAL	1/2"	KTI-32116	•				•
T FR/	9/16"	KTI-32118	•				•
SHOR	5/8"	KTI-32120	•				•
NINT 8	11/16"	KTI-32122	•				•
04-9	3/4"	KTI-32124	•				•
	13/16"	KTI-32126	•				
	7/8"	KTI-32128	•				
	5/16"	KTI-32210					•
	3/8"	KTI-32212		•			•
1AL	7/16"	KTI-32214		•			•
6-POINT DEEP FRACTIONAL	1/2"	KTI-32216		•			•
FRAC	9/16"	KTI-32218		•			•
DEEP	5/8"	KTI-32220		•			•
TNIC	11/16"	KTI-32222		•			•
9-9	3/4"	KTI-32224		•			•
	13/16"	KTI-32226		•			
	7/8"	KTI-32228		•			
	7/16"	KTI-32414			•		
LEX	1/2"	KTI-32416			•		
DONA	9/16"	KTI-32418			•		
6-POINT DEEP FLEX FRACTIONAL	5/8"	KTI-32420			•		
6-PO	11/16"	KTI-32422			•		
	3/4"	KTI-32424			•		
	7/16"	KTI-32514				•	
E E	1/2"	KTI-32516				•	
IONAI	9/16"	KTI-32518				•	
FRACTIONAL	5/8"	KTI-32520				•	
6-POINT SHORT FLEX FRACTIONAL	11/16"	KTI-32522				•	
	3/4"	KTI-32524				•	

	3/8-inch D Metric Impact		KTI-37042	KTI-37100	KTI-37200	KTI-37400	KTI-37500
	8mm	KTI-37108	•				_
	9mm	KTI-37109	•				
	10mm	KTI-37110	•	•			
O	11mm	KTI-37111	•	•			
ETRI	12mm	KTI-37112	•	•			
DRT №	13mm	KTI-37113	•	•			
6-POINT SHORT METRIC	14mm	KTI-37114	•	•			
POIN	15mm	KTI-37115	•	•			
-9	16mm	KTI-37116	•	•			
	17mm	KTI-37117	•	•			
	18mm	KTI-37118	•	•			
	19mm	KTI-37119	•	•			
	8mm	KTI-37208	•				
	9mm	KTI-37209	•				
	10mm	KTI-37210	•		•		
0	11mm	KTI-37211	•		•		
ETRIC	12mm	KTI-37212	•		•		
EP M	13mm	KTI-37213	•		•		
6-POINT DEEP METRIC	14mm	KTI-37214	•		•		
POI	15mm	KTI-37215	•		•		
e	16mm	KTI-37216	•		•		
	17mm	KTI-37217	•		•		
	18mm	KTI-37218	•		•		
	19mm	KTI-37219	•		•		
	10mm	KTI-37410				•	
	11mm	KTI-37411				•	
RIC	12mm	KTI-37412				•	
6-POINT DEEP FLEX METRIC	13mm	KTI-37413				•	
, FLE	14mm	KTI-37414				•	
DEEF	15mm	KTI-37415				•	
OINT	16mm	KTI-37416				•	
6-P	17mm	KTI-37417				•	
	18mm	KTI-37418				•	
	19mm	KTI-37419				•	
TRIC	10mm	KTI-37510					•
6-POINT SHORT FLEX METRIC	11mm	KTI-37511					•
T FLE	12mm	KTI-37512					•
SHOR	13mm	KTI-37513					•
LNIC	14mm	KTI-37514					•
9-P(15mm	KTI-37515					•











ı	1/2-inch D Fractional Impac		KTI-33100	KTI-33101	KTI-33104	KTI-33200	KTI-33202	KTI-33204	KTI-33500
	3/8"	KTI-33112		•					
	7/16"	KTI-33114		•					
	1/2"	KTI-33116	•	•					
	9/16"	KTI-33118	•	•					
	5/8"	KTI-33120	•	•					
	11/16"	KTI-33122	•	•					
با	3/4"	KTI-33124	•	•					
6-POINT SHORT FRACTIONAL	13/16"	KTI-33126	•	•					
-RAC	7/8"	KTI-33128	•	•					
DRT F	15/16"	KTI-33130	•	•					
¥.	1"	KTI-33132	•	•					
NO4-	1-1/16"	KTI-33134	•	•					
9	1-1/8"	KTI-33136	•	•					
	1-3/16"	KTI-33138		•					
	1-1/4"	KTI-33140	•	٠					
	1-5/16"	KTI-33142		•	٠				
	1-3/8"	KTI-33144		•	٠				
	1-7/16"	KTI-33146		٠	٠				
	1-1/2"	KTI-33148		•	•				
	3/8"	KTI-33212					•		
	7/16"	KTI-33214					•		
	1/2"	KTI-33216				•	•		
	9/16"	KTI-33218				•	•		
	5/8"	KTI-33220				•	•		
	11/16"	KTI-33222				•	•		
_ [3/4"	KTI-33224				•	•		
6-POINT DEEP FRACTIONAL	13/16"	KTI-33226				•	•		
RACT	7/8"	KTI-33228				•	•		
E E	15/16"	KTI-33230				•	•		
	1"	KTI-33232				•	•		
9	1-1/16"	KTI-33234				•	•		
	1-1/8"	KTI-33236				•	•		
	1-3/16"	KTI-33238					•		
	1-1/4"	KTI-33240				•	•		
	1-5/16"	KTI-33242					•	•	
	1-3/8"	KTI-33244					•	•	
	1-7/16"	KTI-33246					•	•	
	1-1/2"	KTI-33248					•	•	
	1/2"	KTI-33516							•
6-POINT FLEX FRACTIONAL	9/16"	KTI-33518							•
RACT	5/8"	KTI-33520							•
E X	11/16"	KTI-33522							•
보	3/4"	KTI-33524							•
9-POI.	13/16"	KTI-33526							•
	7/8"	KTI-33528							•
FLIP SOCKET	3/4" x 13/16"	KTI-33050							
3000	19mm x 21mm	KTI-38050							

	1/2-inch E Metric Impact		KTI-38100	KTI-38101	KTI-38200	KTI-38201	KTI-38202	KTI-38500
	10mm	KTI-38110	•	•				
	11mm	KTI-38111	•	•				
	12mm	KTI-38112	•	•				
	13mm	KTI-38113	•	•				
	14mm	KTI-38114	•	•				
	15mm	KTI-38115	•	•				
	16mm	KTI-38116	•	•				
	17mm	KTI-38117	•	•				
	18mm	KTI-38118	•	•				
	19mm	KTI-38119	•	•				
O	20mm	KTI-38120	•	•				
6-POINT SHORT METRIC	21mm	KTI-38121	•	•				
RTM	22mm	KTI-38122		•				
SHC.	23mm	KTI-38123		•				
NIO	24mm	KTI-38124		•				
9-	25mm	KTI-38125		•				
	26mm	KTI-38126		•				
	27mm	KTI-38127		•				
	28mm	KTI-38127 KTI-38128		•				
	29mm	KTI-38129	\vdash	•				
	30mm	KTI-38130		•				
				•				
	32mm	KTI-38132		_				
	33mm	KTI-38133		•				
	34mm	KTI-38134		•				
	35mm	KTI-38135		•				
	36mm	KTI-38136		•			_	
	10mm	KTI-38210			•		•	
	11mm	KTI-38211			•		•	
	12mm	KTI-38212			•		•	
	13mm	KTI-38213			•		•	
	14mm	KTI-38214			•		•	
	15mm	KTI-38215			•		•	
	16mm	KTI-38216			•		•	
	17mm	KTI-38217			•		•	
	18mm	KTI-38218			•		•	
	19mm	KTI-38219			•		•	
2	20mm	KTI-38220			•		•	
P METRIC	21mm	KTI-38221			•		•	
ш	22mm	KTI-38222				•	•	
6-POINT DE	23mm	KTI-38223				•	•	
6-PC	24mm	KTI-38224				•	•	
	25mm	KTI-38225				•	•	
	26mm	KTI-38226				•	•	
	27mm	KTI-38227				•	•	
	28mm	KTI-38228				•	•	
	29mm	KTI-38229				•	•	
	30mm	KTI-38230				•	•	
	32mm	KTI-38232	oxdot				•	
	33mm	KTI-38233					•	
	34mm	KTI-38234					•	
	35mm	KTI-38235					•	
	36mm	KTI-38236					•	
	13mm	KTI-38513						•
ETRIC	14mm	KTI-38514						•
×	15mm	KTI-38515						•
jii .		KTI-38517						•
T FLE	17mm	K11-30317						
6-POINT FLEX METRIC	17mm 18mm	KTI-38517						•







	3/4-inch D Fractional and Impact Soc	d Metric	KTI-34100	KTI-34101	KTI-34200	KTI-34201	KTI-39100
	1"	KTI-34132	•				
	1-1/16"	KTI-34134	•				
	1-1/8"	KTI-34136	•				
	1-1/4"	KTI-34140	•				
	1-5/16"	KTI-34142	•				
	1-3/8"	KTI-34144	•				
	1-7/16"	KTI-34146	•				
VAL	1-1/2"	KTI-34148	•				
6-POINT SHORT FRACTIONAL	1-9/16"	KTI-34150		•			
FRA	1-5/8"	KTI-34152		•			
HORT	1-11/16"	KTI-34154		•			
NTS	1-3/4"	KTI-34156		•			
IOd-9	1-13/16"	KTI-34158		•			
	1-15/16"	KTI-34160		•			
	1-7/8"	KTI-34162		•			
	2"	KTI-34164		•			
	2-1/16"	KTI-34166		•			
	2-1/10	KTI-34168		•			
	2-1/6"	KTI-34100		•			
	2-3/8"	KTI-34172 KTI-34176		•			
	1"	KTI-34170			•		
	1-1/16"				•		
		KTI-34234			•		
	1-1/8"	KTI-34236			•		
	1-1/4"	KTI-34240			•		
	1-5/16"	KTI-34242			•		
IONAI	1-3/8"	KTI-34244			•		
RACT	1-7/16"	KTI-34246			•		
6-POINT DEEP FRACTIONAL	1-1/2"	KTI-34248			•		
1T DE	1-9/16"	KTI-34250				•	
-POIN	1-5/8"	KTI-34252				•	
9	1-11/16"	KTI-34254				•	
	1-3/4"	KTI-34256				•	
	1-13/16"	KTI-34258				•	
	1-15/16"	KTI-34260				•	
	1-7/8"	KTI-34262				•	
	2"	KTI-34264				•	
	17mm	KTI-39117					•
	19mm	KTI-39119					•
	20mm	KTI-39120					•
	22mm	KTI-39122					•
0	24mm	KTI-39124					•
6-POINT SHORT METRIC	27mm	KTI-39127					•
RTM	30mm	KTI-39130					•
SHO	31mm	KTI-39131					•
TNIO	32mm	KTI-39132					•
9-6	34mm	KTI-39134					•
	35mm	KTI-39135					•
	36mm	KTI-39136					•
	38mm	KTI-39138					•
	40mm	KTI-39140					•
	46mm	KTI-39146					•
1EEL	13/16" Square	KTI-34026					
BUDD WHEE	1-1/2" - 13/16"	KTI-34027					
BUE	33mm Deep	KTI-39233					

	1-inch Drive Fractional and Metric Impact Sockets				
NAL	13/16"	KTI-35026			
FRACTIONAL SUDD WHEEL	1-1/2" - 13/16"	KTI-35027			
FR/ BUC	1-1/2" - 13/16"	KTI-35028	•		
	3/4"	KTI-35124		•	
	13/16"	KTI-35126		•	
	7/8"	KTI-35128		•	
	15/16"	KTI-35130		•	
	1"	KTI-35132		•	
4	1-1/16"	KTI-35134		•	
NOIL	1-1/8"	KTI-35136		•	
-RAC	1-3/16"	KTI-35138			
ORT	1-1/4"	KTI-35140		•	
žs L	1-5/16"	KTI-35142		•	
6-POINT SHORT FRACTIONAL	1-7/16"	KTI-35146		•	
9	1-1/2"	KTI-35148		•	
	1-5/8"	KTI-35152		•	
	1-11/16"	KTI-35154		•	
	1-13/16"	KTI-35158		•	
	1-7/8"	KTI-35160		•	
	2"	KTI-35164		•	
d	1-1/16"	KTI-35234			
T DEF	1-1/8"	KTI-35236			
6-POINT DEEP FRACTIONAL	1-1/4"	KTI-35240			
9 LL	1-5/16"	KTI-35242			
9	33mm	KTI-35233	•		
TRIC BUD WHEEL	35mm	KTI-35235	•		
METRIC BUDD WHEEL	38mm	KTI-35238	•		
Σ	41mm	KTI-35241	•		









1/4-, 3/8- a	and 1/2-inch Drive Tor	x Sockets	KTI-21500	KTI-22600	KTI-22601	KTI-22671	KTI-22800	KTI-22801	KTI-22870
	T10	KTI-21510	•						
, Xio	T15	KTI-21515	•						
1/4" Drive Tamper-proof Torx	T20	KTI-21520	•						
1/4" nper-p	T25	KTI-21525	•						
Tar	T27	KTI-21527	•						
	T30	KTI-21530	•						
Porx	T40	KTI-21540	•						
3/8" Drive Tamper-proof Torx	T45	KTI-21545	•						
3/8" mper-l	T50	KTI-21550	•						
Tai	T55	KTI-21555	•						
	T10	KTI-21610		•	•				
× ~	T15	KTI-21615		•	•				
1/4" Drive ntemal Torx (U.Smade)	T20	KTI-21620		•	٠				
1/4" Intema (U.S	T25	KTI-21625		•	•				
	T27	KTI-21627		•	•				
	T30	KTI-21630		•	•				
	T10	KTI-21810					•	•	
	T15	KTI-21815					•	•	
Drive I Torx	T20	KTI-21820					•	•	
1/4" Drive Internal Torx	T25	KTI-21825					•	•	
=	T27	KTI-21827					•	•	
	T30	KTI-21830					•	•	
	T40	KTI-22640		•	•				
e ž e	T45	KTI-22645		•	•				
3/8" Drive Internal Torx (U.Smade)	T47	KTI-22647			•				
3/8' Intern (U.S	T50	KTI-22650		•	•				
	T55	KTI-22655			•				
rive ral J.S.	T60	KTI-22660			•				
1/2" Drive Internal Forx (U.S. made)	T70	KTI-22670							
	E5	KTI-22675				•			
rive Torx ade)	E6	KTI-22676				•			
1/4" Drive External Torx (U.Smade)	E7	KTI-22677				•			
. ฃ ≤	E8	KTI-22678				•			
	E10	KTI-22680				•			
3/8" Drive External Torx (U.Smade)	E12	KTI-22682				•			
3/8" Drive External Tor- (U.Smade)	E14	KTI-22684				•			
"შვ	E16	KTI-22686				•			
isal (s	E18	KTI-22688				•			
1/2" Drive External Torx (U.S. made)	E20	KTI-22689				•			
4 - F	T40	KTI-22840						•	
	T45	KTI-22845						•	
Torx	T47							•	
3/8" Drive Internal Torx		KTI-22847 KTI-22850						•	
e <u>₹</u>	T50							•	
	T55 T60	KTI-22855 KTI-22860						•	
									•
*	E4	KTI-22874							•
Drive tal Tor	E5	KTI-22875							•
1/4" Drive External Torx	E6	KTI-22876							•
<u></u>	E7	KTI-22877							•
	E8	KTI-22878							•
*	E10	KTI-22880							
Drive al Tor:	E12	KTI-22882							•
3/8" Drive External Torx	E14	KTI-22884							•
ш	E16	KTI-22886							•
	E18	KTI-22888							•
Bit Holders	1/4" Drive (T10 - T40)	KTI-18008	•						
¥	3/8" Drive (T45 - T55)	KTI-18012	•						

3/8	3/8-inch Drive Hex Bit Sockets			KTI-22970	KTI-27902	KTI-27970
	1/8"	KTI-22904		•		
s	5/32"	KTI-22905		•		
Fractional Hex Bits	3/16"	KTI-22906		•		
nalH	7/32"	KTI-22907		•		
ractic	1/4"	KTI-22908	•	•		
_	5/16"	KTI-22910	•	•		
	3/8"	KTI-22912	•	•		
	3mm	KTI-27903				•
	4mm	KTI-27904				•
\$	5mm	KTI-27905				•
lex Bi	5.5mm	KTI-27955				
Metric Hex Bits	6mm	KTI-27906				•
×	7mm	KTI-27907			•	•
	8mm	KTI-27908			•	•
	10mm	KTI-27910			•	•











KTI-22970

7-piece Fractional Hex Bit Set 3/8" Drive



Includes 7 pieces 1/8" through 3/8" on socket rail. Chrome vanadium steel, heat treated.

Set includes (also available individually):

KTI-22904 - 1/8" Hex Bit
KTI-22905 - 5/32" Hex Bit
KTI-22906 - 3/16" Hex Bit
KTI-22907 - 7/32" Hex Bit







KTI-22902

3-piece Fractional Brake Caliper Set 3/8" Drive



Use on disc brake calipers to remove and install brake pads. Disk brake caliper set features hardened and tempered chrome vanadium steel sockets with professional sand finish. Bits are heat treated and precision machined. Set includes 1/4", 5/16" and 3/8" hex bits. Available for individual purchase.

Set includes (also available individually):

KTI-22908 - 1/4" Hex Bit **KTI-22910** - 5/16" Hex Bit **KTI-22912** - 3/8" Hex Bit





External Torq Sockets



Heat treated.

1/4" Drive KTI-22874 - E4 External Torq KTI-22875 - E5 External Torq KTI-22876 - E6 External Torq KTI-22877 - E7 External Torq KTI-22878 - E8 External Torq

3/8" Drive

KTI-22880 - E10 External Torq KTI-22882 - E12 External Torq KTI-22884 - E14 External Torq KTI-22886 - E16 External Torq KTI-22888 - E18 External Torq

KTI-27970

8-piece Metric Hex Bit Set 3/8" Drive



Includes 8 pieces 3mm through 10mm on socket rail. Chrome vanadium steel, heat treated.

Set includes (also available individually):

KTI-27903 - 3mm Hex Bit
KTI-27904 - 4mm Hex Bit
KTI-27905 - 5mm Hex Bit
KTI-27905 - 5.5mm Hex Bit
KTI-27905 - 5.5mm Hex Bit
KTI-27910 - 10mm Hex Bit







KTI-27902

3-piece Metric Brake Caliper Set 3/8" Drive



Use on disc brake calipers to remove and install brake pads. Disk brake caliper set features hardened and tempered chrome vanadium steel sockets with professional sand finish. Bits are heat treated and precision machined. Set includes 7mm, 8mm and 10mm hex bits. Available for individual purchase.

Set includes (also available individually):

KTI-27907 - 7mm Hex Bit KTI-27908 - 8mm Hex Bit KTI-27910 - 10mm Hex Bit





Internal Torq Sockets



Chrome vanadium steel, heat treated.

1/4" Drive

KTI-21810 - T10 Internal Torq KTI-21815 - T15 Internal Torq KTI-21820 - T20 Internal Torq KTI-21825 - T25 Internal Torq KTI-21827 - T27 Internal Torq KTI-21830 - T30 Internal Torq

3/8" Drive

KTI-22840 - T40 Internal Torq KTI-22845 - T45 Internal Torq KTI-22847 - T47 Internal Torq KTI-22850 - T50 Internal Torq KTI-22855 - T55 Internal Torq KTI-22860 - T60 Internal Torq

















External Torx Sockets U.S.-made

KTI-22680 - E10 External Torx

KTI-22682 - E12 External Torx

KTI-22684 - E14 External Torx

KTI-22686 - E16 External Torx

3/8" Drive

Heat treated. U.S.-made

1/4" Drive KTI-22675 - E5 External Torx KTI-22676 - E6 External Torx KTI-22677 - E7 External Torx KTI-22678 - E8 External Torx

1/2" Drive KTI-22688 - E18 External Torx KTI-22689 - E20 External Torx











Internal **Torx Sockets** U.S.-made



KTI-22640 - T40 Internal Torx

KTI-22645 - T45 Internal Torx

KTI-22647 - T47 Internal Torx

KTI-22650 - T50 Internal Torx

KTI-22655 - T55 Internal Torx

3/8" Drive

Alloy steel, heat treated. U.S.-made

1/4" Drive

KTI-21610 - T10 Internal Torx KTI-21615 - T15 Internal Torx KTI-21620 - T20 Internal Torx KTI-21625 - T25 Internal Torx KTI-21627 - T27 Internal Torx KTI-21630 - T30 Internal Torx

1/2" Drive

KTI-22660 - T60 Internal Torx KTI-22670 - T70 Internal Torx











Universal **Joints**



Chrome vanadium steel, heat treated.

KTI-21050 - 1/4" Drive Universal Joint KTI-22500 - 3/8" Drive Universal Joint KTI-23500 - 1/2" Drive Universal Joint KTI-24500 - 3/4" Drive Universal Joint









Tamper-proof **Torx Sockets** U.S.-made



Chrome vanadium steel, heat treated. U.S.-made

KTI-21510 - T10 Tamper-proof Torx KTI-21515 - T15 Tamper-proof Torx KTI-21520 - T20 Tamper-proof Torx KTI-21525 - T25 Tamper-proof Torx KTI-21527 - T27 Tamper-proof Torx KTI-21530 - T30 Tamper-proof Torx

KTI-21540 - T40 Tamper-proof Torx KTI-21545 - T45 Tamper-proof Torx KTI-21550 - T50 Tamper-proof Torx KTI-21555 - T55 Tamper-proof Torx







KTI-22802

3-piece Brake Caliper Torq Bit Set 3/8" Drive



Three-piece set includes T-40, T-45 and T-50 Torq bits. Use on disc brake calipers to remove and install brake pads. Fits most GM and Ford brake caliper torx bolts. Bits are heat treated and precision machined. All are 3/8"drive.

Set includes (also available individually):

KTI-22840 - T40 Internal Torq KTI-22845 - T45 Internal Torq KTI-22850 - T50 Internal Torq





Reducers and Adapters



Chrome vanadium steel, heat treated.

KTI-21055 - 1/4" Female to 3/8" Male KTI-22050 - 1/2" Female to 3/8" Male KTI-22055 - 3/8" Female to 1/2" Male KTI-22060 - 3/8" Female to 1/4" Male KTI-22075 - 1/2" Female to 3/4" Male KTI-24050 - 3/4" Female to 1/2" Male



Premium Quality Ratchets

1/2" Drive

Push button release. High polish chrome finish chrome vanadium steel, premium gears.

1/4" Drive

KTI-21091 - 51/4" Premium KTI-23091 - 91/8" Premium

3/8" Drive

3/4" Drive KTI-22091 - 8" Premium KTI-24090 - 191/8" Premium













Professional Series Ratchets



High polished chrome. Push-button design socket release. Thumb lever directional switch. Fine-tooth thin design. Knurled handles.

1/4" Drive

KTI-21092* - 41/2" Pro Series

KTI-21095 - 7" Long Handle

3/8" Drive

KTI-22092* - 71/8" Pro Series

KTI-22093 - 101/2" Flex Head

KTI-22095 - 11% Long Handle











1/2" Drive

KTI-23092* - 91/8" Pro Series

KTI-23095 - 15" Long Handle

3/4" Drive

KTI-24092 - 19%" Pro Series

3/4" Drive ratchet features lightweight alloy handle for ease of use.



Standard **Extensions**

Chrome vanadium steel, heat treated.

1/4" Drive 3/8" Drive KTI-21002 - 2" Extension

KTI-22002 - 2" Extension KTI-21004 - 4" Extension KTI-22003 - 3" Extension KTI-21006 - 6" Extension KTI-22005 - 5" Extension KTI-21010 - 10" Extension

KTI-22006 - 6" Extension KTI-21014 - 14" Extension KTI-22008 - 8" Extension

KTI-22010 - 10" Extension KTI-22012 - 12" Extension KTI-22018 - 18" Extension KTI-22024 - 24" Extension

1/2" Drive

KTI-23003 - 3" Extension KTI-23005 - 5" Extension

KTI-23010 - 10" Extension KTI-23015 - 15" Extension

KTI-23020 - 20" Extension

3/4" Drive

KTI-24004 - 4" Extension KTI-24008 - 8" Extension

KTI-24016 - 16" Extension













KTI-21040

Wobble **Extension Set** 1/4" Drive



Chrome vanadium steel, heat treated. Available individually.

Set includes (also available individually):

KTI-21043 - 4" Wobble Extension KTI-21046 - 6" Wobble Extension KTI-21048 - 9" Wobble Extension

KTI-22041

Wobble **Extension Set** 3/8" Drive



Chrome vanadium steel, heat treated. Available individually.

Set includes (also available individually):

KTI-22043 - 3" Wobble Extension KTI-22046 - 6" Wobble Extension KTI-22048 - 8" Wobble Extension

















Provides extra leverage for breaking loose rusted or high torque fasteners. Smooth action flex joint for hard-to-reach fasteners. Knurled handle for secure grip. Pivoting head allows the handle to avoid obstructions when being turned in a cramped space. Chrome vanadium steel for long life and maximum corrosion resistance.

1/4" Drive

KTI-21080 - 6" Flex Handle

3/8" Drive

KTI-22080 - 8" Flex Handle

1/2" Drive

KTI-23080 - 17" Flex Handle

KTI-23081 - 24" Flex Handle KTI-23082 - 18" to 25" Extending

Flex Handle

3/4" Drive

KTI-24080 - 20" Flex Handle











Sliding T-handle



Made with high polish, chrome vanadium steel. Allows you accessibility to hard-to-reach areas.

KTI-23070 - Sliding T-handle

3/4" Drive

KTI-24070 - Sliding T-handle







KTI-21060

Spinner Handle 1/4" Drive



Screwdriver style drive tool for quick spin down/off. Oversize polypropylene handle and chrome vanadium shaft. 1/4" drive.

KTI-22001

Speed **T-handle Set**



Constructed with a lightweight aluminum sleeve for fast turning. A locking end holds sockets securely in place. The pivoting end is great to reach odd angles and offers greater versatility. A 3/8" drive end allows the speed T-handle to be used with a ratchet like an extension. The speed T-handle set includes 1/4" and 3/8" speed T-handles and a posi-lock adapter that allows the use of any 1/4" hex bit. Set is packaged in a blow-molded case.

Set includes (also available individually):

3/8" Drive

KTI-21070 - 1/4" Speed T-handle

KTI-22070 - 3/8" Speed T-handle










KTI-22071

3/8" Drive **Speed Handle**









KTI-22300

8-piece Fractional **Flare Nut Crowfoot** Wrench Set 3/8" Drive



Used for air conditioning, fuel and hydraulic line fittings. Heat treated, carded with socket rail. Available individually.

Set includes (also available individually):

KTI-22312 - 3/8"	KTI-22320 - 5/8"
KTI-22314 - 7/16"	KTI-22322 - 11/16"
KTI-22316 - 1/2"	KTI-22324 - 3/4"
KTI-22318 - 9/16"	KTI-22328 - 7/8"







KTI-22600

9-piece Internal **Torx Socket Set**



Heat-treated alloy steel. Vinyl holder. U.S.-made

Set includes (also available individually):

Set includes (also available individue	aliy <i>)</i> .
<u>1/4" Drive</u>	3/8" Drive
KTI-21610 - T10 Internal Torx	KTI-22640 - T-40 Internal Torx
KTI-21615 - T15 Internal Torx	KTI-22645 - T-45 Internal Torx
KTI-21620 - T20 Internal Torx	KTI-22650 - T-50 Internal Torx
KTI-21625 - T25 Internal Torx	
KTI-21627 - T27 Internal Torx	
KTI-21630 - T30 Internal Torx	











KTI-22800

9-piece Internal **Torq Socket Set**



Chrome moly steel, heat-treated. Carded on socket rail.

Set includes (also available individua	ally):
<u>1/4" Drive</u>	3/8" Drive
KTI-21810 - T10 Internal Torq	KTI-22840 - T40 Internal Tord
KTI-21815 - T15 Internal Torq	KTI-22845 - T45 Internal Tord
KTI-21820 - T20 Internal Torq	KTI-22850 - T50 Internal Tord
KTI-21825 - T25 Internal Torq	
KTI-21827 - T27 Internal Torq	



10-piece Metric **Flare Nut Crowfoot** Wrench Set 3/8" Drive



Used for air conditioning, fuel and hydraulic line fittings. Heat treated, carded with socket rail. Available individually.

Set includes (also available individually):

oct molades (also available marriada	"y/.
KTI-27310 - 10mm	KTI-27315 - 15mm
KTI-27311 - 11mm	KTI-27316 - 16mm
KTI-27312 - 12mm	KTI-27317 - 17mm
KTI-27313 - 13mm	KTI-27318 - 18mm
KTI-27314 - 14mm	KTI-27319 - 19mm







KTI-22601

12-piece Internal **Torx Socket Set**



Heat-treated alloy steel. Vinyl holder. U.S.-made

Set includes (also available individually):

<u>1/4" Drive</u>	<u>3/8" Drive</u>
KTI-21610 - T10 Internal Torx	KTI-22640 - T40 Internal Torx
KTI-21615 - T15 Internal Torx	KTI-22645 - T45 Internal Torx
KTI-21620 - T20 Internal Torx	KTI-22647 - T47 Internal Torx
KTI-21625 - T25 Internal Torx	KTI-22650 - T50 Internal Torx
KTI-21627 - T27 Internal Torx	KTI-22655 - T55 Internal Torx
KTI-21630 - T30 Internal Torx	

1/2" Drive

KTI-22660 - T60 Internal Torx













KTI-22801

12-piece Internal Torq Socket Set



Chrome vanadium steel, heat-treated. Carded on socket rail.

Set includes (also available individually):

<u>1/4" Drive</u>	3/8" Drive
KTI-21810 - T10 Internal Torq	KTI-22840 - T40 Internal Torq
KTI-21815 - T15 Internal Torq	KTI-22845 - T45 Internal Torq
KTI-21820 - T20 Internal Torq	KTI-22847 - T47 Internal Torq
KTI-21825 - T25 Internal Torq	KTI-22850 - T50 Internal Torq
KTI-21827 - T27 Internal Torq	KTI-22855 - T55 Internal Torq
KTI-21830 - T30 Internal Torq	KTI-22860 - T60 Internal Torq







KTI-21830 - T30 Internal Torq













KTI-21500

10-piece Tamper-proof Torx Socket Set



KTI-22870

10-piece **External Torq** Socket Set

1/4" Drive



KTI-22880 - E10 External Torq

KTI-22882 - E12 External Torq

KTI-22884 - E14 External Torq

KTI-22886 - E16 External Torq

KTI-22888 - E18 External Torq

3/8" Drive

Heat-treated alloy steel. Vinyl holder. U.S.-made

Set includes (also available individually):

<u>1/4" Drive</u>	<u>3/8" Drive</u>
KTI-21510 - T10 Tamper-proof	KTI-21540 - T40 Tamper-proof
KTI-21515 - T15 Tamper-proof	KTI-21545 - T45 Tamper-proof
KTI-21520 - T20 Tamper-proof	KTI-21550 - T50 Tamper-proof
KTI-21525 - T25 Tamper-proof	KTI-21555 - T55 Tamper-proof
KTI-21527 - T27 Tamper-proof	KTI-18012 - Bit Holder (T40-T60)
KTI 24520 TOO Towner proof	

KTI-21530 - T30 Tamper-proof KTI-18008 - Bit Holder (T10-T30)







KTI-22874 - E4 External Torq

KTI-22875 - E5 External Torq

KTI-22876 - E6 External Torq

KTI-22877 - E7 External Torq

KTI-22878 - E8 External Torq



Chrome vanadium steel, heat-treated. On socket rail.

Set includes (also available individually):











KTI-22671

10-piece **External Torx** Socket Set



Chrome vanadium steel, heat-treated. On socket rail.

Set includes (also available individually):

1/4" Drive	3/8" Drive
KTI-22675 - E5 External Torx	KTI-22680 - E10 External Torx
KTI-22676 - E6 External Torx	KTI-22682 - E12 External Torx
KTI-22677 - E7 External Torx	KTI-22684 - E14 External Torx
KTI-22678 - E8 External Torx	KTI-22686 - E16 External Torx

1/2" Drive

KTI-22688 - E18 External Torx KTI-22689 - E20 External Torx













KTI-21000

21-piece Fractional 6-point Socket Set 1/4" Drive



Includes 9 short sockets from 3/16" to 1/2", 7 deep sockets from 1/4" to 1/2", push button ratchet, universal joint, 2" and 4" extensions and spinner. All sockets are 6-point chrome vanadium. Blow-molded case.

Set includes (also available individually):

Oct includes (also	available individually).	
KTI-21106 - 3/16"	KTI-21114 - 7/16"	KTI-21214 - 7/16" deep
KTI-21107 - 7/32"	KTI-21116 - 1/2"	KTI-21216 - 1/2" deep
KTI-21108 - 1/4"	KTI-21208 - 1/4" deep	KTI-21091 - Ratchet
KTI-21109 - 9/32"	KTI-21209 - 9/32" deep	KTI-21002 - 2" Extension
KTI-21110 - 5/16"	KTI-21210 - 5/16" deep	KTI-21004 - 4" Extension
KTI-21111 - 11/32"	KTI-21211 - 11/32" deep	KTI-21050 - Universal Joint
KTI-21112 - 3/8"	KTI-21212 - 3/8" deep	KTI-21060 - Spinner Handle

KTI-26000

21-piece Metric 6-point Socket Set 1/4" Drive



Includes 9 short sockets from 4mm to 11mm, 7 deep sockets from 5.5mm to 11mm, push button ratchet, universal joint, 2" and 4" extensions and spinner. All sockets are 6-point chrome vanadium.

Set includes (also available individually):			
KTI-26104 - 4mm	KTI-26110 - 10mm	KTI-26210 - 10mm deep	
KTI-26105 - 5mm	KTI-26111 - 11mm	KTI-26211 - 11mm deep	
KTI-26155 - 5.5mm	KTI-26255 - 5.5mm deep	KTI-21091 - Ratchet	
KTI-26106 - 6mm	KTI-26206 - 6mm deep	KTI-21002 - 2" Extension	
KTI-26107 - 7mm	KTI-26207 - 7mm deep	KTI-21004 - 4" Extension	
KTI-26108 - 8mm	KTI-26208 - 8mm deep	KTI-21050 - Universal Joint	
KTI-26109 - 9mm	KTI-26209 - 9mm deep	KTI-21060 - Spinner Handle	



















KTI-21100

8-piece Fractional 6-point Socket Set 1/4" Drive - Short



6-point sockets, chrome vanadium steel, heat-treated, on socket rail.

Set includes (also available individually):

KTI-21106 - 3/16" KTI-21110 - 5/16" KTI-21107 - 7/32" KTI-21112 - 3/8" KTI-21108 - 1/4" KTI-21114 - 7/16" KTI-21116 - 1/2" KTI-21109 - 9/32"



8-piece Fractional 6-point Socket Set 1/4" Drive - Deep



6-point sockets, chrome vanadium steel, heat-treated, on socket rail.

Set includes (also available individually):

KTI-21207 - 7/32" deep KTI-21211 - 11/32" deep KTI-21208 - 1/4" deep KTI-21212 - 3/8" deep KTI-21209 - 9/32" deep KTI-21214 - 7/16" deep **KTI-21210** - 5/16" deep KTI-21216 - 1/2" deep











8-piece Metric 6-point Socket Set 1/4" Drive - Short



6-point sockets, chrome vanadium steel, heat-treated, on socket rail.

Set includes (also available individually):

KTI-26106 - 6mm KTI-26110 - 10mm KTI-26107 - 7mm KTI-26111 - 11mm KTI-26108 - 8mm KTI-26112 - 12mm KTI-26109 - 9mm KTI-26113 - 13mm









KTI-26200

8-piece Metric 6-point Socket Set 1/4" Drive - Deep



6-point sockets, chrome vanadium steel, heat-treated, on socket rail.

Set includes (also available individually):

KTI-26206 - 6mm deep KTI-26210 - 10mm deep KTI-26207 - 7mm deep KTI-26211 - 11mm deep KTI-26208 - 8mm deep KTI-26212 - 12mm deep KTI-26209 - 9mm deep KTI-26213 - 13mm deep


















KTI-21044

44-piece Fractional and Metric 6-point Socket Set 1/4" Drive

Includes a 1/4" drive pro ratchet, 2" extension, 6" extension, standard length fractional sockets 3/16" to 9/16", deep fractional sockets 1/4" to 9/16", standard length metric sockets from 4mm to 15mm, deep metric sockets 6mm to 15mm. Chrome vanadium, heat treated, packaged in blow molded case.



KTI-21106 - 3/16"	KTI-21118 - 9/16"
KTI-21107 - 7/32"	KTI-21208 - 1/4" deep
KTI-21108 - 1/4"	KTI-21209 - 9/32" deep
KTI-21109 - 9/32"	KTI-21210 - 5/16" deep
KTI-21110 - 5/16"	KTI-21211 - 11/32" deep
KTI-21111 - 11/32"	KTI-21212 - 3/8" deep
KTI-21112 - 3/8"	KTI-21214 - 7/16" deep
KTI-21114 - 7/16"	KTI-21216 - 1/2" deep
KTI-21116 - 1/2"	KTI-21218 - 9/16" deep
	•

KTI-26104 - 4mm KTI-26105 - 5mm KTI-26155 - 5.5mm KTI-26106 - 6mm KTI-26107 - 7mm KTI-26108 - 8mm KTI-26109 - 9mm KTI-26110 - 10mm KTI-26111 - 11mm

KTI-26112 - 12mm KTI-26113 - 13mm KTI-26114 - 14mm KTI-26115 - 15mm KTI-26206 - 6mm deep KTI-26207 - 7mm deep KTI-26208 - 8mm deep KTI-26209 - 9mm deep

KTI-26210 - 10mm deep

KTI-26211 - 11mm deep KTI-26212 - 12mm deep

KTI-26213 - 13mm deep KTI-26214 - 14mm deep KTI-26215 - 15mm deep KTI-21092 - Ratchet KTI-21002 - 2" Extension KTI-21006 - 6" Extension











KTI-20045

45-piece Fractional and Metric Spline Socket Set 3/8" Drive



Spline socket set features standard and deep fractional (5/16" to 7/8") and metric (7mm to 19mm) sockets. The set also includes a 3/8" drive ratchet and 3- and 6-inch wobble extensions. The universal spline socket design works on various fasteners such as spline, 6-point, 12-point, female torx and square. It will even work on 50% rounded fasteners! It's like having six sockets in one! Features high-polish chrome-vanadium finish, which provides for long life and maximum corrosion resistance. Packaged in a blow-molded case.



Set includes (also available individually):

KTI-20210 - 5/16"	KTI-20228 - 7/8"	KTI-20428 - 7/8" deep	KTI-20318 - 18mm	KTI-20714 - 14mm deep
KTI-20212 - 3/8"	KTI-20412 - 3/8" deep	KTI-20310 - 10mm	KTI-20319 - 19mm	KTI-20715 - 15mm deep
KTI-20214 - 7/16"	KTI-20414 - 7/16" deep	KTI-20311 - 11mm	KTI-20707 - 7mm deep	KTI-20716 - 16mm deep
KTI-20216 - 1/2"	KTI-20416 - 1/2" deep	KTI-20312 - 12mm	KTI-20708 - 8mm deep	KTI-20717 - 17mm deep
KTI-20218 - 9/16"	KTI-20418 - 9/16" deep	KTI-20313 - 13mm	KTI-20709 - 9mm deep	KTI-20718 - 18mm deep
KTI-20220 - 5/8"	KTI-20420 - 5/8" deep	KTI-20314 - 14mm	KTI-20710 - 10mm deep	KTI-20719 - 19mm deep
KTI-20222 - 11/16"	KTI-20422 - 11/16" deep	KTI-20315 - 15mm	KTI-20711 - 11mm deep	KTI-22092 - Ratchet
KTI-20224 - 3/4"	KTI-20424 - 3/4" deep	KTI-20316 - 16mm	KTI-20712 - 12mm deep	KTI-22003 - 3" Extension
KTI-20226 - 13/16"	KTI-20426 - 13/16" deep	KTI-20317 - 17mm	KTI-20713 - 13mm deep	KTI-22006 - 6" Extension







KTI-22000

20-piece Fractional 6-point Socket Set 3/8" Drive



Includes 9 short sockets from 3/8" to 7/8", 8 deep sockets from 3/8" to 13/16", push button ratchet plus 2" and 3" extensions. All sockets are 6-point chrome vanadium. Blow-molded case.

Set includes (also available individually):

Set includes (also	avallable iriulvidualiy).	
KTI-22112 - 3/8"	KTI-22126 - 13/16"	KTI-22222 - 11/16" deep
KTI-22114 - 7/16"	KTI-22128 - 7/8"	KTI-22224 - 3/4" deep
KTI-22116 - 1/2"	KTI-22212 - 3/8" deep	KTI-22226 - 13/16" deep
KTI-22118 - 9/16"	KTI-22214 - 7/16" deep	KTI-22091 - Ratchet
KTI-22120 - 5/8"	KTI-22216 - 1/2" deep	KTI-22002 - 2" Extension
KTI-22122 - 11/16"	KTI-22218 - 9/16" deep	KTI-22003 - 3" Extension

KTI-22220 - 5/8" deep





KTI-22124 - 3/4"





KTI-22100

10-piece Fractional 6-point Socket Set 3/8" Drive - Short



Includes 6-point sockets from 5/16" to 7/8", chrome vanadium steel, heat treated, on socket rail.

Set includes (also available individually):

KTI-22110 - 5/16" KTI-22120 - 5/8" KTI-22112 - 3/8" KTI-22122 - 11/16' KTI-22114 - 7/16" KTI-22124 - 3/4" KTI-22116 - 1/2" KTI-22126 - 13/16" KTI-22118 - 9/16" KTI-22128 - 7/8"







KTI-27000

26-piece Metric 6-point Socket Set 3/8" Drive



Includes 14 short sockets from 8mm to 21mm, 9 deep sockets from 10mm to 19mm, push button ratchet, spark plug socket and extension. All sockets are 6-point chrome vanadium. Blow-molded case.

t includes (also available individually):

Set includes (also at	/allable individually).	
KTI-27108 - 8mm	KTI-27117 - 17mm	KTI-27114 - 14mm
KTI-27109 - 9mm	KTI-27118 - 18mm	KTI-27116 - 16mm
KTI-27110 - 10mm	KTI-27119 - 19mm	KTI-27117 - 17mm
KTI-27111 - 11mm	KTI-27120 - 20mm	KTI-27118 - 18mm
KTI-27112 - 12mm	KTI-27121 - 21mm	KTI-27119 - 19mm
KTI-27113 - 13mm	KTI-27110 - 10mm	KTI-22219 - 5/8" Spark PI
KTI-27114 - 14mm	KTI-27111 - 11mm	KTI-22091 - Ratchet
KTI-27115 - 15mm	KTI-27112 - 12mm	KTI-22003 - 3" Extension
KTI-27116 - 16mm	KTI-27113 - 13mm	



9-piece Fractional 6-point Socket Set 3/8" Drive - Deep



Includes 6-point sockets from 3/8" to 7/8", chrome vanadium steel, heat treated, on socket rail.

Set includes (also available individually):

KTI-22212 - 3/8" deep KTI-22222 - 11/16" deep KTI-22224 - 3/4" deep KTI-22214 - 7/16" deep KTI-22216 - 1/2" deep KTI-22226 - 13/16" deep KTI-22218 - 9/16" deep KTI-22228 - 7/8" deep KTI-22220 - 5/8" deep









Spark Plug



KTI-22501

13-piece Fractional 12-point Socket Set 3/8" Drive - Short



Includes 12-point sockets from 1/4" to 1", chrome vanadium steel, heat-treated, on socket rail.

Set includes (also available individually):

KTI-22528 - 7/8" KTI-22508 - 1/4" KTI-22518 - 9/16" KTI-22510 - 5/16" KTI-22520 - 5/8" KTI-22530 - 15/16" KTI-22512 - 3/8" KTI-22522 - 11/16" KTI-22532 - 1"

KTI-22514 - 7/16" KTI-22524 - 3/4" KTI-22516 - 1/2" KTI-22526 - 13/16"

KTI-22401

13-piece Fractional 12-point Socket Set 3/8" Drive - Deep



Includes 12-point sockets from 1/4" to 1", chrome vanadium steel, heat-treated, on socket rail.

Set includes (also available individually):

KTI-22408 - 1/4" deep KTI-22418 - 9/16" deep KTI-22428 - 7/8" deep KTI-22410 - 5/16" deep KTI-22420 - 5/8" deep KTI-22430 - 15/16" KTI-22412 - 3/8" deep KTI-22422 - 11/16" deep KTI-22432 - 1" deep

KTI-22414 - 7/16" deep KTI-22424 - 3/4" deep KTI-22426 - 13/16" deep KTI-22416 - 1/2" deep











13-piece Metric 6-point Socket Set 3/8" Drive - Short



Includes 6-point sockets from 10mm to 18mm, chrome vanadium

Includes 6-point sockets from 7mm to 19mm, chrome vanadium steel, heat-treated, on socket rail.

Set includes (also available individually):

KTI-27107 - 7mm KTI-27112 - 12mm KTI-27117 - 17mm KTI-27108 - 8mm KTI-27113 - 13mm KTI-27118 - 18mm KTI-27114 - 14mm KTI-27119 - 19mm KTI-27109 - 9mm

KTI-27115 - 15mm KTI-27110 - 10mm KTI-27111 - 11mm KTI-27116 - 16mm



KTI-27201

9-piece Metric 6-point Socket Set 3/8" Drive - Deep



steel, heat-treated, on socket rail.

Set includes (also available individually):

KTI-27210 - 10mm KTI-27215 - 15mm KTI-27211 - 11mm KTI-27216 - 16mm KTI-27217 - 17mm KTI-27212 - 12mm KTI-27213 - 13mm KTI-27218 - 18mm

KTI-27214 - 14mm









KTI-27501

15-piece Metric 12-point Socket Set 3/8" Drive - Short



Includes 12-point sockets from 7mm to 21mm, chrome vanadium steel, heat treated, on socket rail.

Set includes (also available individually):

KTI-27507 - 7mm KTI-27512 - 12mm KTI-27517 - 17mm KTI-27508 - 8mm KTI-27513 - 13mm KTI-27518 - 18mm KTI-27509 - 9mm KTI-27514 - 14mm KTI-27519 - 19mm KTI-27515 - 15mm KTI-27510 - 10mm KTI-27520 - 20mm KTI-27511 - 11mm KTI-27516 - 16mm KTI-27521 - 21mm









KTI-27401

15-piece Metric 12-point Socket Set 3/8" Drive - Deep



Includes 12-point sockets from 7mm to 21mm, chrome vanadium steel, heat treated, on socket rail.

Set includes (also available individually):

KTI-27407 - 7mm deep KTI-27412 - 12mm deep KTI-27417 - 17mm deep KTI-27408 - 8mm deep KTI-27413 - 13mm deep KTI-27418 - 18mm deep KTI-27409 - 9mm deep KTI-27419 - 19mm deep KTI-27414 - 14mm deep KTI-27410 - 10mm deep KTI-27415 - 15mm deep KTI-27420 - 20mm deep KTI-27411 - 11mm deep KTI-27416 - 16mm deep KTI-27421 - 21mm deep


















KTI-22047

47-piece Fractional and Metric 6-point Socket Set 3/8" Drive

This 47-piece 3/8" drive fractional and metric set includes all the sockets you need in one box. Set contains: short fractional sockets from 1/4"-7/8"; deep fractional sockets from 3/8"-7/8"; short metric sockets from 6mm - 19mm; deep metric sockets from 10mm - 19mm; 3/8 drive pro ratchet; 3" extension; 6" extension. All sockets are 6-point. Manufactured with heat-treated chrome vanadium steel. Packaged in custom blow-molded carrying case. Lifetime warranty.



KTI-22108 - 1/4"	KTI-22128 - 7/8"	KTI-27106 - 6mm	KTI-27116 - 16mm
KTI-22110 - 5/16"	KTI-22212 - 3/8" deep	KTI-27107 - 7mm	KTI-27117 - 17mm
KTI-22112 - 3/8"	KTI-22214 - 7/16" deep	KTI-27108 - 8mm	KTI-27118 - 18mm
KTI-22114 - 7/16"	KTI-22216 - 1/2" deep	KTI-27109 - 9mm	KTI-27119 - 19mm
KTI-22116 - 1/2"	KTI-22218 - 9/16" deep	KTI-27110 - 10mm	KTI-27210 - 10mm deep
KTI-22118 - 9/16"	KTI-22220 - 5/8" deep	KTI-27111 - 11mm	KTI-27211 - 11mm deep
KTI-22120 - 5/8"	KTI-22222 - 11/16" deep	KTI-27112 - 12mm	KTI-27212 - 12mm deep
KTI-22122 - 11/16"	KTI-22224 - 3/4" deep	KTI-27113 - 13mm	KTI-27213 - 13mm deep
KTI-22124 - 3/4"	KTI-22226 - 13/16" deep	KTI-27114 - 14mm	KTI-27214 - 14mm deep
KTI-22126 - 13/16"	KTI-22228 - 7/8" deep	KTI-27115 - 15mm	KTI-27215 - 15mm deep
_	•		•



KTI-27216 - 16mm deep KTI-27217 - 17mm deep KTI-27218 - 18mm deep KTI-27219 - 19mm deep KTI-22092 - Ratchet KTI-22003 - 3" Extension KTI-22006 - 6" Extension









KTI-22547

47-piece Fractional and Metric 12-point Socket Set

This 47-piece 3/8" drive fractional and metric set includes all the sockets you need in one box. Set contains: short fractional sockets from 1/4" - 7/8"; deep fractional sockets from 3/8"-7/8"; short metric sockets from 6mm - 19mm; deep metric sockets from 10mm - 19mm; 3/8 drive pro ratchet; 3" extension; 6" extension. All sockets are 12-point. Manufactured with heat-treated chrome vanadium steel. Packaged in custom blow-molded carrying case. Lifetime warranty.

Set includes (also available individually):

KTI-22508 - 1/4"	KTI-22528 - 7/8"	KTI-27506 - 6mm	KTI-27516 - 16mm
KTI-22510 - 5/16"	KTI-22412 - 3/8" deep	KTI-27507 - 7mm	KTI-27517 - 17mm
KTI-22512 - 3/8"	KTI-22414 - 7/16" deep	KTI-27508 - 8mm	KTI-27518 - 18mm
KTI-22514 - 7/16"	KTI-22416 - 1/2" deep	KTI-27509 - 9mm	KTI-27519 - 19mm
KTI-22516 - 1/2"	KTI-22418 - 9/16" deep	KTI-27510 - 10mm	KTI-27410 - 10mm deep
KTI-22518 - 9/16"	KTI-22420 - 5/8" deep	KTI-27511 - 11mm	KTI-27411 - 11mm deep
KTI-22520 - 5/8"	KTI-22422 - 11/16" deep	KTI-27512 - 12mm	KTI-27412 - 12mm deep
KTI-22522 - 11/16"	KTI-22424 - 3/4" deep	KTI-27513 - 13mm	KTI-27413 - 13mm deep
KTI-22524 - 3/4"	KTI-22426 - 13/16" deep	KTI-27514 - 14mm	KTI-27414 - 14mm deep
KTI-22526 - 13/16"	KTI-22428 - 7/8" deep	KTI-27515 - 15mm	KTI-27415 - 15mm deep



KTI-27416 - 16mm deep KTI-27417 - 17mm deep KTI-27418 - 18mm deep KTI-27419 - 19mm deep KTI-22092 - Ratchet KTI-22003 - 3" Extension KTI-22006 - 6" Extension









KTI-22700

8-piece Universal 12-point Socket Set 3/8" Drive

Eight-piece set includes 5/16" to 3/4" universal joints. Use with an extension to turn bolts or nuts in difficult-to-access areas. Chrome vanadium steel, heat treated. All universal joints are 3/8"drive, 12-point sockets.

Set includes (also available individually):

KTI-22718 - 9/16" KTI-22722 - 11/16" KTI-22710 - 5/16" KTI-22714 - 7/16" KTI-22712 - 3/8" KTI-22716 - 1/2" KTI-22720 - 5/8" KTI-22724 - 3/4"











KTI-23000

16-piece Fractional 6-point Socket Set 1/2" Drive - Short



Includes 13 sockets from 7/16" through 11/4", ratchet, breaker bar and extension. All sockets are 6-point chrome vanadium. Blow-molded case.

Set includes (also available individually):

KTI-23114 - 7/16"	KTI-23126 - 13/16"	KTI-23140 - 1-1/4"
KTI-23116 - 1/2"	KTI-23128 - 7/8"	KTI-23091 - Ratchet
KTI-23118 - 9/16"	KTI-23130 - 15/16"	KTI-23005 - 5" Extension
KTI-23120 - 5/8"	KTI-23132 - 1"	KTI-23080 - 17" Breaker bar
KTI-23122 - 11/16"	KTI-23134 - 1-1/16"	
KTI-23124 - 3/4"	KTI-23136 - 1-1/8"	









KTI-23110

13-piece Fractional 6-point Socket Set 1/2" Drive - Short



Includes 6-point sockets from 7/16" to 11/4", chrome vanadium steel, heat-treated.

Set includes (also available individually):

KTI-23114 - 7/16"	KTI-23124 - 3/4"	KTI-23134 - 1-1/16
KTI-23116 - 1/2"	KTI-23126 - 13/16"	KTI-23136 - 1-1/8"
KTI-23118 - 9/16"	KTI-23128 - 7/8"	KTI-23140 - 1-1/4"
KTI-23120 - 5/8"	KTI-23130 - 15/16"	

KTI-23132 - 1"





KTI-23122 - 11/16"





KTI-28100

14-piece Metric 6-point Socket Set 1/2" Drive - Short



Includes 6-point sockets from 15mm to 28mm, chrome vanadium steel, heat-treated, on socket rail.

Set includes (also available individually):

Set illicidues (also a	ivaliable iriulviuualiy).	
KTI-28115 - 15mm	KTI-28120 - 20mm	KTI-28125 - 25mm
KTI-28116 - 16mm	KTI-28121 - 21mm	KTI-28126 - 26mm
KTI-28117 - 17mm	KTI-28122 - 22mm	KTI-28127 - 27mm
KTI-28118 - 18mm	KTI-28123 - 23mm	KTI-28128 - 28mm
KTI-28119 - 19mm	KTI-28124 - 24mm	



17-piece Metric 6-point Socket Set 1/2" Drive - Short



Includes 14 sockets from 15mm to 28mm, push button ratchet, breaker bar and 5" extension. All sockets are 6-point chrome vanadium. Blowmolded case.

Set includes (also a	valiable individually).	
KTI-28115 - 15mm	KTI-28121 - 21mm	KTI-28127 - 27mm
KTI-28116 - 16mm	KTI-28122 - 22mm	KTI-28128 - 28mm
KTI-28117 - 17mm	KTI-28123 - 23mm	KTI-23091 - Ratchet
KTI-28118 - 18mm	KTI-28124 - 24mm	KTI-23005 - 5" Extension
KTI-28119 - 19mm	KTI-28125 - 25mm	KTI-23080 - 17" Breaker bar
KTI 20120 20mm	KTI 20126 26mm	









KTI-23200

8-piece Fractional 6-point Socket Set 1/2" Drive - Deep



Includes 6-point sockets from 1/2" to 15/16", chrome vanadium steel, heat-treated.

Set includes (also available individually):

KTI-23216 - 1/2" deep	KTI-23224 - 3/4" deep
KTI-23218 - 9/16" deep	KTI-23226 - 13/16" deep
KTI-23220 - 5/8" deep	KTI-23228 - 7/8" deep
KTI-23222 - 11/16" deep	KTI-23230 - 15/16" deep









KTI-28200

10-piece Metric 6-point Socket Set 1/2" Drive - Deep



Includes 6-point sockets from 15mm to 24mm, chrome vanadium steel, heat-treated, on socket rail.

Set includes (also available individually):

oldaliance (also available	marvidually).
CTI-28215 - 15mm deep	KTI-28220 - 20mm deep
CTI-28216 - 16mm deep	KTI-28221 - 21mm deep
KTI-28217 - 17mm deep	KTI-28222 - 22mm deep
CTI-28218 - 18mm deep	KTI-28223 - 23mm deep
CTI-28219 - 19mm deep	KTI-28224 - 24mm deep



24















KTI-23800

4-piece Fractional Stud Remover Set 1/2" Drive



Chrome vanadium, heat-treated. Blow-molded case. Available individually.

Set includes (also available individually):

KTI-23808 - 1/4" KTI-23810 - 5/16"

KTI-23812 - 3/8"

KTI-23814 - 7/16"

KTI-23900

4-piece Metric Stud Remover Set 1/2" Drive



Chrome vanadium, heat-treated. Blow-molded case. Available individually.

Set includes (also available individually):

KTI-23906 - 6mm

KTI-23908 - 8mm

KTI-23910 - 10mm

KTI-23912 - 12mm







KTI-28206

6-piece Spindle Nut 6-point Socket Set 1/2" Drive



6-piece set includes 29mm, 30mm, 32mm, 34mm, 35mm and 36mm. Heat treated, chrome plated, chrome vanadium, 6-point deep.

Set includes (also available individually):

KTI-28229 - 29mm deep KTI-28234 - 34mm deep KTI-28235 - 35mm deep KTI-28230 - 30mm deep KTI-28232 - 32mm deep KTI-28236 - 36mm deep







KTI-23248

Heating Element Socket 1/2" Drive



1/2" drive 11/2" deep socket. Drop forged, heat-treated chrome vanadium steel construction. Corrosion-resistant chrome-plated finish. 6-point beveled-end socket with a notched drive end that locks onto ratchet or extension. Fits heating element in many electric water heaters.










KTI-24121

20-piece Fractional 6-point Socket Set 3/4" Drive

This high polish set includes 16 sockets from 3/4" to 2", ratchet, T-handle and 4" and 8" extensions. All sockets are 6-point chrome vanadium. Packaged in blow-molded case.



KTI-24124 - 3/4" KTI-24140 - 1-1/4" KTI-24142 - 1-5/16" KTI-24218 - 7/8" KTI-24130 - 15/16" KTI-24144 - 1-3/8" KTI-24132 - 1" KTI-24146 - 1-7/16" KTI-24134 - 1-1/16" KTI-24148 - 1-1/2" KTI-24136 - 1-1/8" KTI-24152 - 1-5/8" KTI-24138 - 1-13/16" KTI-24156 - 1-3/4"



KTI-24160 - 1-7/8" KTI-24164 - 2" KTI-24090 - Ratchet KTI-24004 - 4" Extension KTI-24008 - 8" Extension **KTI-24070** - T-handle









KTI-24105

5-piece Fractional 6-point Socket Set 3/4" Drive



Socket assortment is a perfect addition to the KTI-24121 3/4" drive socket set. Includes 5 sockets from 21/16" to 23/6". Chrome vanadium.

Set includes (also available individually):

KTI-24166 - 2-1/16"

KTI-24168 - 2-1/8" KTI-24170 - 2-3/16"

KTI-24172 - 2-1/4" KTI-24176 - 2-3/8"













KTI-32100

9-piece Fractional Impact Socket Set 3/8" Drive - Short



Includes 6-point sockets from 3/8" to 7/8". Chrome moly steel, thin wall impact, heat-treated. Blow-molded case.

Set includes (also available individually):

KTI-32112 - 3/8" KTI-32122 - 11/16" KTI-32114 - 7/16" KTI-32124 - 3/4" KTI-32116 - 1/2" KTI-32126 - 13/16" KTI-32118 - 9/16" KTI-32128 - 7/8"

KTI-32120 - 5/8"



KTI-37100

10-piece Metric **Impact Socket Set** 3/8" Drive - Short



Includes 6-point sockets from 10mm to 19mm. Chrome moly steel, thin wall impact, heat-treated. Blow-molded case.

Set includes (also available individually):

KTI-37110 - 10mm KTI-37115 - 15mm KTI-37111 - 11mm KTI-37116 - 16mm KTI-37117 - 17mm KTI-37112 - 12mm KTI-37113 - 13mm KTI-37118 - 18mm KTI-37114 - 14mm KTI-37119 - 19mm



KTI-32500

6-piece Fractional **Impact Flex Socket Set** 3/8" Drive - Short



Includes 6-point sockets from 7/16" to 3/4". Chrome moly steel, close quarter, thin wall, heat-treated. Blow-molded case.

Set includes (also available individually):

KTI-32514 - 7/16" KTI-32520 - 5/8" KTI-32516 - 1/2" KTI-32522 - 11/16" KTI-32518 - 9/16" KTI-32524 - 3/4"



9-piece Fractional Impact Socket Set 3/8" Drive - Deep



Includes 6-point sockets from 3/8" to 7/8". Chrome moly steel, thin wall impact, heat-treated. Blow-molded case.

Set includes (also available individually):

KTI-32212 - 3/8" deep KTI-32222 - 11/16" deep KTI-32214 - 7/16" deep KTI-32224 - 3/4" deep KTI-32216 - 1/2" deep KTI-32226 - 13/16" deep KTI-32218 - 9/16" deep KTI-32228 - 7/8" deep KTI-32220 - 5/8" deep









KTI-37200

10-piece Metric **Impact Socket Set** 3/8" Drive - Deep



Includes 6-point sockets from 10mm to 19mm. Chrome moly steel, thin wall impact, heat-treated. Blow-molded case.

Set includes (also available individually):

KTI-37210 - 10mm deep KTI-37215 - 15mm deep KTI-37216 - 16mm deep KTI-37211 - 11mm deep KTI-37212 - 12mm deep KTI-37217 - 17mm deep KTI-37213 - 13mm deep KTI-37218 - 18mm deep KTI-37214 - 14mm deep KTI-37219 - 19mm deep









KTI-32400

6-piece Fractional Impact Flex Socket Set 3/8" Drive - Deep



Includes 6-point sockets from 7/16" to 3/4". Chrome moly steel, close quarter, thin wall, heat-treated.

Set includes (also available individually):

KTI-32420 - 5/8" deep KTI-32414 - 7/16" deep KTI-32416 - 1/2" deep KTI-32422 - 11/16" deep KTI-32418 - 9/16" deep KTI-32424 - 3/4" deep

















KTI-37500

6-piece Metric **Impact Flex Socket Set** 3/8" Drive - Short



Includes 6-point sockets from 10mm to 15mm. Chrome moly steel, close quarter, thin wall, heat-treated. Blow-molded case.

Set includes (also available individually):

KTI-37510 - 10mm KTI-37513 - 13mm KTI-37511 - 11mm KTI-37514 - 14mm KTI-37512 - 12mm KTI-37515 - 15mm

KTI-37400

10-piece Metric **Impact Flex Socket Set** 3/8" Drive - Deep



Includes 6-point sockets from 10mm to 19mm. Chrome moly steel, thin wall, heat-treated. Blow-molded case.

Set includes (also available individually):

KTI-37410 - 10mm deep KTI-37415 - 15mm deep KTI-37411 - 11mm deep KTI-37416 - 16mm deep KTI-37412 - 12mm deep KTI-37417 - 17mm deep KTI-37413 - 13mm deep KTI-37418 - 18mm deep KTI-37414 - 14mm deep KTI-37419 - 19mm deep


















KTI-37042

42-piece Fractional and Metric Impact Socket Set 3/8" Drive

42-piece fractional and metric impact socket set is manufactured from heat-treated chrome-moly steel for wear in professional, rugged environments. Set includes 8 short fractional sockets sized from 5/16" to 3/4", 8 deep fractional sockets sized from 5/16" to 3/4", 12 short metric sockets sized from 8mm to 19mm, 12 deep metric sockets sized from 8mm to 19mm, universal joint and 3" extension. All sockets are 6-point, 3/8" drive. Laser engraved for quick identification. Packaged in a convenient blow-molded case.



Oct includes (also ave	iliabic iliaividaaliy).		_
KTI-32110 - 5/16"	KTI-32212 - 3/8" deep	KTI-37110 - 10mm	KTI-37119 - 19mm
KTI-32112 - 3/8"	KTI-32214 - 7/16" deep	KTI-37111 - 11mm	KTI-37208 - 8mm deep
KTI-32114 - 7/16"	KTI-32216 - 1/2" deep	KTI-37112 - 12mm	KTI-37209 - 9mm deep
KTI-32116 - 1/2"	KTI-32218 - 9/16" deep	KTI-37113 - 13mm	KTI-37210 - 10mm deep
KTI-32118 - 9/16"	KTI-32220 - 5/8" deep	KTI-37114 - 14mm	KTI-37211 - 11mm deep
KTI-32120 - 5/8"	KTI-32222 - 11/16" deep	KTI-37115 - 15mm	KTI-37212 - 12mm deep
KTI-32122 - 11/16"	KTI-32224 - 3/4" deep	KTI-37116 - 16mm	KTI-37213 - 13mm deep
KTI-32124 - 3/4"	KTI-37108 - 8mm	KTI-37117 - 17mm	KTI-37214 - 14mm deep
KTI-32210 - 5/16" deep	KTI-37109 - 9mm	KTI-37118 - 18mm	KTI-37215 - 15mm deep



KTI-37216	- 16mm deep
KTI-37217	- 17mm deep
KTI-37218	- 18mm deep
KTI-37219	- 19mm deep
KTI-32003	- 3" Extension
KTI-32013	- Universal Joint











KTI-33100

12-piece Fractional 1/2" Drive - Short



KTI-33200

12-piece Fractional **Impact Socket Set** 1/2" Drive - Deep



Includes 6-point sockets from 1/2" to 11/4", chrome moly steel, thin wall impact, heat-treated. Blow-molded case.

Set includes (also available individually):

KTI-33116 - 1/2"	KTI-33124 - 3/4"	KTI-33132 - 1"
KTI-33118 - 9/16"	KTI-33126 - 13/16"	KTI-33134 - 1-1/16"
KTI-33120 - 5/8"	KTI-33128 - 7/8"	KTI-33136 - 1-1/8"
KTI-33122 - 11/16"	KTI-33130 - 15/16"	KTI-33140 - 1-1/4"

Includes 6-point sockets from 1/2" to 11/4", chrome moly steel, thin wall impact, heat-treated. Blow-molded case.

Set includes (also available individually):

KTI-33216 - 1/2" deep	KTI-33224 - 3/4" deep	KTI-33232 - 1" deep
KTI-33218 - 9/16" deep	KTI-33226 - 13/16" deep	KTI-33234 - 1-1/16" deep
KTI-33220 - 5/8" deep	KTI-33228 - 7/8" deep	KTI-33236 - 1-1/8" deep
KTI-33222 - 11/16" deep	KTI-33230 - 15/16" deep	KTI-33240 - 1-1/4" deep











4-piece Fractional **Impact Socket Set** 1/2" Drive - Short



WARRANTY

KTI-33204

4-piece Fractional **Impact Socket Set** 1/2" Drive - Deep



Includes 6-point sockets, including 15/16", 13/8", 17/16", 11/2".

Set includes (also available individually):

KTI-33142 - 1-5/16" KTI-33144 - 1-3/8" KTI-33146 - 1-7/16" KTI-33148 - 1-1/2"

Includes 6-point sockets, including 15/16", 13/8", 17/16", 11/2".

Set includes (also available individually):

KTI-33242 - 1-5/16" KTI-33244 - 1-3/8" KTI-33246 - 1-7/16" KTI-33248 - 1-1/2"











12-piece Metric **Impact Socket Set** 1/2" Drive - Short





KTI-38200

12-piece Metric **Impact Socket Set** 1/2" Drive - Deep



Includes 6-point sockets from 10mm to 21mm, chrome moly steel, thin wall impact, heat-treated. Blow-molded case.

Set includes (also available individually):

KTI-38110 - 10mm KTI-38114 - 14mm KTI-38118 - 18mm KTI-38111 - 11mm KTI-38115 - 15mm KTI-38119 - 19mm KTI-38116 - 16mm KTI-38120 - 20mm KTI-38112 - 12mm KTI-38117 - 17mm KTI-38113 - 13mm KTI-38121 - 21mm

Includes 6-point sockets from 10mm to 21mm, chrome moly steel, thin wall impact, heat-treated. Blow-molded case.

Set includes (also available individually):

KTI-38210 - 10mm deep KTI-38214 - 14mm deep KTI-38218 - 18mm deep KTI-38211 - 11mm deep KTI-38215 - 15mm deep KTI-38219 - 19mm deep KTI-38212 - 12mm deep KTI-38216 - 16mm deep KTI-38220 - 20mm deep KTI-38217 - 17mm deep KTI-38213 - 13mm deep KTI-38221 - 21mm deep


















KTI-33101

19-piece Fractional Impact Socket Set 1/2" Drive - Short





Set includes (also available individually):

KTI-33112 - 3/8"	KTI-33126 - 13/16"	KTI-33140 - 1-1/4"
KTI-33114 - 7/16"	KTI-33128 - 7/8"	KTI-33142 - 1-5/16"
KTI-33116 - 1/2"	KTI-33130 - 15/16"	KTI-33144 - 1-3/8"
KTI-33118 - 9/16"	KTI-33132 - 1"	KTI-33146 - 1-7/16"
KTI-33120 - 5/8"	KTI-33134 - 1-1/16"	KTI-33148 - 1-1/2"
KTI-33122 - 11/16"	KTI-33136 - 1-1/8"	
KTI-33124 - 3/4"	KTI-33138 - 1-3/16"	



Includes 6-point sockets from 3/8" to 11/2", chrome moly steel, thin wall impact, heat-treated.

Set includes (also available individually):

Set includes (also avai	iiabie individualiy):	
KTI-33212 - 3/8" deep	KTI-33226 - 13/16" deep	KTI-33240 - 1-1/4" deep
KTI-33214 - 7/16" deep	KTI-33228 - 7/8" deep	KTI-33242 - 1-5/16" deep
KTI-33216 - 1/2" deep	KTI-33230 - 15/16" deep	KTI-33244 - 1-3/8" deep
KTI-33218 - 9/16" deep	KTI-33232 - 1" deep	KTI-33246 - 1-7/16" deep
KTI-33220 - 5/8" deep	KTI-33234 - 1-1/16" deep	KTI-33248 - 1-1/2" deep
KTI-33222 - 11/16" deep	KTI-33236 - 1-1/8" deep	
KTI-33224 - 3/4" deep	KTI-33238 - 1-3/16" deep	











26-piece Metric **Impact Socket Set** 1/2" Drive - Short



Includes 6-point sockets from 10mm to 36mm, chrome moly steel, thin wall impact, heat-treated.

Set includes (also available individually):

KTI-38110 - 10mm	KTI-38119 - 19mm	KTI-38128 - 28mm
KTI-38111 - 11mm	KTI-38120 - 20mm	KTI-38129 - 29mm
KTI-38112 - 12mm	KTI-38121 - 21mm	KTI-38130 - 30mm
KTI-38113 - 13mm	KTI-38122 - 22mm	KTI-38132 - 32mm
KTI-38114 - 14mm	KTI-38123 - 23mm	KTI-38133 - 33mm
KTI-38115 - 15mm	KTI-38124 - 24mm	KTI-38134 - 34mm
KTI-38116 - 16mm	KTI-38125 - 25mm	KTI-38135 - 35mm
KTI-38117 - 17mm	KTI-38126 - 26mm	KTI-38136 - 36mm
KTI-38118 - 18mm	KTI-38127 - 27mm	









KTI-33500

7-piece Fractional Impact Flex Socket Set 1/2" Drive



Includes 6-point sockets from 1/2" to 7/8", chrome moly steel, thin wall, heat-treated. Blow-molded case.

Set includes (also available individually): KTI-33516 - 1/2" KTI-33524 - 3/4" KTI-33518 - 9/16" KTI-33526 - 13/16" KTI-33528 - 7/8" KTI-33520 - 5/8"

KTI-33522 - 11/16"





KTI-33202

19-piece Fractional

Impact Socket Set

1/2" Drive - Deep





KTI-38202

26-piece Metric **Impact Socket Set** 1/2" Drive - Deep



Includes 6-point sockets from 10mm to 36mm, chrome moly steel, thin wall impact, heat-treated.

Set includes (also avail	able individually):	
KTI-38210 - 10mm deep	KTI-38219 - 19mm deep	KTI-38228 - 28mm deep
KTI-38211 - 11mm deep	KTI-38220 - 20mm deep	KTI-38229 - 29mm deep
KTI-38212 - 12mm deep	KTI-38221 - 21mm deep	KTI-38230 - 30mm deep
KTI-38213 - 13mm deep	KTI-38222 - 22mm deep	KTI-38232 - 32mm deep
KTI-38214 - 14mm deep	KTI-38223 - 23mm deep	KTI-38233 - 33mm deep
KTI-38215 - 15mm deep	KTI-38224 - 24mm deep	KTI-38234 - 34mm deep
KTI-38216 - 16mm deep	KTI-38225 - 25mm deep	KTI-38235 - 35mm deep
KTI-38217 - 17mm deep	KTI-38226 - 26mm deep	KTI-38236 - 36mm deep
KTI-38218 - 18mm deep	KTI-38227 - 27mm deep	











KTI-38500

6-piece Metric **Impact Flex Socket Set** 1/2" Drive



Includes 6 point sockets from 13mm to 19mm, chrome moly steel, thin wall, heat-treated. Blow-molded case.

Set includes (also available individually):

KTI-38513 - 13mm deep KTI-38517 - 17mm deep KTI-38514 - 14mm deep KTI-38518 - 18mm deep KTI-38515 - 15mm deep KTI-38519 - 19mm deep



















KTI-38201

9-piece Metric Impact Socket Set 1/2" Drive - Deep



Includes 6 point sockets from 22mm to 30mm, chrome moly steel, thin wall, heat-treated.

Set includes (also available individually):

KTI-38222 - 22mm deep KTI-38227 - 27mm deep KTI-38223 - 23mm deep KTI-38228 - 28mm deep KTI-38229 - 29mm deep KTI-38224 - 24mm deep KTI-38225 - 25mm deep KTI-38230 - 30mm deep

KTI-38226 - 26mm deep

KTI-34100

8-piece Fractional Impact Socket Set 3/4" Drive - Short



Includes 6 point sockets from 1" to 11/2", chrome moly steel, heat-treated. Blow-molded case.

Set includes (also available individually):

KTI-34132 - 1" KTI-34142 - 1-5/16" KTI-34134 - 1-1/16" KTI-34144 - 1-3/8" KTI-34136 - 1-1/8" KTI-34146 - 1-7/16" KTI-34140 - 1-1/4" KTI-34148 - 1-1/2"









KTI-34101

12-piece Fractional **Impact Socket Set** 3/4" Drive - Short



Includes 6-point sockets from 19/16" to 23/8", chrome moly steel, heat-treated.

Set includes (also available individually):

KTI-34150 - 1-9/16" KTI-34158 - 1-13/16" KTI-34166 - 2-1/16" KTI-34152 - 1-5/8" KTI-34160 - 1-15/16" KTI-34168 - 2-1/8" KTI-34154 - 1-11/16" KTI-34162 - 1-7/8" KTI-34172 - 2-1/4" KTI-34156 - 1-3/4" KTI-34164 - 2" KTI-34176 - 2-3/8"









KTI-34200

8-piece Fractional **Impact Socket Set** 3/4" Drive - Deep



Includes 6-point sockets from 1" to 11/2", chrome moly steel, heat-treated. Blow-molded case.

Set includes (also available individually):

KTI-34232 - 1" KTI-34242 - 1-5/16" KTI-34234 - 1-1/16" KTI-34244 - 1-3/8" KTI-34236 - 1-1/8" KTI-34246 - 1-7/16" KTI-34240 - 1-1/4" KTI-34248 - 1-1/2"











KTI-34201

8-piece Fractional **Impact Socket Set** 3/4" Drive - Deep



Includes 6-point sockets from 19/16" to 2", chrome moly steel, heat-treated.

Set includes (also available individually):

KTI-34252 - 1-5/8" KTI-34260 - 1-15/16" KTI-34254 - 1-11/16" KTI-34262 - 1-7/8" KTI-34256 - 1-3/4" KTI-34264 - 2"





















KTI-39100

15-piece Metric Impact Socket Set 3/4" Drive - Short



Includes metric sockets sized 17mm to 46mm and replacement o-rings and pins. This set is capable of handling larger applications, such as removal of truck wheels and lug nuts. Manufactured from heat-treated chrome-moly steel. Packaged in a convenient blow-molded case.

Set includes (also available individually):

KTI-39117 - 17mm KTI-39130 - 30mm KTI-39138 - 38mm KTI-39119 - 19mm KTI-39131 - 31mm KTI-39140 - 40mm KTI-39120 - 20mm KTI-39132 - 32mm KTI-39146 - 46mm KTI-39122 - 22mm KTI-39134 - 34mm KTI-39001 - O-rings 1.42"/36mm KTI-39124 - 24mm KTI-39135 - 35mm KTI-39003 - Pins 1.375"/35mm KTI-39127 - 27mm KTI-39136 - 36mm











KTI-35005

5-piece Budd Wheel Socket Set 1" Drive

Remove both nut and stud with just one socket. Use with 1" square drive impact wrench. Set includes 33mm, 36mm, 38mm, 41mm and 11/2" hex Budd wheel sockets. Available individually.

Set includes (also available individually):

KTI-35233 - 33mm KTI-35235 - 35mm KTI-35238 - 38mm KTI-35241 - 41mm KTI-35028 - 1-1/2" - 13/16"









Impact Universal **Joints**



Chrome moly steel, heat treated, short overall length.

KTI-32012 - 3/8" Drive Impact Universal Joint KTI-33016 - 1/2" Drive Impact Universal Joint KTI-34050 - 3/4" Drive Impact Universal Joint









Impact Extensions

Feature ball detent for easy removal. Heat-treated.



KTI-32003 - 3" Impact Extension

1/2" Drive

KTI-33003 - 3" Impact Extension KTI-33006 - 6" Impact Extension

1" Drive

KTI-35007 - 7" Impact Extension KTI-35013 - 13" Impact Extension







KTI-35100

18-piece Fractional Impact Socket Set 1" Drive - Short



Includes fractional sockets sized 3/4" to 2" and replacement o-rings and pins. Manufactured from heat-treated chrome-moly steel. Packaged in a convenient blow-molded case.

Set includes (also available individually):

KTI-35142 - 1-5/16" KTI-35124 - 3/4" KTI-35007 - 7" Extension KTI-35126 - 13/16" KTI-35146 - 1-7/16" KTI-35013 - 13" Extension KTI-35128 - 7/8" KTI-35148 - 1-1/2" KTI-35001 - O-rings 1.75"/45mm KTI-35002 - O-rings 2"/51mm KTI-35130 - 15/16" KTI-35152 - 1-5/8" KTI-35003 - Pins 1.75"/45mm KTI-35154 - 1-11/16" KTI-35132 - 1" KTI-35134 - 1-1/16" KTI-35158 - 1-13/16" KTI-35004 - Pins 2"/51mm KTI-35136 - 1-1/8" KTI-35160 - 1-7/8" KTI-35140 - 1-1/4" KTI-35164 - 2"









Impact Reducers and **Adapters**



Heat treated.

KTI-32016 - 3/8" female x 1/2" male KTI-33012 - 1/2" female x 3/8" male

KTI-33041 - 1/2" female x 3/8" male (wobble)

KTI-33024 - 1/2" female x 3/4" male KTI-34016 - 3/4" female x 1/2" male KTI-34032 - 3/4" female x 1" male KTI-35024 - 1" female x 3/4" male









Impact Budd Wheel Sockets



Chrome moly steel, heat treated, short overall length.

3/4" Drive

KTI-34026 - 13/16" Square

KTI-34027 - 13/16" Square x 11/2" Hex

KTI-39233 - 33mm Deep

1" Drive

KTI-35026 - 13/16" Square KTI-35233 - 33mm Hex KTI-35027 - 13/16" Sq. x 11/2" Hex Limited KTI-35235 - 35mm Hex KTI-35028 - 13/16" Sq. x 11/2" Hex Deep

KTI-35238 - 38mm Hex KTI-35241 - 41mm Hex









KTI-70090

8-piece Antenna Socket Set

Services GM, Ford, BMW, Mercedes-Benz, VW, Audi, Mazda, Honda, Mitsubishi, Toyota and Nissan. Available individually.

Set includes (also available individually):

KTI-33032 - Ball Joint Socket

KTI-70091 - 7/16" Radio Trim Nut Socket

KTI-70092 - 11/16" Antenna Nut Socket - 3-prong KTI-70093 - 11/16" Antenna Nut Socket - 2-prong KTI-70094 - 11/16" Antenna Nut Socket - 4-prong KTI-70095 - 3/4" Power Antenna Nut Socket - 4-prong

KTI-70096 - 11/16" Power Antenna Nut Socket - 4-prong

KTI-70097 - 21/32" Remote Control Mirror Socket



KTI-71700

Impact Driver with 4-piece Bit Set 3/8" Drive

A 3/8" driver with four (4) 5/16" hex bits (small slotted, large slotted, #2 Phillips and #3 Phillips) for loosening rusted screws, nuts and bolts. Packaged in a metal box.

Bits also available individually:

KTI-18801 - Small Slotted Bit KTI-18802 - Large Slotted Bit KTI-18702 - #2 Phillips Bit KTI-18703 - #3 Phillips Bit









9-piece Locking **Lug Nut Remover Kit**

Removes locking lug nuts and locking hubcaps on most vehicles. For use with impact wrenches. Packaged in blow-molded case.

Includes:

Dual-sided Twist Socket Lugnut/Lugbolt Remover Small Dual-sided Socket SM Dual Socket

Socket Installing Driver Extractor Punch

GM Spline Hubcap Lock Remover

GM Hubcap Lock Remover Ford / Chrysler Cylinder Large Chrysler Cylinder









KTI-71920

7-piece Wheel Bearing Locknut Socket Set 1/2" Drive

Includes 55mm hex, 23/8" hex, 21/2" hex, 21/2" rounded hex, 23/4" rounded hex, 29/16" rounded hex and 23/8" rounded hex locknut sockets. Available individually.

Set includes (also available individually):

KTI-71921 - 55mm Hex Locknut Socket KTI-71922 - 2-3/8" Hex Locknut Socket KTI-71923 - 2-1/2" Hex Locknut Socket

KTI-71924 - 2-1/2" Rounded Hex Locknut Socket KTI-71925 - 2-3/4" Rounded Hex Locknut Socket

KTI-71926 - 2-9/16" Rounded Hex Locknut Socket KTI-71927 - 2-3/8" Rounded Hex Locknut Socket









Specialty Sockets 3/8" Drive

Flex Spark Plug Sockets:

Flex joint 3/8" drive, chrome plated, chrome vanadium steel, heat-treated.

KTI-22521 - 5/8"

KTI-22527 - 13/16"







Spark Plug Sockets:

6-point with rubber plug holder, hex top for wrench in tight areas.

KTI-22221 - 5/8" KTI-22227 - 13/16"







2-in-1 Socket:

For oil sending units or stoplight switch replacement.

KTI-22133







Extra-long Spark Plug Socket:


41/2" long for deep recessed plugs, rubber insert, exterior hex, knurled top, black oxide finish.

KTI-22219 - 4-1/2" long









Removes and installs oxygen sensors on most domestic and some import vehicles. 3/8" drive or 1" wrench.

KTI-32229

















Fractional Wrenches	Raised Panel		Raised Panel Jumbo		High Polish		High PolishShort	Ratcheting	Ratcheting Reversible	Crowsfoot		
	KTI-41016	KTI-41014	KTI-41013	KTI-41011	KTI-41006	KTI-41004	KTI-41304	KTI-41300	KTI-41200	KTI-45400	KTI-45900	KTI-22300
1/4	•		•								•	
5/16	•		•							•	•	
3/8	•	•	•	•			•	•	•	•	•	•
7/16	•	•	•	•			•	•	•	•	•	•
1/2	•	•	•	•			•	•	•	•	•	•
9/16	•	•	•	•			•	•	•	•	•	•
5/8	•	•	•	•			•	•	•	•	•	•
11/16	•	•	•	•			•	•	•		•	•
3/4	•	•	•	•			•	•	•	•	•	•
13/16	•	•	•	•			•	•			•	
7/8	•	•	•	•			•	•			•	•
15/16	•	•	•	•			•				•	
1	•	•	•	•			•				•	
1-1/16	•	•					•					
1-1/8	•	•					•					
1-1/4	•	•					•					
1-5/16												
1/3/8					•							
1/7/16												
1-1/2					•							
1-5/8					•							
1-3/4					•							
1-13/16												
1-7/8					•							
2					•							
2-1/8						•						
2-1/4						•						
2-3/8						•						
2-1/2						•						

All KTI wrenches feature:

- · Drop forged steel construction
- · Chrome-plated and heat-treated to achieve maximum wear
- · Marked with part number and size for ease of identification
- · Lifetime warranty

Raised panel:

· Provides additional strength and durability

Professional Series:

· Features high-polish, smooth-finish

Ratcheting/Reversible Ratcheting:

- · Speed of a ratchet with the accessibility of a wrench
- Ratcheting box end needs as little as 5° to move fastener



Choose from:

Raised Panel • High Polish • Ratcheting Reversible Ratcheting • Short • Jumbo • Crowsfoot



Metric Wrenches	Raised Panel		High Polish		High Polish Short	Ratcheting	KTI-45600 Ratcheting Reversible	Crowsfoot
	KTI-41513	KTI-41802	KTI-41801	KTI-41800	KTI-41700	KTI-45500	KTI-45600	KTI-27300
7mm	•			•				
8mm	•			•		•	•	
9mm	•			•			•	
10mm	•			•	•	•	•	•
11mm	•			•	•		•	•
12mm	•			•	•	•	•	•
13mm	•			•	•	•	•	•
14mm	•			•	•	•	•	•
15mm	•			•	•	•	•	•
16mm	•			•	•		•	•
17mm	•			•			•	•
18mm	•			•		•	•	•
19mm	•			•			•	•
20mm			•				•	
21mm			•				•	
22mm			•				•	
23mm			•					
24mm			•				•	
25mm			•					
26mm			•					
27mm			•					
28mm			•					
29mm		•						
30mm		•						
31mm		•						
32mm		•						
33mm		•						
34mm		•						
35mm		•						
36mm		•						

All KTI wrenches feature:

- · Drop forged steel construction
- · Chrome-plated and heat-treated to achieve maximum wear
- · Marked with part number and size for ease of identification
- · Lifetime warranty

Raised panel:

· Provides additional strength and durability

Professional Series:

· Features high-polish, smooth-finish

Ratcheting/Reversible Ratcheting:

- · Speed of a ratchet with the accessibility of a wrench
- Ratcheting box end needs as little as 5° to move fastener



Choose from: Raised Panel • High Polish • Ratcheting Reversible Ratcheting • Short • Jumbo • Crowsfoot



Raised Panel Fractional Wrenches 12-point



Made of drop forged steel, wrench is chrome plated and heat treated to achieve maximum wear. A raised panel provides additional strength and durability. All wrenches are marked with part number and size for ease of identification and come with a lifetime warranty.

KTI-41140 - 1-1/4"

Sold separately:

KTI-41108 - 1/4"	KTI-41124 - 3/4"	KTI-41142 - 1-5/16"	KTI-41164 -2"
KTI-41110 - 5/16"	KTI-41126 - 13/16"	KTI-41144 - 1-3/8"	KTI-41168 - 2-1/8"
KTI-41112 - 3/8"	KTI-41128 - 7/8"	KTI-41146 - 1-7/16"	KTI-41172 - 2-1/4"
KTI-41114 - 7/16"	KTI-41130 - 15/16"	KTI-41148 - 1-1/2"	KTI-41176 -2-3/8"
KTI-41116 - 1/2"	KTI-41132 - 1"	KTI-41152 - 1-5/8"	KTI-41180 - 2-1/2"
KTI-41118 - 9/16"	KTI-41134 - 1-1/16"	KTI-41156 - 1-3/4"	
KTI-41120 - 5/8"	KTI-41136 - 1-1/8"	KTI-41158 - 1-13/16"	

KTI-41160 - 1-7/8"



KTI-41122 - 11/16"



Raised Panel Fractional Wrenches 6-point



Raised panel combination wrenches are manufactured from chrome vanadium steel and heat treated for strength. All wrenches are marked with part number and size for ease of identification and come with a lifetime warranty.

Sold separately:

KTI-41412 - 3/8" KTI-41420 - 5/8" KTI-41414 - 7/16" KTI-41422 - 11/16" KTI-41416 - 1/2" KTI-41424 - 3/4" KTI-41418 - 9/16"





High Polish Professional Fractional Wrenches 12-point



Professional series fractional wrench features high-polish, smooth-finish, heat-treated chrome vanadium steel. Tool is longer than standard combination wrench to enable access to hard-to-reach places.

Sold separately:

KTI-41310 - 5/16"	KTI-41320 - 5/8"	KTI-41330 - 15/16"
KTI-41312 - 3/8"	KTI-41322 -11/16"	KTI-41332 - 1"
KTI-41314 - 7/16"	KTI-41324 - 3/4"	KTI-41334 -1-1/16"
KTI-41316 - 1/2"	KTI-41326 - 13/16"	KTI-41336 - 1-1/8"
KTI-41318 - 9/16"	KTI-41328 -7/8"	KTI-41340 - 1-1/4"







High Polish Professional Fractional Wrenches 12-point Short

Professional series fractional wrenches features high-polish, smooth-finish, heat-treated chrome vanadium steel. Wrenches sized from 3/8" to 3/4". 12-point hex on all box ends.



KTI-41212 - 3/8" KTI-41220 - 5/8" KTI-41214 - 7/16" KTI-41222 -11/16" KTI-41216 - 1/2" KTI-41224 - 3/4" KTI-41218 - 9/16"





Professional series fractional wrenches features high-polish, smooth finish, heat-treated chrome vanadium steel. Lifetime warranty.

Sold separately:

KTI-42316 - 1/2" x 9/16" **KTI-42318** - 9/16" x 5/8"





Ratcheting Fractional Wrenches

Ratcheting box end needs as little as 5 degrees to move fastener. Designed to reduce fastener rounding. Wrenches feature a sleek head design for tight access points and all metal construction for durability and strength.



KTI-45410 - 5/16" KTI-45416 - 1/2" KTI-45420 - 5/8" KTI-45412 - 3/8" KTI-45418 - 9/16" KTI-45424 - 3/4 KTI-45414 - 7/16" KTI-45318 - 9/16" Stubby



Ratcheting Reversible Fractional Wrenches

Enjoy the speed of a ratchet with the accessibility of a wrench in this version with a reversing mechanism. Ratcheting box end needs as little as 5 degrees to move fastener. Reduce fastener rounding. Wrenches feature a sleek head design for tight access points and all metal construction for durability and strength.




KTI-45908 - 1/4" KTI-45918 - 9/16" KTI-45926 - 13/16" KTI-45910 - 5/16" KTI-45920 - 5/8" KTI-45928 - 7/8" KTI-45912 - 3/8" KTI-45922 - 11/16" KTI-45930 - 15/16" KTI-45914 - 7/16" KTI-45924 - 3/4 KTI-45932 - 1"

KTI-45916 - 1/2"









X-Long Double Box Ratcheting / Flexible / Reversible Spline Fractional Wrenches



This extra-long, flexible and reversible double box ratcheting wrench is forged of chrome-vanadium steel and heat treated for durability. It features a 72-tooth design with a high polish finish and is nearly 40% longer. Ratcheting box end needs as little as 5 degrees to move fastener. Sleek head design and slim dimensions further ease of working in confined areas.

Sold separately:

KTI-43112 - 5/16" x 3/8 **KTI-43116** - 7/16" x 1/2" **KTI-43120** - 9/16" x 5/8" **KTI-43124** - 11/16" x 3/4"



Ratcheting Box Wrenches Fractional



Combines the ratcheting action of a socket with the low profile of a box wrench, making those hard to reach jobs quick and easy. Lifetime warranty.

Sold separately:

KTI-45208 - 1/4" x 5/16" KTI-45212 - 3/8" x 7/16" KTI-45216 - 1/2" x 9/16" KTI-45220 - 5/8" x 3/4"



Flare Nut Wrenches Fractional



Made of heat-treated steel. Available individually or as part of a set. Each socket is marked with size for ease of use. Lifetime warranty. Ideal for gas, brake and air conditioning lines, flare wrenches provide more power and torque where needed. Tools manufactured with high-polished, heat-treated chrome vanadium.

Sold separately:

KTI-44412 - 3/8" x 7/16" **KTI-44416** - 1/2" x 9/16" **KTI-44420** - 5/8" x 11/16"





Raised Panel Metric Wrenches 12-point



Made of drop forged steel, wrench is chrome plated and heat treated to achieve maximum wear. A raised panel provides additional strength and durability. All wrenches are marked with part number and size for ease of identification and come with a lifetime warranty.

Sold separately:

KTI-41607 - 7mm	KTI-41612 - 12mm	KTI-41617 - 17mm
KTI-41608 - 8mm	KTI-41613 - 13mm	KTI-41618 - 18mm
KTI-41609 - 9mm	KTI-41614 - 14mm	KTI-41619 - 19mm
KTI-41610 - 10mm	KTI-41615 - 15mm	
KTI-41611 - 11mm	KTI-41616 - 16mm	





High Polish Professional Metric Wrenches 12-point



Professional series metric wrench features high-polish, smooth-finish, heat-treated chrome vanadium steel. Tool is longer than standard combination wrench to enable access to hard-to-reach places. All wrenches are marked with part number and size for ease of identification and come with a lifetime warranty.

Sold separately:

oold separately.		
KTI-41807 - 7mm	KTI-41817 - 17mm	KTI-41827 - 27mm
KTI-41808 - 8mm	KTI-41818 - 18mm	KTI-41828 - 28mm
KTI-41809 - 9mm	KTI-41819 - 19mm	KTI-41829 - 29mm
KTI-41810 - 10mm	KTI-41820 - 20mm	KTI-41830 - 30mm
KTI-41811 - 11mm	KTI-41821 - 21mm	KTI-41831 - 31mm
KTI-41812 - 12mm	KTI-41822 - 22mm	KTI-41832 - 32mm
KTI-41813 - 13mm	KTI-41823 - 23mm	KTI-41833 - 33mm
KTI-41814 - 14mm	KTI-41824 - 24mm	KTI-41834 - 34mm
KTI-41815 - 15mm	KTI-41825 - 25mm	KTI-41835 - 35mm
KTI-41816 - 16mm	KTI-41826 - 26mm	KTI-41836 - 36mm





High Polish Professional Metric Wrenches 12-point Short



Professional series metric wrenches features high-polish, smooth-finish, heat-treated chrome vanadium steel. Wrenches sized from 10-18mm. 12-point hex on all box ends.

Sold separately:

KTI-41710 - 10mm	KTI-41714 - 14mm
KTI-41712 - 12mm	KTI-41715 - 15mm
KTI-41713 - 13mm	KTI-41717 - 17mm
	KTI-41718 - 18mm







Ratcheting Metric Wrenches



Ratcheting box end needs as little as 5 degrees to move fastener. Designed to reduce fastener rounding. Wrenches feature a sleek head design for tight access points and all metal construction for durability and strength. All KTI wrenches carry a lifetime warranty.

Sold separately:

KTI-45508 - 8mm	KTI-45513 - 13mm	KTI-45515 - 15mm
KTI-45510 - 10mm	KTI-45514 - 14mm	KTI-45518 - 18mm
KTI-45512 - 12mm		



Ratcheting Reversible Metric Wrenches



Enjoy the speed of a ratchet with the accessibility of a wrench in this version with a reversing mechanism. Ratcheting box end needs as little as 5 degrees to move fastener. Reduce fastener rounding. Wrenches feature a sleek head design for tight access points and all metal construction for durability and strength.

Sold separately:

KTI-45614 - 14mm	KTI-45619 - 19mm
KTI-45615 - 15mm	KTI-45620 - 20mm
KTI-45616 - 16mm	KTI-45621 - 21mm
KTI-45617 - 17mm	KTI-45622 - 22mm
KTI-45618 - 18mm	KTI-45624 - 24mm
	KTI-45615 - 15mm KTI-45616 - 16mm KTI-45617 - 17mm



X-Long Double Box Ratcheting / Flexible / Reversible Spline Metric Wrenches



This extra-long, flexible and reversible double box ratcheting wrench is forged of chrome-vanadium steel and heat treated for durability. It features a 72-tooth design with a high polish finish and is nearly 40% longer. Ratcheting box end needs as little as 5 degrees to move fastener. Sleek head design and slim dimensions further ease of working in confined areas.

Sold separately:

KTI-43510 - 8mm x 10mm KTI-43513 - 12mm x 13mm KTI-43515 - 14mm x 15mm KTI-43518 - 16mm x 18mm KTI-43519 - 17mm x 19mm





Flare Nut Wrenches Metric



Made of heat-treated steel. Available individually or as part of a set. Each socket is marked with size for ease of use. Lifetime warranty. Ideal for gas, brake and air conditioning lines, flare wrenches provide more power and torque where needed. Tools manufactured with high-polished, heat-treated chrome vanadium. Lifetime warranty.

Sold separately:

KTI-44910 - 10mm x 12mm **KTI-44913** - 13mm x 14mm **KTI-44917** - 15mm x 17mm



KTI-41011

11-piece Combination Wrench Set Raised Panel Fractional 3/8" to 1"



Made of drop forged steel, wrenches are chrome plated and heat treated to achieve maximum wear. A raised panel provides additional strength and durability. Eleven-piece fractional set includes sizes 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1" Packaged in kit bag organizer. Available individually.



13-piece Combination Wrench Set Raised Panel Fractional 1/4" to 1"



Made of drop forged steel, wrenches are chrome plated and heat treated to achieve maximum wear. A raised panel provides additional strength and durability. Thirteen-piece fractional set includes sizes 1/4", 5/16, 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1". Packaged in heavy duty kit bag organizer. Available individually.



WARRANTY'

KTI-41014

14-piece Combination Wrench Set Raised Panel Fractional 3/8" to 1-1/4"



Made of drop forged steel, wrenches are chrome plated and heat treated to achieve maximum wear. A raised panel provides additional strength and durability. Fourteen-piece fractional set includes sizes 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8" and 1-1/4". Packaged in kit bag organizer. Available individually.



LIFETIME WARRANTY

KTI-41016

16-piece Combination Wrench Set Raised Panel Fractional 1/4" to 1-1/4"



Made of drop forged steel, wrenches are chrome plated and heat treated to achieve maximum wear. A raised panel provides additional strength and durability. Sixteen-piece fractional set includes sizes 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8" and 1-1/4". Packaged in kit bag organizer. Available individually.











4-piece
Jumbo Wrench Set
Raised Panel
Fractional
21/8 to 21/2"



KTI's jumbo wrenches, made of drop forged steel, are chrome plated and heat treated to achieve maximum wear. A raised panel provides additional strength and durability. Jumbo wrenches are designed specifically to meet the needs of the professional who services heavy-duty trucks, tractors and commercial equipment. Four-piece set includes sizes 2-1/8", 2-1/4", 2-3/8", 2-1/2". Available individually.

KTI-41006

6-piece Jumbo Wrench Set Raised Panel Fractional 1%" to 2"



Jumbo wrenches, made of drop forged steel, are chrome plated and heat treated to achieve maximum wear. A raised panel provides additional strength and durability. Jumbo wrenches are designed specifically to meet the needs of the professional who services heavy-duty trucks, tractors and commercial equipment. Six-piece set includes sizes 1-3/8", 1-1/2", 1-5/8", 1-3/4", 1-7/8", 2".





KTI-41200

7-piece Combination Wrench Set Fractional Short 3/8" to 3/4"



a

LIFETIME WARRANTY

KTI-44003

3-piece Wrench Set Flare Nut



Seven-piece professional series fractional set features high-polish, smooth-finish, heat-treated chrome vanadium steel. Wrenches sized from 3/8" to 3/4". 12-point hex on all box ends. Packaged in kit bag. Available individually.

Ideal for gas, brake and air conditioning lines, flare wrenches provide more power and torque where needed. Tools manufactured with high-polished, heat-treated chrome vanadium. Three-piece set includes double-ended wrenches sized $3/8" \times 7/16"$, $1/2" \times 9/16"$ and $5/8" \times 11/16"$. Available individually.





KTI-41300

9-piece Wrench Set High Polish Fractional 3/8" to 7/8"



Nine-piece professional series fractional set features high-polish, smooth-finish, heat-treated chrome vanadium steel. Tools are longer than standard combination wrenches to enable access to hard-to-reach places. Wrenches sized from 3/8"-7/8". Packaged in kit bag. Available individually.



LIFETIME WARRANTY

KTI-41304

14-piece Wrench Set High Polish Fractional 3/8" to 11/4"



14-piece professional series fractional set features high-polish, smooth-finish, heat-treated chrome vanadium steel. Tools are longer than standard combination wrenches to enable access to hard-to-reach places. Wrenches sized from 3/8"-1-1/4". Packaged in kit bag. Available individually.











7-piece Ratcheting Wrench Set Fractional 5/16" to 3/4"



This 7 piece fractional set includes sizes 5/16, 3/8", 7/16", 1/2", 9/16", 5/8" and 3/4". Ratcheting box end needs as little as 5 degrees to move fastener. Designed to reduce fastener rounding. Wrenches feature a sleek head design for tight access points and all metal construction for durability and strength. All KTI wrenches carry a lifetime warranty.



13-piece Ratcheting Reversible Wrench Set Fractional 1/4" to 1"



Enjoy the speed of a ratchet with the accessibility of a wrench in this version with a reversing mechanism. This 13 piece fractional set includes sizes1/4", 5/16, 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1". Ratcheting box end needs as little as 5 degrees to move fastener. Reduce fastener rounding. Wrenches feature a sleek head design for tight access points and all metal construction for durability and strength. All KTI wrenches carry a lifetime warranty.



WARRANTY

KTI-43100

4-piece Fractional X-Long Double Box Ratcheting Flexible Reversible Spline Wrench Set



These extra-long, flexible and reversible double box ratcheting wrenches are forged of chrome-vanadium steel and heat treated for durability. Wrenches in this 4-piece set feature a 72-tooth design with a high polish finish and are nearly 40% longer. Ratcheting box end needs as little as 5 degrees to move fastener. Sleek head design and slim dimensions further ease of working in confined areas. Set includes the following fractional sizes: 5/16" x 3/8", 7/16" x 1/2", 9/16" x 5/8" and 11/16" x 3/4". All KTI wrenches carry a lifetime warranty. Packaged in a blow-molded case.



WARRANTY

KTI-43500

5-piece Metric X-Long Double Box Ratcheting Flexible Reversible Spline Wrench Set



These extra-long, flexible and reversible double box ratcheting wrenches are forged of chrome-vanadium steel and heat treated for durability. Wrenches in this 5-piece set feature a 72-tooth design with a high polish finish and are nearly 40% longer. Ratcheting box end needs as little as 5 degrees to move fastener. Sleek head design and slim dimensions further ease of working in confined areas. Set includes the following metric sizes: 8mm x 10mm, 12mm x 13mm, 14mm x 15mm, 16mm x 18mm and 17mm x 19mm. All KTI wrenches carry a lifetime warranty. Packaged in a blow-molded case.





KTI-45500

7-piece Ratcheting Wrench Set Metric 8mm - 18mm



This 7 piece metric set includes sizes 8mm, 10mm, 12mm, 13mm, 14mm, 15mm and 18mm. Ratcheting box end needs as little as 5 degrees to move fastener. Designed to reduce fastener rounding. Wrenches feature a sleek head design for tight access points and all metal construction for durability and strength. All KTI wrenches carry a lifetime warranty.



WARRANTY'

KTI-45600

16-piece Ratcheting Reversible Wrench Set Metric 8mm - 24mm



Enjoy the speed of a ratchet with the accessibility of a wrench in this version with a reversing mechanism. This 16 piece metric set includes sizes 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 24mm, . Ratcheting box end needs as little as 5 degrees to move fastener. Reduce fastener rounding. Wrenches feature a sleek head design for tight access points and all metal construction for durability and strength. All KTI wrenches carry a lifetime warranty.











7-piece Combination Wrench Set Metric Short 10mm to 18mm



Seven-piece professional series metric set features high-polish, smooth-finish, heat-treated chrome vanadium steel. Wrenches sized from 10 mm-16 mm. 12-point hex on all box ends. Packaged in kit bag. Available individually.

KTI-44500

3-piece Flare Nut Wrench Set Metric



Ideal for gas, brake and air conditioning lines, flare wrenches provide more power and torque where needed. Tools manufactured with high-polished, heat-treated chrome vanadium. Three-piece set includes double-ended wrenches sized 10 mm x 12 mm, 13 mm x 14 mm and 15 mm x 17 mm. Available individually.





KTI-41513

13-piece Combination Wrench Set Raised Panel Metric 7mm to 19mm



Made of drop forged steel, wrenches are chrome plated and heat treated to achieve maximum wear. A raised panel provides additional strength and durability. Thirteen-piece metric set includes sizes 7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm and 19 mm. Packaged in kit bag organizer. Available individually.



LIFETIME WARRANTY

KTI-41800

13-piece
Professional
Combination
Wrench Set
High Polish Metric
7mm to 19mm



13-piece professional series metric set features high-polish, smooth-finish, heat-treated chrome vanadium steel. Tools are longer than standard combination wrenches to enable access to hard-to-reach places. Wrenches sized from 7mm-19mm. Packaged in kit bag. Available individually.





KTI-41801

9-piece Professional Combination Wrench Set High Polish Metric 20mm to 28mm



9-piece professional series metric set features high-polish, smooth-finish, heat-treated chrome vanadium steel. Tools are longer than standard combination wrenches to enable access to hard-to-reach places. Wrenches sized from 20mm through 28mm. Also available individually.



LIFETIME WARRANTY

KTI-41802

8-piece Professional Combination Wrench Set High Polish Metric 29mm to 36mm



8-piece professional series metric set features high-polish, smooth-finish, heat-treated chrome vanadium steel. Tools are longer than standard combination wrenches to enable access to hard-to-reach places. Wrenches sized from 29mm through 36mm. Also available individually.











Adjustable Wrenches

Manufactured with drop-forged, heat-treated alloy steel for maximum strength and light weight. Chrome plated.

Sold separately:

KTI-48004 - 4" jaw capacity: 1/2" KTI-48012 - 12" jaw capacity: 1-1/2" KTI-48006 - 6" jaw capacity: 3/4" KTI-48015 - 15" jaw capacity: 1-7/8" **KTI-48008** - 8" jaw capacity: 1" KTI-48018 - 18" jaw capacity: 2-1/4"

KTI-48010 - 10" jaw capacity: 1-13/16"





Aluminum Pipe Wrenches

KTI's aluminum pipe wrench weighs 40% less than its cast iron counterpart. A lighter tool is easier to handle and causes less hand fatigue and arm stress. Wrench features strong hardened jaws, nuts and teeth, and drop forged steel jaws. A versatile head design provides a flat surface for hammering.

Sold separately:

KTI-49112 - 12" jaw capacity: 2-1/4" KTI-49124 - 24" jaw capacity: 3-1/2" KTI-49136 - 36" jaw capacity: 4" KTI-49114 - 14" jaw capacity: 2-5/8" KTI-49118 - 18" jaw capacity: 3-1/4"





KTI's pipe wrench is constructed from the highest grade cast iron, forged and heat treated to ensure maximum durability. Tough red enamel finish. Tool is strong and versatile.

Sold separately:

KTI-49008 - 8" jaw capacity: 1-1/2" KTI-49018 - 18" jaw capacity: 3" KTI-49010 - 10" jaw capacity: 1-7/8" KTI-49024 - 24" jaw capacity: 1-1/2" **KTI-49012** - 12" jaw capacity: 2-3/8" **KTI-49014** - 14" jaw capacity: 1-1/2" KTI-49036 - 36" jaw capacity: 3-1/2"



KTI-49000

4-piece Pipe Wrench Set

4-piece set includes 8", 10", 14" and 18" pipe wrenches. Tools boast strong, durable and versatile cast iron with drop forged steel jaws. Perfect for a variety of applications.











7-piece Folding Hex Bit Set Fractional



Fold-up sets include a variety of popular sizes in one convenient handle. Fold a key out to a right angle to get maximum leverage. Fold a key out completely to operate like a screwdriver. Fold-up sets are compact and easily in your pocket or tool box. Includes 1/8" to 3/8" fractional sizes.

KTI-71475

7-piece Folding Hex Key Set Metric



Fold-up sets include a variety of popular sizes in one convenient handle. Fold a key out to a right angle to get maximum leverage. Fold a key out completely to operate like a screwdriver. Fold-up sets are compact and easily in your pocket or tool box. Includes 2.5mm to 10mm metric sizes.

LIFETIMEWARRANTY

KTI-71420

10-piece Hex Key Set on Ring Fractional



Hex keys featuring quality workmanship and value. Manufactured with heat-treated alloy steel with black finish. Precision formed to exact dimensional tolerances for precise fit. Includes fractional "L" hex sizes from 1/16" to 3/8". Carded on a ring.



KTI-71480

10-piece Hex Key Set on Ring Metric



Hex keys featuring quality workmanship and value. Manufactured with heat-treated alloy steel with black finish. Precision formed to exact dimensional tolerances for precise fit. Includes metric "L" hex sizes from 1.5mm to 10mm. Carded on a ring.






KTI-71425


25-piece Hex Key Set (in pouch)

Hex keys featuring quality workmanship and value. Set features a convenient package design that provides easy transport and storage. Manufactured with heat-treated alloy steel with black finish. Precision formed to exact dimensional tolerances for precise fit. Includes long fractional "L" hex sizes from 1/16" to 3/8" and short metric "L" hex sizes from 1.5mm to 10mm. Packaged in roll-up storage pouch.











Needle Nose Pliers



Needle nose pliers reach into even the tightest places. Tool features side cutter and non-slip vinyl grip. Manufactured from heat-treated chrome vanadium for durability. Each sold separately.

Sold separately:

KTI-51006 - 6"

KTI-51206 - 6" bent end

KTI-51007 - 7"

KTI-51008 - 8"



KTI-51103

3-piece 11" Needle Nose Plier Set



These extra long needle nose pliers reach into even the tightest places. Pliers manufactured with heat-treated chrome vanadium steel for long wear. Tools features soft comfort grip handles. Packaged in handy storage pouch. Set includes 15 degree offset, 45 degree bent nose and 90 degree bent nose.

Set includes (also available individually):

 $KTI-51111 - 90^{\circ}$ bent nose

KTI-51211 - 45° offset

KTI-51311 - 15° offset





Diagonal Cutters

Manufactured from chrome vanadium steel. Ergonomic handle for user comfort. Available in three sizes.

Sold separately:

KTI-52006 - 6"

KTI-52007 - 7"

KTI-52107 - 7" heavy-duty



WARRANTY'

Slip Joint Pliers

Designed for gripping and turning round objects. Manufactured from chrome vanadium steel with chrome finish. Ergonomic vinyl handle for user comfort. Available in three sizes.

Sold separately:

KTI-53004 - 4"

WARRANTY'

KTI-53006-6"

KTI-53008 - 8"



Groove Joint Pliers

Can be adjusted to grip or turn objects. Ideal for grasping nuts or pipe. Manufactured from chrome vanadium steel with chrome finish. Ergonomic vinyl handle for user comfort. Available in three sizes.

Sold separately:

KTI-54006 - 6"

KTI-54010 - 10"

KTI-54012- 12"







KTI-58705

Locking Plier Curved Jaw 5"



Curved-jaw pliers apply maximum torque for any application. Manufactured from high-grade heat-treated alloy steel for strength and durability. Hardened teeth provide superior grip at any angle. Adjusting screw tightens to adjust pressure for a secure, firm grip every time. Quick-release trigger. Overall length: 5" Meets or exceeds ANSI standards. Lifetime warranty.

KTI-58710

Locking Plier Curved Jaw 10"



Curved-jaw pliers apply maximum torque for any application. Manufactured from high-grade heat-treated alloy steel for strength and durability. Hardened teeth provide superior grip at any angle. Adjusting screw tightens to adjust pressure for a secure, firm grip every time. Quick-release trigger. Overall length: 10" Meets or exceeds ANSI standards. Lifetime warranty.



KTI-58809

Locking Welding Clamp Plier 9"



Locking welding clamp features U-shaped jaws for improved visibility and less obstuction to work area. Perfect for welding applications or securing awkward-shaped work pieces. Manufactured from high-grade heat-treated alloy steel for strength and durability. Superior grip to hold work pieces in proper alignment. Adjusting screw tightens to adjust pressure for a secure, firm grip every time. Quick-release trigger. Overall length: 9" Meets or exceeds ANSI standards. Lifetime warranty.



KTI-58707

Locking Plier Curved Jaw 7"



Curved-jaw pliers apply maximum torque for any application. Manufactured from high-grade heat-treated alloy steel for strength and durability. Hardened teeth provide superior grip at any angle. Adjusting screw tightens to adjust pressure for a secure, firm grip every time. Quick-release trigger. Overall length: 7" Meets or exceeds ANSI standards. Lifetime warranty.



KTI-58717

Locking Plier Straight Jaw 7"



Straight-jaw pliers apply maximum torque for flat, square or hex applications. Manufactured from high-grade heat-treated alloy steel for strength and durability. Hardened teeth provide superior grip at any angle. Adjusting screw tightens to adjust pressure for a secure, firm grip every time. Quick-release trigger. Overall length: 7" Meets or exceeds ANSI standards. Lifetime warranty.



KTI-58811

Locking C-Clamp Plier 11"



Locking C-clamp plier features wide-opening jaws to accommodate a variety of shapes and sizes for any application. Manufactured from high-grade heat-treated alloy steel for strength and durability. Adjusting screw tightens to adjust pressure for a secure, firm grip every time. Quick-release trigger. Overall length: 11" Meets or exceeds ANSI standards. Lifetime warranty.





KTI-55001

5-piece Reversible Snap Ring Plier Set

Set includes: short straight small tip (2 pieces); long straight large tip; short 90 degree small tip; and long 90 degree large tip. These versatile, heavy duty pliers are designed for the removal and installation of either internal or external snap rings on a wide range of applications. Packaged in blow-molded case. Available inidividually.

Set includes (also available individually):

KTI-55012 - short, straight small tip (2 pc.) **KTI-55912** - short 90 degree small tip

KTI-55034 - long, straight large tip KTI-55934 - long 90 degree large tip







KTI-55106

6-piece Reversible Snap Ring Plier Set



KTI-55112

12-piece Reversible Snap Ring Plier Set



Set includes the three most popular tip sizes in straight and 90 degree angle configurations. These versatile, heavy duty pliers are designed for the removal and installation of either internal or external snap rings on a wide range of applications. Packaged in blow-molded case. Available inidividually. Made in U.S.A.

Set includes (also available individually):

KTI-55120 - straight tip .038 **KTI-55121** - straight tip .047

KTI-55122 - straight tip .070

KTI-55140 - 90 bent tip .038 **KTI-55141** - 90 bent tip .047 **KTI-55142** - 90 bent tip .070







Set includes the four most popular tip sizes in straight, 45 and 90 degree angle configurations. These versatile, heavy duty pliers are designed for the removal and installation of either internal or external snap rings on a wide range of applications. Packaged in blow-molded case. Available inidividually. Made in U.S.A.

Set includes (also available individually):

KTI-55120 - straight tip .038 **KTI-55121** - straight tip .047 **KTI-55122** - straight tip .070 **KTI-55123** - straight tip .090

KTI-55130 - 45 bent tip .038 **KTI-55131** - 45 bent tip .047 **KTI-55132** - 45 bent tip .070 **KTI-55133** - 45 bent tip .090

KTI-55140 - 90 bent tip .038 **KTI-55141** - 90 bent tip .047 **KTI-55142** - 90 bent tip .070 **KTI-55143** - 90 bent tip .090







WARRANTY

KTI-71772

20oz. Claw Hammer



Hammer features curved claw, round bell and polished high carbon steel head plus fiberglass handle with rubber grip.

KTI-71724

4lb. Cross Pein Hammer



Fiberglass handle and rubber grip. Overall length: 15-1/4".







KTI-71751

Rubber Mallet 24oz.



Non-marking rubber mallet. Weight: 24 oz.

LIFETIME WARRANTY

Ball Pein Hammers



Hammer features drop forged, heat treated steel head and fiberglass handle for strength and reliability. Tool boasts contoured, nonslip rubber grip for user comfort.

Sold separately: **KTI-71708** - 8oz. **KTI-71725** - 24oz.

KTI-71716 - 16oz. **KTI-71732** - 32oz.



Solid Brass Hammers



Non-sparking brass hammer prevents damage to delicate parts. Made in U.S.A.

Sold separately:

KTI-71782 - 27oz., 1-1/16" head diameter **KTI-71783** - 48oz., 1-1/4" head diameter





Brass Hammers with Hickory Handles



Non-sparking brass hammer prevents damage to delicate parts. Made in U.S.A.

Sold separately:

KTI-71714 - 16oz., 1-1/4" head diameter KTI-71715 - 24oz., 1-1/4" head diameter KTI-71733 - 32oz., 1-1/2" head diameter





KTI-72505

5-piece File Set

Sets includes: 6" mill file; 10" mill file; 8" bastard file; 8" half-round file; and 8" round file.

Set includes (also available individually):

KTI-72512 - 6" mill file KTI-72514 - 10" mill file KTI-72523 - 8" bastard file KTI-72543 - 8" half-round file KTI-72553 - 8" round file







15-piece Punch & Chisel Set

Set includes five pin punches, five taper punches, three chisels and two center punches. Packaged in your choice of plastic tray or kit bag. Components available individually. KTI-72901 (in tray) or KTI-72901K (in kit bag)

 Pin Punches
 Taper Punches

 KTI-72911 - 3/32"
 KTI-72921 - 3/32"

 KTI-72912 - 1/8"
 KTI-72922 - 1/8"

 KTI-72913 - 5/32"
 KTI-72923 - 5/32"

 KTI-72914 - 3/16"
 KTI-72924 - 3/16"

 KTI-72915 - 1/4"
 KTI-72925 - 1/4"

Chisels Center Punches
KTI-73012 - 3/8" KTI-72931 - 1/8"
KTI-73016 - 1/2" KTI-72932 - 3/16"
KTI-73020 - 5/8"



KTI-72901 (in tray) or KTI-72901K (in kit bag)





KTI-72900

6-piece Pin Punch Set

Sizes include: 3/32", 1/8", 5/32", 3/16", 1/4" and 5/16". Packaged in plastic tray. Available individually.

Set includes (also available individually):

KTI-72911 - 3/32" KTI-72912 - 1/8" KTI-72913 - 5/32" KTI-72914 - 3/16" KTI-72915 - 1/4" KTI-72916 - 5/16"



KTI-70002

Automatic Center Punch



Spring loaded with impact mechanism. Push in and it makes its mark. Brass tone. Carded.



5-piece Chisel Set

Sizes include: 3/8", 1/2", 5/8", 3/4" and 7/8". Packaged in plastic tray. Available individually.

Set includes (also available individually):

KTI-73012 - 3/8" KTI-73016 - 1/2" KTI-73020 - 5/8" KTI-73024 - 3/4" KTI-73028 - 7/8"





KTI-72980

4-piece Brass Punch Set



Set includes sizes: 3/8"; 1/2"; 5/8"; and 3/4". Tools feature knurled handles. Designed for rugged shop environment. Packaged in vinyl case. Made in U.S.A.

Set includes (also available individually):

KTI-72982 - 3/8" punch **KTI-72984** - 1/2" punch **KTI-72986** - 5/8" punch **KTI-72988** - 3/4" punch













Tow Straps

Heavy-duty nylon web construction with reinforced stitching Available with looped end or forged hooks. Abrasion and cut resistant. Strongest, longest- lasting webbing tow straps on the market. Meet or exceed all DOT specifications

Styles and sizes available:

otylos ana sizos avallable.			
KTI-73801 - Forged hooks	7,000 lb. capacity	2" width	10' length
KTI-73802 - Forged hooks	10,000 lb. capacity	2" width	15' length
KTI-73803 - Forged hooks	10,000 lb. capacity	2" width	25' length
KTI-73810 - Looped ends	15,000 lb. capacity	2" width	20' length
KTI-73811 - Looped ends	30,000 lb. capacity	3" width	20' length
KTI-73812 - Looped ends	30,000 lb. capacity	3" width	30' length



Heavy-duty Tow Straps

Heavy duty nylon web construction with reinforced stitching and looped ends. Abrasion and cut resistant. Strongest, longest-lasting webbing tow straps on the market. Meet or exceed all DOT specifications.

Sizes available:

KTI-73813 - Looped ends	40,000 lb. capacity	6" width	30' length
KTI-73814 - Looped ends	60.000 lb. capacity	6" width	30' length



Stretch Cords

Braided cover prevents abrasions and provides added durability. Vinyl covered hooks prevents scratches. Designed for professional use.

Sizes available:

KTI-73830 - General purpose	3/8" diameter	18" length	10-pack	Yellow
KTI-73831 - General purpose	3/8" diameter	24" length	10-pack	Red
KTI-73832 - General purpose	3/8" diameter	30" length	10-pack	Blue
KTI-73833 - General purpose	13/32" diameter	40" length	10-pack	Yellow
KTI-73834 - General purpose	13/32" diameter	48" length	10-pack	Multi



Rubber Straps

Sizes available:

KTI-73849 - EPDM Rubber Strap	14" length	10-pack
KTI-73850 - EPDM Rubber Strap	21" length	10-pack
KTI-73851 - EPDM Rubber Strap	31" length	10-pack



Tie Downs & Straps

Styles and sizes available:

Otylos and sizes available.				
KTI-73862 - Ratcheting Tie Down (endless loop)	900 lb. capacity	1" width	13' length	1-pack
KTI-73861 - Ratcheting Tie Down (PVC-coated hooks)	900 lb. capacity	1" width	15' length	1-pack
KTI-73870 - Ratcheting Tie Down (PVC-coated hooks) (each)	900 lb. capacity	1" width	15' length	4-pack
KTI-73864 - Motorcycle Tie Down (1 chrome and 1 PVC-coated hook)	1,200 lb. capacity	1" width	6' length	1-pack
KTI-73871 - Universal Tie Down (PVC-coated hooks)	900 lb. capacity	1" width	10' length	1-pack
KTI-73873 - Cam Buckle Tie Down (Cam buckles)	900 lb. capacity	1" width	13' length	1-pack



KTI-73862









KTI-73861

KTI-73864

KTI-73873

K-Tool International recommends that the working load never exceed 1/3 of the rated capacity. Any strap assembly is only as strong as its weakest component, including the point of attachment or anchor.



Utility Brushes

Wood handle brushes have natural bristles not affected by thinners or other solvents.

Sold separately:

KTI-74005 - 1/2" width KTI-74010 - 1" width KTI-74015 - 1-1/2" width KTI-74020 - 2" width KTI-74025 - 2-1/2" width KTI-74030 - 3" width



KTI-74103

3-piece Mini Brush Set

Set includes one brass, nylon and stainless steel brush. Features molded poly handles. Overall length: 7 inches.

Set includes (also available individually):

KTI-74106 - Brass KTI-74107 - Nylon KTI-74108 - Steel



KTI-73510

Black Electrical Tape



Roll measures 3/4" wide x 60'. Sold in sleeve of ten rolls.

KTI-73550

Thread Sealing Tape



Each roll measures 1/2" wide x 260". Ideal for sealing threaded pipe. 5-pack.

KTI-73560

Duct Tape



Multipurpose gray duct tape for numerous uses. Roll measures 2" wide x 60 yards. U.S.-made

Sold separately:


Tape Measures



KTI-72612 - 1/2" x 12'(3.5M) Fractional/Metric Graduations **KTI-72625** - 3/4" x 25'(7.5M) Fractional/Metric Graduations









4-piece Putty Knife / Scraper Set

Four-piece set includes: 1" stiff edge; 1-1/2" stiff edge: 1-1/2" flex edge; and 3" flex edge. Use to apply adhesives, filler, compound, spackles and more. Ideal for removing paint, rust, gaskets, carbon, filler and undercoating. All blades are high carbon, heat-treated, tempered, polished to mirror finish and full tang. Tools fitted with grommeted brass, solvent-resistant, riveted wood handles. Features 15 degree sharp chisel edge on stiff scrapers.

Set includes (also available individually):

KTI-70014 - Scraper Putty Knife 1" Stiff KTI-70015 - Scraper Putty Knife 1-1/2" Stiff

KTI-70017 - Scraper Putty Knife 1-1/2" Flexible KTI-70018 - Scraper Putty Knife 3" Flexible





4-piece Putty Knife / Scraper Set

This 4-piece scraper set features a combination of flexible and stiff scrapers for the needs of any automotive body application or home improvement job. Constructed of stainless steel blades that taper at tip to provide great flexibility and blade action. Ergonomic, comfort-grip, non-slip handles. Contains an upholstery tucking tool, 2" flexible scraper, 1.25" flexible scraper and 1.25" stiff chisel.

Set includes (also available individually):

KTI-70006 - Putty Knife, Upholstery Tucking Tool with Stainless Steel Blade and Comfort Grip Handle

KTI-70007 - Putty Knife, 2" Flexible with Stainless Steel Blade and Comfort Grip Handle

KTI-70008 - Putty Knife, 1.25" Flexible with Stainless Steel Blade and Comfort Grip Handle

KTI-70009 - Putty Knife, 1.25" Stiff Chisel with Stainless Steel Blade and Comfort Grip Handle



KTI-70023

4-piece Scraper Set

Set includes: stubby scraper; 1" carbon scraper; combination offset scraper; and 5/8" scraper. Also available individually. U.S.-made

Set includes (also available individually):

KTI-70019 - Stubby Scraper KTI-70022 - Combination Offset Scraper

KTI-70021 - 1" Carbon Scraper KTI-70027 - 5/8" Scraper









5-piece Upholstery Clip Remover Set

This set combines the most popular individual upholstery tools into one master set. Includes both "U" and "V" clip styles of tools as well as a reverse U-blade door panel clip removal tool. This is a complete set for anyone working on car upholstery or for removing panels from dash or door. Comes in a thermoformed tray for easy storage in any tool box. Available individually.

Set includes (also available individually):

KTI-70032 - "V" Blade Door Panel Tool with Stainless Steel Blade

KTI-70033 - "U" Blade Door Panel Tool with Stainless Steel Blade

KTI-70034 - "U" Blade Mini Trim Panel Tool with Stainless Steel Blade KTI-70035 - "V" Blade Mini Trim Panel Tool with Stainless Steel Blade

KTI-70036 - Reverse "U" Blade Door Panel Tool with Stainless Steel Blade









Scrapers

Professional quality and perfect for any application in the garage, shop or around the house. Multipurpose tool features stainless steel blade. High-quality wood handle for strength and durability. Lifetime warranty.

Sold separately:

KTI-70024 - Scraper 3/4" Chisel - U.S.-made KTI-70026 - Scraper 1-1/2" Chisel - U.S.-made KTI-70025 - Scraper 1-1/2" Flexible - U.S.-made

KTI-70028 - Putty Knife

KTI-70029 - Scraper 3" Flexible - U.S.-made



except KTI-70028



KTI-70016

Mini Scraper



Grip-coated handle for better comfort and control. Angled tip for increased accuracy. Blade locks securely in place. Quick and easy blade changes. Reversible blade for safe storage. Includes one (1) single edge blade. Length: 41/2". Assorted colors.

KTI-73105

Utility Knife



Retractable 6" utility knife with extra blade storage in handle.

Replacement parts:

KTI-70546 - Replacement blades 6-pack



KTI-70020

KTI-70545

Professional

Heavy-duty Windshield Knife

Long Handled Scraper



Extra-long scraper with contoured handle to reduce fatigue. The 1" blade is ideal for removing gaskets. Lightweight, durable construction.

Features professional-grade construction from heavy-duty steel and aluminum. Knife is lightweight and easy-to-use. Extra-long reach to

cut hardened urethane all the way down to the dash line and offers

increased leverage and greater control for a safer, smoother cut.

The padded, ergonomic handle also features storage space for replacement blades. Blades can be easily changed by releasing a

KTI-70540

Windshield Removing Tool



Facilitates removal of windshields and backlights by cutting sealant around windows. Each tool includes an extra replacement blade.

Replacement parts:

KTI-70541 - Replacement blade





KTI-73104

Monster Utility Knife



This utility knife features a quick-change blade system equipped with six (6) snap-off blades. Always ready with a razor-sharp blade! Monster utility knife also features an extra-large, ergonomic grip for added control. Knife measures a whopping 8" x 2.5" x 1".

Replacement parts:

KTI-73104-1 - Replacement blades 10-pack



Replacement parts:


KTI-70546 - Replacement blades 6-pack

simple one-screw retaining clip.











Ratcheting Hose and Pipe Cutter

KTI's ratcheting hose and pipe cutting pliers accommodate a variety of materials up to 1-1/2" in diameter. The ratcheting action makes cutting smooth and easy. A one-touch, quick release lever opens pliers instantly. Built-in clasp securely locks handles when not in use for added safety. Cuts industrial air hose, multipurpose hose, heater and washer vacuum hose, non-metallic fuel line hose, PVC pipe, battery cables and much more. Lifetime warranty.

Replacement parts:

KTI-72355-1 - Replacement blade





KTI-72801

Hacksaw



KTI-72802

Heavy-duty Hacksaw



12" top quality, sturdy hacksaw. Adjustable tensioner. Includes one (1) saw blade.

LIFETIME

KTI-57124

Bolt Cutter 24"



Hacksaw features heavy-duty frame, high leverage tensioner and handle with blade storage compartment. Blade can be set vertically or at 45-degree angle.

WARRANTY'

KTI-57136

Bolt Cutter 36"



Tool features specially designed curved handles for more efficient strength application and comfortable rubber handles for firm and s afe gripping. Chrome vanadium head is precisely heat treated and hardened for durability.

Replacement parts:

KTI-57224 - Replacement head 24"





KTI-79100

Heavy-duty Riveter



Features four different nose pieces to secure rivets: 3/32" (2.4 mm), 1/8" (3.2 mm), 5/32" (4.0 mm) and 3/16" (4.8 mm). Includes rivet samples.



Tool features specially designed extra long curved handles for additional power and leverage and efficient strength application. Bolt cutter has comfortable rubber handles for firm and safe gripping. Chrome vanadium head is precisely heat treated and hardened for durability.

Replacement parts:

KTI-57236 - Replacement head 36"





KTI-79110

Super Heavy-duty Riveter



Tool's 17" handles provide the leverage needed to effortlessly secure five different rivets: 1/8" (3.2 mm), 5/32" (4.0 mm), 3/16" (4.8 mm), 7/32" (6.0 mm) and 1/4" (6.4 mm).





KTI-72310

Tube Cutter Mini - Range 1/8" to 5/8" OD



Cuts 1/8" to 5/8" OD tubing. Compact size for use in confined areas. Features rollers to ease operation.



KTI-72330

Tubing Cutter Heavy-duty



Cuts 1/8" to 1-1/8" OD tubing. Heavy-duty rollers smooth operation.



KTI-72345

Tubing Bender Heavy-duty Pliers



Bends 3/16", 1/4", 5/16" and 3/8" diameter copper and steel tubing without collapsing or kinking.



KTI-70070

4-piece Pick Set with Neon Orange Handles



Includes four picks for removing, installing, aligning, probing and piercing. Use to ease removal of O-rings, split pins, seals and bushes and loose parts. Set contains orange-handled straight, 45 degree, 90 degree and hook picks.

Set includes (also available individually):
KTI-70071 - Straight Neon Orange Pick
KTI-70072 - 45 Degree Neon Orange Pick
KTI-70073 - 90 Degree Neon Orange Pick
KTI-70074 - Hook Neon Orange Pick



KTI-72320

Tubing Bender - U.S.-made



Bends 3/16", 1/4", 5/16" and 3/8" diameter tubing. Features aluminum mandrel.





KTI-72340

Tubing Bender



Bends 1/4", 5/16" and 3/8" OD aluminum, steel and copper tubing.



KTI-70010

Tapered Scratch Awl



High quality chrome vanadium steel. Ergonomic, contoured handle. Used for scribing, punching holes and lining up panels or holes.



KTI-70075

4-piece Pick Set with Neon Green Handles



Includes four picks for removing, installing, aligning, probing and piercing. Use to ease removal of O-rings, split pins, seals and bushes and loose parts. Set contains green-handled straight, 45 degree, 90 degree and hook picks.

Set includes (also available individually):
KTI-70076 - Straight Neon Green Pick
KTI-70077 - 45 Degree Neon Green Pick
KTI-70078 - 90 Degree Neon Green Pick
KTI-70079 - Neon Green Hook Pick





KTI-70040

5-piece Spiral Extractor Set



Aggressive spiral design provides extra grip to remove stubborn broken bolts. Manufactured with high carbon steel for long wear and durability. Sizes range from 1/8"-3/4" and 3 mm-18 mm.



KTI-70816

Digital Disc Brake Caliper 0-6"



Digital display from 0-6" (150 mm). Accuracy to plus/minus .001" (0.1 mm). Stainless steel construction and shockproof. Thumb wheel for accuracy and ease of use. English/metric readout.



Deluxe Fender Cover



Vinyl-backed foam cover is designed to protect/cover fenders to avoid scratching, marring or damaging vehicle finish. Available in black or red. U.S.-made.

Sold separately: KTI-73201 - Black KTI-73202 - Red





KTI-73400

Number and Letter Stamp Set - Size 3/16"



Combination set includes 3/16" set of numbers and 3/16" set of letters. Includes convenient storage case.



KTI-70045

5-piece Fluted Extractor Set



Extractors quickly and easily remove broken screws, pipes, bolts and studs. Manufactured with heat-treated chrome-moly steel for long wear and durability. Sizes range from 1/8"-3/8" and 3 mm-9.5 mm.



KTI-70826

Digital Disc Brake Caliper 0-6"



Digital display from 0-6" (150 mm). Accuracy to .001" (0.1 mm) Stainless steel construction and shockproof. Zero position memory. English/metric readout.



KTI-70550

Sanding Pen



Over 20,000 glass fibers in a pen point reach where normal sand paper cannot. Includes one extra sanding point in rear cap. U.S.-made.

Replacement parts:

KTI-70551 - 2-pack refill for sanding pen





KTI-70050

Butane Fuel




1.5 fl.oz. (42g) professional-grade butane fuel. Universal filling tip can be used with most refillable butane products. Adapters are not normally required when refilling tanks. Double scrubbed and triple filtered for trouble-free use. Use for pocket torches, lighters, lanterns, table torches and other butane-powered tools.





KTI-70440

Torch Shield



Protect surfaces from sparks or open flame from gas torches. Even withstands the extreme heat of acetylene torches. Size: 10" X 18". U.S.-made

KTI-70461

Child Safety Blanket



PyroBlanket protects infants from flames and burns. Blanket boasts patented flame resistance and heat blocking protection. Soft and lightweight. TPP rating of 17. Size: 35" x 39". Weighs 7 oz. Machine washable.

KTI-70450

Welding Blanket



A patented high-tech carbon fiber welding blanket that is lightweight, soft and flexible. Provides protection against direct contact with weld spatter. Will withstand temperatures to 3,000 degrees F. Size: 50" x 80". U.S.-made.



CARBON FIBER FEATURES:

- Lightweight, soft and flexible.
- Protection for direct contact with weld spatter.
- Withstands temperatures to 3,000°F, fire- and heat-resistant.
- Reduces the chance of sparks damaging fabric, pitting glass or marring paint.
- Will not scratch any painted surface.
- Can be used in emergencies to smother small fires in a car or anywhere in the shop.

Warning: Avoid contact with flammable liquids. Flammable liquids will ignite when exposed to sparks or flame. Always inspect welding blanket for damage before each use. Avoid sharp edges or other obstructions to prevent damage to blanket. Clean blanket after each use. To clean, shake the blanket and replace in the original bag. DO NOT clean with water or other liquids. Do not use if wet.

KTD-77601

GlassMaster Pro Kit

The GlassMaster Pro Kit includes the long-handled GlassMaster Pro wand, two interchangeable cleaning heads, three fitted bonnets, plus a bonus stow-and-go storage bag. The patented GlassMaster Pro effortlessly cleans hard-to-reach areas, including windshields, glass doors, dashboards and much more. Great for cars, SUVs, RVs, trucks, minivans, boats, home and office. Spray favorite cleaners directly on GlassMaster Pro, eliminating overspray on dashboards, sensitive electronics, furniture, etc. Wand boasts super-strong I-beam construction and premium grade ABS materials. Thick comfort grip handle. Use one detachable head for wet cleaning / scrubbing. Use second head for drying/polishing. Kit contains nylon bonnet for scrubbing; multipurpose bonnet for cleaning; and microfiber cloth for removing streaks.

GlassMaster Pro Replacement Parts and Accessories:

KTD-72002 - GlassMaster Pro Microfiber Bonnets 2-pack

KTD-72004 - GlassMaster Pro Microfiber Bonnets 3-pack

KTD-72502 - GlassMaster Pro Microfiber Cloth 2-pack

KTD-74003 - GlassMaster Pro Terry Cloth Bonnets 2-pack

KTD-74004 - GlassMaster Pro Terry Cloth Bonnets 3-pack

KTD-74503 - GlassMaster Pro Multipurpose Cloths 2-pack

KTD-76003 - GlassMaster Pro Assorted Bonnets 3-pack KTD-76503 - GlassMaster Pro Assorted Cloths 3-pack

KTD-77610 - GlassMaster Pro Extension Handle




KTD-72502







Kit includes:







KTI-70900

Magnet Wire Flex Retriever Tool 8lb. Pull

Retriever goes where human hands cannot. Extendable magnet easily picks up and retrieves dropped items. Tool features an ergonomic grip, a bendable shapeable wire flex shaft, powder-coated steel casings to reduce side pull, and a powerful, lightweight magnet to reach tight places. U.S.-made Length: 21". Pull: 8 lbs.



KTI-70901

Magnet Swivel Head Telescopic Tool 14lb. Pull

Retriever goes where human hands cannot. Extendable magnet easily picks up and retrieves dropped items. Tool features an ergonomic grip, a 180 swivel head, a telescopic shaft, powder-coated steel casings to reduce side pull, and a powerful, lightweight magnet to reach tight places. U.S.-made Length: 6-1/2" to 32". Pull: 14 lbs.



KTI-70903

Magnet Telescopic Tool Straight 14lb. Pull

Retriever goes where human hands cannot. Extendable magnet easily picks up and retrieves dropped items. Tool features an ergonomic grip, a telescopic shaft, powder-coated steel casings to reduce side pull, and a powerful, lightweight magnet to reach tight places. U.S.-made Length: 6-1/2" to 32". Pull: 14 lbs.



KTI-70904

Magnet Telescopic Tool Straight 5lb. Pull

Retriever goes where human hands cannot. Extendable magnet easily picks up and retrieves dropped items. Tool features an ergonomic grip, a telescopic shaft, powder-coated steel casings to reduce side pull, and a powerful, lightweight magnet to reach tight places. U.S.-made Length: 6-1/2" to 32". Pull: 5 lbs.





Magnet Telescoping Pocket Retriever 3.5lb. Pull

Pocket size retriever features a telescoping shaft that extends from 5-1/4" to 24". Pull: 3-1/2 lbs. U.S.-made



KTI-70909

Super-duty Magnet Telescoping Tool Straight 30lb. Pull

Super-duty retriever goes where human hands cannot. Extendable magnet easily picks up and retrieves dropped items. Tool features an ergonomic grip, a telescopic shaft, powder-coated steel casings to reduce side pull, and a powerful, lightweight magnet to reach tight places. Length: 16" to 28". Pull: 30 lbs. U.S.-made





KTI-70910 Magnetic Pickup Tool

Magnetic telescoping pickup tool extends from 5-1/4" to 22-3/4". Handy pocket-clip keeps the tool right at your fingertips!

KTI-70915

Telescoping Pocket Magnet



Extendable magnetic pickup tool extends from 13" to 20". Telescoping shaft is capable of lifting 3.5 pounds. There isn't a lost nut or bolt this tool can't pick up!

KTI-70920 Mirror Glass Telescoping Tool Rectangular

Tool goes where human eyes cannot. Highly polished and protected mirror is attached to an expandable telescopic, ergonomic handle for user convenience. Rectangular mirror measures 1-1/4" x 2-1/4". Length: 6-1/2" to 32". U.S.-made



KTI-70921 Mirror Glass Telescoping Tool Square



Tool goes where human eyes cannot. Highly polished and protected mirror is attached to an expandable telescopic, ergonomic handle for user convenience. Square mirror measures 1-1/4" x 1-1/4". Length: 6-1/2" to 32". U.S.-made



KTI-70922 Mirror Glass Telescoping Tool Round

Tool goes where human eyes cannot. Highly polished and protected mirror is attached to an expandable telescopic, ergonomic handle for user convenience. Round mirror measures 3-3/4". Length: 20" to 31". U.S.-made




KTI-70999

Magnetic Parts Dish Stainless Steel



Keeps small parts from spilling. Round, non-rusting stainless steel dish measures 5-3/4" diameter.





C-clamps

Adjustable C-clamps manufactured from ductile iron.

Sold separately:

KTI-70182 - 2"

KTI-70183 - 3"

KTI-70184 - 4"

KTI-70186 - 6"

KTI-70188 - 8"





KTI-71103

2-piece Flexible Line Clamp Set

Squeezes heater, radiator, vacuum or any flexible hose to assist with repairs or problem diagnosis. Clamps lock in place. Set includes one large and one small clamp.

Set includes (also available individually):

KTI-71105 - small KTI-71106 - large





KTI-71100

Hose Pinch-off Pliers



Eliminates the need to drain coolant when servicing cooling systems. Pliers squeeze shut heater or radiator hoses. Jaws swivel for parallel clamping. Tool features automatic locking ratchet and can also be used with vacuum and fuel lines.

LIFETIME WARRANTY

KTI-70750

Spark Plug Boot Plier



Plier features insulated grips. Overall length: 8". U.S.-made



KTI-70600

Distributor Wrench



Wrench is 3/8" drive and 1/2" x 9/16".

LIFETIME WARRANTY

KTI-71108

Specialty Hose Clamp Plier



This dual purpose plier, with side jaw design allows hose clamps to be applied or removed in confined areas. Pincers are held parallel to the hose.

LIFETIME WARRANTY

KTI-73701

Universal Spark Plug Gap Tool



Measures in increments of one thousandth from .020 through .100.

KTI-73701-50 - 50-piece bulk pack



KTI-72765

Mini Heavy-duty Circuit Tester

Tester is 5" long and includes 2" tempered probe and replaceable bulb. Works on 6 or 12 volt systems. Features 60" heavy-duty flexible wire lead with ground clip.

Replacement parts:

KTI-72781 - Replacement bulb for models 72765, 72780, 72790, 72791 and 72792



KTI-72770

Circuit Tester

Tester features 48" extra long leads. Works on 6 or 12 volt systems.

Replacement parts:

KTI-72771 - Replacement bulb for model 72770



KTI-72780

Heavy-duty Circuit Tester

Tester features 5' heavy-duty flexible wire, ground clips, tempered probe and replaceable bulb. Works on 6 or 12 volt systems. Spring strain relief on cord.

Replacement parts:

KTI-72781 - Replacement bulb for models 72765, 72780, 72790, 72791 and 72792



KTI-72782

Heavy-duty Circuit Tester with 12' Retractable Wire and Clip

Can be used on cars, trucks, SUVs, boats, trailers, vans, RVs, motorcycles, snowmobiles and airplanes. Use the heavy-duty circuit tester to check electrical circuits and accessories on all 6 and 12 volt systems. Tester features a 12' retractable wire and battery clip, spring-supported strain relief, extra-sharp probe and a heavy-duty battery clip.



Extra-long Circuit Testers

Specially designed to enable technicians to test hard to reach circuits that would not be accessible with standard testers. Features extra long, colored, insulated 7-1/2" probe and 60" heavy gauge flexible wire. Works on 6 or 12 volt systems.

Sold separately:

KTI-72790 - Blue

KTI-72791 - Red











KTI-75310

2-piece Universal Fuel Line **Disconnect Set**



2-piece universal fuel line disconnect set is designed to remove stubborn fuel lines from high-tech cars and trucks. Constructed of aircraft-grade aluminum for durability, yet makes them extremely lightweight and easy to use. The low-profile design provides access to the tightest spaces. The opening at the widest point is 3/4" and narrows to only 1/8". Set features a 90-degree fuel line disconnect tool and a straight fuel line disconnect tool.

Set includes (also available individually):

KTI-75311 - 90 Degree Universal Tool, from 1/8" to 3/4" KTI-75312 - Straight Universal Tool, from 1/8" to 3/4"





KTI-70720

Serpentine Belt Tool



Removes and installs serpentine belts. Releases tension on serpentine belts with spring loaded idler pulleys requiring a 15, 16 and 18 mm hex or 3/8 inch square drive. Provides extra coverage for most applications.

Set includes (also available individually):

KTI-70721 - Long Wrench KTI-70726 - 15MM Socket KTI-70722 - Short Wrench KTI-70727 - 16MM Socket KTI-70723 - 13MM U-Type Wrench KTI-70728 - 18MM Socket

KTI-70724 - 14MM U-Type Wrench KTI-70725 - 15MM U-Type Wrench





KTI-70730

Stretch Belt **Installation Tool**



Stretch belt installation tool is ideal for installing newer, patented Gates Micro-V Stretch Fit belts. Stretch belts are found on many models of vehicles with drive systems that do not require a tensioner (i.e. power steering, air conditioning, water pumps). Installs belts without twisting or breaking internal belt fibers. Durable construction features anodized aluminum body for corrosion resistance and a hardened steel pulley pivot.



4-piece **Radiator Disconnect Tool Set**



4-piece set includes 4 sizes to depress clips ranging from 5/8" to 1". Contains a GM-, Ford-, large- and extra-large radiator disconnect tools. The tool is designed to completely fill the void in the connector to easily release the fastener. Unique 40-degree offset design allows users to work around obstructions in tight spaces.

Set includes (also available individually):

KTI-75321 - Ford Disconnect Removal Tool KTI-75322 - GM Disconnect Removal Tool KTI-75323 - Large Disconnect Removal Tool


KTI-75324 - X-Large Disconnect Removal Tool





KTI-70732 ~

Belt Tool



slipping from the tool's grip. Tru-grip and long reach allows belt routing in limited-access areas. Constructed of lightweight alloy steel for durability and strength. Ergonomic handles for comfort and ease of use. Lifetime warranty.



KTI-70731

European Stretch Belt Installation Tool



Stretch belt installation tool is ideal for installing stretch belts. For use on vehicles with larger pulleys primarily found on European vehicles. Stretch belts are found on many models of vehicles with drive systems that do not require a tensioner (i.e. power steering, air conditioning, water pumps). Installs belts without twisting or breaking internal belt fibers. Durable construction features anodized aluminum body for corrosion resistance and a hardened steel pulley pivot.







KTI-72200

Rotary-style Barrel Pump

Easy-to-operate crank handle rotary pumps are used as a siphon. Simply prime pump by turning crank handle several times: liquid automatically siphons to lower level. Rotary hand pumps fit 15-, 30- and 55-gallon drums.

Cast iron rotary pump is ideal for heavy oil, machine oil and non-corrosive liquids. Barrel pump dispenses one gallon per 14 revolutions. Made with a cast iron body with steel inlet and outlet tubing. 2" bung adapter is perfect for drum openings.

Warranty information: 90-day warranty.

KTI-72205

Lever-style Barrel Pump

Two-piece, self-adjusting telescoping suction tube fits 15-, 30- or 55-gallon drums. Removable threaded spout. Pumps water based fluids, solvents, antifreeze, weak acids and all oil-based

fluids. Pumps approximately 300cc liquid per stroke. Zinc plated for lasting quality. Features cushioned vinyl handle.

Warranty information: 90-day warranty.

KTI-72250

Siphon Pump



Multi-use pump transfers most liquids. Also pumps air for inflatables. Use for changing oil, siphoning gas, inflating sports balls and beach toys. Includes two 51" siphon hoses, 35" dipstick hose and adapter (for changing oil) and 17" air pressure hose.

Warranty information: 90-day warranty.

KTI-73900

Air-powered Piston Grip Grease Gun

Portable and nearly effortless to use, gun features rugged heavy-duty steel construction and 50-to-1 pressure ratio.

Easily fill with 400cc bulk loading or standard 14 oz. cartridge. Air pressure ranges from 1,200 psi to 6,000 psi (with 30 to 160 psi air supply). Includes rigid and flexible extensions.

Warranty information: 90-day warranty.

KTI-74601-12

12-pack Long Funnel - Rigid



Funnel Long Rigid - 4 1/2" Diameter x 19 1/2" Long Sold as a 12-pack. U.S.-made



KTI-74602-12

12-pack Long Funnel - Flexible



Deluxe flexible 2-piece funnel can be converted to a regular. Sold as a 12-pack. U.S.-made





KTI-74603

Funnel Pivoting "The Guzzler"



Large capacity funnel directs flow without spilling. Features ball pivot at base. U.S.-made

KTI-74630

3-piece **Funnel Set**



KTI's "funnel for every job" set includes 3-1/2", 5-1/2" and 7-1/2" sizes.

KTI-74604

Funnel for 55-gallon Drum



Large capacity funnel screws directly onto 55 gallon drums. U.S.-



KTI-73730

Filter Wrench Nylon Strap



Fits all oil, air and fuel spin-on filters up to 6" diameter. Tool can be turned by a 1/2" square drive ratchet or a 3/4" open end wrench. U.S.made





KTI-73620

Oil Filter Pliers



Self adjusting spring action allows for a full range of filter applications. Heavy-duty forged handles with textured grip for strength and leverage. U.S.-made Use with 2-1/4" - 6" filters.

KTI-73731

Heavy-duty Filter Wrench Nylon Strap




Designed for high torque requirements of truck filters, Forged steel handle, and extra length, sturdy strapping. A no-strip strap grips filters tightly. Wrench adapts to spin filters up to 9".



KTI-73621

Truck Oil Filter Pliers

Truck and tractor filter pliers are capable of removing all agricultural and construction equipment and automotive canister-type filters. They are ideal for loosening over-tightened or seized filters, providing superior leverage for high-torque applications. Spring-loaded truck and tractor filter pliers work on auto filters as well as Cummins diesel filters. Range is 4" to 7" Boasts 17" extended-reach handles which allow users to access the toughest areas.









Adjustable Oil Filter Wrenches

Removes oil filters in hard to reach areas. Tool features a swivel heat treated handle for easy access and durability and a unique yolk and link assembly for positive grip on filter. U.S.-made

KTI-73601 - Oil Filter Wrench Adjustable from 2-7/8" to 3-1/4"

KTI-73602 - Oil Filter Wrench Adjustable from 3-7/16" to 3-3/4"

KTI-73603 - Oil Filter Wrench Adjustable from 4" to 4-3/8"

KTI-73605 - Oil Filter Wrench for Trucks Adjustable from 4-5/16" to 4-3/4"

KTI-73606 - Oil Filter Wrench for Trucks Adjustable from 5-14" to 5-3/4"







KTI-73600

4-in-1 Oil Filter Wrench

This handy filter wrench boasts a vinyl handle to provide strength and better grip, and swivel movement to clear obstructions. A wide studded band prevents crushed filters. Mechanics who demand a tough and durable product can count on the 4-in-1's stainless, plated and easily interchangeable steel bands. Includes bands sized from 2-3/8"-4-3/8" (61 mm-111 mm).





Cap-style Oil Filter Wrenches

Cap style design allows easy removal and installation from the end of the filter, even in tight locations.

KTI-73613 - Cap Filter Wrench 65mm 14 Flute KTI-73614 - Cap Filter Wrench 74-76mm 15 Flute KTI-73615 - Cap Filter Wrench 76mm 14 Flute KTI-73616 - Cap Filter Wrench 93mm 15 Flute











Oil Filter Cap Sockets

Designed to handle a variety of applications, oil filter cap socket is rugged, laser marked and works even in confined areas. Use to remove housings with cartridge-type oil filters.

KTI-73618 - Oil Filter Cap Socket 32mm


Applications: GM Ecotec 2.2L; Saturn: L-series (2001), Ion and Vue (2002-later); GM: Cavalier, Sunfire, Grand Am, Sonoma, S10, Allero (2002-later), Malibu (2002-2006); Pontiac: G6 and Solstice (2006); Chevrolet: HHR, Cobalt, Cobalt SS (2006); Saab: some models.



Applications: 6.0L Ford diesel; F250, F350, F450 pickups; Excursion.









Double Flaring Tool



Specially designed for double or single flare in copper, aluminum or soft steel brake line and brass tubing. Includes seven adapters in sizes ranging from 3/16"-5/8". Packaged in blow-molded case. Adapters available individually. Weight: 2.25 lbs.

KTI-70060-1 - Wing Nut KTI-70061 - 3/16 Adapter KTI-70062 - 1/4 Adapter KTI-70063 - 5/16 Adapter KTI-70064 - 3/8 Adapter KTI-70065 - 7/16 Adapter KTI-70066 - 1/2 Adapter KTI-70067 - 5/8 Adapter KTI-70068 - Flaring Press KTI-70069 - Sizing Clamp

KTI-70080

Double Flaring Tool U.S.-made



Professional double flare tool kit for fabricating double-compression lines (brake lines) or single-compression lines (fuel lines) in copper, steel, or aluminum. Kit features high-grade, alloy-steel center screw; plated, heat-treated, precision-ground swivel; and drop-forged, heat-treated yoke. Includes five adapters (3/16", 1/4", 5/16", 3/8" and 1/2"); each is laser engraved for easy identification. Packaged in blow-molded case. Adapters available individually. Weight: 2.3 lbs.







KTI-70081

Professional Brake Flaring Tool

This tool will pay for itself with the first project, and it'll give you peace of mind knowing that your brake flares are of OE-precision quality and safety. Mounts in your vise to help you easily form 45-degree double, single and bubble flares in OE steel, stainless steel, and soft metal tubing. Use with 3/16", 1/4", 5/16" and 3/8" diameter lines...which means it will handle all your plumbing jobs from brake lines to transmission cooler lines and fuel lines. Turret-style design allows you to make those precision flares in minimal time. All the brake flaring forming dies you need are mounted right on the turret. T-handle screw clamp holds your line in place during forming.



KTI-70085

ISO Flaring Tool

Kit allows mechanics to creates an ISO flare on brake lines without removing them from the vehicle. Although ISO flare is not the standard double flare, it is being installed on domestic and imported front-wheel drive cars and light trucks. Works on mild steel tubing (1.0 mm wall thickness). Kit includes yoke assembly, flaring bar, gauge/wrench and four adapters (4.75 mm 6 mm, 8 mm and 10 mm). Packaged in blow-molded case. Weight: 2.8 lbs.









KTI-70301

Reversible Puller 3" 2-jaw 2-ton 4" Spread 3-1/4" Reach



Reversible jaws feature a wide face on one end and a narrow face on the other - it's like two tools in one. Grip tightens as pressure is applied. Tool manufactured with heat-treated, drop-forged, alloy steel. Spread: 4". Reach: 3-1/4".



*Limited lifetime warranty on parts only.

KTI-70302

Reversible Puller 3" 2- or 3-jaw 2-ton 4-3/4" Spread 3-1/2" Reach



Reversible jaws feature a wide face on one end and a narrow face on the other - it's like two tools in one. Grip tightens as pressure is applied. Tool manufactured with heat-treated, drop-forged, alloy steel. Spread: 4-3/4". Reach: 3-1/2".



*Limited lifetime warranty on parts only.

KTI-70303

Reversible Puller 4"
2-jaw 4-ton
6" Spread
3-1/4" Reach



Reversible jaws feature a wide face on one end and a narrow face on the other - it's like two tools in one. Grip tightens as pressure is applied. Tool manufactured with heat-treated, drop-forged, alloy steel. Spread: 6". Reach: 3-1/4".



*Limited lifetime warranty on parts only.

KTI-70304

Reversible Puller 4"
2- or 3-jaw 5-ton
7" Spread
3-1/4" Reach



Reversible jaws feature a wide face on one end and a narrow face on the other - it's like two tools in one. Grip tightens as pressure is applied. Tool manufactured with heat-treated, drop-forged, alloy steel. Spread: 7". Reach: 3-1/4".



*Limited lifetime warranty on parts only.

KTI-70305

Reversible Puller 6" 2-jaw 5-ton 6" Spread 3-1/4" Reach



Reversible jaws feature a wide face on one end and a narrow face on the other - it's like two tools in one. Grip tightens as pressure is applied. Tool manufactured with heat-treated, drop-forged, alloy steel. Spread: 6". Reach: 3-1/4".



*Limited lifetime warranty on parts only.

KTI-70306


Reversible Puller 6" 2- or 3-jaw 5-ton 6" Spread 3-1/4" Reach



Reversible jaws feature a wide face on one end and a narrow face on the other - it's like two tools in one. Grip tightens as pressure is applied. Tool manufactured with heat-treated, drop-forged, alloy steel. Spread: 6". Reach: 3-1/4".



*Limited lifetime warranty on parts only.





KTI-70311

Adjustable Puller 4" 2-jaw 2-ton 4" Spread 3-1/2" Reach



Ideal for light duty gear pulling, such as electric motors and refrigeration applications. Spread: 4". Reach: 3-1/2". Capacity: 2 tons. U.S.-made.

Replacement parts: KTP-1204-1 - Yoke KTP-1204-2 - Center Screw KTP-1204-3 - Link KTP-1204-4 - Bolt	<u>Qty Req.</u> 1 1 4 4
KTP-1204-4 - Bolt	4
KTP-1204-5 - Jaw	2
KTP-1204-6 - Nut	4







*Limited lifetime warranty on parts only.

KTI-70313

Adjustable Puller 7" 2-jaw 5-ton 7" Spread 5-1/2" Reach



Ideal for most medium duty gear pulling tasks. Offers a wide range of reach. Spread: 7". Reach: 5-1/2". Capacity: 5 tons. U.S.-made.

Replacement parts:	<u>Qty Req.</u>
KTP-1206-1 - Yoke	1
KTP-1206-2 - Center Screw	1
KTP-1206-3 - Link	4
KTP-1206-4 - Bolt	4
KTP-1207-5 - Jaw	2
KTP-1204-6 - Nut	4







*Limited lifetime warranty on parts only.

KTI-70322

Reversible Puller 7" 2- or 3-jaw 5-ton 7" Spread 3-1/2" Reach



Tool complete with versatile combination yoke that can be assembled to make either a 2-3 jaw puller. Reversible jaws for internal or external pulls. A 3-point pull provides extra power and stability when needed. Spread: 7". Reach: 3-1/2". Capacity: 5 tons. U.S.-made.

Replacement parts:	Qty Req.
KTP-1407-1 - Yoke	1
KTP-1206-2 - Center Screw	1
KTP-1206-3 - Link	6
KTP-1206-4 - Bolt	6
KTP-1206-5 - Jaw	3
KTP-1204-6 - Nut	6







*Limited lifetime warranty on parts only.

KTI-70312

Adjustable Puller 6" 2-jaw 5-ton 6" Spread 3-1/2" Reach



Ideal for most medium duty gear pulling tasks. Designed for maximum utility. Reversible jaws have a wide face on one end and a narrow face on the other. Spread: 6". Reach: 3-1/2". Capacity: 5 tons. U.S.-made.

Replacement parts:	Qty Req
KTP-1206-1 - Yoke	1
KTP-1206-2 - Center Screw	1
KTP-1206-3 - Link	4
KTP-1206-4 - Bolt	4
KTP-1206-5 - Jaw	2
KTP-1206-6 - Nut	4







*Limited lifetime warranty on parts only.

KTI-70321

Adjustable Puller 4" 3-jaw 2-ton 4" Spread 3-1/2" Reach



Three jaws provide extra stability, making this puller ideal for light duty gear pulling applications. Spread: 4". Reach: 3-1/2". Capacity: 2 tons. U.S.-made.

Replacement parts:	Qty Req
KTP-1304-1 - Yoke	1
KTP-1204-2 - Center Screw	1
KTP-1204-3 - Link	6
KTP-1204-4 - Bolt	6
KTP-1204-5 - Jaw	3
KTP-1204-6 - Nut	6







*Limited lifetime warranty on parts only.

KTI-70323

Adjustable Puller 8" 2- or 3-jaw 5-ton 8" Spread 5-1/2" Reach



Tool complete with versatile combination yoke that can be assembled to make either a 2-3 jaw puller. A 3-point pull provides extra power and stability when needed. Spread: 8". Reach: 5-1/2". Capacity: 5 tons. U.S.-made.

Replacement parts:	Qty Req
KTP-1407-1 - Yoke	1
KTP-1206-2 - Center Screw	1
KTP-1206-3 - Link	6
KTP-1206-4 - Bolt	6
KTP-1207-5 - Jaw	3
KTP-1204-6 - Nut	6







KTI-70330

Steering **Wheel Puller** U.S.-made



Pulls steering wheels on most common makes of automobiles and light/medium duty trucks. Tool designed to avoid damage to steering shaft threads. Includes five sets of side bolts. U.S.-made.

Replacement parts:

KTP-187-1 - Cross Arm

KTP-187-2 - Center Screw

KTP-187-3 - Swivel and O-ring

KTP-187-4 - Side Screw 5/16" - 18 x 4-1/2" KTP-187-5 - Side Screw 5/16" - 24 x 3-1/2"

KTP-187-6 - Side Screw 3/8" - 16 x 4"

KTP-187-7 - Side Screw M8 x 1.25 x 80mm

KTP-187-9 - Bolts







Limited lifetime warranty on parts only.

KTI-70343

Harmonic Balancer Installer



KTP-188-8B - Adapter 5/16" - 18

KTP-188-9B - Adapter M12 x 1.5

KTP-188-10B - Adapter M14 x 1.5

KTP-188-11B - Adapter 3/4" x 16

KTP-188-12B - Adapter M16 x 2

KTP-188-14 - Knurled Nut

KTP-188-13B - Adapter M10 x 1.5

Easily installs balancers and drive pulleys that are pressed on the crankshaft. Includes eight threaded adapters: 7/16"-20; 1/2"-20; 9/16"-20; 5/8"-20; 3/4"-16; M12-1.5; M14-1.5; and M16-2.0. U.S.-made.

Replacement parts:

KTP-188-1 - Center Screw KTP-188-2 - Forcing Nut

KTP-188-3 - Thrust Bearing (old)

KTP-188-3A - Thrust Bearing (new)

KTP-188-4 - Cap Screw 3/8" - 24 x 5"

KTP-188-5B - Adapter 7/16" - 20

KTP-188-6B - Adapter 1/2" - 20

KTP-188-7B - Adapter 9/16" - 18

WARRANTY

Limited lifetime warranty on parts only.

KTI-70348

Steering Wheel **Puller**



Puller specially designed to prevent damage to steering shaft threads.



Limited lifetime warranty on parts only

KTI-70300

Pulley Puller and Installer Set

Complete set removes and installs most power steering and alternator pulleys on domestic vehicles. Works with traditional V-shaped pulleys and serpentine belt system pulleys. Packaged in blow-molded case. Weight: 1.85 lbs.



Replacement Parts:

KTI-70300-1 - Puller body KTI-70300-7 - Screw KTI-70300-2 - Washer KTI-70300-8 - Screw KTI-70300-3 - Bearing KTI-70300-9 - Screw KTI-70300-4 - Jaw & sleeve assembly KTI-70300-10 - Puller Pin

KTI-70300-5 - Button KTI-70300-11 - Puller Pin KTI-70300-6 - Jack screw KTI-70300-12 - Puller Pin



WARRANTY *Limited lifetime warranty on parts only.

KTI-70344

Harmonic Balancer Puller



Pulls harmonic balances on most automobiles. Tool can be used on flywheels, gears, pulleys and other parts with tapped holes. Includes five sets of side bolts. U.S.-made.

Replacement parts:

KTP-189-1 - Yoke

KTP-189-2 - Center Screw

KTP-189-3 - Swivel and O-ring

KTP-189-4 - Side Screw 5/16" - 18 x 2"

KTP-189-5 - Side Screw 3/8" - 24 x 2"

KTP-189-6 - Side Screw 3/8" - 16 x 4"

KTP-189-7 - Side Screw M8 x 1.25 x 80mm



*Limited lifetime warranty on parts only.

KTI-70350

Long-jaw Reversible Puller



Five-ton reversible puller easily removes and installs pressed-on power steering, alternator and air pump pulleys. Includes five-ton reversible puller that can be used as two- or three-jaw puller in eight different combinations.



Limited lifetime warranty on parts only.



KTI-70355

Pilot Bearing Puller



KTP-14-6 - Jaw (regular)

KTP-14-6A - Jaw (small)

KTP-14-7 - Pressure Nut

KTP-14-8 - Washer

Use to remove fly wheel pilot bearings up to 7-1/2" long in tight spaces where a slide hammer just won't fit. Versatile tool also works as a bearing and bushing puller for generators and starters. Spread: 1/2" to 1-1/2" I.D. Weight: 2.3 lbs. U.S.-made.

Replacement parts:

KTP-14-1 - Yoke KTP-14-2 - Body

KTP-14-3 - Pressure Screw Assembly KTP-14-4 - Retaining Bar KTP-14-5 - Jaw Screw

THE SAN SOI



*Limited lifetime warranty on parts only.

KTI-70360

Pitman Arm Puller



Removes full-size Pitman arms from most cars and light trucks. Features drop-forged frame and carbon-steel drive screw. Opening: 1-5/16" (33 mm). Pull: 2-1/2" (64 mm). Weight: 1.85 lbs.



KTI-70365

Pitman Arm Puller U.S.-made



Provides steady, smooth pull of a screw-type puller needed when tackling tougher, bigger jobs. Features heat-treated center screw and heat-treated, alloy steel, heavy-duty yoke. Weight: 2.1 lbs. U.S.-made





KTI-70356

Pilot Bearing Slide Hammer



Center rod spreads forged steel jaws, pushing them out against the bearing for quick and easy removal of bearings and other parts located in tight spaces. Spread: 1/2" to 1-1/2". Weight: 3.7 lbs. U.S.-made.

Replacement parts:

KTP-15-1 - Center Rod Assembly

KTP-14-2 - Body

KTP-15-3 - Nut and Jaw Screw

KTP-15-4 - Hammer

KTP-14-5 - Jaw Screw KTP-14-6 - Jaw (regular)

KTP-14-6A - Jaw (small)







KTI-70370

MacPherson Strut Spring Compressor



Works with most MacPherson strut assemblies to quickly assist in replacement of bent struts, strut tubes and damaged filters while on or off the vehicle. Tool manufactured with Acme threaded screw for durability. Fits most automobiles, but should not be used on GM "A," "C," "J" or "X" body cars. Weight: 7 lbs.



KTI-70371

MacPherson Heavy-duty Strut Spring Compressor

Works with most MacPherson strut assemblies to quickly assist in replacement of bent struts, strut tubes and damaged filters while on

or off the vehicle. Tool manufactured with Acme threaded screw for durability. Fits most automobiles, but should not be used on GM "A," "C," "J" or "X" body cars. Weight: 7 lbs.







KTI-70372

Universal Strut Spring Compressor



Services a wide range of MacPherson struts without the need to use special adapter shoes. Jaws are held in place by safety lock pins. Tool can be driven by hand or with an impact wrench. Compresses springs ranging from 4"-9" O.D. with wire diameters of 7/16"-11/16". Packaged in blow-molded storage case. Weight: 21 lbs.

LIFETIME WARRANTY

KTI-70380

Rear Axle Bearing Puller Kit



Make easy work of removing semifloating rear axle bearings. Set includes three sizes to service most domestic cars. Use with standard slide hammer.

Replacement parts:

KTI-70380-1 - Bearing puller 11/4" max KTI-70380-2 - Bearing puller 21/4" max KTI-70380-3 - Bearing puller 21/4" max



KTI-70383

Puller and Bearing Separator 0 to 2-1/4"



Removes generator gears, bearing cones, bearings and similar parts that puller jaws cannot reach. Designed to reduce risk of damage to part. Flush knife-edge blades get behind work where most puller jaws cannot fit or grip. Manufactured with high quality, heat treated steel. Spread: 0"-2-1/4". Threaded holes: 3/8"-16".



KTI-70375

Coil Spring Compressor



Single action tool boasts strong, steel jaws that securely hook into coil springs for their removal and installation. Works with most domestic and some imported vehicles. Should not be used on MacPherson struts. Weight: 3.5 lbs. U.S.-made



KTI-70382

Bearing Separator 0 to 4-1/4"



Removes generator gears, bearing cones, bearings and similar parts that puller jaws cannot reach. Designed to reduce risk of damage to part. Flush knife-edge blades get behind work where most puller jaws cannot fit or grip. Manufactured with high quality, heat treated steel. Spread: 0"-4-1/4". Threaded holes: 5/8"-18".

Replacement parts: KTP-503-1 - Body (pair) KTP-503-2 - Side Screw KTP-503-3 - Nut








KTI-70384

Puller and Bearing Separator 0 to 4-1/4"



Removes generator gears, bearing cones, bearings and similar parts that puller jaws cannot reach. Designed to reduce risk of damage to part. Flush knife-edge blades get behind work where most puller jaws cannot fit or grip. Manufactured with high quality, heat treated steel. Spread: 0"-4-1/4". Threaded holes: 5/8"-18".







KTI-75201

Ford Triton Spark Plug Extractor Set

KTI's spark plug extractor set is a must-have for servicing Ford Triton engines model year 2004 and later. This set easily extracts frozen and broken off spark plug sleeves from cylinder heads without removing the actual heads. A specially machined guide works with extra-long tap and extractor to ensure the job is done right. Avoid engine damage by using the KTI spark plug porcelain extractor set (KTI-75202) to remove broken porcelain before extracting spark plug sleeve. Lifetime warranty.





KTI-75202

Ford Porcelain Spark Plug Exractor Set

KTI's spark plug porcelain extractor set works in conjunction with the KTI spark plug extractor set (KTI-75201) It is a must-have set for servicing Ford Triton engines model year 2004 and later. This set easily extracts broken porcelain from spark plug sleeves. Set uses a special bonding agent to extract porcelain from spark plug sleeve without pushing on the broken plug and potentially pushing it into the cylinder causing engine damage. Meets Ford TSB specifications. Lifetime warranty.





KTI-71519

Tie Rod End Tool

Inexpensive and effective way to turn smooth tie rod ends. Able to remove the inner tie rod without removing the outer tie rod. Excellent for repairing rack seals. Simply slide the tool over the end and tighten the collar to allow access with a 3/8" drive extension. Fits most inner tie rods. Lifetime warranty.





Tie Rod and Ball Joint Separators

KTI-71501

Use to replace worn out tie rods and separate shock absorber links. Tine opening: 11/16". Overall length: 15-3/4".

KTI-71502

Use to replace worn out ball joints and remove CV drive shafts on FWD vehicles. Tine opening: 15/16". Overall length: 11-3/4".







KTI-71550

4-in-1 Ball Joint Service Set

Removes and installs press fit parts, such as ball joints, universal joints and truck anchor pins without makeshift techniques. Takes out even rusted and corroded parts. Includes three receiver tubes (2-3/4" ID x 3" OD, 2-1/4" ID x 2-1/2" OD and 1-3/4" ID x 2" OD).

Replacement parts:

KTI-71550-1 - Screw
KTI-71550-6 - Receiving cup
KTI-71550-2 - C-frame
KTI-71550-3 - Removal adapter (right)
KTI-71550-4 - Removal adapter (right)
KTI-71550-5 - Installing cup adapter
KTI-71550-10 - Pipe 1¾" x 2½"





KTI-71555

Ball Joint Master Service Adapter Set

Kit includes all receiver tubes and removing/installing adapters needed to work on most GM, Ford and Dodge 2WD and 4WD pick-ups, vans and sport utility vehicles through 1997. Works on press fit upper and lower ball joints. Packaged with application chart.

Replacement parts:

KTI-71555-1 - Receiving tube 3" OD x 2¾" ID
KTI-71555-2 - Receiving tube 2½" OD x 2½" ID
KTI-71555-3 - Receiving tube 2½" OD x 2½" ID
KTI-71555-4 - Receiving tube 2½" OD x 2½" ID
KTI-71555-5 - Receiving tube 2½" OD x 2½" ID
KTI-71555-6 - Receiving tube 2½" OD x 2½" ID
KTI-71555-7 - Receiving tube 2½" OD x 2½" ID
KTI-71555-14 - Receiving tube 2½" OD x 2½" ID
KTI-71555-14 - Receiving tube 2½" OD x 2½" ID
KTI-71555-14 - Plug ½" OD X ½" ID
KTI-71555-14 - Plug ½" OD X ½" ID





KTI-70500

Heavy-duty 10 lb. Dent Puller Kit

Kit contains 10 lb. slide hammer, two pipes (two-hole and hex nut), and chain with hook and five-plate puller attachments. Packaged in blow-molded case.

Replacement parts:

KTI-70500-1 - Pipe 22.5mm x 590mm
KTI-70500-2 - Hammer
KTI-70500-3 - Pipe 22.5mm x 200mm
KTI-70500-4 - Plate 6mm x 170mm
KTI-70500-5 - Plate 6mm x 120mm
KTI-70500-11 - Hex nut

KTI-70500-11 - Hex nut

KTI-70500-5 - Plate 6mm x 120mm

KTI-70500-12 - Washer 3mm x 5mm x 24mm





KTI-70510

Slide Hammer Puller Kit


Easily removes flange-type axles, oil seals, bearings and other press fit parts. Includes: 5 lb. slide hammer; 8-function/3-jaw puller; 2-jaw puller; puller hook; rear axle puller; dent puller; and grip wrench adapter.

Replacement parts:

KTI-70510-1 - T-bar KTI-70510-7 - 3-jaw head KTI-70510-2 - Hammer KTI-70510-8 - Screw and nut KTI-70510-3 - Axle puller KTI-70510-4 - Grip wrench adapter KTI-70510-5 - Nut KTI-70510-1 - Tapping screw KTI-70510-6 - 2-jaw head KTI-70510-12 - Hook









MEGAHAMMER® KTI-70390 (3-piece set)



Removes seized bearing assemblies and associated components from a vehicle chassis for maintenance and repair. Minimizes cost and potential damage. Compatible with 3/4- and 1-ton American made trucks with 4-, 6- or 8-bolt patterns. Complete MEGAHAMMER™ kit includes 4-, 6-, 8-bolt head (KTI-70394), slide and stop assembly (KTI-70395) and hammer assembly (KTI-70396). 38" length, 65 lbs. Additional optional heads available.

Replacement parts:

KTI-70395 - Replacement Slide and Stop Assembly

KTI-70396 - Replacement Hammer Assembly

Warranty information: 1-year warranty.





MEGAHAMMER® 5-bolt Head



Services 1/2-ton Ford, GM and Dodge trucks. 8" diameter, 171/2 lbs.

Warranty information:

1-year warranty.

KTI-70392

MEGAHAMMER® 8-bolt Head



Services Ford Super Duty F250/F350 4x4 trucks. 8" diameter, 281/2 lbs.

Warranty information:

1-year warranty.

KTI-70394

MEGAHAMMER® 4-, 6-, 8-bolt Head



Services 3/4- and 1-ton American made trucks with 4-, 6- or 8-bolt patterns. 8" diameter, $17\frac{1}{2}$ lbs.

Warranty information: 1-year warranty.













CAUTION: Lock nut on hub removal tool must be tight to protect against thread damage. Slide shaft thread to be engaged into base late thread so it is flush with inside edge of base plate thread. Use countersunk holes ONLY for proper grip on studs. Use outboard support to help prevent tool and wheel assembly from dropping to floor. Do not stand behind tool when in use. Tool is heavy. Use extreme caution when lifting. Keep extremities clear of pinch points. Always wear eye protection when using hub removal tool. Locking pin must be in place when not in use. Not responsible for damage to vehicle.

WARNING: Please follow instructions carefully to reduce risk of personal injury or possible damage to the vehicle.

KTI-70393

MEGAHAMMER® 6-bolt Head



For use primarily with Dodge Durango and Chevy Trailblazer. It will, however, accommodate any 6-bolt patterns with bolt circle diameters from 4" up to 6.75".

Warranty information: 1-year warranty.

KTI-70397

MEGAHAMMER® 4-bolt Head



Primarily for use with Honda vehicles with 4-bolt patterns. It will fit 4-bolt patterns with bolt circle diameters from 4.2" up to 5.26".

Warranty information: 1-year warranty.







KTI-22802

3-piece Brake Service Torq Socket Set 3/8" Drive

Three-piece set includes T-40, T-45 and T-50 Torq bits. Use on disc brake calipers to remove and install brake pads. Bits are heat treated and precision machined. All are 3/8"drive.

Set includes (also available individually):

KTI-22840 - T40 torq socket **KTI-22845** - T45 torq socket **KTI-22850** - T50 torq socket





KTI-22902

3-piece Brake Caliper Hex Bit Set SAE 3/8" Drive



Three-piece set includes 1/4", 5/16", 3/8" hex bits. Use on disc brake calipers to remove and install brake pads. Bits are heat treated and precision machined.

Set includes (also available individually):

KTI-22908 - 1/4" hex bit **KTI-22910** - 5/16" hex bit **KTI-22912** - 3/8" hex bit







KTI-70131

Brake Spring Pliers



Save time and effort with this handy double-ended tool for removing and replacing brake shoe return springs on brake drum. Hooked end installs. Handle provides socket type spring remover.

LIFETIME WARRANTY

KTI-70133

Retainer Spring Tool



Used to compress the spring loaded clip on brake shoes. Features an ergonomic, contoured handle.





KTI-27902

3-piece Brake Caliper Hex Bit Set Metric 3/8"Drive



Three-piece metric set includes 7mm, 8 mm, 10 mm hex bits. Use on disc brake calipers to remove and install brake pads. Bits are heat treated and precision machined.

Set includes (also available individually):

KTI-27907 - 7mm hex bit **KTI-27908** - 8mm hex bit **KTI-27910** - 10mm hex bit







KTI-70132

Brake Spring Tool



Brake spring tool. For taking off and re-installing the heavy center springs.

WARRANTY'

KTI-70163

Disc Brake Piston tool



Rotates pistons back into brake calipers when replacing brake pads on vehicles with rear wheel disc brakes. Provides 6-drive pin configurations to fit most Chrysler, Ford and GM cars and light trucks. 3/8" square drive.





KTI-72260

Brake Bleeder and Auto Tune-up Kit

Generally a messy, two-person job, this kit allows a single technician to quickly and cleanly bleed automotive brake and hydraulic clutch systems, as well as get answers to hundreds of automotive diagnostic and mechanical tests. The kit's powerful piston-style pump features a one-finger trigger vacuum release, patented contoured molded grip, and durable, lightweight, non-corrosive PVC construction. An integrated diaphragm-style gauge displays Hg and kpa units and can be easily read by either right- or left-handed users. Along with the pump, the kit contains all components needed for one-person operation.



KTI-70160

Disc Brake Pad / Caliper Service Set

Rotates pistons back into the caliper to provide clearance for new pads. Designed to prevent damage to piston and boot, kit includes magnetic socket adapter and eight adapters for brake assemblies. Packaged in blow-molded case.





KTI-71910

Lugnut Removing Set

Removes locking lug nuts and locking hubcaps on most vehicles. For use with impact wrenches. Packaged in blow-molded case.





KTI-71920

7-piece

Wheel Bearing Locknut Set

Includes these locknut sockets: 55 mm hex; 2-3/8" hex; 2-1/2" hex; 2-1/2" rounded hex; 2-3/4" rounded hex; 2-9/16" rounded hex; and 2-3/8". Packaged in blow-molded case. Sockets available individually.

Set includes (also available individually):

KTI-71921 - 2-3/8" hex KTI-71925 - 2-3/4" round KTI-71926 - 2-9/16" round KTI-71923 - 2-1/2" round KTI-71927 - 2-3/8" round KTI-71924 - 2-3/4" round

LIFETIMEWARRANTY





KTI-71940

4-way Lugnut Wrench Fractional

Sizes: 11/16", 3/4", 13/16" and 7/8" Drop-forged and heat-treated for strength and durability. Cross design provides improved leverage and extra torque.





KTI-71980

4-way Lugnut Wrench Metric

Sizes: 17mm, 19mm, 21mm and 23mm Drop-forged and heat-treated for strength and durability. Cross design provides improved leverage and



ACC-10-0314

4-piece AccuTorq® Set Application: Ford



ACC-10-0315

4-piece AccuTorq® Set Application: Cars, Vans and Light Trucks



Set includes (also available individually):

ACC-10-0308	Gray	1/2" drive	19mm	100 ft./lbs.
ACC-10-0310	Light Brown	1/2" drive	21mm	80 ft./lbs.
ACC-10-0311	Brown	1/2" drive	21mm	100 ft./lbs.
ACC-10-0313	Turquoise	1/2" drive	7/8"	140 ft./lbs.





Set includes (also available individually):

ACC-10-0306	Yellow	1/2" drive	19mm	65 ft./lbs.
ACC-10-0307	Blue	1/2" drive	19mm	80 ft./lbs.
ACC-10-0308	Gray	1/2" drive	19mm	100 ft./lbs.
ACC-10-0311	Brown	1/2" drive	21mm	100 ft /lbs





ACC-10-0317

5-piece AccuTorq® Set



ACC-10-0319

9-piece AccuTorq® Set



Set includes (also available individually):

0010.0000 (0		a		
ACC-10-0305	Red	1/2" drive	17mm	80 ft./lbs.
ACC-10-0307	Blue	1/2" drive	19mm	80 ft./lbs.
ACC-10-0308	Gray	1/2" drive	19mm	100 ft./lbs.
ACC-10-0310	Light Brown	1/2" drive	21mm	80 ft./lbs.
ACC-10-0311	Brown	1/2" drivo	21 mm	100 ft /lbc





Set includes (also available individually):

ACC-10-0304	Green	1/2" drive	17mm	55 ft./lbs.
ACC-10-0305	Red	1/2" drive	17mm	80 ft./lbs.
ACC-10-0306	Yellow	1/2" drive	19mm	65 ft./lbs.
ACC-10-0307	Blue	1/2" drive	19mm	80 ft./lbs.
ACC-10-0308	Gray	1/2" drive	19mm	100 ft./lbs.
ACC-10-0310	Light Brown	1/2" drive	21mm	80 ft./lbs.
ACC-10-0311	Brown	1/2" drive	21mm	100 ft./lbs.
ACC-10-0312	White	1/2" drive	22mm	120 ft./lbs.
ACC-10-0313	Turquoise	1/2" drive	7/8"	140 ft./lbs.





ACC-10-0321

8-piece AccuTorq® Set



Set includes (also available individually):

ACC-10-0304	Green	1/2" drive	17mm	55 ft./lbs.
ACC-10-0305	Red	1/2" drive	17mm	80 ft./lbs.
ACC-10-0306	Yellow	1/2" drive	19mm	65 ft./lbs.
ACC-10-0307	Blue	1/2" drive	19mm	80 ft./lbs.
ACC-10-0308	Gray	1/2" drive	19mm	100 ft./lbs.
ACC-10-0310	Light Brown	1/2" drive	21mm	80 ft./lbs.
ACC-10-0311	Brown	1/2" drive	21mm	100 ft./lbs.
ACC-10-0313	Turquoise	1/2" drive	7/8"	140 ft./lbs.





ACC-10-0323

10-piece AccuTorq® Set



Set includes (also available individually):

0010.0000 (0				
ACC-10-0327	Light Blue	1/2" drive	22mm	100 ft./lbs.
ACC-10-0328	Charcoal	1/2" drive	21mm	147 ft./lbs.
ACC-10-0329	Off White	1/2" drive	17mm	90 ft./lbs.
ACC-10-0334	Light Yellow	1/2" drive	17mm	113 ft./lbs.
ACC-10-0336	Orange	1/2" drive	22mm	75 ft./lbs.
ACC-10-0340	Mud	1/2" drive	14mm	80 ft./lbs.
ACC-10-0341	Quartz	1/2" drive	19mm	120 ft./lbs.
ACC-10-0342	Light Tan	1/2" drive	19mm	90 ft./lbs.
ACC-10-0343	Red Orange	1/2" drive	21mm	110 ft./lbs.
ACC-10-3898	Light Purple	1/2" drive	22mm	160 ft./lbs.





ACC-10-0326

6-piece AccuTorq® Set Application: Ford



Set includes (also available individually):

ACC-10-0308	Gray	1/2" drive	19mm	100 ft./lbs.
ACC-10-0310	Light Brown	1/2" drive	21mm	80 ft./lbs.
ACC-10-0311	Brown	1/2" drive	21mm	100 ft./lbs.
ACC-10-0313	Turquoise	1/2" drive	7/8"	140 ft./lbs.
ACC-10-0328	Charcoal	1/2" drive	21mm	147 ft./lbs
ACC-10-3898	Light Purple	1/2" drive	22mm	160 ft /lhs





ACC-10-0322

10-piece AccuTorq® Set



Set includes (also available individually):

ACC-10-0304	Green	1/2" drive	17mm	55 ft./lbs.
ACC-10-0305	Red	1/2" drive	17mm	80 ft./lbs.
ACC-10-0306	Yellow	1/2" drive	19mm	65 ft./lbs.
ACC-10-0307	Blue	1/2" drive	19mm	80 ft./lbs.
ACC-10-0308	Gray	1/2" drive	19mm	100 ft./lbs.
ACC-10-0310	Light Brown	1/2" drive	21mm	80 ft./lbs.
ACC-10-0311	Brown	1/2" drive	21mm	100 ft./lbs.
ACC-10-0312	White	1/2" drive	22mm	120 ft./lbs.
ACC-10-0313	Turquoise	1/2" drive	7/8"	140 ft./lbs.
ACC-10-3899	Light Green	1/2" drive	24mm	140 ft./lbs.





ACC-10-0324

5-piece AccuTorq® Set Application: Ford



Set includes (also available individually):

ACC-10-0308	Gray	1/2" drive	19mm	100 ft./lbs.
ACC-10-0310	Light Brown	1/2" drive	21mm	80 ft./lbs.
ACC-10-0311	Brown	1/2" drive	21mm	100 ft./lbs.
ACC-10-0313	Turquoise	1/2" drive	7/8"	140 ft./lbs.
ACC-10-0328	Charcoal	1/2" drive	21mm	147 ft./lbs.





ACC-10-0449

4-piece AccuTorq® Set Application: Light Truck



Set includes (also available individually):

ACC-10-0308	Gray	1/2" drive
ACC-10-0311	Brown	1/2" drive
ACC-10-0313	Turquoise	1/2" drive
ACC-10-0328	Charcoal	1/2" drive

19mm	100 ft./lbs.
21mm	100 ft./lbs.
7/8"	140 ft./lbs.
21mm	147 ft./lbs.







ACC-10-0450

4-piece AccuTorq® Set Application: Deep Well Truck



Set includes (also available individually

White	1/2" drive	22mm	120 ft./lbs.
Turquoise	1/2" drive	7/8"	140 ft./lbs.
Charcoal	1/2" drive	21mm	147 ft./lbs.
Light Green	1/2" drive	24mm	140 ft./lbs.
	Turquoise Charcoal	Turquoise 1/2" drive Charcoal 1/2" drive	Turquoise 1/2" drive 7/8" Charcoal 1/2" drive 21mm





ACC-10-0451

5-piece AccuTorg® Set Application: Volvo



Set includes (also available individually):

ACC-10-0306	Yellow	1/2" drive	19mm	65 ft./lbs.
ACC-10-0307	Blue	1/2" drive	19mm	80 ft./lbs.
ACC-10-0308	Gray	1/2" drive	19mm	100 ft./lbs.
ACC-10-0310	Light Brown	1/2" drive	21mm	80 ft./lbs.
ACC-10-0342	Light Tan	1/2" drive	19mm	90 ft./lbs.





ACC-10-0455

5-piece

AccuTorq® Set Application: Light Truck



Set includes (also available individually):

ACC-10-0312	White	1/2" drive
ACC-10-0313	Turquoise	1/2" drive
ACC-10-0328	Charcoal	1/2" drive
ACC-10-3898	Light Purple	1/2" drive
ACC-10-3899	Light Green	1/2" drive



140 ft./lbs. 21mm 147 ft./lbs. 22mm 160 ft./lbs. 24mm 140 ft./lbs.

ACC-20-4100

4-piece Heavy-duty AccuTorq® Set 3/4" Drive



Set includes (also available individually):

ACC-20-0318	Red	3/4" drive	11/4"	250 ft./lbs.
ACC-20-0319	Brown	3/4" drive	33mm	475 ft./lbs.
ACC-20-0320	Black	3/4" drive	1½"	475 ft./lbs.
ACC-20-0321	Yellow	3/4" drive	13/16"	475 ft./lbs.







4-piece Heavy-duty AccuTorq® Set 1" Drive



Set includes (also available individually):

ACC-20-3908	Red	1" drive	1¼"	250 ft./lbs.
ACC-20-3909	Brown	1" drive	33mm	475 ft./lbs.
ACC-20-3910	Black	1" drive	1½"	475 ft./lbs.
ACC-20-3911	Yellow	1" drive	13/16"	475 ft./lbs.





ACC-10-0103

Torque Chart

Easy-to-read, color-coded torque chart. Lists applications for most foreign and domestic vehicles.




ACC-20-3100

4-slot Heavy-duty Storage Bracket

Heavy-duty wall bracket for convenient storage of heavy-duty torque sockets







A	CC-1	0-0340

14mm - 80 ft/lbs. (A) Mud

ACC-10-0304 17mm - 55 ft/lbs.

Green (B)

ACC-10-0305

17mm - 80 ft/lbs. Red (C)

ACC-10-0329

17mm - 90 ft/lbs. Off White (D)

ACC-10-0334

17mm - 113 ft/lbs. Light Yellow (E)

ACC-10-0306

19mm - 65 ft/lbs.

Yellow (F) ACC-10-0307

19mm - 80 ft/lbs.

(G) Blue

ACC-10-0342

19mm - 90 ft/lbs. Light Tan (H)

ACC-10-0308

19mm - 100 ft/lbs.

Gray

ACC-10-0341 19mm - 120 ft/lbs.

Quartz Gray (J)

ACC-10-0309

21mm - 60 ft/lbs. Black (K)

ACC-10-0310

21mm - 80 ft/lbs. Light Brown (L)

ACC-10-0311

21mm - 100 ft/lbs. (M) Brown

1/2" Drive

ACC-10-0343

21mm - 110 ft/lbs. (N) Red Orange

ACC-10-0328

21mm - 148 ft/lbs. (O) Charcoal

ACC-10-3898

21mm - 160 ft/lbs.

(P) Light Purple

ACC-10-0337

22mm - 60 ft/lbs. Dark Green (Q)

ACC-10-0336

22mm - 75 ft/lbs. Orange (R)

ACC-10-0327

22mm - 100 ft/lbs. (S) Light Blue

(T)

(U)

(W)

(X)

ACC-10-0312

22mm - 120 ft/lbs. White

ACC-10-0313

22mm - 140 ft/lbs.

Turquoise ACC-10-0338

22mm - 110 ft/lbs. (V) Copper

ACC-10-0339

Pink

22mm - 154 ft/lbs.

ACC-10-3899

24mm - 140 ft/lbs.

Light Green ACC-20-3900

1" - 140 ft/lbs. (Medium-duty) Purple (Y)

ACC-20-3901

11/16" - 140 ft/lbs. (Medium-duty) Tan (Z)

ACC-20-3902

11/8" - 140 ft/lbs. (Medium-duty) Olive

ACC-20-3903

11/4" - 140 ft/lbs. (Medium-duty) Burgundy

3/4" Drive

ACC-20-3904

1" - 175 ft/lbs. (Heavy-duty) Orange

ACC-20-3921

13/16" sq. - 475 ft/lbs. (Heavy-duty) Yellow

ACC-20-3918

11/4" - 250 ft/lbs. (Heavy-duty)

Red

(EE) ACC-20-3919

33mm - 475 ft/lbs. (Heavy-duty) Brown (FF)

ACC-20-3920

11/2" - 475 ft/lbs. (Heavy-duty) (GG)

AccuTorq® Torque **Limiting Sockets**

1" Drive

ACC-20-3911

13/16" sq. - 475 ft/lbs. (Heavy-duty) Yellow (HH)

ACC-20-3908

11/4" - 250 ft/lbs. (Heavy-duty) Red

ACC-20-3909

33mm - 475 ft/lbs. (Heavy-duty) (JJ)

Brown

ACC-20-3910 11/2" - 475 ft/lbs. (Heavy-duty)

Black

ACC-20-3045

30mm - 330 ft/lbs. (Heavy-duty) Unpainted (LL)

ACC-20-3055

30mm - 400 ft/lbs. (Heavy-duty) Unpainted (MM)

ACC-20-3056

30mm - 400 ft/lbs. (Heavy-duty) Light Blue (NN)

ACC-20-3360

33mm - 440 ft/lbs. (Heavy-duty) Unpainted (OO)

ACC-20-3345

33mm - 330 ft/lbs. (Heavy-duty) Unpainted (PP)

ACC-20-4155

41mm - 400 ft/lbs. (Heavy-duty) Unpainted (QQ)

Made of specially heat treated Swedish spring steel, making AccuTorq® the most accurate torque socket in the world. Patented AccuTorq® strobe marks stop turning at precisely the correct torque EVERY time. There is NO guess work and no recalibration. Solid one-piece construction of AccuTorq® automotive and commercial truck sockets eliminates the wide torque variances unavoidable with socket extensions and adapters. Features deep well sockets for those special applications where regular socket depth is just not enough. AccuTorq®'s ultrasonic inspection of EACH socket and its ISO 9001 quality certification of manufacturing processes, make it possible for each AccuTorq to come with a lifetime guarantee. Made in Sweden



Ratcheting-style Torque Wrenches

Ratcheting style torque wrench "clicks" when proper torque is achieved. Accuracy: ±4%. Packaged in blow-molded case.

KTI-72117	30-150 in./lbs.	1/4" drive	7¾" length
KTI-72100	20-200 in./lbs.	3/8" drive	11" length
KTI-72101	10-150 ft./lbs.	1/2" drive	18" length
KTI-72102	25-250 ft./lbs.	1/2" drive	25" length
KTI-72175	100-600 ft./lbs.	3/4" drive	42" length

Warranty information:

90-day limited warranty. Repairable item. Half-price replacement option after 90-days.



Micrometer-style Adjustable Torque Wrenches U.S.-made

Fast, accurate and easy to use torque wrench features color-coded English and metric settings. Reversible ratchet head for torquing left or right handed fasteners. Ball bearing mounted internal torque mechanism for accuracy and prolonged calibration life. Accuracy: ±4% within upper 80% of range. Packaged in blow-molded case. U.S.-made.

KTI-72118	20-100 in./lbs.	1/4" drive	8¾" length
KTI-72120	25-250 in./lbs.	3/8" drive	13" length
KTI-72121	10-100 ft./lbs.	3/8" drive	17" length
KTI-72125	20-150 ft./lbs.	1/2" drive	20½" length
KTI-72126	25-250 ft./lbs.	1/2" drive	23" length
KTI-72176	100-600 ft./lbs.	3/4" drive	41" length

Warranty information:

1-year warranty. Repairable item.





Micrometer-style Adjustable Torque Wrenches

Achieve the proper torque with KTI's click-style torque wrenches. Torque wrenches are extremely accurate and easy-to-use. Simply adjust the torque specification on the wrench by releasing the red knob and turning the handle of the torque wrench while holding the shaft of the torque wrench. Torque wrenches feature a ball detent socket retainer with push-button release for quick socket changes. Manufactured for accuracy, strength and reliability.

Accuracy: ±4~6%. Packaged in a blow-molded case.

KTI-72140	25-250 in./lbs.	3/8" drive	8¾" length
KTI-72143	10-100 ft./lbs.	3/8" drive	16¼" length
KTI-72141	20-150 ft./lbs.	1/2" drive	18¾" length
KTI-72142	25-250 ft./lbs.	1/2" drive	21½" length
KTI-72145	100-600 ft./lbs.	3/4" drive	39" length

Warranty information:

90-day limited warranty. Repairable item. Half-price replacement option after 90-days.





Digital Torque Wrenches

Digital torque wrench eliminates the possibility of human error with a series of lights and alarms that immediately alert the user to torque readings that are "over or under" entered values. Easy to use, exceedingly accurate (plus/minus 1 percent CW, plus/minus 2 percent CCW) and featuring a high contrast, backlit LCD screen display, users press only four buttons to operate the tool: power on/off; unit of measurement (ft./lbs., in./lbs., N-m); torque target up; and torque target down. Technicians can quickly switch among three types of measurement, eliminating the need to have three separate tools. The wrench boasts a non-slip grip, a rugged, durable housing, a 36-tooth gear and a lever-type ratchet to ease directional switching. Estimated battery life: 110 hours. Blow-molded case.

KTI-72130 10-100 ft./lbs. 3/8" drive 161/4" length KTI-72132 20-250 ft./lbs. 1/2" drive 25" length

Warranty information:

90-day limited warranty. Repairable item. Half-price replacement option after 90-days.



KTI-89001

Digital Tire Inflator Gauge

KTI's digital air inflator features a rugged die-cast body and a range of 2 to 150 psi with 0.1 psi resolution. It is programmed to work with various units of measurement (psi/bar/kpa/kg/cm2) and works on TPMS equipped wheels. Features include a large face LCD digital display, anti-oil rubber casting and ergonomic grip. Boasts a dual head chuck and is accurate to within ±1% + 0.5psi at 100psi and ±2% + 0.5psi at 150psi. Backlit monitor is powered by two replaceable 3V lithium batteries.

Warranty information:

1-year warranty. Repair or replace at discretion of repair center.



Tire Inflator Gauge with Dual-head Chuck

Tire inflator gauge features pressure range from 10 to 120 lbs. shown in 2 lb. increments, 15" air hose with 1/4" female NPT, 6" chrome-plated dual-head chuck and 3/8" - 24 thread air inlet. Inflator gauge boasts a weatherproof aluminum body with corrosion-resistant brass valve. Rugged construction to withstand everyday use and abuse. Two steel washers provide an air-tight seal. Gauge and valve cartridges are replaceable. Easy-to-read and easy-to-use, magnifying bubble lens allows full view of scale. Angled tip makes it easy to inflate tires on trucks with dual wheels.

KTI-89002 - Packaged in color box KTI-89003 - Packaged in color slip card

Warranty information:

1-year warranty. Repair or replace at discretion of repair center.



KTI-71930

45-piece Tire Repair Kit

Easily and quickly repair punctures in tubeless tires. Simply prepare the hole with the spiral reamer, load the plug into the insertion needles, and plug the hole. Components designed for professional use in rugged shop environments. Kit includes handy carrying case and can be used to repair tires on cars, trucks, RVs, motor homes and more. Includes: 2 heavy-duty zinc alloy T-handles; 2 Allen wrenches; 1 steel insertion needle; 1 steel spiral reamer; 1 50-pack 4" tire string plugs; 1 tub of tire plug lube; 1 blow-molded carrying case.

KTI-71931 - Replacement Steel Plunger End KTI-71932 - Replacement Steel Reamer End KTI-71933 - Replacement 4" Strip 50-pack

KTI-71934 - Replacement Tire Plug Lube KTI-71935 - Replacement T-handle





KTI-71990A

Sensor **Activation Tool** with Quick Reference Guide on CD-ROM and **Quick Spec Flip Chart**



The PST is the only patented universal triggering tool you need for testing and resetting the TPM system. The PST eliminates the need for multiple tools to service various makes and models of vehicles. The TPMS Quick Reference Guide is a comprehensive listing of today's TPM systems, reset procedures and sensor learn procedures. The guide includes a guick reference table designed to provide a single point of reference for determining when TPM systems require re-setting as well as sensor nut torque requirements. The laminated TPMS Quick Spec Flip Chart is designed for the shop environment. and provides a quick but comprehensive snapshot of today's TPM systems.

KTI-71999

Master TPMS Kit



The Master TPMS Kit is the most complete TPMS shop solution available and includes the only sensor activation tool you need! In addition to the TPMS sensor activation tool, the Master TPMS Kit includes the Programming Interface Module (with one year of updates), tool holster, "Guide to TPMS" Training DVD, Quick Reference Guide on CD, TPMS Quick Spec Flip Chart, valve core torque tool and TPMS Four-way valve tool. Also includes Service Procedure Poster, an easy to read step-by-step guide for servicing vehicles with Tire Pressure Monitoring Systems (TPMS).

KTI-71989

Essential TPMS Combination Kit



Everything you need in one handy, economical kit. Each kit contains TPM tool, Programming Interface Module (PIM) with one year of updates, Quick Reference Guide on CD, TPMS Quick Spec Flip Chart and the "Guide to TPMS" Training DVD.

Warranty information for KTIpst, PIM and TPMS Scan Tool:

3-year warranty. Repair or replace at the discretion of the repair center. Consumable items are not covered.

KTI-71987A

TPMS Scan Tool with Asian Coverage and TPR Tool

This package provides for more in-depth TPMS analysis by directly accessing vehicle's TPMS control module. Registers sensor IDs to relearn most Asian vehicles. Also reads TPMS datastreams, reads & clears TPMS diagnostic trouble codes (DTCs), and enables downloading and printing of captured TPMS data. Detailed TPMS reference information embedded right on the tool, viewable on bright, color display. Packaged with the TPR (tire pressure reset) trigger tool, this tool combination wirelessly allows users to quickly and easily relearn most Asian branded vehicles.

KTI-71987-1 - Scan tool only KTI-71987-2 - OBD-II cable KTI-71987-3 - CD

KTI-71987-4 - Manual KTI-71987-5 - AA batteries KTI-71986 - TPR Tool







KTI-71991

Programming Interface Module



The Programming Interface Module (PIM) provides the critical link to update your PST or TIPS tool. One cable connects to a USB port on your computer and the other to a mini-USB located within the battery compartment of the tool. The PIM is a required accessory, allowing you to download updates to your TPM tool. Each PIM is shipped with a software license valid for one TPM tool for one year from date of purchase. TPM tool must be registered to receive software updates.

KTI-71985

Nissan TPMS Reset Tool



KTI's affordable Nissan Reset Tool is designed to quickly extinguish the Tire Pressure Warning Light on 2003 and newer Nissan vehicles by mating to the vehicle connector found behind the DLC connector under the dash.

Warranty information: 1-year warranty.

KTI-71981

TPMS T-10 Torque Limited Screwdriver



KTI's T-10 Torque Tool is used to tighten the torx screw in Schrader snap-in TPMS sensors. These sensors were introduced beginning in the 2007 model year. The torx screw secures the rubber valve stem to the sensor body. The T-10 is preset to 12 in./lbs. (1.3Nm). The T-10 is also used to remove the torx screws.

Replacement parts: **KTI-18810** - T-10 Replacement Bit





KTI-TIPSUPD10

TPMS Update 2010 CD, Manual and Flip Chart



The Quick Reference Guide on CD-ROM contains a comprehensive listing of today's TPM systems, reset procedures and sensor learn procedures. The guide includes a quick reference table, providing a single point of reference to determine when TPM systems require resetting and a listing of sensor nut torque requirements. The guide covers domestic and import models through 2010. This laminated Quick Spec Flip Chart provides a quick, but comprehensive snapshot of today's TPM systems.

KTI-71982

TPMS T-20 Torque Limited Screwdriver



KTI's T-20 Torque Tool is used to tighten the torx screw in Beru and other similar TPMS sensors. The torx screw secures the valve stem to the sensor body. The T-20 is preset to 35 in./lbs. (4.0Nm) so the torx screw cannot be over-tightened which may lead to sensor damage and/or incorrect operation. The T-20 is also used to remove the torx screws.

Replacement parts: **KTI-18820** - T-20 Replacement Bit







KTI-71996

TPMS Valve Core Torque Tool



Vehicle manufacturers recommend replacing TPMS electroless, nickel-plated valve cores whenever a tire with TPMS is serviced. KTI's Valve Core Torque Tool (part number is a durable, precision torque tool that can be used to remove and install TR C1 valve cores. It safely tightens valve cores to meet manufacturer's requirements for proper torque requirements

KTI-71997


TPMS Valve Nut Tool



Vehicle manufacturers recommend replacing TPMS sensor nuts and grommets whenever a tire with TPMS is serviced. KTI's TPMS fourway valve tool (part number KTI-71997) is a durable, all-in-one tool used for removing the sensor nuts and seating the sensor grommets. This ergonomically designed tool quickly removes both 11 mm and 12 mm nuts, and easily seats both beveled and non-beveled grommets.

KTI-71992

Heavy-duty Holster for KTlpst



your TPM tool. Its unique design

allows you to operate your tool without having to remove it from the holster. However if you prefer it can be easily removed. The holster clips comfortably to your belt, features elastic pockets for easy storage of your accessory tools (tire pressure gauge, tire crayon, tire tread depth gauge, etc.), and is made of a durable fabric that provides protection from drops and spills.

KTI-71993

KTIpst Instructional DVD




The "Guide to TPMS" DVD provides an excellent overview of Tire Pressure Monitoring Systems (TPMS,) as well as step-by-step instructions on how to use PST tool without the marketing hype.

KTI-TPMPOSTER

TPMS Service Procedure Poster


Designed for the shop, this easy to read 251/2" x 33" poster is a step-bystep guide for servicing vehicles with



Visit www.ktipst.com to **REGISTER** your TPMS tool **DOWNLOAD** software updates









Standard-duty Extension Cords



Standard outdoor extension cord features 16/3 SJTW single tap yellow cord. Medium-duty capacity. Flexible to -40°F. Water and weather resistant. UL listed. Watt: 1625. Amp: 13. Volt: 125.

KTI-73342 - 25' extension cord **KTI-73343** - 50' extension cord

Heavy-duty Extension Cords



Heavy duty extension cord features 14/3 SJTW single tap orange/black cord. LED mounted in end of cord lights up when cord is plugged into 110V power. Watt: 1875. Amp: 15.

KTI-73345 - 25' extension cord **KTI-73346** - 50' extension cord


All-Weather Extension Cords



All-weather extension cord features 16/3 SJEOW single tap blue cord. LED mounted in end of cord lights up when cord is plugged into 110V power. Cord stays flexible even in extreme temperatures (-58°F to 221°F). 16/3 cord. Watt: 1625. Amp: 13.

KTI-73380 - 25' extension cord **KTI-73381** - 50' extension cord

KTI-73348





Extra-heavy-duty extension cord features 12/3 SJTW single tap orange/black cord. LED mounted in end of cord lights up when cord is plugged into 110V power. Length: 50'. Watt: 1875. Amp: 15.


KTI-73334

Retractable 4-outlet Extension Cord Reel



Reeled extension cord easily goes from job to job. Features built-in quad outlet, heavy duty metal stand, comfort grip handle and "power on" indicator light. UL listed. Circuit breaker protected. Length: 40'. Cord: 16/3 SJW.

KTI-73340





Extension reel features oil and water resistant cord, retractable reel, metal housing and circuit breaker protection. Length: 30'. Cord: 16/3 SJT tri-tap. Amp: 10. Watt: 1250.

KTI-73341

Retractable Extension Cord Reel 50'



Extension reel features oil and water resistant cord, retractable reel, power indicator, lighted end and circuit breaker protection. Length: 50'. Cord: 16/3 SJEOW tri-tap. Amp: 13. Watt: 1625.

Warranty information

KTI Electrical:

1-year limited warranty.

KTI Lighting:

90-day limited warranty. Repair or replace at KTI's discretion. Bulbs are not covered.



KTI-73358

Trouble Light 25' Metal Cage Standard Duty



Incandescent trouble lights are ideal for workshops or garages. Heavy duty metal cage features 360 degree rotating hanging hook for maximum flexibility. Switch and outlet in handle.

Length: 25' Cord: 18/3 SJT Watt: 1250 Amp: 10

KTI-73359

Trouble Light 50' Metal Cage Standard Duty




Incandescent trouble lights are ideal for workshops or garages. Heavy duty metal cage features 360 rotating hanging hook for maximum flexibility. Switch and outlet in handle.

Length: 50' Cord: 18/3 SJT Watt: 1250 Amp: 10

KTI-73360

Trouble Light 25' Metal Cage Heavy Duty



Length: 25' Cord: 16/3 SJT Watt: 1625 Amp: 13.



KTI-73362

Trouble Light 50' Metal Cage Heavy Duty

Incandescent trouble lights are ideal for workshops or garages. Heavy-duty metal cage features 360 rotating hanging hook for maximum flexibility. Switch and outlet in handle.

Length: 50' Cord: 16/3 SJT Watt: 1625 Amp: 13



KTI-73363

Trouble Light 25' Metal Cage Industrial Duty

Incandescent trouble lights are ideal for workshops or garages. Heavy-duty industrial cage features 360 degree rotating hanging hook for maximum flexibility. Switch and outlet in handle.

Length: 25' Cord: 14/3 SJT Watt: 1875 Amp: 15



KTI-73361

Trouble Light 50' Metal Cage Industrial Duty

Incandescent trouble lights are ideal for workshops or garages. Heavy-duty industrial cage features 360 degree rotating hanging hook for maximum flexibility. Switch and outlet in handle.

Length: 50' Cord: 14/3 SJT Watt: 1875 Amp: 15





KTI-73330

Trouble Light on Reel

Incandescent trouble lights are ideal for workshop or garage environments. Heavy duty metal shades have 360° rotating hanging hooks provide flexibility for all applications. Work lights feature circuit breaker protection and grounded outlet in handle.

Length: 35' Cord: 16/3 SJT Metal cage



KTI-73315

Fluorescent Angle Light on Reel 35' 13 Watt 16/3

Fluorescent work lights are cool to the touch and energy efficient. All fluorescent lights are UL and cUL approved. All angle lights have 360 degree swivel magnet, rotating clip for hanging and feature protective bumper and special ergonomic grip. On/off switch and outlet in handle.

Length: 35' Cord: 16/3 SJT Bulb: 13 watt Amp: 10 Watt: 1250

KTI-73333

Fluorescent Angle Light on Reel 50' 26 Watt 14/3

Fluorescent work lights are cool to the touch and energy efficient. All fluorescent lights are UL and cUL approved. All angle lights have 360 degree swivel magnet, rotating clip for hanging and feature protective bumper and special ergonomic grip. On/off switch and outlet in handle.

Length: 50' Cord: 14/3 SJT Bulb: 26 watt Amp: 13 Watt: 1625



KTI-73335

Industrial Trouble Light on Reel

Incandescent trouble lights are ideal for workshop or garage environments. Heavy duty metal shades have 360 rotating hanging hooks provide flexibility for all applications. Work lights feature circuit breaker protection and grounded outlet in handle.

Length: 50' Cord: 14/3 SJT Dual industrial cage.



KTI-73332

Fluorescent Angle Light on Reel 35' 26 Watt 16/3

Fluorescent work lights are cool to the touch and energy efficient. All fluorescent lights are UL and cUL approved. All angle lights have 360 degree swivel magnet, rotating clip for hanging and feature protective bumper and special ergonomic grip. On/off switch and outlet in handle.

Length: 35' Cord: 16/3 SJT Bulb: 26 watt Amp: 10 Watt: 1250



KTI-73318

Fluorescent Tube Light on Reel 50' 13 Watt 18/2

Fluorescent work lights are cool to the touch and energy efficient. All fluorescent lights are UL and cUL approved. Adjustable hanging hook swivels 360 for easy hanging. On/off switch located in handle.

Length: 50' with reel Cord: 18/2 SJT Bulb: 13 watt





KTI-73310

Fluorescent Angle Work Light 6' 13 Watt 16/3

Fluorescent work lights are cool to the touch and energy efficient. All fluorescent lights are UL and cUL approved and have circuit breaker protection and grounded outlet. All angle lights have 360 degree swivel magnet, rotating clip for hanging and feature protective bumper and special ergonomic grip. On/off switch.

Length: 6' Cord: 16/3 SJT Bulb: 13 watt Amp: 13 Watt: 1625



KTI-73312

Fluorescent Angle Work Light 25' 26 Watt 16/3

Fluorescent work lights are cool to the touch and energy efficient. All fluorescent lights are UL and cUL approved and have circuit breaker protection and grounded outlet. All angle lights have 360° swivel magnet, rotating clip for hanging and feature protective bumper and special ergonomic grip. On/off switch.

Length: 25' Cord: 16/3 SJT Bulb: 26 watt Amp: 13 Watt: 1625



KTI-73311

Fluorescent Angle Work Light 25' 13 Watt 16/3

Fluorescent work lights are cool to the touch and energy efficient. All fluorescent lights are UL and cUL approved and have circuit breaker protection and grounded outlet. All angle lights have 360 degree swivel magnet, rotating clip for hanging and feature protective bumper and special ergonomic grip. On/off switch.

Length: 50' Cord: 16/3 SJT Bulb: 26 watt Amp: 13 Watt: 1625



KTI-73303

Fluorescent Tube Light 25' 13 Watt 18/2

Fluorescent work lights are cool to the touch and energy efficient. All fluorescent lights are UL and cUL approved. Adjustable hanging hook swivels 360 degree for easy hanging. On/off switch located in handle.

Length: 25' Cord: 18/2 SJT Bulb: 13 watt



KTI-73391

Cordless Rechargeable 20-element LED Work Light

Rechargeable LED work light offers 50,000 hours of useful light in even the most extreme temperatures. Includes: 7.2V NiHM rechargeable

battery, providing 14 hours of continuous operation; 90 degree ratcheting head; 360 degree dual rotating hooks for easy hanging almost anywhere; and conveniently located on/off rocker switch. Recharges in one hour. UL and cUL approved. 20 LED.

Color: red.

KTI-73392

Rechargeable 24-element LED Work Light



Able to outshine its incandescent and florescent counterparts, KTI's 24-element LED work light boasts a compact design which easily illuminates dark, crowded and hard-to-light areas. This light features a 4.8V NiMH rechargeable battery, providing six hours of continuous operation. The included quick charger recharges the battery in one hour. Includes integrated dual rotating hang hooks and is extremely portable, measuring only 12" long and weighing under one pound.



KTI-73393

30-element LED Rechargeable Work Light

The 30-element LED floodlight provides ample lighting for any work area. Bright, white LEDs illuminate large areas and provide 180 lumens of lighting power. A single-element LED spotlight provides direct-focused lighting where it is needed. A super-bright LED provides 100 lumens of lighting power in a concentrated beam. The magnetic base holds flashlight firmly in place to focus light directly on work areas. The extra-strength magnet is powerful enough to position the flashlight vertically or horizontally. Worklight features durable construction of military-grade aerospace aluminum. This LED flashlight is rugged enough to be used in the toughest shop environments yet lightweight and easy-to-use. The unique hexagon design allows users to position the light on a flat surface in order to direct light to work area. Hexagon-shaped ends also prevent flashlight from rolling off surfaces. Rechargeable 3.6V batteries can be charged with a 120 volt AC adapter or a 12 volt DC adapter (both included). Approximate battery life on a full charge is 4 hours.



KTI-73394

60-element LED Rechargeable Work Light

The 60-element LED floodlight provides ample lighting for any work area. Bright, white LEDs illuminate large areas and provide 180 lumens of lighting power. A single-element LED spotlight provides direct-focused lighting where it is needed. A super-bright LED provides 100 lumens of lighting power in a concentrated beam. The magnetic base holds flashlight firmly in place to focus light directly on work areas. The extra-strength magnet is powerful enough to position the flashlight vertically or horizontally. Worklight features durable construction of military-grade aerospace aluminum. This LED flashlight is rugged enough to be used in the toughest shop environments yet lightweight and easy-to-use. The unique hexagon design allows users to position the light on a flat surface in order to direct light to work area. Hexagon-shaped ends also prevent flashlight from rolling off surfaces. Rechargeable 7.2V batteries can be charged with a 120 volt AC adapter or a 12 volt DC adapter (both included). Approximate battery life on a full charge is 4 hours.



KTI-73395

96-element LED Underhood Work Light

The underhood LED work light, featuring 96-elements, provides ample lighting for any work area. Bright, white LEDs illuminate large areas and provide 576 lumens of lighting power. This multifunction work light can be used with or without a telescoping underhood pole (included). Work light boasts hooks on each end to clip to the underhood pole or anywhere around the shop. Constructed of lightweight aluminum, the optional underhood pole extends up to 79" in length. The LED work light can be positioned anywhere along the telescoping pole to provide direct-focused lighting exactly where it is needed. Fits under the hood of most domestic and import vehicles. The telescoping pole is equipped with heavy-duty hooks to secure the pole directly under the hood of most vehicles. Coated hooks prevent scratching or marring the vehicle's finish. Work light boasts rechargeable batteries that can be charged at home, garage or office with the 120 volt AC adapter (included). Approximate battery life on a full charge is 4 hours.





KTI-73370

Halogen Work Light 500 Watt

lluminate the workshop, garage or job site with the power of bright halogen light. All KTI fixtures use a 500-watt quartz halogen bulb (included), which emits brighter, whiter light and uses less energy. Features include: on/off switch, 5-foot cord and small floor stand.

Length: 5' Cord: 18/3 SJTW



KTI-73372

Halogen Work Light 500 Watt with 6' Tripod Stand

Iluminate the workshop, garage or job site with the power of bright halogen light. All KTI fixtures use a 500-watt quartz halogen bulb (included), which emits brighter, whiter light and uses less energy. Features include: on/off switch, 5-foot cord and 6-foot tripod floor stand.

Length: 5' Cord: 18/3 SJTW



KTI-73375

Halogen Work Light 1000 Watt with 6' Tripod Stand

Iluminate the workshop, garage or job site with the power of bright halogen light. Fixture uses two 500-watt quartz halogen bulb (included), which emit brighter, whiter light and uses less energy. Features include: on/off switch, 5-foot cord and tripod floor stand.

Length: 5' Cord: 18/3 SJTW



KTI-73307

Replacement Bulb 13 Watt Fluorescent



Replacement bulb for all KTI 13 watt work lights (angle and compact tube).

KTI-73371

Replacement Bulb 500 Watt Halogen



Replacement bulb for all KTI halogen work lights (models 73370, 73372 and 73375)



KTI-73304

Replacement Head 13 Watt Fluorescent Tube Light



Light head only, no cords attached. Complete with bulb.

KTI-73305

Replacement Head 13 Watt Fluorescent Angle Light



Light head only, no cords attached. Complete with bulb.

KTI-73306

Replacement Head 26 Watt Fluorescent Angle Light



Light head only, no cords attached. Complete with bulb.

KTI-73349

Replacement Metal Cage for Industrial Trouble Light

Metal guard and cage for use with incandescent trouble lights. Bulb and light not included.



Standard Trouble Light Replacement Parts

KTI-73350 - Replacement metal guard only

KTI-73351 - Replacement handle/switch assembly only

KTI-73355 - Replacement metal guard with handle/switch assembly





KTI-73356

Replacement Lens Angle Light 26 Watt

Replacement part for fluorescent light.



KTI-73357

Replacement Lens Angle Light 13 Watt

Replacement part for fluorescent light.









KTI-70211

Antifreeze Tester

Hydrometer immediately and accurately tests strength of all permanent solutions (ethylene glycol), with engine hot or cold,


and includes temperature adjustment scale for accurate interpretation of mixture strength. Assists in preventing winter freezeup and summer boilover. Two embedded scales show freeze point of radiator solution and boiling point of summer coolant.



KTI-70212

Battery Tester

Hydrometer immediately and accurately tests battery life whether battery is hot or cold. Helps extend battery life and detects overcharge. Assists in preventing dead batteries. Works on all 6-, 12- and 24-volt systems.





KTI-70215

Battery Tester 100 AMP

Extremely handy and portable way to load test suspected low charging batteries. Internal 100 AMP loading capacity. Test 6-and 12-volt batteries. Tool checks battery voltage, starter current draw, charging voltage and battery condition. Features extra-heavy nickel-plated ventilated case, heavy-duty cable, copper-plated clamps, and load safety switch to prevent arcing.

Warranty information:

1-year warranty. Repair or replace at discretion of repair center.



KTI-70216

Digital Battery Tester 125 AMP

Extremely handy and portable way to load test suspected low charging batteries. Internal 125 AMP loading capacity. Digital voltage indicator with LED battery status. Tests 12-volt batteries on or off the vehicle. Load safety switch prevents arcing. Features extra-heavy nickel-plated ventilated case, heavy-duty cable, copper-plated clamps, and load safety switch to prevent arcing.



Warranty information:

1-year warranty. Repair or replace at discretion of repair center.

KTI-70220

Battery Terminal Cleaner

All metal battery terminal cleaner promotes longer battery life.





KTI-74308

Automotive OBD2 Connector -Computer Memory Saver



KTI's OBDII Memory Saver retains a vehicle's electronic memory presets (radio, GPS, seats and accessories) while the vehicle battery is disconnected. OBDII cord connects to any 12V portable power source. Memory Saver will not interfere with the vehicle's fault codes. A visual LED indicator illuminates when cord is properly connected to power source to ensure no loss of electronic memory due to improper connection. An extra-long 8-foot cord makes it easy to use on any vehicle.

Warranty information:

1-year limited warranty.

KTI-74301

Portable Power Jump Start Unit 400 AMP

The KTI 400 AMP battery jump starter features 1000 peak AMPs and 12 volt/17 AMP hour sealed lead-acid battery. An audible alert and LED indicator warn against reversed connections. Unit also features a battery status indicator




light, built-in LED work light and 12 volt DC power outlet. A 125psi air compressor makes this unit a must-have for the garage, car, boat or RV. KTI battery jump starter provides additional safety by offering a fully automatic float charge, automatic circuit overload protection and short circuit warning indicator.

Warranty information:

1-year warranty. Repair or replace at discretion of repair center.

KTI-70210

Carbon Pile Load Tester 500 AMP



It tests 12 volt batteries rated as high as 1000 CCA or 160 AMP hour. Quick 15 second test cycle with audible tone to indicate test completion. Unit can also test alternators, regulators and starters. Carbon pile load tester features 500 AMP side clamps and heavy-duty stranded copper cables. The large, color-coded dual meters make the unit easy-to-use. Also includes temperature compensation chart.

Warranty information:

1-year warranty. Repair or replace at discretion of repair center.

KTI-74306

Portable Power Jump Start Unit 660 AMP

The KTI 660 AMP battery jump starter features 1700 peak AMPs, 12 volt/ 22 AMP hour sealed lead-acid battery and color-coded battery status gauge. An audible alert and LED indicator warn against reversed connections. KTI battery jump starter provides



additional safety by offering a fully automatic float charge, automatic circuit overload protection and short circuit warning indicator. The impact-resistant Polyethylene case is built to withstand the rugged use. Unit also features a 12 volt DC power outlet and extra-long 74" cables with 1000 AMP clamps.

Warranty information:

1-year warranty. Repair or replace at discretion of repair center.

The K-Tool International KTI-74301 and KTI-74306 battery boost jump starters are part of a new category of *intelligent battery packs* designed with several safety features including:

- · automatic trickle charging
- protection for reversed connections
- automatic circuit overloads
- · short circuit protection

The purpose of these safety features are to prevent:

- a) injury to the user
- b) damage to the electrical wiring and battery of the device being charged
- c) damaging the jump starter itself

As part of the safety design, these intelligent battery packs must detect a voltage on the device to be charged or jump started before they will allow current to flow. This is to prevent the charger from arcing if the electrodes are accidentally or purposefully shorted as is commonly done when someone touches the positive and negative clamps together.

This means that if the battery to be charged is so low in voltage that the battery booster cannot detect voltage, the battery booster will not allow current to flow to the device to be charged / started.

In these situations you will need to either,

- 1. Jump the dead battery by connecting it to another charged battery,
- 2. Using a charger or booster pack that doesn't have this safety feature or,
- 3. Induce voltage into the vehicle or boat's wiring. This is easily done by plugging an inexpensive computer memory saver* into the cigarette lighter. Memory savers prevent memory losses on digital radios, clocks, door locks and computers when disconnecting the primary battery. Once done, the battery booster will be able to detect voltage in the vehicle's system and current will be allowed to flow thus charging or starting the vehicle. *For example, a K-Tool International OBD2 Computer Memory Saver (p/n: KTI-74308)



KTI-74500

Economy 12' Battery Booster Cables 250 AMP - 10 Gauge

Durable rubber booster cables that resist extreme temperatures, oil and chemicals. Light-duty.

Warranty information: 1-year limited warranty.



KTI-74505

Medium-duty 12' Battery Booster Cables 250 AMP - 8 Gauge

KTI's durable rubber booster cables resist extreme temperatures, oil and

chemicals, and meet or exceed all SAE standards. Twelve foot medium-duty cables include side/top clamps and 8 gauge wires with 250 AMP clamps.

Warranty information: 1-year limited warranty.

KTI-74510

Heavy-duty 16' Battery Booster Cables 400 AMP - 6 Gauge

KTI's durable rubber booster cables resist extreme temperatures, oil and chemicals, and meet or exceed all SAE standards.

Sixteen foot heavy-duty cables include side/top clamps and 6 gauge wires with 400 AMP clamps.

Warranty information: 1-year limited warranty.

KTI-74521

Extra-heavy-duty 16' Battery Booster Cables 400 AMP - 4 Gauge

KTI's durable rubber booster cables resist extreme temperatures, oil and chemicals, and meet or exceed all

SAE standards. Sixteen foot extra-heavy-duty cables include side/top clamps and 4 gauge wires with 400 AMP clamps.

Warranty information: 1-year limited warranty.

KTI-74522

Extra-heavy-duty 20' Battery Booster Cables 500 AMP - 4 Gauge

KTI's durable rubber booster cables resist extreme temperatures, oil and chemicals, and meet or exceed all SAE standards.

Twenty foot extra-heavy-duty cables include parrot-jaw clamps and 4 gauge wires with 500 AMP clamps.

Warranty information: 1-year limited warranty.

KTI-74530

Professional 25' Battery Booster Cables 500 AMP - 2 Gauge

KTI's durable rubber booster cables resist extreme temperatures, oil and chemicals, and meet or exceed all SAE standards. Twenty-five foot professional cables include parrot-jaw clamps and 2 gauge wires with 500 AMP clamps.

Warranty information: 1-year limited warranty.



Booster Cable Replacement Clamps 400 AMP



400 AMP heavy-duty side/top clamp. Replacement cable clamps with side terminal extensions. Sold in pairs.

KTI-74535

Booster Cable Replacement Clamps 500 AMP Parrot Jaw



500 AMP parrot jaw clamps. Replacement side terminal extension cable clamps for professional grade booster cables. Sold in pairs.





KTI-74311

Battery Charger 6 AMP 12 Volt 6' Cables, 6' Cord



Portable economy battery charger is suitable for garage and workshop use. Powered by 12V/6 AMP charge rate. Weighs 8 lbs. U.S.-made.

Warranty information:

1-year warranty. Repair or replace at discretion of repair center. 5-year warranty on transformer and rectifier.



KTI-74313

Battery Charger 12 AMP 6/12 Volt 6' Cables, 6' Cord



Portable battery charger is suitable for garage and workshop use. Powered by 6-12V/12 AMP charge rate. Fully automatic charger regulates itself with battery state of charge and turns itself on and off to full charge. Weighs 13 lbs. U.S.-made.

Warranty information:

1-year warranty. Repair or replace at discretion of repair center. 5-year warranty on transformer and rectifier.



KTI-74325

Heavy-duty Battery Charger 100/80 AMP 6/12 Volt 8' Cables, 10' Cord



Heavy-duty portable battery charger is suitable for garage and workshop use. Powered by 6-12V/100-80 AMP charge rate. Maximum boost 550A. Boasts polarity check, 500 AMP clamps, indoor/outdoor rating and one-hour timer. Includes five-year warranty on transformer and rectifier. Weighs 38 lbs. U.S.-made.

Warranty information:

1-year warranty. Repair or replace at discretion of repair center. 5-year warranty on transformer and rectifier.



KTI-74312

Battery Charger 12/2 AMP 6/12 Volt 6' Cables, 6' Cord



Portable battery charger is suitable for garage and workshop use. Powered by 6-12V/12 or 2 AMP charge rate. Dual rate charger has 2 AMP charge rate for motorcycles, snowmobiles and tractors. Automatically tapers to slow charge. Weighs 12 lbs. U.S.-made.

Warranty information:

1-year warranty. Repair or replace at discretion of repair center. 5-year warranty on transformer and rectifier.



KTI-74324

Battery Charger 20 AMP 6/12 Volt 6' Cables, 6' Cord



Portable battery charger is suitable for garage and workshop use. Powered by 6-12V/20 AMP charge rate. Heavy-duty portable charger with 60 AMP boost at the touch of a switch. Automatically tapers to show charge. Weighs 18 lbs. U.S.-made.

Warranty information:

1-year warranty. Repair or replace at discretion of repair center. 5-year warranty on transformer and rectifier.



KTI-74336

Heavy-duty Battery Charger 100/80/50 AMP 6/12/24 Volt 8' Cables, 10' Cord



Heavy-duty portable battery charger is suitable for garage and workshop use. Powered by 6-12-24V/100-80-50 AMP charge rate. Maximum boost 550-350A. Boasts polarity check, 500 AMP clamps, indoor/outdoor rating and one-hour timer. Includes five-year warranty on transformer and rectifier. Weighs 50 lbs. U.S.-made.

Warranty information:

1-year warranty. Repair or replace at discretion of repair center. 5-year warranty on transformer and rectifier.





KTI-74355

Wheeled Battery Charger 30 AMP 6 and 12 Volt - 150 AMP Boost

Wide-track rubber wheels take battery charger exactly where you need it to go! Boasts 6-12-24 volt/100-80-50 AMP charge rate. Features all copper transformers, 500-350 AMP boost, 500 AMP clamps, one-hour timer, easy-to-read AMP meter and volt meter and silicon rectifiers. Indoor/outdoor rated. Charges batteries and tests cranks. Weighs 60 lbs. U.S.-made.

Warranty information:

1-year warranty. Repair or replace at discretion of repair center. 5-year warranty on transformer and rectifier.







Wheeled Battery Charger 6-12 Volt 8' Cables, 10' Cord

Wide-track rubber wheels take battery charger exactly where you need it to go! Boasts 6-12 volt/100-80 AMP charge rate. Features all copper transformers, 500 AMP clamps, one-hour timer, easy-to-read AMP meter and volt meter and silicon rectifiers. Indoor/outdoor rated. Charges batteries and tests cranks. Weighs 48 lbs. U.S.-made.

Warranty information:

1-year warranty. Repair or replace at discretion of repair center. 5-year warranty on transformer and rectifier.







KTI-74386

Wheeled Battery Charger 6-12-24 Volt 8' Cables, 10' Cord

Wide-track rubber wheels take battery charger exactly where you need it to go! Boasts 12 volt/30 AMP charge rate. Features all copper transformers, 150 AMP boost easy-to-read AMP meter and volt meter and silicon rectifiers. Weighs 56 lbs. U.S.-made.

Warranty information:

1-year warranty. Repair or replace at discretion of repair center. 5-year warranty on transformer and rectifier.













Creepers, Carts and Tool Storage

KTI-74951

36-inch Metal Frame Creeper with Rubber Casters

KTI 36" metal frame creeper features a fully padded seat for comfort. Rugged, durable construction for a lifetime of use. Six (6) 2-inch oil-resistant rubber casters provide smooth mobility. Steel frame is epoxy-coated to prevent rusting. Four (4) cross rails provide added support. Assembly required.

Replacement parts:

KTI-74959 - replacement caster

Warranty information: 90-day limited warranty.





KTI-74956

40-inch Metal Frame Creeper with Rubber Casters

KTI 40" metal frame creeper features a fully padded seat for comfort. Rugged, durable construction for a lifetime of use. Six (6) 2-inch oil-resistant rubber casters provide smooth mobility. Steel frame is epoxy-coated to prevent rusting. Four (4) cross rails provide added support. Assembly required.

Replacement parts:

KTI-74959 - replacement caster

Warranty information: 90-day limited warranty.





KTI-74961

40-inch Metal Frame Creeper with Adjustable Headrest

KTI 40" metal frame creeper features a fully padded seat for comfort. Adjustable headrest is comfortable and convenient for every use. Rugged, durable construction for a lifetime of use. Six (6) 2-inch oil-resistant rubber casters provide smooth mobility. Steel frame is epoxy-coated to prevent rusting. Four (4) cross rails provide added support. Assembly required.

Replacement parts:

KTI-74959 - replacement caster

Warranty information: 90-day limited warranty.







KTI-74971

Padded Mechanic's Creeper Seat with Pneumatic Lift

Round, adjustable mechanic's seat features fully padded 12" seat for added comfort. Seat is adjustable by pneumatic cylinder from 14" to 19". Large steel base also serves as storage for tools while working. Features five (5) 2-1/2" oil-resistant rubber casters for smooth mobility. Assembly required.

Replacement parts:

KTI-74957 - replacement caster

Warranty information: 90-day limited warranty.





Padded Mechanic's Creeper Seat with Storage Tray

Mechanic's seat with plastic storage tray. Fully padded seat measures 7" x 14". Plastic tray has three sections to store tools or small parts. Features four (4) 2-1/2" oil-resistant rubber casters for smooth mobility. Metal frame is epoxy-coated to prevent rusting. Assembly required.

Replacement parts:

KTI-74958 - replacement caster

Warranty information: 90-day limited warranty.



KTI-74900

9" x 20" Kneeling Pad with Handle

Ideal for automotive, home or garden use. Urethane closed cell foam prevents moisture from soaking into foam. Durable easy-to-clean neoprene fabric with carry handle.

Measures: 9" x 20".









Two gas struts in lid for ease in opening or closing. Hinged lid opens completely for greater access to tools. Piano-style hinge for added durability.



Top locking tray keeps tools safe and secure when not in use. Drawers will not function when top storage tray is closed.



Heavy-duty 5" x 2" casters. Two casters feature easy-tooperate locking mechanism to keep cart from rolling.



Features 22-slot screwdriver and/or prybar holder allowing handles to be stowed in top locking tray.



Keep drawers closed securely until needed. Easy, one-hand operation. Drawer locks can only be operated when top lid is open.



Store large-handle pry bars (up to 10") that won't fit in the top storage tray. Piano-style hinge folds down completely for easy access to pry bars, screwdrivers and other tools. Includes 22 slots and measures 18½" x 12" x 4".



Large bottom storage tray. Extra storage for oversized items. Great for shop towels, gallonsize containers and other large shop accessories.



Features side storage tray. Perfect for storage of tall items including aerosol cans.



Large drawers and trays to hold and organize tools. All drawers and trays include liners made of non-toxic EVA.



Drawers feature all steel ball bearing slides for smooth, quiet operation.

Top drawer dimensions (each) 11½" W x 16¾" D x 4½" H

Middle drawer dimensions $24\frac{1}{2}$ " W x $16\frac{7}{8}$ " D x $2\frac{1}{2}$ " H

Bottom drawer dimensions 24½" W x 16½" D x 4½" H

4-drawer overall dimensions 39" W x 19½" D x 41¼" H



KTI-75100

Steel Service Cart with 2 Shelves

Two-shelf service cart features chrome supports and handle, 3" swivel wheels (two locking).

Measures: 17½" wide x 29¼" long x 34" high.

Replacement parts:

KTI-75100-1 - replacement caster

Warranty information: 1-year warranty.





KTI-75105

One-drawer Steel Service Tool Cart with 2 Lined Shelves

Durable construction for rugged shop environments. Sturdy, one-piece drawer handle. Cart provides ample storage. Large, fully-lined top and bottom storage trays to organize tools, shop accessories and parts for greater accessibility. Fully-lined drawer with lock to securely store tools when not in use. Four casters allow steady, quick movement. Two casters feature easy-to-operate locking mechanism to keep cart from rolling. Easy-to-assemble. Cart ships complete with all necessary hardware and instructions. Available in red only.

Warranty information: 1-year warranty.





KTI-72450

Magnetic Tool Hanger 11 lb. Capacity

Holds heavy and irregularly shaped tools, such as hammers, mallets and wrenches. Ideal for storing cords, shovels, and more. Screw-hole design allow for easy mounting to nonferrous surfaces. Magnetic mount supports up to 11 lbs.





KTI-72451

Magnetic Tool Hanger for Air Impact - 20 lb. Capacity

Effortlessly holds most pistol-type impact wrenches. Screw-hole design allow for easy mounting to nonferrous surface. Magnetic mount supports up to 20 lbs.





KTI-72460

Magnetic Tool Box 33 lb. Capacity

Powder-coating finish protects holder even in rugged, professional environments. Chamfer design holds various tools, such as cans, brushes and tape. Effortless way to organize workshops, garages and manufacturing sites. Screw-hole design allows for easy mounting to nonferrous surfaces. Portable holder goes from job to job. Holds up to 33 lbs.





KTI-72465

Magnetic Tool Holder Multipurpose 15 lb. Capacity

Holds a variety of screwdrivers, pliers, sockets, wrenches, hammers and more. Stores up to 71 tools. Firmly attaches to metal surface. Extends up to 20" wide. Each socket seat encases a powerful magnet. Special hooks hold wrenches, keys and other hard to store items. Permanently mount using screw holes or built in magnets support up to 15 lbs.







Original Mag-Clip Strip

Magnetic socket holders hold sockets tight without magnetizing them. Hangs or mounts on any smooth metal surface.

Other Features:

- · Shallow or deep socket
- · Standard or metric sockets
- · Holds socket tight and secure on any smooth metal surface
- · Will not magnetize sockets
- · Magnets retain strength permanently
- · Grease, oil and chemical resistant
- Tough polymer base
- Rust resistant

MC-72401 - 1/4" drive MC-72402 - 3/8" drive MC-72403 - 1/2" drive











Interchangeable Mag-Clip Strip

Magnetic socket holders hold sockets tight without magnetizing them. Use with additional *Power Pegs* (sold separately) in any combination of 3 drive sizes to customize your workspace.

Other Features:

- · Shallow or deep socket
- · Standard or metric sockets
- · Holds socket tight and secure on any smooth metal surface
- · Will not magnetize sockets
- · Magnets retain strength permanently
- · Grease, oil and chemical resistant
- Tough polymer base
- · Rust resistant

Includes 10 interchangeable Power Pegs.

MC-72400 - 1/4" drive MC-72404 - 3/8" drive MC-72405 - 1/2" drive











Socket Caddy

This organizer allows users to customize the storage and organization of some of the messiest areas of the average tool box, such as the socket drawer. The base of this product is made out of a high impact plastic magnetic grid. Use with additional *Power Pegs* (*sold separately*) in any combination of 3 drive sizes to customize your workspace.

Other Features:

- · Shallow or deep sockets
- · Standard or metric sockets
- Will not magnetize sockets
- · Magnets retain strength permanently
- · Grease, oil and chemical resistant
- Tough polymer base
- · Rust resistant

Includes 28 interchangeable Power Pegs.

MC-72421- 1/4" drive MC-72422 - 3/8" drive MC-72423 - 1/2" drive













Magnetic Mat

The mat is a magnetic, convertible and interchangeable means for storing and organizing sockets. Customize any tool box and utilize storage space in the most unlikely areas. Versatile enough to be used in drawers to organize sockets or simply flip the mat over to the rubber side and store a variety of other tools in a vertical position. The flexible design makes the magnetic mats your most versatile tool...use it almost anywhere you can imagine. High powered magnets are imbedded in a flexible, high impact poly-pro body. May be used with Power Pegs (sold separately) in any combination of 3 drive sizes (1/4", 3/8" or 1/2") to customize your workspace.

MC-72424 - 2-panel MagKanic Mat

MC-72425 - 3-panel Power Mat

MC-72426 - 3-panel Power Mat with 84 assorted power pegs









Power Pegs

Interchangeable steel posts available in 1/4", 3/8" and 1/2" drive sizes. Use Power Pegs with MagKanic Mat, Power Mat, Socket Caddy or Interchangeable Mag-Clip Strip for the ultimate storage system. 10 pack.

MC-72441- 1/4" drive MC-72442 - 3/8" drive MC-72443 - 1/2" drive











Mag Mount

The Mag Mount is a magnetic tool storage and/or mounting system for use with pegboard. The Mag Mount will hold tools securely without the use of hooks or bars. This design will work with 1/8" and 1/4" pegboard and features "super duty" magnetic power. Includes screws for 1/8" and 1/4" pegboard.

MC-72453 - 3 pack MC-72455 - 5 pack





MC-72460

Universal Mag-Clip

Use the Universal Mag-Clip Strip to hold wrenches, screwdrivers, pliers and other hand tools to keep them at your fingertips.

Other Features:

- · Mounts on any smooth metal surface
- · Holds tools tight and secure
- · Reverse polarity magnetic power
- · Magnets retain strength permanently
- · Grease, oil and chemical resistant
- Tough polymer base
- · Rust resistant













KTI-60060

Heavy-duty 6" **Bench Grinder**

KTI's bench grinder features a cast iron motor housing for heavy-duty applications and long life. The fully adjustable acrylic eye shields deflect sparks away from operator for added safety. The KTI bench grinder includes one course (36-grit) grinding wheel and a wire wheel for grinding and sharpening. Two adjustable tool rests are prefect to accommodate a variety of uses and provide additional stability for precision grinding. The 1/3 horsepower, 115 volt motor boasts 3,450 rpm no load speed. KTI's bench grinder is UL listed.



Warranty information:

1-year limited warranty.

Steel Bench Vises

Rugged all-steel vise is stronger than its cast iron counterpart. Vise features swivel base and large anvil space for hammering.

KTI-64105 - 5" vise	7" jaw opening	27 lbs.
KTI-64106 - 6" vise	8" jaw opening	35 lbs.
KTI-64108 - 8" vise	9" jaw opening	50 lbs.

Replacement parts:

KTI-64001 - Replacement screws KTI-64006 - 6" jaws KTI-64005 - 5" jaws KTI-64008 - 8" jaws



10-year limited warranty. Jaws are not covered.





Hydraulic Bottle Jacks

Powerful jack makes big loads easy to lift. Solid and effortless to operate, hydraulic jack is great for quickly lifting a car, truck, tractor or heavy equipment.

KTI-63202 - 2-ton	7" min height	13½" max height	6 lbs.
KTI-63204 - 4-ton	8½" min height	13%" max height	8 lbs.
KTI-63206 - 6-ton	81/2" min height	16½" max height	12 lbs.
KTI-63208 - 8-ton	9" min height	181/4" max height	15 lbs.
KTI-63212 - 12-ton	91/16" min height	185/₁6" max height	17 lbs.
KTI-63220 - 20-ton	9¾" min height	14%" max height	29 lbs.
KTI-63212W - 12-ton B	ottle Jack with Side	Pump Option	

Replacement parts:

KTI-63212-RK - Seal Repair Kit 12-ton KTI-63127 - Rubber filler plug

KTI-63220-RK - Seal Repair Kit 20-ton

Warranty information:

90-day warranty. Repair or replace at discretion of repair center.





KTI-63227A

20-ton Hydraulic / Pneumatic **Bottle Jack**

Designed for manual or pneumatic operation. Quick and versatile - faster than conventional hand-operated hydraulic equipment. Air power allows one-hand operation, enabling user to monitor load more closely. Heavy-duty design makes this jack ideal for automotive, truck, industrial and construction applications. Safety valve prevents overloading. Full power in vertical or horizontal position. Min height: 103/16" Max height: 20" Ram lift: 61/2".



90-day warranty. Repair or replace at discretion of repair center.





Shop Equipment

Jack Stands

Heavy-duty jack stands provide added safety when working underneath propped up vehicles. Jack stands feature sturdy, welded construction and ductile iron ratchet stem with large saddle. Dual-purpose handle serves as a carry handle and column release. Sold in pairs.

 KTI-61203 - 3 ton
 11½" to 17¾"
 18 lbs.

 KTI-61206 - 6 ton
 15" to 24¼"
 35 lbs.

 KTI-61212 - 12 ton (2 boxes)
 17%" to 27½"
 75 lbs.

Warranty information:

90-day warranty. Repair or replace at discretion of repair center.



KTI-61003

2-ton Tripod-style Engine Stand

Features sturdy, welded steel construction for superior safety and strength. The heavy gauge, steel frame with 24" base helps prevent distortion or twisting. Pin-style adjustments features 5 levels of support. Lifting range: 491/4" to 793/4".

Low height: 49¼"
Extended height: 79¾"
Tripod base: 24"
Weight: 45 lbs.

Warranty information:

90-day warranty. Repair or replace at discretion of repair center.



3/4-ton Pedestal-style Engine Stand

Low height: $54\frac{7}{4}$ " Extended height: $80\frac{7}{2}$ " Base diameter: 12" Weight: 39 lbs.

Warranty information: 90-day warranty. Repair or replace at discretion of repair



KTI-62100

Engine Stand 1,000 lb. Capacity

Four-wheel engine stand has unique I-shape to allow mechanic to get closer to engine during work. Front swivel castors allow user to move and position engine exactly where needed. Holds a variety of engines and features strong engine turning handle. Weight: 54 lbs. (one box)

Warranty information: 90-day warranty. Repair or replace at discretion of repair center.



KTI-62126

Engine Stand 1,250 lb. Capacity

Engine stand has unique U-shape and four-wheel stance to provide maximum stability. Holds a variety of engines and features strong engine turning handle. Provides easy service access to auto, truck, marine, generator and air compressor engines. Weight: 77 lbs. (two boxes/ships standard ground)

Warranty information: 90-day warranty. Repair or replace at discretion of repair center.







KTI-63422

2-ton Foldable Engine Crane

Adjustable boom provides flexibility needed to accommodate a variety of engines. Strong, steel swivel casters allow mechanics to easily move engine from vehicle to work area. Crane features 8-ton ram, four-position boom and six-wheel design. Boom length: 37% closed - 57% extended. Base measures: 38%6 x 63%6. Weight: 212 lbs.

Boom capacity:	Min height:	Max height
1/2-ton	0"	88¾ ₁₆ "
1-ton	0"	8211/16"
1½-ton	611/16"	76¹⁵⁄₁₀"
2-ton	12¾"	701/8"

Warranty information:

1-year limited warranty. Repair or replace at discretion of repair center.





KTI-63413

3-ton Ram Round Base

Closed 251/2"

Replacement parts:

KTI-63127 - Rubber filler plug

Warranty information:

90-day warranty. Repair or replace at discretion of repair center.





8-ton Ram Round Base

Closed 251/2"

Replacement parts:

KTI-63127 - Rubber filler plug KTI-63429 - Replacement seals

Warranty information:

90-day warranty. Repair or replace at discretion of repair center.



KTI-63423

3/4-ton Engine Sling



Includes four chains and bolt-through angle for easy mounting to most engines. Sling works with most engine cranes.

Adjustable range: 11½"
Chain length: 14"
Capacity: 1,500 lbs.
Weight: 17 lbs.

Warranty information:

90-day warranty. Repair or replace at discretion of repair center.

KTI-63102

Trolley Jack with Case



Features durable plastic molded case.

Capacity: 2½-ton
Min. Height: 5"
Max Height: 16"
Width: 8½"
Length: 24"
Weight: 31 lbs.

Replacement parts:

KTI-63127 - Rubber filler plug

Warranty information:

90-day warranty. Repair or replace at discretion of repair center.



Shop Equipment

KTI-63132

Transmission Jack Adapter

Converts most 2-, 2½- and 3-ton hydraulic floor jacks into a transmission jack. Features tilt knob, four adjustable corner brackets and chains. Weight: 33 lbs.

Warranty information:

1-year warranty. Repair or replace at discretion of repair center.



KTI-63130

3-ton Service Jack

Service jack features extra wide 2" front wheels and patented bypass device to prevent over pumping.

Low: $5\frac{3}{4}$ " High: $20\frac{1}{2}$ " Weight: 93 lbs.

Replacement parts:

KTP-63130-2 - Swivel wheel KTP-63130-4 - Front wheel KTP-63130-25 - Lift Spring KTI-63121 - Seal Kit KTI-63127 - Rubber filler plug

Warranty information: 90-day warranty. Repair or replace at discretion of repair center.





KTI-63145

4-ton Quick-lift Low Profile Service Jack

Rear swivel casters for easy maneuverability. Heavy-duty steel frame and wide solid stance for extra stability. Meets ANSI standards.

 $\begin{array}{ll} \mbox{Min height:} & 3^{15}\!\!/_{6}" \\ \mbox{Max height:} & 20" \\ \mbox{Weight:} & 106 \mbox{ lbs.} \end{array}$

Warranty information: 1-year warranty. Repair or replace at discretion of repair center.



KTI-63156

5-ton Service Jack

Professional series turbo lift service jack boasts long, low compact structure design, extra heavy-duty welded steel chassis and universal joint release valve. Patented built-in bypass device prevents over-pumping damage. Meets ASME safety standards.

Lifting range: 6½" to 22½"
Handle length: 405%"
Saddle diameter: 6½"
Weight: 198 lbs.

Dimensions: 52%" (L) x 16%" (W) x 11" (H)

Replacement parts:

KTI-63127 - Rubber filler plug





Warranty information:

1-year warranty. Repair or replace at discretion of repair center.

KTI-63185

10-ton Service Jack

Service jack features extra wide 2" front wheels, long, low design with additional foot pedal, and spring-loaded T-handle that can be set at any angle.

Lifting range: 61/4" to 221/6" Chassis: 183/6" x 613/6" Weight: 353 lbs.

Replacement parts:

KTI-63127 - Rubber filler plug

Warranty information: 90-day warranty. Repair or replace at discretion of repair center.











KTI-63195A

22-ton Air Hydraulic Jack

Metal wheels. Air axle jacks meet ASME safety standards, provide quick, effortless lifts of rated loads and have patented built-in by-pass device mechanism.

Low: 9

High: 21" with extension

Screw Extension: 4"
Handle Length: 48%"
Saddle Diameter: 23/4"
Weight: 103 lbs.

Warranty information:

1-year warranty Repair or rer

1-year warranty. Repair or replace at discretion of repair center.



KTI-63501

Pedestal-style 700 lb. Transmission Jack

Pedestal transmission jack features wide base and large swivel casters for stability and adjustable saddle for ease of alignment. Easily disassembled for transporting and storage.

Length: 20"
Width: 20"
Lift range: 46" to 76"
Saddle range: 46" to 76"

Warranty information:

90-day warranty. Repair or replace at discretion of repair center.



KTI-63511A

1-ton Transmission Jack

Meets ASME safety standard. Adjustable head can be tilted forward and back for optimum alignment of transmission bolt patterns. Load restraining chain.

 Capacity:
 1-ton

 Min. Height:
 8½"

 Max Height:
 30½"

 Saddle Size:
 7" x 7½"

Sideway Tilt: 30° (left) / 30° (right) Forward/Back Tilt: 60° (foward) / 17° (backward)

Weight: 155 lbs.

Warranty information:

1-year warranty. Repair or replace at discretion of repair center.

KTI-63196A

35-ton Air Hydraulic Jack

Air axle jacks meet ASME safety standards, provide quick, effortless lifts of rated loads and have patented built-in by-pass device mechanism.

Low: 95/8"

High: 225/8" with extension

Screw Extension: 4½"
Handle Length: 40%"
Saddle Diameter: 2½"
Weight: 110 lbs.

Warranty information:

1-year warranty. Repair or replace at discretion of repair center.



KTI-63503A

1/2-ton 2-stage Transmission Jack

This jack is designed for the removal, installation and transportation, of transmissions and differentials. Two-stage chrome hydraulic ram for greater range. Smooth hydraulic lift and descent. Manually operated foot pedal pump and release. Extra heavy-duty slide saddle. Four-leg design with swivel casters. Safety chains included. Saddle tilt (all directions): 15 degrees.

Capacity: ½-ton
Min. Height: 34¼"
Max Height: 70%"
Weight: 185 lbs.

Warranty information:

1-year warranty. Repair or replace at discretion of repair center.

KTI-63512A

1½-ton Transmission Jack

Professional series jack with adjustable head. Can be tilted forward and backward for optimum alignment of transmission bolt patterns. Includes load restraining chain. Meets ASME safety standard.

Capacity: 1½-ton
Min. Height: 9½6"

Max Height: 35½6"

Weight: 198 lbs.

Warranty information:

1-year warranty. Repair or replace at discretion of repair center.







Shop Equipment

KTI-63800

Hand Pallet Jack

High quality welded steel construction and powder-coated finish.

Capacity: 6500 lbs.

Max lift height: 7½"

Lowered fork height: 3"

Fork width: 27"


Fork length: 48"

Turning radius: 210°

Weight: 187 lbs.

Warranty information:

1-year warranty. Repair or replace at discretion of repair center.



KTI-63612

12-ton Hydraulic Press

Easy to use and powerful enough for rugged shop environment. Press can be used to install or remove bearings, gears, U-joints, or straightening or bending jobs. Tables can be quickly adjusted for height.

Capacity: 12-ton Height: $53\frac{1}{2}$ " Working distance: $3\frac{1}{8}$ " to 29" Base dimensions: 21" x 30" Weight: 118 lbs.

Replacement parts:

KTI-63612-H12 - Nuts

KTI-63127 - Rubber filler plug

Warranty information: 90-day warranty. Repair or replace at discretion of repair center.



KTI-63620

20-ton Hydraulic Press

Easy to use and powerful enough for rugged shop environment. Press can be used to install or remove bearings, gears, U-joints, or straightening or bending jobs. Tables can be quickly adjusted for height.

Capacity: 20-ton
Height: 70%

Working distance: 0" to 35%
Base dimensions: 321/4" x 271/2"
Weight: 183 lbs.

Replacement parts:

KTI-63127 - Rubber filler plug

Warranty information:

90-day warranty. Repair or replace at discretion of repair center.



KTI-63715A

Air Treadle Pump

Built-in overload circuit to protect equipment. Foot actuated and released to keep hands free for set up. Requires only 90 psi air pressure. Steel reservior.


Pump size: 10" (L) X 5" (W) X 71/6" (H) Output flow rate: 30 cu. in./min. (no load)

7.3 cu. in./min. (load, 10,000 psi)

Warranty information:

1-year warranty. Repair or replace at discretion of repair center.







KTI-63704

4-ton Body Repair Kit

Complete with molded case. Kit includes ram, hose and coupler, pump, 1/2-ton spreader, flat base, flex base, ram toe, plunger toe, wedge head, 90° V-base, serrated saddle and extension tubes. Pro Series kits are ideal for automotive, truck, industrial, agriculture and construction. Chrome plated, rust-proof ram provides longer service life. Plenty of attachments allow for a wide variety of uses. Includes five (5) extension tubes.

Closed height: 13"
Ram lifting height: 45%"
Extended height: 1534"
Max pressure: 10,000 psi

No. of attachments: 14 (including tubes)

Weight: 83 lbs.

Warranty information:

1-year warranty. Repair or replace at discretion of repair center.





KTI-63710

10-ton Body Repair Kit

Complete with molded case. Kit includes ram, hose and coupler, pump, 1/2-ton spreader, flat base, flex base, ram toe, plunger toe, wedge head, 90° V-base, serrated saddle and extension tubes. Pro Series kits are ideal for automotive, truck, industrial, agriculture and construction. Chrome plated, rust-proof ram provides longer service life. Plenty of attachments allow for a wide variety of uses. Includes four (4) extension tubes.

Closed height: 18½"
Ram lifting height: 5½"
Extended height: 19¾"
Max pressure: 10,000 psi
No. of attachments: 13 (including tubes)

Weight: 85 lbs.

Warranty information:

1-year warranty. Repair or replace at discretion of repair center.





KTI-75004

3½-gallon Benchtop Parts Washer

Capacity: 3½ gallons
Tank capacity: 6 gallons
Overall dimensions: 18¼" x 13¾" x 9"
Tank dimensions: 15½" x 11¾" x 8¼"
Weight: 19 lbs.

Replacement parts:

KTI-75004-6 - Replacement pump motor

KTI-75004-9 - Replacement flexible spout - 131/4" length

KTI-75004-16 - Replacement switch

Warranty information:

90-day warranty. Repair or replace at discretion of repair center.



KTI-75020

20-gallon Free Standing Parts Washer

Fully enclosed electric pump recirculates fluid for fast parts washing! Self-latching cover provides optimum fire safety. On/off switch with indicator light. Built-in drain. Convenient removable work shelf. For use with water-based (non-corrosive) solvents only. OSHA approved.

Capacity: 20 gallons
Overall dimensions: 29" x 19" x 34"
Tank dimensions: 29" x 19" x 11½"
Weight: 60 lbs.

Replacement parts:


KTI-75004-6 - Replacement pump motor **KTI-75020-9** - Replacement flexible spout

Warranty information:

90-day warranty. Repair or replace at discretion of repair center.









KTI-81550

Butterfly Impact Wrench



The popular Butterfly 3/8" drive with built-in power regulator features instant forward and reverse throttle speed. Streamline design eliminates 2 piece housing construction for excellent power-to-weight ratio.



KTI-81622

1/2" Drive Impact Wrench



Features a full polished tool, reversing trigger, "Rocking Dog" clutch and built-in power regulator. Working torque range of 25-180 ft/lbs. Applications: transmissions, body shops and general repair.



KTI-81772

3/4" Drive High Peformance Impact Wrench



With the high torque developing clutch, this tool is perfect for assembly work, maintenance of trucks, buses, RVs, farm machinery and construction equipment.



KTI-81797

1" Drive Heavy-duty Impact Wrench



KTI-81798 shown

Develops up to 1,200 ft/lbs. with its twin cam double blow impact mechanism and 6 vane air motor.

KTI-81798 - 1" drive HD impact wrench with 6" extended anvil



KTI-81560

Pistol Grip Impact Wrench



Unlike most competitive 3/8" pistols that are nose heavy, this 3/8" is perfectly balanced.



KTI-81631

1/2" Drive Heavy-duty Impact Wrench



The twin hammer provided in this tool extends life under heavy use with a high output motor developing high torque levels. The steel clutch housing provides additional durability for long life. This tool completes all the tough jobs with ease. 5/8" capacity. Applications: frame repair and rebuild, suspension repair, professional tire shops, small truck repairs, construction equipment and farm equipment.

KTI-81632 - 1/2" drive HD impact wrench with 2" extended anvil



KTI-81775

3/4" Drive Heavy-duty High Power Impact Wrench

The ultimate in 3/4" impacts. The big brother to the KTI-81631 with the high power twin hammer clutch, making this the wrench for all 3/4" applications, including all the hardest jobs, such as springs, tractor pad removal, farm equipment, truck tires, truck suspension and construction equipment.



Air Tool Warranty Information:

K-Tool International air tools are warranted against defects in workmanship for one (1) year from the date of purchase*. We will repair or replace, at our option, any defective part or unit which proves to be defective in material or workmanship within the warranty period. Should an air tool fail within the first 30 days after purchase date, it may be returned to the place of purchase for a free replacement*. The foregoing obligation is K-Tool International's sole liability under this or any implied warranty, and under no circumstances, shall it be liable for any incidental or consequential damages.

This warranty applies to the basic tool. It does not apply to normal wear and tear on attached accessories/consumable products, such as drill chucks, backing pads for sanders, punch and die for nibblers, air hammer retainers, spray gun cups or "kit" accessories, etc.

*Repairs required as a result of abuse, misuse, damage or repair attempts made by others are not covered by this warranty.



IMPACT WRENCH SPECIFICATIONS

	RPMs	Sq. Drive	Working Torque	Ultimate Torque	Length	Weight	cfms
KTI-81550	11,000	3/8"	5-50 ft./lbs.	75 ft./lbs.	5½" length	2.00 lbs.	3 cfm
KTI-81560	11,000	3/8"	5-50 ft./lbs.	75 ft./lbs.	5" length	2.50 lbs.	3 cfm
KTI-81622	7,000	1/2"	25-180 ft./lbs.	260 ft./lbs.	7" length	5.50 lbs.	4 cfm
KTI-81631	7,000	1/2"	25-300 ft./lbs.	425 ft./lbs.	6¾" length	5.60 lbs.	5 cfm
KTI-81632	7,000	1/2" - 2" ext	25-300 ft./lbs.	425 ft./lbs.	8¾" length	5.60 lbs.	5 cfm
KTI-81772	5,000	3/4"	200-500 ft./lbs.	750 ft./lbs.	95/4" length	10.50 lbs.	8 cfm
KTI-81775	7,000	3/4"	200-600 ft./lbs.	900 ft./lbs.	15%" length	11.50 lbs.	8 cfm
KTI-81797	4,000	1"	100-700 ft./lbs.	1200 ft./lbs.	16½" length	26.75 lbs.	12 cfm
KTI-81798	4,000	1" with 6" shank	100-900 ft./lbs.	1200 ft./lbs.	221/2" length	29.75 lbs.	12 cfm

KTI-82500

1/4" Drive Air Ratchet



KTI-82503

3/8" Drive Air Ratchet



A must for dashboards, trim work and hard-to-reach places. Ideal as a hand ratchet and as an air powered wrench.



Ratchet's 1/2 HP motor produces 60 ft./lbs. at 90 psi, allowing the user to enjoy an ultimate torque of 150 ft./lbs. Specifications: 160 rpm; 3/8" square drive; 10-60 ft./lbs. working torque; 10" length; 2.6 lbs.; 4 cfm average air consumption.



AIR RATCHET SPECIFICATIONS

KTI-82500	200 rpm	1/4" sq. drive	5-20 ft./lbs. working torque	20 ft./lbs. ultimate torque	7" length	1.00 lb.	2 cfm
KTI-82503	160 rpm	3/8" sq. drive	10-60 ft./lbs. working torque	60 ft./lbs. ultimate torque	10" length	2.60 lb.	4 cfm

AIR RATCHET REPAIR KITS

KTI-82510 1/4" Drive Air Ratchet Repair Kit KTI-82520 3/8" Drive Air Ratchet Repair Kit KTI-82521 3/8" Drive Head Kit for 1/4" Drive Ratchet KTI-82530 1/2" Drive Air Ratchet Repair Kit









KTI-89275

Needle Scaler Standard Duty



KTI-83280

Weld Flux Needle Scaler



This scaler features 3,500 blows per minute with an extra kick, teasing trigger and independent power regulator.

This industrial needle scaler converts to a standard scaler in seconds. Simple "J" slot adjustment for needle wear or to provide more needle exposure. Positive lock retainer.

KTI-89275	3,500 blows per min.	-	25/8" stroke	12" length	4.50 lbs.	4 cfm
KTI-83280	4 600 blows per min	1/2" sg. shank	11/8" stroke	15" length	6.00 lbs.	5 cfm



KTI-84218

3/8" Drive Air Drill



Lightweight whisper quiet 3/8" drill, with all ball and needle bearing spindle component support and machined planetary gearing.



KTI-84229

1/2" Drive Heavy-duty Reversible Drill



This 1/2" reversible drill is unsurpassed with its whisper quiet through handle exhaust, controllable speed through the teasing trigger and all ball and needle bearing spindle component support.



KTI-84390

1/2" Drive Drill Chuck with Key

1/2" drive replacement chuck for cordless or corded drills. Includes chuck key.



KTI-84228

3/8" Drive Reversible Air Drill



Features through handle muffled exhaust, controllable speed through the teasing trigger and all ball and needle bearing component support.

KTI-84227 - 3/8" Drive Reversible Air Drill with Keyless Chuck



KTI-84230

3/8" Drive Reversible Angle Drill



A variable speed lever throttle adds precision for all applications. Tool has rear exhaust, and the forward and reverse control locks in both positions to prevent accidental directional change.



Keyless Chucks

KTI-84291

3/8" hand-tight keyless drill chuck. 3/8" - 24 thread. Jacobs. U.S.-made.



1/2" hand-tight keyless drill chuck. 3/8" - 24 thread. Jacobs. U.S.-made.









KTI-84292 shown

DRILL AND HAMMER SPECIFICATIONS

KTI-84230	1,900 rpm	3/8" chuck	3/8" - 24 spindle	7½" length	3.00 lbs.	4 cfm
KTI-84218	2,200 rpm	3/8" chuck	3/8" - 24 spindle	6½" length	2.25 lbs.	4 cfm
KTI-84228	2,000 rpm	3/8" chuck	3/8" - 24 spindle	7½" length	3.00 lbs.	4 cfm
KTI-84229	800 rpm	1/2" chuck	3/8" - 24 spindle	9" length	4.00 lbs.	4 cfm



KTI-87130

1/4" Straight Air Drill without Chuck



KTI-87131

1/4" Straight Air Drill with Chuck



Capacity designed for work in close quarters. Durable, light-weight design.

Speed: 2,500 rpm
Air Inlet: 1/4"
Air Consumption: 4 CFM
Length: 7"
Weight: 1.90 lbs.

Capacity designed for work in close quarters. Durable, light-weight design. Includes chuck and key.

 Speed:
 2,500 rpm

 Air Inlet:
 1/4"

 Air Consumption:
 4 CFM

 Length:
 8"

 Weight:
 2.15 lbs.

KTI-83275

Regulated Air Hammer



KTI-83277

Regulated Long Air Hammer



Features independent power regulators, teasing throttle for operator control, all metal 1-piece housing, hardened alloy steel barrel and standard .401" shank opening.

Extra long barrel provides a harder hitting blow. Also features independent power regulators, teasing throttle for operator control, all metal 1-piece housing, hardened alloy steel barrel and standard .401" shank opening.

KTI-89330

Punch / Flange Tool 3/16"



KTI-89331

Punch / Flange Tool 5/16"



This two-in-one tool features a 360° swivel head for ease of operation. The first operation will crimp (flange) up to 14 gauge material together, then turn head of tool 180° to punch a clean 3/16" hole for your welding operation.

Similiar to the KTI-89330, this tool features 20% to 25% more clamping/punch force than the standard 3/16" punch/flange tool.

SPECIFICATIONS

KTI-83277	2,000 blows per min.	.401" shank	3½" stroke	3/4" bore	9" length	4.00 lbs.	4 cfm
KTI-83275	3,500 blows per min.	.401" shank	25/8" stroke	3/4" bore	6¾" length	3.50 lbs.	4 cfm

KTI-89330 2,750 strokes per min. 10" length 4.25 lbs. 4 cfm **KTI-89331** 2,750 strokes per min. 10" length 4.38 lbs. 4 cfm



KTI-88255

Utility / Muffler Cut-off Tool



Cuts through muffler clamps, hangers, sheet metal, radiator hose clamps, rusted bumper bolts and steel rods up to 3/4" thick. Standard equipment includes an abrasive 3" disccutter, independent power regulator, a hand guard trigger and see through cutting shield.

KTI-89218

Air Shear Cutter



Pistol grip, through handle exhaust, high speed 180" per minute cutting capacity in 18 gauge metal. This tool features variable speed control, full ball bearing construction and hardened planetary gear system. The shear head can be positioned in any 360° rotation from the handle for ease of work.

Replacement parts:

KTI-89220 - Replacement Shear Head Attachment

KTI-89325

Air Nibbler



The ultimate in air nibblers. Easily replaceable punch and die (cutter). The die can also be placed in four (4) different cutting positions.

KTI-86800

7" Angle Polisher



A versatile tool with a variable operating speed range of 1,500 rpm to 2,400 rpm for buffing and polishing on a variety of surfaces (i.e., paint, metal and plastic) to a high gloss professional finish.

KTI-89110

Air-Draulic 3/16" Rivet Gun



Rugged tool sets rivets up to 3/16" OD. Includes 4 standard-size nose pieces: 3/32", 1/8", 5/32" and 3/16". Air relief prevents overloading and increase life. Side air inlet. Specifications: 75-80 recommended psi; 3/16" capacity; 4.5 cfm average air consumption.

KTI-89115

Air-Draulic 1/4" Rivet Gun



Rugged tool sets rivets up to 1/4" OD. Includes 6 standard-size nose pieces: 3/32", 1/8", 5/32", 3/16", 7/32", 1/4". Includes complete head assembly (jaws and pusher) for 3/32" through 3/16" steel rivets. Specifications: 75-80 recommended psi; 1/4" capacity; 4.5 lbs.; 4.5 cfm average air consumption.

KTI-89325 KTI-89218	2,800 strokes per min.	18 gauge capacity	8½" length	3.25 lbs. 3.50 lbs.	4 cfm 4 cfm	
KTI-89110 KTI-89115	75-80 psi (recommended) 75-80 psi (recommended)	3/16" capacity 1/4" capacity	3.25 lbs. 4.50 lbs.	4.5 cfm 4.5 cfm		
KTI-86800	1,500 - 2,400 speed	5/8" - 11 spindle	7" pad	12¾" length	6.50 lbs.	16 cfm



KTI-85800

Dual Piston In-line Sander / File



KTI-85866

"Jitterbug" Sander



Sander features a four-cylinder systems. Its double acting pistons constantly work in oppostion to each other, resulting in more power and a smoother, more reliable tool. Specifications: 3,000 rpm; 1" stroke; 2¾" x 15¾" pad; 15¾" length; 6.5 lbs.; 6 cfm average air consumption.

Dynamic counterweight balancing for smooth operation. New heavyduty, long lasting pad with hold fast clasps. Automatic release trigger with positive stop action provides maximum operating safety. Heavyduty body post supports (4) relieve operator's pressure off the center bearings for extended tool life.

KTI-85265

Variable Speed Sander



KTI-85746

"Quiet" Dual-action Sander



Variable speed (2,000-18,000) pistol grip 1/2 HP sander features one-piece all metal housing, independent power regultor and teasing trigger. Includes 3", 4" and 5" pads. Ideal for removing paint and rust, shaping filler patches and smoothing welds. Specifications: 18,000 rpm; 6½" length; 3.5 lbs.; 6 cfm average air consumption.

Dual-action, quiet sander features built-in speed regulator, variable speed trigger, shielded ball bearing for longer life with smooth harmonics and 6" flexible foam sanding pad with vinyl. Specifications: 10,000 rpm; 6" pad; 8¼" length; 4 lbs.; 4 cfm average air consumption.

KTI-85846

High Performance "Quiet" Dual-action Sander



This tool will produce a far superior blending and smoothing of filler, feather edging and pre-paint preparation. Dual-action "quiet" sander has a high efficiency motor and an all steel balancer body and steel spindle lock nut. This balancer is crossbolt-style hub mounting which minimizes vibration.

KTI-85265	18,000 rpm	3", 4" and 5"inch pads	6½" length	3.50 lbs.	6 cfm	
KTI-85746	10,000 rpm	6" pad	8¼" length	4.00 lbs.	4 cfm	
KTI-85846	10,000 rpm	6" pad	8¼" length	4.00 lbs.	4 cfm	
KTI-85800	3,300 strokes per	r min. 1" stroke	2¾ x 15¾" pad	15¾" length	6.50 lbs.	6 cfm
KTI-85866	5,000 rpm	1/16" orbital	2¾ x 9" pad	9" length	5.00 lbs.	6 cfm



KTI-87132

Rear Exhaust Die Grinder



KTI-87133

Die Grinder Kit



Die grinder features a powerful 1/2 HP motor, built-in power regulator, variable speed throttle control and full ball bearing construction. Standard with 1/4" collet. Specifications: 22,000 rpm; 1/4" collet; 5½" length; 14 oz. weight; 2 cfm average air consumption.

Kit features the KTI-87132 1/2 HP die grinder, 1/8" and 1/4" collet, five (5) grinding stones (1/8" arbor), five (5) grinding stones (1/4" arbor), two (2) wrenches and heavy-duty molded carrying case.

KTI-87125

Mini Rear Exhaust Die Grinder



KTI-87126

Rear Exhaust Angle Die Grinder



Die grinder features full bearing support air motor, rear exhaust independent power regulator and variable speed throttle. Complete with 1/4" collet. Angle head is full bearing construction with a grease fitting for external lubrication. Specifications: 25,000 rpm; 5½" length; 1/4" collet; 2 cfm air consumption.

Die grinder features full bearing support air motor, rear exhaust independent power regulator and variable speed throttle. Complete with 1/4" collet. Angle head is full bearing construction with a grease fitting for external lubrication. Specifications: 20,000 rpm; 5½" length; 1/4" collet; 3 cfm air consumption.

KTI-87128

Gearless Angle Die Grinder



KTI-87129

Gearless Angle Die Grinder Kit



Tool features drop-in motor, rear exhaust and enhanced muffler system. Lightweight, thermally insulated composite housing reduces vibration. Hardened steel cylinder maximizes air utilization. Grinder's 1/4" collet accepts 1/8", 1/4", 3mm and 6mm shanks

Includes KTI-87128 gearless die grinder, 1/8" collet, two (2) spanner wrenches, 1/4" nipple, five (5) 2" surface prep pads, five (5) 3" surface prep pads, 2" and 3" disc holders, 3/8" and 1/4" drum with 1/8" shank, 3/4" and 1" drum with 1/4" shank, four (4) each of 3/8", 1/2", 3/4" and 1" sanding rolls, five (5) each of 1/8" and 1/4" shank grinding stones, five (5) each of 2" and 3" roloc pads and plastic carrying case.

22,000 rpm	1/4" collet	6" length	1.00 lb.	2 cfm
25,000 rpm	1/4" collet	5½" length	14 oz.	2 cfm
20,000 rpm	1/4" collet	5½" length	14 oz.	3 cfm
20,000 rpm	1/4" collet	61/4" length	14 oz.	4 cfm
	25,000 rpm 20,000 rpm	25,000 rpm 1/4" collet 20,000 rpm 1/4" collet	25,000 rpm 1/4" collet 5½" length 20,000 rpm 1/4" collet 5½" length	25,000 rpm 1/4" collet 5½" length 14 oz. 20,000 rpm 1/4" collet 5½" length 14 oz.



KTI-80995

Deluxe Spray Gun



This deluxe spray gun features a siphon feed, external mix, built-in regulator and dripless cup. Gun works with all types of automotive refinishing materials.

KTI-80998

Deluxe Production Spray Gun



Professional quality gun provides superior atomization of high solid base coats, clear coats, acrylic enamels, acrylic lacquers, and metallic and other coatings. Includes dripless cup.

KTI-80955

Touch-up



Paint Gun

Includes cup. For touch up, edging, shading or precision detail painting.

KTI-81380

1/2" Electric **Impact Wrench**



This heavy-duty 7 amp tool features 120V, 2100 rpm, double insulation and up to 235 ft./lbs. of torque. Packaged with an extra set of easy change screw-in brushes.

KTI-10010

Angle Grinder 41/2" 650 Watt



KTI-10210

Waxer / Polisher 10" Orbital



Specifications: 5 amp; 11,000 rpm no-load speed; 120 volt AC rating. A spindle lock makes changing the grinder wheel quick and easy. Grinder also includes a grinding wheel guard, wrench and flange. The ergonomic, removable side handle adds versatility for any job! UL listed. One-year limited warranty.

Specifications: 0.75 amp; 3,000 rpm no load speed; 120V/60Hz rated voltage; 10-inch cord. Polisher/waxer is for use on cars, RVs, vans, SUVs and boats. Also features a high-impact ABS shell for added durability. Polisher includes one (1) terry cloth bonnet and one (1) synthetic wool bonnet. UL listed.

KTI-89302

Panel Cup Dent Puller



Shops can reduce labor time nearly 50 percent by using this tool, as well as trim the cost of finishing materials. Especially effective in eliminiating "oil can" indentations from doors and quarter panels. Body technicians will benefit from the tool's compact design. Weighs only 31/4 lbs. and measures only 11" wide. Oval-shaped cup that positions easily in any direction. Non-scratching materials allow the tool to also be used to lift and handle glass.

KTI-10215

7" Variable Speed **Polisher**



The electric 7" polisher/sander features variable speed control which allows users to set maximum speeds from 1,000 to 3,000rpm for different polishing applications. Polisher boasts a repositionable handle for a variety of jobs. Specifications: 11 amp; 120V/60Hz; variable speeds: 1,000 to 3.000 rpm; soft start; overload protection and trigger lock. Includes: one (1) 7" rubber polishing pad; one (1) 7" sanding pad and one (1) wool bonnet. UL listed.



KTI-81900


4-piece Pneumatic Bit Set

Includes panel cutter, cold chisel, hammer bit and scraper. U.S.-made.





Pneumatic Bits



KTI-81956

Double cut body ripper. (A)

KTI-81958

Slotted panel cutter. (B)

KTI-81959

Sheet metal trimmer. (C)

KTI-81968

Tail pipe cut-off. (D)

KTI-81972

6" cold chisel.

KTI-81976

Scraper. (G)

8" cold chisel.

10" cold chisel. (E)

Rivet and bolt cutter. (F)

KTI-81974

KTI-81975

KTI-81977

Taper punch sharp point. (H)

KTI-81979

3/8" taper punch. (I)

KTI-81981

Hammer. (J)

KTI-81982

Long hammer. (K)

KTI-81995

Tie rod separator. (L)

KTI-81996

Ball joint separator. (M)

KTI-81997

1/8" taper punch. (N)

KTI-81986

18" cold chisel. (O)





KTI-10330

326-piece Master Drill Bit Set

KTI's Master Drill Bit is a comprehensive set of drill bits and accessories. This 326-piece set includes bits and accessories for nearly every job. The unique storage case fully opens to access the bit and accessories you need. Two (2) bottom trays fold and slide into portable carrying case. Transport from job to job quickly and easily!

Qty:	<u>Description:</u>
64	HSS Twist Drill Bits:
	3/64" (8), 1/16" (8), 5/64" (5), 3/32" (5), 7/64" (5), 1/8" (5), 9/64" (5),
	5/32" (5), 3/16" (4), 7/32" (4), 15/64", 1/4", 17/64", 9/32", 5/16",
	11/32", 3/8", 7/16", 15/32" and 1/2"
54	Titanium Coated High Speed Drill Bits:
	3/64" (6), 1/16" (6), 5/64" (4), 3/32" (4), 7/64" (4), 1/8" (4), 9/64" (4),
	5/32" (4), 11/64" (4), 3/16" (2), 7/32" (2), 15/64", 1/4", 17/64", 9/32",
	5/16", 11/32", 3/8", 7/16", 15/32" and 1/2"
10	Nutdrivers:
	5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16" and 1/2"
37	2" Screwdriver Bits:
	7 Slotted, 6 Phillips, 6 Pozi, 8 Star, 7 Metric Hex and 8 Square
64	1" Screwdriver Bits:
	14 Slotted, 10 Phillips, 10 Pozi, 8 Star, 7 Hex, 9 Metric Hex and 6 Square
3	14" Masonry Drill Bits:
	5/16", 3/8" and 1/2"
21	Masonry Drill Bits:
	5/32" (2), 11/64" (2), 3/16" (2), 7/32" (2), 15/64" (2), 1/4" (2), 17/64",
	9/32", 5/16", 21/64", 11/32", 3/8", 7/16", 15/32" and 1/2"
4	Nail Pouch:
	1/32", 1/16", 3/32" and 1/8"



	1/8", 5/32", 3/16", 1/4", 5/16" and 3/8"
1	Allen Key - 2.5mm
1	Magnetic Holder
1	Counter Sink
1	Gauge
4	Hole Saws:
	13/4", 21/8", 23/8" and 21/2"
1	Hole Saw Adapter
44	Wood Boring Drill Bits:
	1/8" (3), 5/32" (4), 11/64" (8), 3/16" (4), 13/64" (4), 7/32" (4),
	15/64" (4), 1/4" (4), 17/64", 9/32", 5/16", 11/32", 3/8", 7/16",
	15/32" and 1/2"
5	Flat Wood Bits:

Qty:

Flat Wood Bits: 1/2", 5/8", 3/4", 7/8" and 11/4"

12" Flat Wood Bits: 5/16", 3/8", 1/2" and 9/16"

KTI-71200

10-pack Double-ended Drill Bits

Double-ended, 2" long bits are made of high-speed steel. Ideal for auto body work and sheet metal drilling.



Spray Gun Accessories

KTI-89194 2-pack Spray Gun Filters



KTI-80996 Dripless Spray Gun Cup



KTI-80989 Paint Spray Gun Cleaning Kit



Contains all necessary brushes and tools to effectively clean spray guns. Safe to use with chemicals and solvents.



Air Hammer Accessories

KTI-83090

Needle scaler attachment. (A)

KTI-83091

Bee hive quick-change retainer. (B)

One-piece safety bit retainer. (C)

Heavy-duty quick-change retainer. (D)









Drill Accessories

KTI-84291

3/8" hand-tight keyless drill chuck. 3/8" - 24 thread. Jacobs. U.S.-made.



KTI-84292

1/2" hand-tight keyless drill chuck. 3/8" - 24 thread. Jacobs. U.S.-made.



KTI-84390

1/2" drill chuck with key. For corded or cordless drills





Spindle Adapters

KTI-87140

3/8" - 24 ID thread 5/8" - 11 OD thread

KTI-87141

10mm - 1.25mm ID thread 5/8" - 11 OD thread



Air Regulators

KTI-89191

1/4 inch Air Regulator



KTI-70013

Cut-off Wheel Arbor



KTI-89193

1/4 inch Air Regulator with Gauge



Drill adapter for cut-off discs. Fits any drill with a chuck capacity of 1/4" or larger.



Air Sander Accessories



















KTI-85003

High speed sander - 3" pad (A)

KTI-85004

High speed sander - 41/2" pad (B)

KTI-85005

High speed sander - 5" pad (C)

KTI-85006

3-piece pad set (3", 41/2", 5") (D)

KTI-85007

5" deluxe phenolic pad (E)

KTI-85008

7" deluxe phenolic pad (F)

KTI-85695

5" dual-action bonded pad. Vinyl face (G)

KTI-85696

6" dual-action bonded pad. Vinyl face (H)

KTI-85697

6" dual-action flex pad. Yellow vinyl (I)

Aluminum Pad Assembly

KTI-85810

In-line sander

KTI-85811

Jitterbug sander



KTI-85810



KTI-85811

Abrasive Cut-off Discs

KTI-71303

3" x 1/32" cut-off discs - 6 pack

KTI-71306

3" x 1/16" cut-off discs - 6 pack

KTI-71301

3" x 1/16" cut-off discs - 25 pack

KTI-71300

3" x 1/16" cut-off discs - 50 pack



KTI-71303





KTI-71306

KTI-71025

Nylon Recoil Hose

These K-Tool International nylon recoil air hoses will provide your air-operated tools with consistent airflow. They are manufactured from heavy-duty nylon to perform great in all weather conditions. Extends out to 25 ft., but as small as 2 ft. when coiled up.





PVC Air Hose

KTI-72092 - 25 feet KTI-72095 - 50 feet



Working pressure: 300 psi. 1200 psi burst pressure. 1/4" NPT fittings with flex guards. U.S.-made.



Rubber Air Hose

KTI-72025 - 25 feet **KTI-72035** - 35 feet **KTI-72050** - 50 feet



High-quality rubber air hose. Working pressure: 300 psi. 1/4" NPT. 3/8" ID. U.S.-made.



Wire Wheel and Cup Brushes















KTI-79200	Crimped wire wheel - narrow face	6" diameter	6,000 max. rpm	1/2" x 5/8" hole center mount
KTI-79201	Crimped wire wheel - medium face	6" diameter	6,000 max. rpm	1/2" x 5/8" hole center mount
KTI-79205	Crimped wire wheel - wide face	8" diameter	6,000 max. rpm	1/2" x 5/8" hole center mount
KTI-79210	Crimped wire cup coarse	1" diameter	4,500 max. rpm	1/4" stem mount
KTI-79215	Crimped wire cup coarse	2" diameter	4,500 max. rpm	1/4" stem mount
KTI-79216	Crimped wire cup coarse	3" diameter	4,500 max. rpm	1/4" stem mount
KTI-79217	Crimped wire wheel coarse	3" diameter	4,500 max. rpm	1/4" stem mount
KTI-79220	Knotted wire cup extra-coarse	2¾" diameter	12,500 max. rpm	5/8" x 11 thread
KTI-79225	Crimped wire cup coarse	3" diameter	12,500 max. rpm	5/8" x 11 thread

Note: Always wear eye protection. Keep loose articles of clothing and jewelry from moving parts.







Nylon Cable Ties

Hundreds of uses, including electrical, auto, marine, home and garden. Available in black or natural. Many sizes for a variety of applications. Professional quality. Temperature rating: 185° F (85° C). U.S.-made.

	Bundle	Tensile		
<u>Length</u>	<u>Diameter</u>	<u>Strength</u>	<u>Color</u>	Quantity
4"	7/8"	18 lb.	Natural	100
4"	7/8"	18 lb.	Black	100
7"	11/8"	50 lb.	Natural	100
7"	11/8"	50 lb.	Black	100
7" with mounting head	11/8"	50 lb.	Natural	100
11"	31/16"	50 lb.	Natural	100
11"	31/16"	50 lb.	Black	100
14"	4"	50 lb.	Natural	100
14"	4"	50 lb.	Black	100
14" with mounting head	4"	50 lb.	Natural	100
14" heavy-duty	41/16"	120 lb.	Natural	100
14" heavy-duty	41/16"	120 lb.	Black	100
18" heavy-duty	5¼"	120 lb.	Natural	25
18" heavy-duty	5¼"	120 lb.	Black	25
24" heavy-duty	73/16"	175 lb.	Natural	25
24" heavy-duty	73/16"	175 lb.	Black	25
36" heavy-duty	11"	175 lb.	Natural	25
36" heavy-duty	11"	175 lb.	Black	25
	4" 4" 7" 7" 7" with mounting head 11" 11" 14" 14" 14" with mounting head 14" heavy-duty 14" heavy-duty 18" heavy-duty 18" heavy-duty 24" heavy-duty 24" heavy-duty 36" heavy-duty	Length Diameter 4" 7/8" 7" 1½" 7" with mounting head 1½" 11" 3½6" 11" 3½" 14" 4" 14" with mounting head 4" 14" heavy-duty 4½" 14" heavy-duty 4½" 18" heavy-duty 5½" 18" heavy-duty 5½" 24" heavy-duty 7¾" 24" heavy-duty 7¾" 36" heavy-duty 11"	Length Diameter Strength 4" 7/8" 18 lb. 4" 7/8" 18 lb. 7" 1½" 50 lb. 7" with mounting head 1½" 50 lb. 11" 3½" 50 lb. 11" 3½" 50 lb. 14" 4" 50 lb. 14" with mounting head 4" 50 lb. 14" with mounting head 4" 50 lb. 14" heavy-duty 4½" 120 lb. 14" heavy-duty 5½" 120 lb. 18" heavy-duty 5½" 120 lb. 18" heavy-duty 5½" 120 lb. 18" heavy-duty 7¾" 175 lb. 24" heavy-duty 7¾" 175 lb. 36" heavy-duty 11" 175 lb.	Length Diameter Strength Color 4" 7/8" 18 lb. Natural 4" 7/8" 18 lb. Black 7" 1%" 50 lb. Natural 7" with mounting head 1½" 50 lb. Natural 11" 3½" 50 lb. Natural 11" 3½" 50 lb. Natural 14" 4" 50 lb. Natural 14" with mounting head 4" 50 lb. Natural 14" heavy-duty 4½" 120 lb. Natural 14" heavy-duty 4½" 120 lb. Black 18" heavy-duty 5½" 120 lb. Natural 18" heavy-duty 5½" 120 lb. Natural 18" heavy-duty 5½" 120 lb. Natural 24" heavy-duty 7¾" 175 lb. Natural 24" heavy-duty 7¾" 175 lb. Natural







Nylon Cable Tie Assortments

Convenient dispenser type package allows access to each compartment separately. Hundreds of uses, including electrical, auto, marine, home and garden. Available in black or natural. Many sizes for a variety of applications. Professional quality. U.S.-made.

KTI-76004 (Natural) KTI-78004 (Black)

Each package includes 4" (qty: 200), 7" (qty: 100) and 11" (qty: 100).







KTI-76000

Nylon Tie Tightening Tool

Grips nylon cable ties and tightens with very secure grip. Also cuts excess with thumb lever.







KTI-56208

Self Adjusting Wire Stripper

Automatic wire stripper, wire cutter and crimping tool for solderless terminals.





KTI-56209

Wire Stripper / Crimper

Can be used as wire stripper, machine screw cutter, wire cutter, insulated crimper or solderless terminal crimper.





KTI-50201

Universal Body Clip Plier

These specially designed, patented pliers will remove almost any clip found on trim, bumpers and other areas of the vehicle. The steel levers are enclosed in PMS plastic to prevent scratches. Specially sized and angled tip make these pliers the most versatile clip removal tool. Body clip pliers remove clips found on almost every vehicle - inside and out! Lifetime warranty.





KTI-71108

Specialty Hose Clamp Pliers

This dual-purpose plier, with side jaw design allows hose clamps to be applied or removed in confined areas. Pincers are held parallel to the hose.





KTI-01671

Fuse Puller

Pull Auto, Glass and Mini Fuses





Alligator Clips & Battery Clips



	Qty:
KTI-01611 10 Amp Alligator Clips	 .1
KTI-0165130 Amp Battery Clips	

Battery Terminals







		With the second	Qly.
KTI-02411	Battery Terminal Top Mount		1
KTI-02421	Battery Terminal Side Mount Bolt		2
KTI-02431	Battery Terminal Heavy-duty Side Mount		2
KTI-02441	Battery Terminal Heavy-duty Top Mount		2
KTI-02451	Battery Terminal Heavy-duty Top Marine		2
KTI-02461	Side Mount Charging Posts		2
	Side Mount Adapters		
KTI-02481	Side Mount Charging Post Extenders		2
	Side Mount Battery Bolt 3/8"		
	Top Mount Battery Bolt and Nut 3/8"		

Dyna Loom - Split Wire Loom



KTI-02751	1/2" I.D. Split Wire Loom	 7'
KTI-02761	1/4" I.D. Split Wire Loom	 10'
	5/8" LD Split Wire Loom	6'

Dyna Loom / Routing Clips



	<u> </u>
KTI-02742 1/4" Wire Loom Clips	10
KTI-027433/8" Wire Loom Clips	
KTI-02744 1/2" Wire Loom Clips	-
KTI-02745 5/8" and 3/4" Wire Loom Clips	



Primary Wire





		Color:	<u>Gauge:</u>	Length:
KTI-01912	Primary Wire	Red	10 Gauge	8'
KTI-01920	Primary Wire	Black	10 Gauge	8'
KTI-01939	Primary Wire	White	10 Gauge	8'
KTI-02012	Primary Wire	Red	12 Gauge	10'
KTI-02020	Primary Wire	Black	12 Gauge	10'
KTI-02039	Primary Wire	White	12 Gauge	10'
KTI-02112	Primary Wire	Red	14 Gauge	15'
KTI-02127	Primary Wire	Yellow	14 Gauge	15'
KTI-02130	Primary Wire	Black	14 Gauge	15'
		White		
KTI-02212	Primary Wire	Red	16 Gauge	25'
KTI-02227	Primary Wire	Yellow	16 Gauge	25'
KTI-02230	Primary Wire	Black	16 Gauge	25'
KTI-02249	Primary Wire	White	16 Gauge	25'
KTI-02312	Primary Wire	Red	18 Gauge	30'
KTI-02327	Primary Wire	Yellow	18 Gauge	30'
KTI-02330	Primary Wire	Black	18 Gauge	30'
KTI-02349	Primary Wire	White	18 Gauge	30'

E-Z Locks / Self-stripping Wire Connectors



	 1	Qt <u>y:</u>
KTI-0183818-22 Gauge EZ Locks Self Strip	 	10
KTI-0183914-18 Gauge EZ Locks Self Strip	 	10
KTI-01840 10-12 Gauge EZ Locks Self Strip		10

Fuse Holders





	Qty:
KTI-0164112 Gauge Fuse Holder for ATO Fuse	1
KTI-0166130 Amp Fuse Holder for AGC Fuse	2

Cable Clamps





	<u>Qty.</u>
KTI-029221/4" Black Cable Clamp	25
KTI-029233/8" Black Cable Clamp	
KTI-029241/2" Black Cable Clamp	
KTI-029255/8" Black Cable Clamp	Z5



ATO Fuses / ATO Glo Fuses



ATO fuses are color coded for amperage, have a recognizable body design, and standard footprint. ATO fuses snap into place without the need for special tools.

	<u>Qıy</u>
KTI-042093 Amp Fuses	5
KTI-042105 Amp Fuses	5
KTI-04211 7.5 Amp Fuses	5
KTI-0421210 Amp Fuses	
KTI-04213 15 Amp Fuses	
KTI-04214 20 Amp Fuses	
KTI-04215	
KTI-04216 30 Amp Fuses	5
·	
KTI-0428210 Amp Glo-Fuse	5
KTI-04283 15 Amp Glo-Fuse	
KTI-04284 20 Amp Glo-Fuse	
KTI-04285	
KTI-04286 30 Amp Glo-Fuse	5

Mini Fuses / Low Profile Mini Fuses / Glo Mini Fuses



The mini fuse style blade fuse is quickly becoming a new standard in the automotive industry. The mini fuse allows for more circuits to be fused in the same space as either an ATO or ATC style fuse. Mini fuses are offered in 2 to 30 amp current ratings.

	Qty:
KTI-04199 Fuses Mini 2 Amp	5
KTI-04200Fuses Mini 3 Amp	5
KTI-04201 Fuses Mini 4 Amp	5
KTI-04202 Fuses Mini 5 Amp	
KTI-04203 Fuses Mini 7.5 Amp	5
KTI-04204 Fuses Mini 10 Amp	5
KTI-04205Fuses Mini 15 Amp	5
KTI-04206Fuses Mini 20 Amp	5
KTI-04207 Fuses Mini 25 Amp	5
KTI-04208 Fuses Mini 30 Amp	
KTI-04270Low Profile Mini Fuse - 5 Amp	10
KTI-04271Low Profile Mini Fuse - 7.5 Amp	
KTI-04272Low Profile Mini Fuse - 10 Amp	10
KTI-04273Low Profile Mini Fuse - 15 Amp	10
KTI-04274Low Profile Mini Fuse - 20 Amp	10
KTI-04275 Low Profile Mini Fuse - 25 Amp	
KTI-04276Low Profile Mini Fuse - 30 Amp	10
·	
KTI-04277Mini Glo-Fuse 10 Amp	5
KTI-04278Mini Glo-Fuse 15 Amp	
KTI-04279Mini Glo-Fuse 20 Amp	
KTI-04280Mini Glo-Fuse 25 Amp	
KTI-04281Mini Glo-Fuse 30 Amp.	



Maxi Fuses











	Qty:
KTI-04234Fuses Maxi 20 Amp	3
KTI-04235Fuses Maxi 30 Amp	
KTI-04236Fuses Maxi 40 Amp	3
KTI-04237Fuses Maxi 50 Amp.	
KTI-04238 Fuses Maxi 60 Amp.	
KTI-04239. Fuses Maxi 80 Amp.	_

Glass Fuses





Glass Fuses

Although still used in older-model cars, glass fuses are found primarily in automotive accessory applications today. Glass fuses are widely used in electronic and electrical applications where proper fuse selection is critical to performance. Sold as a package of 5.

KTI-00811	Fuses Glass 10 Amp	5
	Fuses Glass 15 Amp	
	Fuses Glass 20 Amp	
	Fuses Glass 25 Amp	
	Fuses Glass 30 Amp	
	Fuses Glass 5 Amp	

Jcase Fuses / Low Profile Jcase Fuses























	<u>Qt</u> y
KTI-04220Jcase Fuse - 20 Amp	5
KTI-04221Jcase Fuse - 30 Amp	5
KTI-04222 Jcase Fuse - 40 Amp	5
KTI-04223 Jcase Fuse - 50 Amp	5
KTI-04224 Jcase Fuse - 60 Amp	5
·	
KTI-04226Low Profile Jcase Fuse - 20 Amp	5
KTI-04227Low Profile Jcase Fuse - 25 Amp	5
KTI-04228Low Profile Jcase Fuse - 30 Amp	5
KTI-04229Low Profile Jcase Fuse - 40 Amp	5
KTI-04230Low Profile Jcase Fuse - 50 Amp	
KTI-04231Low Profile Jcase Fuse - 60 Amp	
The state of the s	



Electrical Copper Lugs





	Qty:
KTI-04054 Electrical Copper Lugs 1 Gauge x 3/8	10
KTI-04055 Electrical Copper Lugs 1 Gauge x 5/16	
KTI-04049 Electrical Copper Lugs 2 Gauge x 3/8	10
KTI-04051 Electrical Copper Lugs 2 Gauge x 5/16	
KTI-04050 Electrical Copper Lugs 4 Gauge x 3/8	
KTI-04052 Electrical Copper Lugs 4 Gauge x 5/16	10
KTI-04053 Electrical Copper Lugs 6 Gauge x 3/8	
KTI-04056 Electrical Copper Lugs 6 Gauge x 5/16	

Electrical Shrink Tube Connectors / Terminals



KTI-04098 Electrical Shrink Tube Butt Connector Heat Shrink 12-10	5
KTI-04096 Electrical Shrink Tube Butt Connector Heat Shrink 16-14	-
KTI-04094 Electrical Shrink Tube Butt Connector Heat Shrink 22-18	
KIT-04034Electrical Shiftin Tube Butt Conflector Fleat Shiftin 22-10	
KTI-04099 Electrical Shrink Tube Butt Connector Solder Seal 12-10	_
KTI-04097 Electrical Shrink Tube Butt Connector Solder Seal 16-14	
KTI-04095 Electrical Shrink Tube Butt Connector Solder Seal 22-18	5
KTI-04105 Electrical Shrink Tube Female Slide Terminal 12-10 Stud Size .250	5
KTI-04103 Electrical Shrink Tube Female Slide Terminal 16-14 Stud Size .250	5
KTI-04101 Electrical Shrink Tube Female Slide Terminal 22-18 Stud Size .250	
KTI-04104 Electrical Shrink Tube Male Slide Terminal 12-10 Stud Size .250	5
KTI-04102 Electrical Shrink Tube Male Slide Terminal 16-14 Stud Size .250	
KTI-04100 Electrical Shrink Tube Male Slide Terminal 22-18 Stud Size .250	
The state of the s	
KTI-04090 Electrical Shrink Tube Ring Terminal 12-10 Stud Size 1/4"	5
KTI-04089 Electrical Shrink Tube Ring Terminal 12-10 Stud Size 10	
U	
KTI-04091 Electrical Shrink Tube Ring Terminal 12-10 Stud Size 3/8"	5
	_
KTI-04088 Electrical Shrink Tube Ring Terminal 16-14 Stud Size 10	
KTI-04087 Electrical Shrink Tube Ring Terminal 16-14 Stud Size 6	
KTI-04086 Electrical Shrink Tube Ring Terminal 22-18 Stud Size 6	
KTI-04093 Electrical Shrink Tube Spade Terminal 12-10 Stud Size 10	5
KTI-04092 Electrical Shrink Tube Spade Terminal 16-14 Stud Size 10	
·	



Electrical Solderless Terminals















		Qty:
KTI-04068	Electrical Solderless Terminals 12-10 #10 Spade	10
KTI-04071	Electrical Solderless Terminals 12-10 Butt Connector	10
	Electrical Solderless Terminals 12-10 Female Disconnect	
KTI-04109	Electrical Solderless Terminals 12-10 Female Full Insulted Weatherproof	5
	Electrical Solderless Terminals 12-10 Male Disconnect	-
KTI-04108	Electrical Solderless Terminals 12-10 Male Disconnect Full Insulated Weatherproof	5
KTI-04063	Electrical Solderless Terminals 12-10, 1/4" Ring	10
KTI-04064	Electrical Solderless Terminals 12-10, 3/8" Ring	10
KTI-04062	Electrical Solderless Terminals 12-10 #10 Ring	10
	Electrical Solderless Terminals 16-14 #6 Spade	
	Electrical Solderless Terminals 16-14 #10 Spade	
KTI-04081	Electrical Solderless Terminals 16-14 2-Way Snap Plug Receptacle	10
KTI-04080	Electrical Solderless Terminals 16-14 3-Way Connector	10
KTI-04070	Electrical Solderless Terminals 16-14 Butt Connector	10
KTI-04075	Electrical Solderless Terminals 16-14 Female Disconnect	10
KTI-04082	Electrical Solderless Terminals 16-14 Female Disconnect for Contact Body	10
KTI-04084	Electrical Solderless Terminals 16-14 Female Disconnect Full Insulated	10
KTI-04106	Electrical Solderless Terminals 16-14 Female Disconnect Full Insulated Weatherproof	5
KTI-04074	Electrical Solderless Terminals 16-14 Male Disconnect	10
KTI-04083	Electrical Solderless Terminals 16-14 Male Disconnect for Contact Body	10
KTI-04085	Electrical Solderless Terminals 16-14 Male Disconnect Full Insulated	10
KTI-04107	Electrical Solderless Terminals 16-14 Male Disconnect Full Insulated Weatherproof	5
	Electrical Solderless Terminals 16-14 Universal Female Snap Plug	
KTI-04078	Electrical Solderless Terminals 16-14 Universal Snap Plug	10
KTI-04060	Electrical Solderless Terminals 16-14, 1/4 Ring	10
KTI-04061	Electrical Solderless Terminals 16-14, 3/8 Ring	10
KTI-04058	Electrical Solderless Terminals 16-14 #6 Ring	10
KTI-04059	Electrical Solderless Terminals 16-14 #10 Ring	10
KTI-04057	Electrical Solderless Terminals 22-18 #10 Ring	10
	Electrical Solderless Terminals 22-18 #10 Spade	
	Electrical Solderless Terminals 22-18 #6 Ring	
	Electrical Solderless Terminals 22-18 Butt Connector	
	Electrical Solderless Terminals 22-18 Female Disconnect	-
	Electrical Solderless Terminals 22-18 Male Disconnect	-
- 7		

Heat Shrink Tubing







A high quality material which shrinks to 1/3 its size. It can be stored for extended periods of time without shrinkage. It remains flame retardant, and is very flexible. When heated, the sealant flows and physically encapsulates, creating a waterproof barrier.

KTI-04494 Electrical Shrink Tube 1/2" 4 KTI-02631 Heat Shrink Tubing 1/4" I.D. Length 6" 4 KTI-02611 Heat Shrink Tubing 1/8" I.D. Length 6" 4 KTI-02621 Heat Shrink Tubing 3/16" I.D. Length 6" 4 KTI-02641 Heat Shrink Tubing 3/8" I.D. 6" 4 KTI-02651 Heat Shrink Tubing Assortment 8	and to for included, the couldn't notice and projection, checking a materiple of barrier	•
KTI-02611 Heat Shrink Tubing 1/8" I.D. Length 6" 4 KTI-02621 Heat Shrink Tubing 3/16" I.D. Length 6" 4 KTI-02641 Heat Shrink Tubing 3/8" I.D. 6" 4	KTI-04494 Electrical Shrink Tube 1/2"	4
KTI-02611 Heat Shrink Tubing 1/8" I.D. Length 6" 4 KTI-02621 Heat Shrink Tubing 3/16" I.D. Length 6" 4 KTI-02641 Heat Shrink Tubing 3/8" I.D. 6" 4	KTI-02631Heat Shrink Tubing 1/4" I.D. Length 6"	4
KTI-02621 Heat Shrink Tubing 3/16" I.D. Length 6" 4 KTI-02641 Heat Shrink Tubing 3/8" I.D. 6" 4		
KTI-02641 Heat Shrink Tubing 3/8" I.D. 6"		
	KTI-02651 Heat Shrink Tubing Assortment	



Vacuum Caps



	<u>Qty:</u>
KTI-04263Vacuum Caps 1/4	10
KTI-04266Vacuum Caps 1/8	
KTI-04262Vacuum Caps 3/16	
KTI-04265Vacuum Caps 3/8	
KTI-04264Vacuum Caps 5/16	

Vacuum Tees



KTI-04260Vacuum Tees 4-Way 3/16	10
KTI-04261Vacuum Tees 5-Way 3/16	
KTI-04252Vacuum Tees 1/4 X 1/4	10
KTI-04242Vacuum Tees 1/4-1/4	10
KTI-04240Vacuum Tees 1/8-1/8	10
KTI-04251Vacuum Tees 3/16 X 3/16	10
KTI-04247Vacuum Tees 3/16-3/16-1/4	10
KTI-04241Vacuum Tees 3/16-3/16	10
KTI-04245Vacuum Tees 3/16-3/16	10
KTI-04253 Vacuum Tees 5/16 X 5/16	10
KTI-04243Vacuum Tees 5/16-5/16	10

Grease Fittings











•	Qty:
KTI-04319 Grease Fittings Metric 10MM 45° Elbow	10
KTI-04320 Grease Fittings Metric 10MM 90° Elbow	
KTI-04318Grease Fittings Metric 10MM Straight	10
KTI-04313 Grease Fittings Metric 6MM 45° Elbow	10
KTI-04314 Grease Fittings Metric 6MM 90° Elbow	10
KTI-04312Grease Fittings Metric 6MM Straight	10
KTI-04316 Grease Fittings Metric 8MM 45° Elbow	10
KTI-04317 Grease Fittings Metric 8MM 90° Elbow	10
KTI-04315 Grease Fittings Metric 8MM Straight	
KTI-04309 Grease Fittings SAE 1/4-28 45° Elbow	10
KTI-04310Grease Fittings SAE 1/4-28 90° Elbow	10
KTI-04311Grease Fittings SAE 1/4-28 Long Straight	10
KTI-04308Grease Fittings SAE 1/4-28 Straight	10



Drain Plug Gaskets





	<u>Qty:</u>
KTI-04134Drain Plug Gasket 1/2 Fiber	10
KTI-04135Drain Plug Gasket 1/2 Nylon	
KTI-04136Drain Plug Gasket 12mm Poly	
KTI-04137Drain Plug Gasket 14MM Poly	10
KTI-04138Drain Plug Gasket 16mm Fiber	10
KTI-04139Drain Plug Gasket 18mm Fiber	10
KTI-04140Drain Plug Gasket 20mm Fiber	10
KTI-04141Fiber Gasket 1/2 Double Oversize	10
KTI-04142Drain Plug Gasket 14mm Rubber/Metal	10
KTI-04168Drain Plug Gasket 14mm Fiber	

Visit www.ktooltinternational.com to download our complete drain plug application guide

Drain Plugs





	Qty:
KTI-04120Oil Drain Plug 12mm x 1.75 (Black Oxide Finish)	
KTI-04121Oil Drain Plug 12mm x 1.50	5
KTI-04123 Oil Drain Plug 14mm x 1.50	5
KTI-04124Oil Drain Plug 12mm x 1.75 (Chrome Finish)	5
KTI-04125Oil Drain Plug - Single Oversize 14mm x 1.50	5
KTI-04126 Drain Plug M14-1.50 Pilot Pt	5
KTI-04181 Drain Plugs Universal 1/2 Single Oversize	
KTI-04182Drain Plugs Universal 1/2 Double Oversize	5
KTI-04183Drain Plugs Universal 1/2 Triple Oversize	5
KTI-04184 Drain Plugs Universal 1/2 Single Oversize Piggyback	5
KTI-04185Drain Plugs Universal 1/2 Double Oversize Piggyback	5
KTI-04188Drain Plugs 12mm x 1.25 Ford/Infiniti/Lexus/Lexus/Nissan	5
KTI-04189 Drain Plugs GM 12mm x 1.75	5
KTI-04190 Drain Plugs GM/Ford 14mm x 1.50	5
KTI-04193Drain Plugs Chrysler 1/2-20 with Molded Rubber	
KTI-04195Drain Plugs GM/Chrysler/Honda/Mazda 14mm DI-Chrome	5
KTI-04196 Drain Plugs Ford 14mm x 1.50 Dog Point	5
KTI-04198 Drain Plugs GM 12mm x 1.75	5

Visit www.ktooltinternational.com to download our complete drain plug application guide



Brake Line - Copper Nickel / Galfan Coated / PVF Coated

Copper-nickel brake lines are easy to bend, corrosion resistant and provide an excellent flare seal.



Galfan coated brake linesv provide extended corrosion and abrasion resistance by combining a hot dip coat of the alloy Galfan with an aluminum rich epoxy top coat.



PVF (poly vinyl fluoride) coated lines feature 30X corrosion resistance over plain galvanized lines. PVF coated lines provide significant protection against all road elements.



	Qty:
KTI-03970 Brake Line - Copper Nickel 3/16" - 25'	1
KTI-03971Brake Line - Copper Nickel 1/4" - 25'	1
KTI-03963 Brake Line - Galfan Coated 3/16" x 25' Coil	1
KTI-03964 Brake Line - Galfan Coated 1/4" x 25' Coil	1
KTI-03965 Brake Line - Galfan Coated 5/16" x 25' Coil	
KTI-03966Brake Line - Galfan Coated 3/8" x 25' Coil	1
KTI-03967 Brake Line - PVF Coated 3/16" x 25' Coil	
KTI-03968 Brake Line - PVF Coated 1/4" x 25' Coil	1
KTI-03969 Brake Line - PVF Coated 5/16 x 25' Coil	



	Qty:
KTI-040233/16" Brake Line Nut 3/8"-24 Short Thread Inverted Flare	5
KTI-040243/16" Brake Line Nut 3/8"-24 Long Thread Inverted Flare	5
KTI-040251/4" Brake Line Nut 7/16"-24 Short Thread Inverted Flare	5
KTI-040261/4" Brake Line Nut 7/16"-24 Long Thread Inverted Flare	5
KTI-040275/16" Brake Line Nut 1/2"-20 Thread Inverted Flare	5
KTI-040083/16" Brake Line Nut Metric 10mm x 1.0 (Jap) Inverted Flare	5
KTI-040093/16" Brake Line Nut Metric 10mm x 1.0 (Eur) Bubble Flare	5
KTI-040103/16" Brake Line Nut 3/8"-24 (Brit) Bubble Flare	5
KTI-039723/16" Brake Line Nut Metric 11mm x 1.5 Bubble Flare	
KTI-039733/16" Brake Line Nut Metric 12mm x 1.0 Bubble Flare	5
KTI-039743/16" Brake Line Nut Metric 13mm x 1.5 Bubble Flare	5
KTI-039753/16" Brake Line Nut 9/16"-18 Inverted Flare	5
KTI-039761/4" Brake Line Nut Metric 12mm x 1.0 Bubble Flare	5
KTI-039773/16" Brake Line Nut Metric 10mm x 1.0 Long Inverted Flare	5
KTI-039783/16" Brake Line Nut Metric 10mm x 1.0 Bubble Flare	5
KTI-039793/16" Brake Line Nut 7/16"-24 Inverted Flare	5
KTI-039803/16" Brake Line Nut 1/2"-20 Inverted Flare	5
KTI-039846mm Brake Line Nut Metric 12mm x 1.0 Bubble Flare	
KTI-039856mm Brake Line Nut Metric 14mm x 1.5 Bubble Flare	



Brake Line Adapters





Qty:
KTI-04000Brake Master Cylinder Adapter 3/16 Male x 3/16 Female5
KTI-04001Brake Metric Adapter 3/16 (3/8"-24) Female Inv Flare x 10mm x 1.0 Male Bubble Flare5
KTI-04002Brake Metric Adapter 3/16 (3/8"-24) Female Inv Flare x 10mm x 1.0 Male Inv Flare5
KTI-04003Brake Metric Adapter 3/16 (3/8"-24) Female Inv Flare x 11mm x 1.5 Male Bubble Flare5
KTI-04004Brake Metric Adapter 3/16 (3/8"-24) Female Inv Flare x 12mm x 1.0 Male Bubble Flare5
KTI-04005Brake Metric Adapter 3/16 (3/8"-24) Female Inv Flare x M13 x 1.5 Bubble Inv Flare5
KTI-04006 Brake Metric Adapter 3/16 (3/8"-24) Female Inv Flare x 10mm x 1.25 Male Bubble Flare5
KTI-04011 Brake Master Cylinder Adapter 3/16 (3/8"-24) Female x 1/4 (7/16"-24) Male Inv Flare5
KTI-04012Brake Master Cylinder Adapter 1/4 (7/16"-24) Female Inv Flare x 3/16 (3/8"-24) Male Inv Flare5
KTI-04013Brake Master Cylinder Adapter 1/4 (7/16"-24) Female Inv Flare x 5/16 (1/2"-20) Male Inv Flare5
KTI-04014Brake Master Cylinder Adapter 3/16 (9/16"-18) Male Inv Flare x 1/4 Female (7/16"-24) Inv Flare5
KTI-04015Brake Master Cylinder Adapter 5/16 (1/2"-20) Male Inv Flare x 3/16 (3/8"-24) Female Inv Flare5
KTI-04016Brake Master Cylinder Adapter 3/16 (9/16"-20) Male Inv Flare x 3/16 (3/8"-24) Female Inv Flare5
KTI-04017 Brake Master Cylinder Adapter 3/16 (9/16"-18) Male Inv Flare x 3/16 (3/8"-24) Female Inv Flare5
KTI-04018Brake Master Cylinder Adapter 3/16 (9/16"-18) Male Inv Flare x 3/16 (1/2-20) Female Inv Flare5
KTI-04019Brake Master Cylinder Adapter 1/4 Male x 5/16 Female Inv Flare5
KTI-04020Brake Metric Adapter 11mm x 1.5 Male Bubble Flare x 3/16 (10mm x 1.0) Female Inv Flare5
KTI-04021Brake Metric Adapter 12mm x 1.0 Male Bubble Flare x 3/16 (10mm x 1.0) Female Inv Flare5
KTI-04022 Brake Metric Adapter 13mm x 1.5 Male Bubble x 3/16 (10mm x 1.0) Female Inv Flare5

Brake Line Unions





	Qty:
KTI-040293/16" Brake Line Union 3/8"-24 Inverted	5
KTI-040301/4" Brake Line Union 7/16"-24 Inverted	
KTI-040315/16" Brake Line Union 1/2"-20 Inverted	5
KTI-040073/16" Brake Union British to British Line 3/8"-24 Bubble Flare	5
KTI-040283/16" Brake Union Euro to Euro Line M10 x 1.0 Bubble Flare	5
KTI-04032 3/16" Brake Union Japan to Japan Line M10 x 1.0 Inverted Flare	5



Brake Bleeder Screws / Copper Washers





	Qty:
KTI-04033 Brake Bleeder Screws Ford Truck 3/8-24 Long	5
KTI-04034Brake Bleeder Screws GM, Ford, Chrysler Cars 3/8-24	5
KTI-04035 Brake Bleeder Screws GM Cars 1/16-24	5
KTI-04036Brake Bleeder Screws GM Cars M10 x 1.0	5
KTI-04037 Brake Bleeder Screws Chevy, Chrysler, Import Cars M10 x 1.0	5
KTI-04038Brake Bleeder Screws Ford Truck 7/16-20	5
KTI-04039Brake Bleeder Screw Repair Insert 1/4-18 NPT	5
KTI-04040Brake Bleeder Copper Washers 29/64 I.D 11/16 O.D	5
KTI-04041Brake Bleeder Copper Washers 25/64 I.D 5/8 O.D	5
	5

Fuel Line Quick Connect - Straight / 90-degree



	<u> Qty.</u>
KTI-05100Fuel Line Quick Connect Straight: Female 1/4 - Male 5/16	5
KTI-05101Fuel Line Quick Connect Straight: Female 5/16 - Male 5/16	5
KTI-05104Fuel Line Quick Connect Straight: Female 3/8 - Male 5/16	5
KTI-05103 Fuel Line Quick Connect Straight: Female 5/16 - Male 3/8	5
KTI-05202Fuel Line Quick Connect Straight: Female 5/16 - Male 3/8 Ford OE Style	5
KTI-05102Fuel Line Quick Connect Straight: Female 3/8 - Male 3/8	5
KTI-05124Fuel Line Quick Connect Posi-Lock Straight Female 5/16 -Male 5/16	5
KTI-05125Fuel Line Quick Connect Posi-Lock Straight Female 3/8 - Male 3/8	5
KTI-05105Fuel Line Quick Connect 90-degree: Female 5/16 - Male 5/16	5
KTI-05107Fuel Line Quick Connect 90-degree: Female 3/8 - Male 5/16	
KTI-05108Fuel Line Quick Connect 90-degree: Female 5/16 - Male 3/8	
KTI-05106Fuel Line Quick Connect 90-degree: Female 3/8 - Male 3/8	
KTI-05126Fuel Line Quick Connect Posi-Lock Bent Female 5/16 - Male 5/16	5
KTI-05127Fuel Line Quick Connect Posi-Lock Bent Female 3/8 - Male 3/8	5



Fuel Line Retainer Clips





	Qty:
KTI-05375Fuel Line Retainer Clip 3/8" GM	10
KTI-05376Fuel Line Retainer Clip 5/16" GM	10
KTI-05377Fuel Line Retainer Clip 5/16" Ford	10
KTI-05378Fuel Line Retainer Clip 3/8" Ford	10
KTI-05379Fuel Line Retainer Clip 1/4" Ford	10
KTI-05380Fuel Line Retainer Clip 1/2" Ford	10
KTI-05381Fuel Line Retainer Clip 10.5mm Ford Truck	10
KTI-05382Fuel Line Retainer Clip 13mm Ford Truck	10
KTI-05383Fuel Line Retainer Clip 5/16" Ford (White)	
KTI-05384Fuel Line Retainer Clip 3/8" Ford (Black)	

Nylon Fuel Line





	<u>Qty:</u>
KTI-05205Fuel System #12 Rated Nylon Fuel Line 1/4" - 25 Foot Roll	1
KTI-05206Fuel System #12 Rated Nylon Fuel Line 5/16" - 25 Foot Roll	1
KTI-05207Fuel System #12 Rated Nylon Fuel Line 3/8" - 25 Foot Roll	1

Fuel Sender Adapters







KTI-05370Fuel Sender Adapter to Rubber Fuel Line Female 14mm to Male 5/16	5
KTI-05371Fuel Sender Adapter to Rubber Fuel Line Female 16mm to Male 3/8	5
KTI-05226Fuel Sender Adapter to Nylon Fuel Line Female 14mm to Male 5/16	5
KTI-05228Fuel Sender Adapter to Nylon Fuel Line Female 16mm to Male 3/8	5

Qty:



Fuel Line Clamps













KTI-05118Fuel Line Clamp 360 Degree 1/4 for Nylon & Rubber Hose	10
KTI-05119 Fuel Line Clamp 360 Degree 5/16 (8mm) for Nylon & Rubber Hose	10
KTI-05120 Fuel Line Clamp 360 Degree 3/8 (10mm) for Nylon & Rubber Hose	10
KTI-05177Fuel System Fuel Injection Hose Clamps 1/4	10
KTI-05179Fuel System Fuel Injection Hose Clamps 5/16 (8mm)	10
KTI-05181Fuel System Fuel Injection Hose Clamps 3/8 (10mm)	

Fuel Line Fittings





KTI-05112Brass Compression Union 1/4" Nylon to Nylon	5
KTI-05113Brass Compression Union 5/16" Nylon to Nylon	
KTI-05114Brass Compression Union 3/8" Nylon to Nylon	
KTI-05115Brass Compression Union 1/4" Nylon to Steel	5
KTI-05116Brass Compression Union 5/16" Nylon to Steel	5
KTI-05117Brass Compression Union 3/8" Nylon to Steel	5
KTI-05109Nylon Fuel Line Brass Splice Joiner 1/4	5
KTI-05110Nylon Fuel Line Brass Splice Joiner 5/16	2
KTI-05111Nylon Fuel Line Brass Splice Joiner 3/8	5
KTI-05165Fuel System Rubber Hose Barbed Connector 3/16	5
KTI-05167Fuel System Rubber Hose Barbed Connector 1/4	5
KTI-05169Fuel System Rubber Hose Barbed Connector 5/16	5
KTI-05171Fuel System Rubber Hose Barbed Connector 3/8	5

Fuel System Adapters





	<u>Qty:</u>
KTI-05136Fuel System Adapter Steel to Rubber or Nylon Line 1/4	5
KTI-05138Fuel System Adapter Steel to Rubber or Nylon Line 5/16	5
KTI-05141Fuel System Adapter Steel to Rubber or Nylon Line 3/8	5
KTI-05143 Fuel System Adapter GM 14mm to 5/16 to Nylon or Rubber Line	5
KTI-05145Fuel System Adapter GM 16mm to 3/8 to Nylon or Rubber Line	5
KTI-05149Fuel System Adapter 3/8 Nylon to 3/8 Rubber	



Fuel Filter Repair Lines



\text{VTI-05225}.....Fuel Filter Repair Lines 180 Degree 3/8" x 6-1/2" 16mm GM5



	Qty:
KTI-05209Steel Fuel Line Repair Kit w/14mm Fitting and O-ring 5/16 Line x 9" Length	5
KTI-05211 Steel Fuel Line Repair Kit w/14mm Fitting and O-ring 5/16 Line x 18" Length	5
KTI-05213Steel Fuel Line Repair Kit w/14mm Fitting and O-ring 5/16 Line x 30" Length	5
KTI-05215Steel Fuel Line Repair Kit w/16mm Fitting and O-ring 3/8 Line x 9" Length	5
KTI-05217Steel Fuel Line Repair Kit w/16mm Fitting and O-ring 3/8 Line x 18" Length	5
KTI-05219Steel Fuel Line Repair Kit w/16mm Fitting and O-ring 3/8 Line x 30" Length	5
KTI-05221Steel Fuel Line Repair Kit w/Quick Disconnect 5/16 x 18 GM/Ford	5
KTI-05372Nylon Fuel Line Repair Kit Straight 12" Length Female 3/8 x Male 5/16	5
KTI-05235Nylon Fuel Line Repair Kit Straight 12" Length Female 3/8 x Male 3/8	5
KTI-05243Nylon Fuel Line Repair Kit Straight 12" Length Female 5/16 x Male 5/16	5
KTI-05233Nylon Fuel Line Repair Kit Straight 12" Length Female 5/16 x Male 3/8	5
KTI-05237Nylon Fuel Line Repair Kit 90 Degree 12" Length Female 3/8 to Male 3/8	5
KTI-05245Nylon Fuel Line Repair Kit 90 Degree 12" Length Female 5/16 to Male 5/16	5
KTI-05373Nylon Fuel Line Repair Kit 90 Degree 12" Length Female 3/8 x Male 5/16	5
KTI-05374Nylon Fuel Line Repair Kit 90 Degree 12" Length Female 5/16 x Male 3/8	5
KTI-05253Fuel Line Nylon Splice 3/8 Line x 18" Long GM/Ford/Chrysler	5
KTI-05255Fuel Line Nylon Splice 5/16 Line x 18" Long GM/Ford/Chrysler	5

KTI-75300

Fuel Line Quick Disconnect Press Kit

Tool easily attaches fuel line (straight or 90 degree) connectors to OEM nylon fuel lines. Includes four adapters. Features large handle for smooth operation. Can be moved from vehicle to vehicle or bench mounted.

Warranty information: One-year warranty.



KTI-75305

Mini Fuel Line Installation Tool



Tool easily attaches all fuel line assemblies to original fuel lines. Includes ratcheting 9/16" wrench. Completely portable, moves from vehicle to vehicle. Designed to fit in tight work areas.

Warranty information: One-year warranty.



FUSE KITS

Kits are packaged in multicompartment cases; each item is available individually to refill assortments. Please see the following pages for details on the kit contents and how to order components separately.

KTI-00020

118-piece Master Plug-in Style Fuse Kit

This comprehensive 118-iece assortment contains the most popular 24 numbers of plug-in fuses - ATO, ATM and MAXI.

KTI-00021

80-piece ATO Fuse Kit

ATO fuse assortment kit includes ten each of eight popular sizes from 3 to 30 amp. ATO fuses are found on most cars, trucks, buses and off-road vehicles. Includes the most popular 8 numbers from 3 amp to 30 amp. Contains 80 pieces.





See page 156

157

KTI-00070

25-piece ATO Glo-Fuse Assortment

Finding open fuses is easy with these fuses that use LED technology to show that a fuse has opened - making them easy to spot in fuse panels tucked up under dark dashboards. Same color coding and amp ratings as the ATO fuses. Includes 25 pieces of the top 5 sizes including 10A, 15A, 20A,



See page 158



KTI-00028

75-piece Mini Fuse Kit

Mini fuse kit contains 75 total pieces of 10 sizes including 2A. 3A, 4A, 5A, 7.5A, 10A, 15A, 20A, 25A and 30A fuses. ATM mini fuses are used in many late-model OEM applications.





KTI-00068

30-piece Low Profile Mini Fuse Assortment

This is a low profile version of the ATM mini fuses. Same color code and amp ratings. Includes 30 pieces of the top 6 sizes -7.5A, 10A, 15A, 20A, 25A and 30A.





KTI-00069

25-piece ATM Glo-Fuse Assortment

Finding open fuses is easy with these fuses that use LED technology to show that a fuse has opened - making them easy to spot in fuse panels tucked up under dark dashboards. Same color coding and amp ratings as the ATM mini blade fuses. Includes 25 pieces of the top 5 sizes including 10A, 15A, 20A, 25A and 30A.



16-piece Maxi Fuse Kit

Maxi fuse kit contains 16 pieces in the most popular 5 sizes including 20A, 30A, 40A, 50A and 60A. Maxi fuses are used to protect circuits in the wiring harness - usually found under the hood, in a fuse panel or supplementary panel near the battery. Primarily used in domestic cars, MAXI fuses also have some applications in imported models. OEM applications currently range up to 60 amps, however, some aftermarket accessories require protection up to 80 amps.



156

157



10-piece Jcase Fuse Assortment

These high amp fuses are currently on many new domestic and Japanese model vechicles. Same color code and amp ratings. Includes 10 pieces total of the most popular 5 sizes.



156

KTI-00045

12-piece Low Profile Jcase Fuse Assortment

This is the low profile version of the JCASE high amp fuses. Same color code and amp ratings. Includes 12 pieces total of the most popular 6 sizes.





158

KTI-00067

95-piece AGC Glass Fuse Assortment

These glass tube fuses are used in older-model cars and found primarily in automotive accessory applications. Includes 95 total pieces of 6 popular sizes of AGC, AGW, SFE and GBC type fuses.



ELECTRICAL KITS

Kits are packaged in multicompartment cases; each item is available individually to refill assortments. Please see the following pages for details on the kit contents and how to order components separately.

KTI-00003

100-piece Butt Connector Kit

Vinyl solderless butt connector assortment kit includes three popular sizes for use on 10 to 22 gauge wire.

KTI-00004

60-piece Butt Connector Kit with Shrink Tube

Vinyl butt with shrink fit connector assortment kit includes three popular sizes for use in many applications including automoive and marine. Heat shrink butt connectors make connections weatherproof. Contains 60 pieces.



156 kit contents





KTI-00035

85-piece Shrink Tube Kit

Shrink tube assortment kit includes five popular sizes. Ideal for weathertight seal of all electrical connections. Use for insulating, jacketing, bundling and identification. It is mechanically tough and has good abrasion and solvent resistance. Shrink temp - 250 degrees. Shrink ratio 2:1. Kit contains five sizes (1/8", 3/16", 1/4", 3/8" and 1/2") for a total of 85 pieces.



157

KTI-00037

180-piece Terminal Kit Solderless



Solderless terminal kit includes 180 pieces of the most popular terminal rings, spades, male and female disconnects and butt connectors.





KTI-00038

120-piece Shrink Tube Solderless Terminal Kit



Solderless terminal kit includes 24 popular terminal rings, spades, male and female disconnects, insulated slide terminals and butt connectors.







KTI-00039

KTI-00007

360-piece Professional Terminal Assortment



Solderless terminal kit includes 24 of the top terminals including rings, spades, butt connectors, male and female slides, bullet terminals, 2-way and 3-way connectors.





156

153



BRAKE LINE KITS

Kits are packaged in multicompartment cases; each item is available individually to refill assortments. Please see the following pages for details on the kit contents and how to order components separately.

KTI-00001

27-piece Brake Line Adapter Metric Kit

Metric brake line adapter kit includes an assortment of 27 pieces spanning 9 popular sizes. Used for converting different sized port openings on master cylinders to standard brake systems.

All metric sizes.



156

KTI-00002

20-piece Master Cylinder Adapter Assortment



Master cylinder adapter kit includes an assortment of 20 pieces spanning 11 popular sizes. Used for converting different sized port openings on master cylinders to standard brake systems.

KTI-00005

64-piece Brake Line Fitting Kit



This 64-piece assortment contains the 14 most popular numbers of tube nuts and unions. Fittings include applications for US, British, European and Japanese systems.

KTI-00006

30-piece Brake Bleeder Screw and Washer Asst.



This entry level 30-piece assortment includes the 10 most popular bleed screws and copper washers

KTI-00047

95-piece Brake Fitting Assortment



Assortment contains a general assortment of tubes nuts, unions and adapters used to make most domestic and import brake lines. Fittings include applications for British, European and Japanese systems.

KTI-00048

86-piece Master Brake Fitting Assortment



Consists of 20 different types of tubes nuts and unions used to make most domestic and import brake lines. Fittings include applications for British, European and Japanese systems.

KTI-00049



Brake Line Repair Kit 3/16" 86-piece Master Brake Fitting Assortment plus 25' of 3/16" Copper-Nickel Brake Line

Includes the Master Brake Fitting Assortment (KTI-00048) which consists of 20 different types of tubes nuts and unions used to make most domestic and import brake lines. It also includes a 25' length of 3/16 copper-nickel brake line.

KTI-00050



Brake Line Repair Kit 3/16" & 1/4" 86-piece Master Brake Fitting Assortment plus 25' ea. 3/16" and 1/4" Copper-Nickel Brake Line

This kit includes the Master Brake Fitting Assortment (KTI-00048) which consists of 20 different types of tubes nuts and unions used to make most domestic and import brake lines. It also includes a 25' length of 3/16" and 25' length of 1/4" copper-nickel brake line.





156



156

156



157



158



158





DRAIN PLUG & GASKETS

Kits are packaged in multicompartment cases; each item is available individually to refill assortments. Please see the following pages for details on the kit contents and how to order components separately.

KTI-00009

60-piece Drain Plug Gasket Kit Nylon and Fiber

General purpose gasket kit includes the 7 most popular sizes of nylon and fiber gaskets. Contains 60 pieces.

KTI-00058

40-piece Drain Plug Assortment

Contains 12 of the most popular drain plugs which provides excellent coverage for most domestic and imported cars and light trucks. Application guide is included. Gaskets sold separately. Drain plug assortments make it easy for any repair shop to keep the most popular drain plugs on hand and organized.

Contains 9 popular oversize drain plugs and gaskets for the double and triple oversize plugs. Includes fiber gaskets.







158 kit contents

KTI-00059 27-piece Drain Plug Assortment

repair of stripped drain pan threads. Six sizes including single, Contains a total of 12 drain plugs and 15 gaskets.



158 kit contents

MISC. FITTINGS

Kits are packaged in multicompartment cases; each item is available individually to refill assortments. Please see the following pages for details on the kit contents and how to order components separately.

KTI-00023

60-piece Grease Fitting Kit (SAE)

Grease fitting assortment kit (SAE) includes 1/4-28 sizes. The 1/4-28 thread fitting is used on cars, light trucks and industrial machinery. Requires a tapped hole for installation. Max pressure is 8.000 psi. Kit contains 60 pieces of the top 4 sizes: straight, 45 elbow, 90 elbow and long straight fittings.



156

KTI-00024

90-piece Grease Fitting Kit (Metric)

Grease fitting assortment kit (metric) includes 6mm, 8mm and 10mm fittings in nine popular sizes. Kit contains straight, 45 degree elbow, and 90 degree elbow fittings. 90 pieces total.



156

KTI-00040

75-piece Vacuum Tee Cap Kit

Small vacuum tee assortment kit includes five popular diametersfor capping lines and hoses while testing emission control systems, vacuum lines, etc.. Contains 1/8", 3/16", 1/4", 5/16" and 3/8" diameter caps.



157

KTI-00042

56-piece Vacuum Tee Kit

Entry level vacuum tee assortment includes 13 different sizes of tees. These hard connectors are used with the soft flexible tubing found on today's vehicles. Total of 62 pieces.



157 cit contents

KTI-04626

88-piece Fuel Line Connector Assortment

This kit contains everything you need to replace fuel line connectors on both steel and nylon line. Assortment includes quick connectors (straight and 90-degree), brass connectors, compression unions, clamps, viton o-rings and connector removal tool.



158



KTI-00001 27-piece Metric Brake Adapter Kit	Oty	Refill
KTI-04001Adapter 3/8-24 Inv to M10x1.0 Bub	3	5
KTI-04002F-3/16" M-M 10 x 1.0	2	E
KTI-04003F-3/16" M-M 11 x 1.5		
KTI-04004F-3/16" M-M 12 x 1.0	3	5
KTI-04005F-3/16" M-M 13 x 1.5	3	5
KTI-04006F-3/16" 4.762 (3/16") M-M 10x 1.25	2	5
KTI-04020F-3/16" (M10 x 1.0) M-M 11 x 1.5		
KTI-04021F-3/16" (M10 x 1.0) M-M 12 x 1.5	3	5
KTI-04022F-3/16" (M10 x 1.0) M-M 13 x 1.5	3	5
1/TI 00000 00 ' NA I O I' I A I I A		
KTI-00002 20-piece Master Cylinder Adapter Assortment	<u>Oty</u>	Refill
KTI-04000M-3/16 F-3/16	2	5
KTI-04011M-1/4 F-3/16		
KTI-04012M-3/16 F-1/4		
KTI-04013M-5/16 F-1/4		
KTI-04014M-3/16 F-1/4	2	5
KTI-04015M-5/16 F-3/16	2	5
KTI-04016M-3/16 F-3/16		
KTI-04017M-3/16 F-3/16	2	5
KTI-04018M-3/16 F-3/16	2	5
KTI-04019M-3/8 F-5/16	2	5
KIT 0 10 17 070 1 0710	2	0
KTI-00003 100-piece Butt Connector Kit	<u>Oty</u>	Refill
KTI-04069Butt Connectors Vinyl 22-18 Gauge	20	10
KTI-04070Butt Connectors Vinyl 16-14 Gauge		
KTI-04071Butt Connectors Vinyl 12-10 Gauge	20	10
VTI 00004 40 piece Butt Connector with Shrink Tube Vit	04	D.CII
	<u>Oty</u>	
KTI-04094Weatherproof Butt Conn. Shrink Tubing 22-18Ga	15	5
KTI-04096 Weatherproof Butt Conn. Shrink Tubing 16-14Ga	30	5
KTI-04098 Weatherproof Butt Conn. Shrink Tubing 12-10Ga		
KTP 04070 Weather proof Butt Cornii. Shirink Tubing 12 100a	10	5
KTI-00005 64-piece Brake Line Fitting Kit	Oty	Refill
KTI-04007 Metric Brake Union Nut 3/16 x 3/8"-24 for 7802 Nut	3	5
	-	-
KTI-04008Metric Brake Line Nut (Japanese) 3/16 x 10mm x 1.0 Standard Flar		
KTI-04009Metric Brake Line Nut (European) 3/16 x 10mm x 1.0 Bubble Flare.	5	5
KTI-04010 Metric Brake Line Nut (British) 3/16 x 3/8"-24 Bubble Flare	5	5
KTL04023 Reake Line Tube Nut 2/16 v 2/8-24 Inv	5	5
KTI-04023 Brake Line Tube Nut 3/16 x 3/8-24 lnv		
KTI-04024 Brake Line Tube Nut - Long 3/16 x 3/8-24 Inv	5	5
KTI-04024 Brake Line Tube Nut - Long 3/16 x 3/8-24 Inv KTI-04025 Brake Line Tube Nut 1/4 x 7/16-24 Inv	5 5	5 5
KTI-04024 Brake Line Tube Nut - Long 3/16 x 3/8-24 Inv KTI-04025 Brake Line Tube Nut 1/4 x 7/16-24 Inv	5 5	5 5
KTI-04024Brake Line Tube Nut - Long 3/16 x 3/8-24 Inv KTI-04025Brake Line Tube Nut 1/4 x 7/16-24 Inv KTI-04026Brake Line Tube Nut - Long 1/4 x 7/16-24 Inv	5 5	5 5 5
KTI-04024 Brake Line Tube Nut - Long 3/16 x 3/8-24 Inv KTI-04025 Brake Line Tube Nut 1/4 x 7/16-24 Inv KTI-04026 Brake Line Tube Nut - Long 1/4 x 7/16-24 Inv KTI-04027 Brake Line Nut 5/16"	5 5 5	5 5 5 5
KTI-04024Brake Line Tube Nut - Long 3/16 x 3/8-24 Inv	5 5 5 e3	5 5 5 5
KTI-04024Brake Line Tube Nut - Long 3/16 x 3/8-24 Inv	5 5 5 e3	5 5 5 5 5
KTI-04024Brake Line Tube Nut - Long 3/16 x 3/8-24 Inv	5 5 5 e3	5 5 5 5 5
KTI-04024Brake Line Tube Nut - Long 3/16 x 3/8-24 Inv KTI-04025Brake Line Tube Nut 1/4 x 7/16-24 Inv KTI-04026Brake Line Tube Nut - Long 1/4 x 7/16-24 Inv KTI-04027Brake Line Nut 5/16". KTI-04028Metric Brake Union Nut (European) 3/16 x 10mm x 1.0 Bubble Flare KTI-04029Brake Line Union 3/16 x 3/8-24 Inv KTI-04030Brake Line Union 1/4 x 7/16	5 5 5 e3 5	5 5 5 5 5
KTI-04024Brake Line Tube Nut - Long 3/16 x 3/8-24 Inv	5 5 5 23 25 5 5	5 5 5 5 5 5
KTI-04024Brake Line Tube Nut - Long 3/16 x 3/8-24 Inv KTI-04025Brake Line Tube Nut 1/4 x 7/16-24 Inv KTI-04026Brake Line Tube Nut - Long 1/4 x 7/16-24 Inv KTI-04027Brake Line Nut 5/16". KTI-04028Metric Brake Union Nut (European) 3/16 x 10mm x 1.0 Bubble Flare KTI-04029Brake Line Union 3/16 x 3/8-24 Inv KTI-04030Brake Line Union 1/4 x 7/16	5 5 5 23 25 5 5	5 5 5 5 5 5
KTI-04024Brake Line Tube Nut - Long 3/16 x 3/8-24 Inv	5 5 5 23 25 5 5	5 5 5 5 5 5
KTI-04024Brake Line Tube Nut - Long 3/16 x 3/8-24 Inv	5 5 5 23 5 5 5 5	5 5 5 5 5 5 5
KTI-04024Brake Line Tube Nut - Long 3/16 x 3/8-24 Inv	5 5 5 2 . 3 5 5 5 5 5 5	5 5 5 5 5 5 5 5 5 5 5 5 5
KTI-04024	5 55 55 55 55 55 25	5 5 5 5 5 5 5 5 5 5 5 5 5 5
KTI-04024	5 55 55 55 55 55 24	5 5
KTI-04024	5 55 55 55 55 55 24	5 5
KTI-04024	555555555555	5 5
KTI-04024	555555555555	5 5
KTI-04024	5 5 5 5 5 5 5 5 5 2 3 Oty 2 4 2 4 2	5 5
KTI-04024	5 5 5 5 5 5 5 5 5 2 3 Oty 2 4 2 4 2	5 5
KTI-04024	555555	5 5
KTI-04024	555555555555	5 5
KTI-04024	5	5 5
KTI-04024		5 5
KTI-04024		5 5
KTI-04024		5 5
KTI-04024		
KTI-04024		5 5
KTI-04024		5 5
KTI-04024		5 5
KTI-04024		5 5
KTI-04024		5 10 10 10 10 10 10 10
KTI-04024		5 5
KTI-04024		5 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10
KTI-04024		5 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10
KTI-04024		5 10 10
KTI-04024		5 10 .
KTI-04024		5 10 .
KTI-04024		5 10 .
KTI-04024		5 10 .
KTI-04024		5 10 .
KTI-04024		
KTI-04024		
KTI-04024		
KTI-04024		5 10 10

KTI-00009	60-piece Drain Plug Gasket Assortment (continued)	<u>Oty</u>	Refill
KTI-04138	. 16mm Fiber Drain Plug Gasket	5	
	.18mm Fiber Drain Plug Gasket		
KTI-04140	.20mm Fiber Drain Plug Gasket	5	10
KTI-00020	118-piece Master Plug-in Fuse Assortment	Qty	Refill
	2A mini plug-in fuse		
	3A mini plug-in fuse		
KTI-04201	4A mini plug-in fuse	5	10
	5A mini plug-in fuse		
	7.5A mini plug-in fuse		
	10A mini plug-in fuse		
	15A mini plug-in fuse		
	20A mini plug-in fuse		
	25A mini plug-in fuse		
	. 30A mini plug-in fuse3A pluq-in fuse		
	5A plug-in fuse		
	7.5A plug-in fuse		
KTI-04212	. 10A plug-in fuse	5	10
	15A plug-in fuse		
	20A plug-in fuse		
KTI-04215	25A plug-in fuse	5	10
KTI-04216	30A plug-in fuse	5	10
	20A maxi plug-in fuse		
	30A maxi plug-in fuse		
	40A maxi plug-in fuse		
	50A maxi plug-in fuse		
KTI-04238	60A maxi plug-in fuse	3	10
K11-04239	.80A maxi plug-in fuse	3	3
KTI-00021	80-piece ATO Fuse Assortment	Otv	Refill
KTI-04209	3A plug-in fuse	10	5
	5A plug-in fuse		
	7.5A plug-in fuse		
	10A plug-in fuse		
	15A plug-in fuse		
	20A plug-in fuse		
	25A plug-in fuse		
KTI-04216	.30A plug-in fuse	10	10
I/TI 00000	(O minor Crosse Fitting Wit CAF		
KTI-00023	60-piece Grease Fitting Kit SAE .1/4" - 28 Straight	Oty 20	Refill
K11-04308	. 1/4" - 28 Straight	20	10
	1/4" - 28 90°		
	1/4" - 28 Straight (Long)		
K11-04511	20 Straight (Eorig)	10	10
KTI-00024	90-piece Grease Fitting Kit Metric	Qty	Refill
KTI-04312	.6mm x 1.0/Straight	<u></u> 10	10
	.6mm x 1.0/45°		
	6mm x 1.0/90°		
KTI-04315	8mm x 1.0/Straight	10	10
	8mm x 1.0/45°		
	8mm x 1.0/90°		
	10mm x 1.0/Straight		
	10mm x 1.0/45°		
K11-04320	10mm x 1.0/90°	10	10
KTI-00026	10-piece Jcase Fuse Kit	<u>Oty</u>	Refill
	Jcase Fuse - 20 Amp		
	Jcase Fuse - 30 Amp		
	Jcase Fuse - 40 Amp		
	Jcase Fuse - 50 Amp		
K11-04224		Z	o
KTI-00027	16-piece Maxi Fuse Kit	<u>Oty</u>	Refill
	20A maxi plug-in fuse		
	30A maxi plug-in fuse		
	40A maxi plug-in fuse		
	50A maxi plug-in fuse		
K11-04238	60A maxi plug-in fuse	2	10



KTI-00028 75-	piece Mini Fuse Kit	Oty	Refill
	mini fuse	.10	
KTI-042003A	mini fuse	5	10
	mini fuse		
	mini fuse		
	A mini fuse A mini fuse		
	A mini fuse		
	A mini fuse		
	A mini fuse		
KTI-0420830A	A mini fuse	5	10
KTI-00035 85-	piece Heat Shrink Tube Kit	<u>Oty</u>	Refill
	shrink tube		
	6" shrink tube " shrink tube		
	" shrink tube"		
	" shrink tube		
KTI-00037 180	0-piece Terminal Kit	<u>Oty</u>	Refill
	g Terminal Wire Size: 22-18 Stud Size: 10		
	g Terminal Wire Size: 16-14 Stud Size: 6		
	g Terminal Wire Size: 16-14 Stud Size: 10		
	g Terminal Wire Size: 12-10 Stud Size: 10 g Terminal Wire Size: 12-10 Stud Size: 1/4		
	ade Terminal Wire Size: 12-10 Stud Size: 1/4ade Terminal Wire Size: 22-18 Stud Size: 10		
	ade Terminal Wire Size: 16-14 Stud Size: 10		
	g Terminal Wire Size: 12-10 Stud Size: 10		
KTI-04069But	t Connector Wire Size: 22-18	.10	10
	t Connector Wire Size: 16-14		
	t Connector Wire Size: 12-10		
	le Slide Terminal Wire Size: 22-18 Tab Size: 250nale Slide Terminal Wire Size: 22-18 Tab Size: 250		
	le Slide Terminal Wire Size: 22-18 Tab Size: 250le Slide Terminal Wire Size: 16-14 Tab Size: 250		
	male Slide Terminal Wire Size: 16-14 Tab Size: 250		
	le Slide Terminal Wire Size: 12-10 Tab Size: 250		
	male Slide Terminal Wire Size: 12-10 Tab Size: 250		
KTI-04497Rin	g Terminal Wire Size: 22-18 Stud Size: 6	. 10	10
	•	.10	10
KTI-00038 120	0-piece Shrink Tube Terminal Kit Large	<u>Oty</u>	Refill
KTI-00038 120 KTI-04086Rin	0-piece Shrink Tube Terminal Kit Large g Terminal 22-18 Stud Size 6	<u>Qty</u> 5	Refill NR
KTI-00038 120 KTI-04086Rin KTI-04087Rin	D-piece Shrink Tube Terminal Kit Large g Terminal 22-18 Stud Size 6g g Terminal 16-14 Stud Size 6g	<u>Qty</u> 5	Refill NR NR
KTI-00038 120 KTI-04086Rin KTI-04087Rin KTI-04088Rin	0-piece Shrink Tube Terminal Kit Large g Terminal 22-18 Stud Size 6g g Terminal 16-14 Stud Size 6g g Terminal 16-14 Stud Size 10g	<u>Qty</u> 5 5	Refill NR NR NR
KTI-00038 120 KTI-04086Rin KTI-04087Rin KTI-04088Rin KTI-04089Rin	D-piece Shrink Tube Terminal Kit Large g Terminal 22-18 Stud Size 6g g Terminal 16-14 Stud Size 6g	<u>Oty</u> 5 5 5	Refill NR NR NR
KTI-00038 120 KTI-04086Rin KTI-04087Rin KTI-04088Rin KTI-04090Rin KTI-04091Rin	D-piece Shrink Tube Terminal Kit Large g Terminal 22-18 Stud Size 6 g Terminal 16-14 Stud Size 6 g Terminal 16-14 Stud Size 10 g Terminal 12-10 Stud Size 10 g Terminal 12-10 Stud Size 1/4" g Terminal 12-10 Stud Size 3/8"	<u>Qty</u> 5 5 5 5	Refill NR NR NR NR NR
KTI-00038 120 KTI-04086 Rin KTI-04087 Rin KTI-04089 Rin KTI-04090 Rin KTI-04091 Rin KTI-04092 Spa	O-piece Shrink Tube Terminal Kit Large g Terminal 22-18 Stud Size 6 g Terminal 16-14 Stud Size 6 g Terminal 16-14 Stud Size 10 g Terminal 12-10 Stud Size 10 g Terminal 12-10 Stud Size 1/4" g Terminal 12-10 Stud Size 3/8" ade Terminal 16-14 Stud Size 10	<u>Qty</u> 5 5 5 5	Refill NR NR NR NR NR NR
KTI-00038 120 KTI-04086 Rin KTI-04087 Rin KTI-04089 Rin KTI-04090 Rin KTI-04091 Rin KTI-04092 Spa KTI-04093 Spa	D-piece Shrink Tube Terminal Kit Large g Terminal 22-18 Stud Size 6	Oty 5 5 5 5 5	RefillNRNRNRNRNRNRNRNR
KTI-00038 120 KTI-04086 Rin KTI-04087 Rin KTI-04089 Rin KTI-04090 Rin KTI-04091 Rin KTI-04091 Spz KTI-04093 Spz KTI-04094 But	O-piece Shrink Tube Terminal Kit Large g Terminal 22-18 Stud Size 6	Oty 5 5 5 5 5 5	RefillNRNRNRNRNRNRNRNRNR
KTI-00038 120 KTI-04086 Rin KTI-04087 Rin KTI-04088 Rin KTI-04090 Rin KTI-04091 Rin KTI-04092 Spa KTI-04093 Spa KTI-04093 But KTI-04094 But	0-piece Shrink Tube Terminal Kit Large g Terminal 22-18 Stud Size 6 g Terminal 16-14 Stud Size 6 g Terminal 16-14 Stud Size 10 g Terminal 12-10 Stud Size 10 g Terminal 12-10 Stud Size 1/4" g Terminal 12-10 Stud Size 3/8" ade Terminal 16-14 Stud Size 10 ade Terminal 12-10 Stud Size 10 ade Terminal 12-10 Stud Size 10 t Connector Heat Shrink 22-18	<u>Qty</u> 5 5 5 5 5 5	RefillNRNRNRNRNRNRNRNRNRNR
KTI-00038 120 KTI-04086 Rin KTI-04087 Rin KTI-04088 Rin KTI-04089 Rin KTI-04091 Rin KTI-04091 Spa KTI-04093 Spa KTI-04094 But KTI-04094 But KTI-04095 But	O-piece Shrink Tube Terminal Kit Large g Terminal 22-18 Stud Size 6	Oty 5 5 5 5 5 5 5	RefillNRNRNRNRNRNRNRNRNRNRNR
KTI-00038 120 KTI-04086 Rin KTI-04087 Rin KTI-04089 Rin KTI-04090 Rin KTI-04091 Rin KTI-04093 Spa KTI-04094 Spa KTI-04094 But KTI-04095 But KTI-04097 But	0-piece Shrink Tube Terminal Kit Large g Terminal 22-18 Stud Size 6 g Terminal 16-14 Stud Size 6 g Terminal 16-14 Stud Size 10 g Terminal 12-10 Stud Size 10. g Terminal 12-10 Stud Size 1/4" g Terminal 12-10 Stud Size 3/8" ade Terminal 16-14 Stud Size 10. ade Terminal 10-14 Stud Size 10 t Connector Heat Shrink 22-18 t Connector Heat Shrink 22-18 t Connector Heat Shrink 16-14	Oty 5 5 5 5 5 5 5	RefillNRNRNRNRNRNRNRNRNRNRNRNRNR
KTI-00038 120 KTI-04086 Rin KTI-04087 Rin KTI-04089 Rin KTI-04099 Rin KTI-04091 Rin KTI-04092 Spa KTI-04093 Spa KTI-04095 But KTI-04096 But KTI-04096 But KTI-04097 But KTI-04099 But KTI-04099 But	O-piece Shrink Tube Terminal Kit Large g Terminal 22-18 Stud Size 6 g Terminal 16-14 Stud Size 6 g Terminal 16-14 Stud Size 10 g Terminal 12-10 Stud Size 10 g Terminal 12-10 Stud Size 14" g Terminal 12-10 Stud Size 3/8" ade Terminal 12-10 Stud Size 10 ade Terminal 12-10 Stud Size 10 ade Terminal 12-10 Stud Size 10 at Connector Heat Shrink 22-18 t Connector Solder Seal 22-18 t Connector Float Shrink 16-14 t Connector Solder Seal 16-14 t Connector Heat Shrink 12-10 t Connector Heat Shrink 12-10	Oty5	RefillNRNRNRNRNRNRNRNRNRNRNRNRNRNRNR
KTI-00038 120 KTI-04086	O-piece Shrink Tube Terminal Kit Large g Terminal 22-18 Stud Size 6	Oty55	RefillNRNRNRNRNRNRNRNRNRNRNRNRNRNRNRNR
KTI-00038 120 KTI-04086 Rin KTI-04087 Rin KTI-04088 Rin KTI-04090 Rin KTI-04091 Rin KTI-04091 Spz KTI-04093 Spz KTI-04093 But KTI-04094 But KTI-04095 But KTI-04099 But KTI-04100 Mal	O-piece Shrink Tube Terminal Kit Large g Terminal 22-18 Stud Size 6 g Terminal 16-14 Stud Size 6 g Terminal 16-14 Stud Size 10 g Terminal 12-10 Stud Size 10. g Terminal 12-10 Stud Size 10. g Terminal 12-10 Stud Size 1/4" g Terminal 12-10 Stud Size 10. ade Terminal 12-10 Stud Size 10. at Connector Heat Shrink 22-18 t Connector Heat Shrink 22-18 t Connector Solder Seal 16-14. t Connector Solder Seal 16-14. t Connector Solder Seal 12-10 t Connector Solder Seal 12-10 t Connector Solder Seal 12-10 t Connector Fleat Shrink 12-10 t Connector Solder Seal 12-10 le Slide Terminal 22-18 Stud Size 250 male Slide Terminal 22-18 Stud Size 250	Oty5	RefillNRNRNRNRNRNRNRNRNRNRNRNRNRNRNRNRNRNR
KTI-00038 120 KTI-04086 Rin KTI-04087 Rin KTI-04088 Rin KTI-04099 Rin KTI-04091 Rin KTI-04093 Spa KTI-04093 Spa KTI-04094 But KTI-04094 But KTI-04096 But KTI-04096 But KTI-04099 But KTI-04099 But KTI-04099 But KTI-04099 But KTI-04099 But KTI-04100 Mal KTI-04100 Mal KTI-04101 Fer KTI-04101 Fer	0-piece Shrink Tube Terminal Kit Large g Terminal 22-18 Stud Size 6 g Terminal 16-14 Stud Size 6 g Terminal 16-14 Stud Size 10 g Terminal 12-10 Stud Size 10. g Terminal 12-10 Stud Size 1/4" g Terminal 12-10 Stud Size 1/4" g Terminal 12-10 Stud Size 10. ade Terminal 12-10 Stud Size 10. at Connector Heat Shrink 22-18. t Connector Heat Shrink 22-18. t Connector Heat Shrink 16-14. t Connector Heat Shrink 12-10. t Connector Heat Shrink 12-10. t Connector Heat Shrink 12-10. t Connector Solder Seal 12-10. lee Slide Terminal 22-18 Stud Size 250. male Slide Terminal 16-14 Stud Size 250. lee Slide Terminal 16-14 Stud Size 250.	Oty5	RefillNRNRNRNRNRNRNRNRNRNRNRNRNRNRNRNRNRNRNR
KTI-00038 120 KTI-04086 Rin KTI-04087 Rin KTI-04089 Rin KTI-04091 Rin KTI-04091 Rin KTI-04093 Spa KTI-04094 But KTI-04094 But KTI-04094 But KTI-04099 But KTI-04099 But KTI-04099 But KTI-04099 But KTI-04099 But KTI-04099 But KTI-04100 Mal KTI-04101 Fer KTI-04101 Fer KTI-04102 Mal KTI-04103 Fer	0-piece Shrink Tube Terminal Kit Large g Terminal 22-18 Stud Size 6 g Terminal 16-14 Stud Size 6 g Terminal 16-14 Stud Size 10 g Terminal 12-10 Stud Size 10 g Terminal 12-10 Stud Size 11/4" g Terminal 12-10 Stud Size 1/4" g Terminal 12-10 Stud Size 10 ade Terminal 12-10 Stud Size 10 at Connector Heat Shrink 22-18 t Connector Solder Seal 22-18 t Connector Heat Shrink 16-14 t Connector Heat Shrink 12-10 t Connector Bolder Seal 16-14 t Connector Solder Seal 12-10 le Slide Terminal 22-18 Stud Size .250 male Slide Terminal 16-14 Stud Size .250	Qty5	RefillNR
KTI-00038 120 KTI-04086Rin KTI-04087Rin KTI-04088Rin KTI-04098Rin KTI-04090Rin KTI-04091Rin KTI-04093Spa KTI-04094But KTI-04095But KTI-04097But KTI-04103Fut KTI-04103Fut KTI-04103Fut KTI-04103Fut KTI-04103Fut KTI-04104Mal	0-piece Shrink Tube Terminal Kit Large g Terminal 22-18 Stud Size 6	Oty5	RefillNR
KTI-00038 120 KTI-04087	0-piece Shrink Tube Terminal Kit Large g Terminal 22-18 Stud Size 6 g Terminal 16-14 Stud Size 6 g Terminal 16-14 Stud Size 10 g Terminal 12-10 Stud Size 10 g Terminal 12-10 Stud Size 11/4" g Terminal 12-10 Stud Size 1/4" g Terminal 12-10 Stud Size 10 ade Terminal 12-10 Stud Size 10 at Connector Heat Shrink 22-18 t Connector Solder Seal 22-18 t Connector Heat Shrink 16-14 t Connector Heat Shrink 12-10 t Connector Bolder Seal 16-14 t Connector Solder Seal 12-10 le Slide Terminal 22-18 Stud Size .250 male Slide Terminal 16-14 Stud Size .250	Qty55	RefillNR
KTI-00038 120 KTI-04086 Rin KTI-04087 Rin KTI-04088 Rin KTI-04099 Rin KTI-04091 Rin KTI-04091 Rin KTI-04093 But KTI-04094 But KTI-04095 But KTI-04096 But KTI-04099 But KTI-04099 But KTI-04099 But KTI-04109 Mal KTI-04101 Fer KTI-04102 Mal KTI-04104 Mal KTI-04104 Fer KTI-04104 Ins. KTI-04106 Ins. KTI-04106 Ins.	0-piece Shrink Tube Terminal Kit Large g Terminal 22-18 Stud Size 6 g Terminal 16-14 Stud Size 6 g Terminal 16-14 Stud Size 10 g Terminal 12-10 Stud Size 10 g Terminal 12-10 Stud Size 10 g Terminal 12-10 Stud Size 1/4" g Terminal 12-10 Stud Size 10 ade Terminal 12-10 Stud Size 10 ate Terminal 12-10 Stud Size 10 at Connector Heat Shrink 22-18 t Connector Heat Shrink 22-18 t Connector Heat Shrink 16-14 t Connector Heat Shrink 12-10 t Connector Heat Shrink 12-10 t Connector Heat Shrink 12-10 t Sonnector Heat Shrink 12-10 t Sonnector Heat Shrink 12-10 t Connector Solder Seal 12-10 le Slide Terminal 22-18 Stud Size 250 male Slide Terminal 16-14 Stud Size 250 male Slide Terminal 12-10 Stud Size 250 male Slide Terminal 12-10 Stud Size 250 Slide 16-14 Stud Size 250	Oty5	RefillNR
KTI-00038 120 KTI-04086 Rin KTI-04087 Rin KTI-04088 Rin KTI-04099 Rin KTI-04091 Rin KTI-04091 Rin KTI-04094 Spa KTI-04094 But KTI-04094 But KTI-04095 But KTI-04096 But KTI-04099 But KTI-04099 But KTI-04100 Mal KTI-04100 Mal KTI-04101 Fer KTI-04104 Mal KTI-04104 Mal KTI-04105 Ins. KTI-04107 Ins. KTI-04107 Ins. KTI-04107 Ins.	0-piece Shrink Tube Terminal Kit Large g Terminal 22-18 Stud Size 6 g Terminal 16-14 Stud Size 6 g Terminal 16-14 Stud Size 10 g Terminal 12-10 Stud Size 10 g Terminal 12-10 Stud Size 10 g Terminal 12-10 Stud Size 1/4" g Terminal 12-10 Stud Size 10 ade Terminal 12-10 Stud Size 10 ade Terminal 12-10 Stud Size 10 at Connector Heat Shrink 22-18 t Connector Heat Shrink 22-18 t Connector Heat Shrink 16-14 t Connector Heat Shrink 12-10 t Connector Heat Shrink 12-10 t Connector Solder Seal 12-10 t Connector Solder Seal 12-10 t Side Terminal 22-18 Stud Size 250 nale Slide Terminal 16-14 Stud Size 250 nale Slide Terminal 12-10 Stud Size 250 nale Slide Terminal 12-10 Stud Size 250 Slide 16-14 Stud Size 250	Oty5	RefillNR
KTI-00038 120 KTI-04086 Rin KTI-04087 Rin KTI-04088 Rin KTI-04099 Rin KTI-04091 Rin KTI-04091 Rin KTI-04094 Spa KTI-04094 But KTI-04094 But KTI-04095 But KTI-04096 But KTI-04099 But KTI-04099 But KTI-04100 Mal KTI-04100 Mal KTI-04101 Fer KTI-04104 Mal KTI-04104 Mal KTI-04105 Ins. KTI-04107 Ins. KTI-04107 Ins. KTI-04107 Ins.	0-piece Shrink Tube Terminal Kit Large g Terminal 22-18 Stud Size 6 g Terminal 16-14 Stud Size 6 g Terminal 16-14 Stud Size 10 g Terminal 12-10 Stud Size 10 g Terminal 12-10 Stud Size 10 g Terminal 12-10 Stud Size 1/4" g Terminal 12-10 Stud Size 10 ade Terminal 12-10 Stud Size 10 ate Terminal 12-10 Stud Size 10 at Connector Heat Shrink 22-18 t Connector Heat Shrink 22-18 t Connector Heat Shrink 16-14 t Connector Heat Shrink 12-10 t Connector Heat Shrink 12-10 t Connector Heat Shrink 12-10 t Sonnector Heat Shrink 12-10 t Sonnector Heat Shrink 12-10 t Connector Solder Seal 12-10 le Slide Terminal 22-18 Stud Size 250 male Slide Terminal 16-14 Stud Size 250 male Slide Terminal 12-10 Stud Size 250 male Slide Terminal 12-10 Stud Size 250 Slide 16-14 Stud Size 250	Oty5	RefillNR
KTI-00038 12(KTI-04086	0-piece Shrink Tube Terminal Kit Large g Terminal 22-18 Stud Size 6 g Terminal 16-14 Stud Size 6 g Terminal 16-14 Stud Size 10 g Terminal 12-10 Stud Size 10 g Terminal 12-10 Stud Size 10 g Terminal 12-10 Stud Size 1/4" g Terminal 12-10 Stud Size 1/8" ada Terminal 16-14 Stud Size 10 ada Terminal 12-10 Stud Size 10 at Connector Heat Shrink 22-18 t Connector Heat Shrink 22-18 t Connector Heat Shrink 16-14 t Connector Heat Shrink 16-14 t Connector Heat Shrink 12-10 le Slide Terminal 22-18 Stud Size 250 male Slide Terminal 22-18 Stud Size 250 le Slide Terminal 16-14 Stud Size 250 le Slide Terminal 12-10 Stud Size 250 male Slide Terminal 12-10 Stud Size 250 male Slide Terminal 12-10 Stud Size 250 slide 16-14 Stud Size 250 Slide 16-14 Stud Size 250 Slide 12-10 Stud Size 250	Oty5	RefillNR
KTI-00038 120 KTI-04087	0-piece Shrink Tube Terminal Kit Large g Terminal 22-18 Stud Size 6 g Terminal 16-14 Stud Size 6 g Terminal 16-14 Stud Size 10 g Terminal 12-10 Stud Size 10 ade Terminal 12-10 Stud Size 10 ade Terminal 12-10 Stud Size 10 at Connector Heat Shrink 22-18 t Connector Heat Shrink 22-18 t Connector Heat Shrink 16-14 t Connector Solder Seal 12-10 t Connector Heat Shrink 12-10 t Connector Holat Shrink 12-10 t Connector Solder Seal 12-10 le Slide Terminal 22-18 Stud Size 250 male Slide Terminal 16-14 Stud Size 250 le Slide Terminal 16-14 Stud Size 250 male Slide Terminal 12-10 Stud Size 250 slide 16-14 Stud Size 250 Slide 12-10 Stud Size 250	Oty5	RefillNR
KTI-00038 120 KTI-04086 Rin KTI-04087 Rin KTI-04088 Rin KTI-04098 Rin KTI-04091 Rin KTI-04091 Rin KTI-04093 Spa KTI-04093 But KTI-04094 But KTI-04095 But KTI-04096 But KTI-04099 But KTI-04099 But KTI-04099 But KTI-04104 Mal KTI-04101 Fer KTI-04104 Mal KTI-04104 Mal KTI-04104 Fer KTI-04104 Ins. KTI-04105 Fer KTI-04106 Ins. KTI-04109 Ins.	O-piece Shrink Tube Terminal Kit Large g Terminal 22-18 Stud Size 6 g Terminal 16-14 Stud Size 6 g Terminal 16-14 Stud Size 10 g Terminal 12-10 Stud Size 10 dade Terminal 12-10 Stud Size 10 ade Terminal 12-10 Stud Size 10 t Connector Heat Shrink 22-18 t Connector Heat Shrink 22-18 t Connector Heat Shrink 16-14 t Connector Solder Seal 16-14 t Connector Solder Seal 12-10 le Slide Terminal 22-18 Stud Size 250 le Slide Terminal 16-14 Stud Size 250 le Slide Terminal 16-14 Stud Size 250 le Slide Terminal 12-10 Stud Size 250 le Slide Terminal 12-10 Stud Size 250 slide 16-14 Stud Size 250 Slide 16-14 Stud Size 250 Slide 12-10 Stud Size 22-18 Stud Size: 10	Oty5	RefillNR
KTI-00038 120 KTI-04086 Rin KTI-04087 Rin KTI-04088 Rin KTI-04099 Rin KTI-04091 Rin KTI-04091 Rin KTI-04093 But KTI-04094 But KTI-04094 But KTI-04095 But KTI-04099 But KTI-04099 But KTI-04103 Fer KTI-04100 Mal KTI-04101 Fer KTI-04104 Ins. KTI-04105 Fer KTI-04106 Ins. KTI-04106 Ins. KTI-04106 Ins. KTI-04108 Ins. KTI-04109 Rin KTI-04055 Rin KTI-04055 Rin KTI-04055 Rin	0-piece Shrink Tube Terminal Kit Large g Terminal 22-18 Stud Size 6 g Terminal 16-14 Stud Size 6 g Terminal 16-14 Stud Size 10 g Terminal 12-10 Stud Size 10 ade Terminal 12-10 Stud Size 10 ade Terminal 12-10 Stud Size 10 at Connector Heat Shrink 22-18 t Connector Heat Shrink 22-18 t Connector Heat Shrink 16-14 t Connector Solder Seal 12-10 t Connector Heat Shrink 12-10 t Connector Holat Shrink 12-10 t Connector Solder Seal 12-10 le Slide Terminal 22-18 Stud Size 250 male Slide Terminal 16-14 Stud Size 250 le Slide Terminal 16-14 Stud Size 250 male Slide Terminal 12-10 Stud Size 250 slide 16-14 Stud Size 250 Slide 12-10 Stud Size 250	Oty	RefillNR
KTI-00038 120 KTI-04086 Rin KTI-04087 Rin KTI-04088 Rin KTI-04089 Rin KTI-04091 Rin KTI-04091 Spa KTI-04093 Spa KTI-04094 But KTI-04095 But KTI-04096 But KTI-04096 But KTI-04097 But KTI-04097 But KTI-04098 But KTI-04109 Mal KTI-04100 Mal KTI-04101 Fer KTI-04104 Mal KTI-04105 Fer KTI-04106 Ins. KTI-04106 Rin KTI-04106 Rin KTI-04106 Rin KTI-04108 Rin KTI-04057 Rin KTI-04058 Rin KTI-04059 Rin KTI-04059 Rin	### Display of Control	Oty5	RefillNR
KTI-00038 12(KTI-04086	### Displace Shrink Tube Terminal Kit Large Terminal 22-18 Stud Size 6	Oty5	RefillNR
KTI-00038 12(KTI-04086 Rin KTI-04087 Rin KTI-04088 Rin KTI-04098 Rin KTI-04090 Spa KTI-04091 Rin KTI-04093 Spa KTI-04093 Spa KTI-04094 But KTI-04095 But KTI-04096 But KTI-04099 But KTI-04099 But KTI-04100 Mal KTI-04101 Fer KTI-04104 Mal KTI-04104 Mal KTI-04105 Fer KTI-04106 Ins. KTI-04108 Ins. KTI-04109 Ins. KTI-04108 Rin KTI-04057 Rin KTI-04058 Rin KTI-040561 Rin KTI-040601 Rin KTI-040601 Rin KTI-040601 Rin KTI-04061 Rin KTI-04061 Rin KTI-040661 Rin KTI-040661 Rin KTI-040661 Rin KTI-040661 Rin KTI-040661 Rin KTI-040661 Rin	### Displace Shrink Tube Terminal Kit Large Germinal 22-18 Stud Size 6	Oty5	RefillNRNRNRNRNRNRNRNRNRNRNRNRNRSNRNRNRSNR
KTI-00038 12(KTI-04086 Rin KTI-04087 Rin KTI-04088 Rin KTI-04099 Rin KTI-04091 Rin KTI-04093 Spz KTI-04094 But KTI-04094 But KTI-04095 But KTI-04096 But KTI-04099 But KTI-04099 But KTI-04100 Mal KTI-04101 Fer KTI-04104 Mal KTI-04101 Fer KTI-04104 Ins. KTI-04104 Ins. KTI-04105 Fer KTI-04106 Ins. KTI-04107 Ins. KTI-04108 Ins. KTI-04109 Ins. KTI-04109 Rin KTI-04060 Rin KTI-04061 Rin KTI-04061 Rin KTI-04061 Rin KTI-04061 Rin KTI-04061 Rin KTI-04061 Rin KTI-04062 Rin KTI-04062 Rin KTI-04063 Rin KTI-04063 Rin	### Displace Shrink Tube Terminal Kit Large g Terminal 22-18 Stud Size 6 g Terminal 16-14 Stud Size 6 g Terminal 16-14 Stud Size 10 g Terminal 12-10 Stud Size 10 date Terminal 12-10 Stud Size 10 ate Terminal 12-10 Stud Size 10 t Connector Heat Shrink 22-18 t Connector Heat Shrink 22-18 t Connector Heat Shrink 16-14 t Connector Solder Seal 16-14 t Connector Solder Seal 12-10 le Slide Terminal 22-18 Stud Size 250 male Slide Terminal 22-18 Stud Size 250 le Slide Terminal 16-14 Stud Size 250 male Slide Terminal 16-14 Stud Size 250 male Slide Terminal 12-10 Stud Size 250 male Slide Terminal 12-10 Stud Size 250 slide 16-14 Stud Size 250 slide 12-10 Stud Size 250 Dipiece Terminal Kit Large g Terminal Wire Size: 22-18 Stud Size: 10. g Terminal Wire Size: 16-14 Stud Size: 10. g Terminal Wire Size: 16-14 Stud Size: 10. g Terminal Wire Size: 16-14 Stud Size: 10. g Terminal Wire Size: 12-10 Stud Size: 10.	Oty .55510	RefillNR
KTI-00038 120 KTI-04086 Rin KTI-04087 Rin KTI-04088 Rin KTI-04099 Rin KTI-04091 Rin KTI-04091 But KTI-04093 But KTI-04094 But KTI-04094 But KTI-04095 But KTI-04096 But KTI-04104 Mal KTI-04101 Fer KTI-04100 Mal KTI-04100 Mal KTI-04100 Ins. KTI-04104 Ins. KTI-04104 Ins. KTI-04105 Fer KTI-04106 Ins. KTI-04106 Rin KTI-04059 Rin KTI-04059 Rin KTI-04059 Rin KTI-04061 Rin KTI-04061 Rin KTI-04061 Rin KTI-04062 Rin KTI-04062 Rin KTI-04063 Rin KTI-04064 Rin	### Displace Shrink Tube Terminal Kit Large Germinal 22-18 Stud Size 6	Oty .55510	RefillNRNRNRNRNRNRNRNRNRNRNRNRNRNRNSNRNSNR

KTI-00039 360-piece Terminal Kit Large (continued)	<u>Oty</u>	Refill
KTI-04067Spade Terminal Wire Size: 16-14 Stud Size: 10	20	10
KTI-04068Spade Terminal Wire Size: 12-10 Stud Size: 10KTI-04069Butt Connector 22-18		
KTI-04069Butt Connector 16-14		
KTI-04071Butt Connector 12-10		
KTI-04074Male Slide Terminal 16-14 Stud Size .250		
KTI-04075Female Slide Terminal 16-14 Stud Size .250		
KTI-04078Female Bullet 16-14 Stud Size .157		
KTI-04079Male Bullet 16-14 Stud Size .157		
KTI-040803-Way 16-14		
KTI-040812-way Female Bullet 16-14 .157		
KTI-04082Female Slide 16-14 Stud Size .250 Brass	20	10
KTI-04083Male Slide 16-14 Stud Size .250 Brass	20	10
KTI-04084Ins. Male Slide 16-14 Stud Size .250		
KTI-04085Ins. Female Slide 16-14 Stud Size .250	10	10
KTI-00040 75-piece Vacuum Tee Kit Small	<u> Qty</u>	Refill
KTI-04262Vacuum Cap 3/16"	25	10
KTI-04263Vacuum Cap 1/4"		
KTI-04264 Vacuum Cap 5/16"		
KTI-04265 Vacuum Cap 3/8"		
KTI-04266Vacuum Cap 1/8"	25	10
KTI-00042 61-piece Vacuum Tee Kit Small	<u>Oty</u>	Refill
KTI-04240Vacuum Tee 1/8"x 1/8"x 1/8"		
KTI-04241 Vacuum Tee 3/16"x 3/16"x 3/16"		
KTI-04242Vacuum Tee 1/4"x 1/4"x 1/4"		
KTI-04243 Vacuum Tee 5/16"x 5/16"x 5/16"		
KTI-04245 Vacuum Tee 3/16"x 3/16"x 1/8"		
KTI-04247Vacuum Tee 3/16"x 3/16"x 1/4"		
KTI-04251 Vacuum Connector 3/16"		
KTI-04252Vacuum Connector 1/4" KTI-04253Vacuum Connector 5/16		
KTI-04260Vacuum Tee 4-Way 3/16"		
KTI-04260Vacuum Tee 5-Way 3/16"		
KTI-04262 Vacuum Cap 3/16"		10
KTI-04263Vacuum Cap 1/4"		10
KTI-00045 12-piece Low Profile JCase Fuse Assortment	Qty	Refill
KTI-04226Low Profile Jcase Fuse - 20 Amp	2	5
KTI-04227Low Profile Jcase Fuse - 25 Amp		
KTI-04228Low Profile Jcase Fuse - 30 Amp		
KTI-04229Low Profile Jcase Fuse - 40 Amp	2	5
KTI-04230Low Profile Jcase Fuse - 50 Amp	2	5
KTI-04231Low Profile Jcase Fuse - 60 Amp	2	5
KTI-00047 95-piece Brake Fitting Assortment	<u>Oty</u>	Refill
KTI-04000Adapter 3/8-24 Inv to 3/8-24 Bub	5	5
KTI-04001 Adapter 3/8-24 Inv to M10x1.0 Bub	5	5
KTI-04007 Metric Brake Union Nut 3/16 x 3/8"-24 for 7802 Nut		
KTI-04008Metric Brake Line Nut (Japanese) 3/16 x 10mm x 1.0 Standard F		
KTI-04009Metric Brake Line Nut (European) 3/16 x 10mm x 1.0 Bubble		
KTI-04010Metric Brake Line Nut (British) 3/16 x 3/8"-24 Bubble Flare		
KTI-04011Adapter 3/8-24 Inv to 7/16-24 Inv		
KTI-04013Adapter 7/16-24 Inv to 1/2-20 Inv		
KTI-04014Adapter 7/16-24 Inv to 9/16-18 Inv		
KTI-04015Adapter 3/8-24 Inv to 1/2-20 Inv		
KTI-04016Adapter 3/8-24 Inv to 9/16-20 Inv KTI-04023Brake Line Tube Nut 3/16 x 3/8-24 Inv		
KTI-04023Brake Line Tube Nut - Long 3/16 x 3/8-24 Inv		
KTI-04024Brake Line Tube Nut - Long 3/16 x 3/8-24 Inv KTI-04025Brake Line Tube Nut 1/4 x 7/16-24 Inv		
KTI-04025Brake Line Tube Nut 1/4 x 7/10-24 linv KTI-04026Brake Line Tube Nut - Long 1/4 x 7/16-24 linv	5 5	5 5
KTI-04028Metric Brake Union Nut (European) 3/16 x 10mm x 1.0 Bubble F		
KTI-04029Brake Line Union 3/16 x 3/8-24 Inv		
KTI-04030Brake Line Union 1/4 x 7/16		
KTI-04032 Metric Brake Union Nut (Japanese) 3/16 x 10mm x 1.0 Inv		
Capanoso, of to a round a roun		



I/TI 00040 0/ piece Meeter Broke Fitting Accortment	01	D (II	I/TL 000E0 20 piece Automotive Drain Dlug Accortment (time-s)	0.	D 611
KTI-00048 86-piece Master Brake Fitting Assortment		<u>Refill</u>	KTI-00058 38-piece Automotive Drain Plug Assortment (continued)	<u>Oty</u>	Refill
KTI-03972Tube Nut 3/16 x M11 x 1.5 Bub			KTI-04126 Drain Plug 14mm-1.50 Pilot Point with Gasket		
KTI-03973 Tube Nut 3/16 x M12 x 1.0 Bub			KTI-04188 Drain Plug 12mm-1.25 Standard Zinc		
KTI-03974 Tube Nut 3/16 x M13 x 1.5 Bub	4	5	KTI-04189 Drain Plug 12mm-1.75 Pilot Point	3	5
KTI-03975 Tube Nut 3/16 x 9/16-18 Inv	4	5	KTI-04190 Drain Plug 14mm-1.50 Standard Zinc	3	5
KTI-03976 Tube Nut 1/4 x M12 x 1.0 Bub	4	5	KTI-04193 Drain Plug 1/2-20 Pilot Point with Gasket	3	5
KTI-03977 Tube Nut 3/16 x M10 x 1.0 Inv	4	5	KTI-04195 Drain Plug 14mm-1.50 Standard Zinc		
KTI-03978Tube Nut 3/16 x M10 x 1.0 Bub			KTI-04196Drain Plug 14mm-1.50 Pilot Point		
			3		
KTI-03979 Tube Nut 3/16 x 7/16-24 Inv			KTI-04198Drain Plug 12mm-1.75 Pilot Point with Gasket	3	5
KTI-03980 Tube Nut 3/16 x 1/2-20 Inv					
KTI-03984Tube Nut 6mm x M12 x 1.0 Bub			KTI-00059 27-piece Oversize Drain Plug & Gasket Assortment	<u>Oty</u>	Refill
KTI-03985 Tube Nut 6mm x M14 x 1.5 Bub	4	5	KTI-04125 Drain Plug M14-1.50 Single Oversize		
KTI-04008Metric Brake Line Nut (Japanese) 3/16 x 10mm x 1.0 Standard Flare	5	5	KTI-04141Fiber Gasket 1/2" Double Oversize	5	10
KTI-04009Metric Brake Line Nut (European) 3/16 x 10mm x 1.0 Bubble Flare			KTI-04142Fiber Gasket 1/2" Single Oversize		
KTI-04010Metric Brake Line Nut (British) 3/16 x 3/8"-24 Bubble Flare			KTI-04168Fiber Gasket M14		
, ,					
KTI-04023 Brake Line Tube Nut 3/16 x 3/8-24 Inv			KTI-04181 Drain Plug 1/2-20 Single Oversize		
KTI-04024Brake Line Tube Nut - Long 3/16 x 3/8-24 Inv			KTI-04182Drain Plug 1/2-20 Double Oversize		
KTI-04025 Brake Line Tube Nut 1/4 x 7/16-24 Inv	5	5	KTI-04183 Drain Plug 1/2-20 Triple Oversize		
KTI-04026Brake Line Tube Nut - Long 1/4 x 7/16-24 Inv	5	5	KTI-04184Drain Plug 1/2-20 Single Oversize Piggyback	2	5
KTI-04028Metric Brake Union Nut (European) 3/16 x 10mm x 1.0 Bubble Flare	5	5	KTI-04185 Drain Plug 1/2-20 Double Oversize Piggyback	2	5
KTI-04032 Metric Brake Union Nut (Japanese) 3/16 x 10mm x 1.0 lnv			33,		
KTT 01002The are Brake Official Nat (Supariess) 5/10 x 15/11/11 x 1.5 inv		0	KTI-00067 95-piece ATC Glass Fuse Assortment	Otv	Refill
I/TI 00040 O/ missa Mastan Dustra Ettition Assessment					
KTI-00049 86-piece Master Brake Fitting Assortment			KTI-0081110A glass fuse		
with 25' length 3/16" Copper-Nickel Brake Line	<u>Oty</u>	Refill	KTI-00821 15A glass fuse		
KTI-0397025' coil of 3/16" copper-nickel brake line	1	1	KTI-0083120A glass fuse	20	5
KTI-03972Tube Nut 3/16 x M11 x 1.5 Bub			KTI-0084125A glass fuse	20	5
KTI-03973Tube Nut 3/16 x M12 x 1.0 Bub			KTI-0085130A glass fuse	20	5
			KTI-008615A glass fuse		
KTI-03974Tube Nut 3/16 x M13 x 1.5 Bub			1 Constitution of Gases (Gases)		
KTI-03975 Tube Nut 3/16 x 9/16-18 Inv			KTI-00068 30-piece Low Profile Mini Fuse Assortment	Ohi	Defil
KTI-03976Tube Nut 1/4 x M12 x 1.0 Bub	4	5			Refill
KTI-03977 Tube Nut 3/16 x M10 x 1.0 Inv	4	5	KTI-04270Low Profile Mini Fuse - 5 Amp		
KTI-03978Tube Nut 3/16 x M10 x 1.0 Bub	4	5	KTI-04271Low Profile Mini Fuse - 7.5 Amp	5	10
KTI-03979Tube Nut 3/16 x 7/16-24 Inv			KTI-04272Low Profile Mini Fuse - 10 Amp	5	10
KTI-03980Tube Nut 3/16 x 1/2-20 Inv			KTI-04273Low Profile Mini Fuse - 15 Amp	5	10
			KTI-04274Low Profile Mini Fuse - 20 Amp		
KTI-03984Tube Nut 6mm x M12 x 1.0 Bub			KTI-04275Low Profile Mini Fuse - 25 Amp		
KTI-03985 Tube Nut 6mm x M14 x 1.5 Bub					
KTI-04008Metric Brake Line Nut (Japanese) 3/16 x 10mm x 1.0 Standard Flare	5	5	KTI-04276Low Profile Mini Fuse - 30 Amp	5	10
KTI-04009 Metric Brake Line Nut (European) 3/16 x 10mm x 1.0 Bubble Flare	5	5	1/71 000/0 07 1 1711 01 7		
KTI-04010 Metric Brake Line Nut (British) 3/16 x 3/8"-24 Bubble Flare	5	5	KTI-00069 25-piece ATM Glo Fuse Assortment		Refill
KTI-04023 Brake Line Tube Nut 3/16 x 3/8-24 Inv			KTI-04277ATM Glo-Fuse 10 Amp	5	5
KTI-04024Brake Line Tube Nut - Long 3/16 x 3/8-24 Inv			KTI-04278ATM Glo-Fuse 15 Amp	5	5
KTI-04025Brake Line Tube Nut 1/4 x 7/16-24 Inv			KTI-04279ATM Glo-Fuse 20 Amp	5	5
			KTI-04280ATM Glo-Fuse 25 Amp		
KTI-04026Brake Line Tube Nut - Long 1/4 x 7/16-24 lnv			KTI-04281ATM Glo-Fuse 30 Amp		
KTI-04028Metric Brake Union Nut (European) 3/16 x 10mm x 1.0 Bubble Flare			K11-04201ATWI GIO-1 USE 30 AITIP	5	
KTI-04032Metric Brake Union Nut (Japanese) 3/16 x 10mm x 1.0 lnv	5	5	MTI 00070 OF mines ATO Cla Free Accordances		
			KTI-00070 25-piece ATO Glo Fuse Assortment	<u>Oty</u>	Refill
KTI-00050 86-piece Master Brake Fitting Assortment			KTI-04282ATO Glo-Fuse 10 Amp		
with 25' each 1/4" and 3/16" Copper-Nickel Brake Line	Ot.	D-CII	KTI-04283ATO Glo-Fuse 15 Amp	5	5
		Refill	KTI-04284ATO Glo-Fuse 20 Amp	5	5
KTI-0397025' coil of 1/4" copper-nickel brake line			KTI-04285ATO Glo-Fuse 25 Amp	5	5
KTI-0397125' coil of 3/16" copper-nickel brake line			KTI-04286ATO Glo-Fuse 30 Amp		
KTI-03972Tube Nut 3/16 x M11 x 1.5 Bub			• 1200 0 0.0 1 0.0 0 0 7 mp	0	
KTI-03973 Tube Nut 3/16 x M12 x 1.0 Bub	4	5	KTI-04626 88-piece Fuel Line Connector Assortment	04.	D - CII
KTI-03974Tube Nut 3/16 x M13 x 1.5 Bub	4	5		<u>Oty</u>	Refill
KTI-03975Tube Nut 3/16 x 9/16-18 Inv			KTI-05100Fuel Line Quick Connect Straight: F1/4 - M5/16		
KTI-03976Tube Nut 1/4 x M12 x 1.0 Bub			KTI-05101Fuel Line Quick Connect Straight: F5/16 - M5/16		
KTI-03977 Tube Nut 1/4 x M12 x 1.0 Bub			KTI-05102Fuel Line Quick Connect Straight: F3/8 - M3/8		
			KTI-05103Fuel Line Quick Connect Straight: F5/16 - M3/8	2	5
KTI-03978 Tube Nut 3/16 x M10 x 1.0 Bub			KTI-05104Fuel Line Quick Connect Straight: F3/8 - M5/16	2	5
KTI-03979Tube Nut 3/16 x 7/16-24 Inv			KTI-05105 Fuel Line Quick Connect 90 Degree: F5/16 - M5/16		
KTI-03980Tube Nut 3/16 x 1/2-20 Inv	4	5	KTI-05106Fuel Line Quick Connect 90 Degree: F3/8 - M3/8		
KTI-03984 Tube Nut 6mm x M12 x 1.0 Bub	4	5			
KTI-03985 Tube Nut 6mm x M14 x 1.5 Bub			KTI-05107Fuel Line Quick Connect 90 Degree: F3/8 - M5/16		
KTI-04008Metric Brake Line Nut (Japanese) 3/16 x 10mm x 1.0 Standard Flare	5	5	KTI-05108Fuel Line Quick Connect 90 Degree: F5/16 - M3/8		
KTI-04009Metric Brake Line Nut (European) 3/16 x 10mm x 1.0 Bubble Flare			KTI-05109Fuel Line Connector Brass 1/4"		
			KTI-05110Fuel Line Connector Brass 5/16"	5	5
KTI-04010Metric Brake Line Nut (British) 3/16 x 3/8"-24 Bubble Flare	5	o	KTI-05111 Fuel Line Connector Brass 3/8"		
KTI-04023 Brake Line Tube Nut 3/16 x 3/8-24 Inv			KTI-05112 Brass Compression Union 1/4" Nylon to Nylon		
KTI-04024Brake Line Tube Nut - Long 3/16 x 3/8-24 Inv			KTI-05113Brass Compression Union 5/16" Nylon to Nylon		
KTI-04025Brake Line Tube Nut 1/4 x 7/16-24 Inv			KTI-05114Brass Compression Union 3/8" Nylon to Nylon		
KTI-04026Brake Line Tube Nut - Long 1/4 x 7/16-24 Inv	5	5			
KTI-04028Metric Brake Union Nut (European) 3/16 x 10mm x 1.0 Bubble Flare			KTI-05115Brass Compression Union 1/4" Nylon to Steel		
KTI-04032Metric Brake Union Nut (Japanese) 3/16 x 10mm x 1.0 Inv			KTI-05116Brass Compression Union 5/16" Nylon to Steel		
5 1552 Mound brake of monthat papariese, or to A Tollilli A 1.0 IIIV			KTI-05117Brass Compression Union 3/8" Nylon to Steel		
I/TI 000F0 20 mines Automotive Desir Disease Assessment			KTI-05118Fuel Line Clamp 360 Degree 1/4"	5	10
KTI-00058 38-piece Automotive Drain Plug Assortment	<u>Oty</u>	Refill	KTI-05119Fuel Line Clamp 360 Degree 5/16"	10	10
KTI-04120 Drain Plug 12mm-1.75 Pilot Point with Gasket			KTI-05120Fuel Line Clamp 360 Degree 3/8"		
KTI-04121 Drain Plug 14mm-1.50 Pilot Point with Gasket	3	5	KTI-05257Fuel Line Viton O-ring 3/8"		
KTI-04123Drain Plug 14mm-1.50 Pilot Point with Gasket			KTI-05259Fuel Line Viton O-ring 5/16"		
KTI-04124 Drain Plug 12mm-1.75 Pilot Point with Gasket					
		•	KTI-05186Fuel System Connector Removal Tool 3/8" and 5/16"	1	o



KITS

Hardware kits are packaged in multicompartment cases, but do not have individual pieces available for refill. Contains product assortment map for easy identification of components.

KTI-00071

150-piece Hitch Pin Assortment

Assortment includes 150 hitch pins in six popular sizes from 5/32" x 2-5/8" to 3/32" x 1-3/16". Manufactured with chrome plated spring steel.

Description	Qty:	Description	Qty:
5/32" x 2-15/16"	8	5/64" x 1-9/16"	25
9/64" x 1-3/4"	20	5/64" x 1-15/16"	30
7/64" x 1-5/8"	25	3/32" x 1-3/16"	42



KTI-00072

300-piece E-clip Assortment

Assortment includes 300 pieces in 9 sizes from 1/16" to 7/8".

Description	Qty:	Description	Qty:
1/16"	30	1/2"	40
1/8"	30	5/8"	40
3/16"	40	3/4"	40
1/4"	50	7/8"	40
3/8"	50		



KTI-00074

110-piece Hydraulic Grease Fitting Assortment Fractional

110-piece hydraulic grease fitting assortment kit includes six popular sizes from 1/4"-28 to 1/8"-27. Kit contains straight and 45 degree and 90 degree angled fittings.

Description	Qty:	Description	Qty:
1/4"-28	30	1/8"-27 (90°)	15
1/4"-28 (45°)	15	1/8"-27 (45°)	15
1/4"-28 (90°)	15	1/8"-27	20



KTI-00075

555-piece Cotter Pin Assortment

Assortment kit includes six popular sizes from 1/16" x 1" to 5/32" x 2-1/2".

Description	Qty:	Description	Qty:
1/16" x 1"	150	1/8" x 1-1/4"	75
3/32" x 1"	150	1/8" x 2"	50
3/32" x 1-1/2"	100	5/32" x 2-1/2"	30



KTI-00077

300-piece Snap Ring Assortment (18 different sizes)

Assortment kit includes 300 pieces of six popular products in 18 different sizes, ranging from 1/8" to 1-1/16".

Description	Qty:	Description	Qty:
1/8"	20	1/2"	25
5/32"	10	1-1/8"	10
3/16"	15	9/16"	15
1/4"	25	5/8"	20
5/16"	15	3/4"	25
3/8"	20	13/16"	15
7/16"	15	7/8"	20
1-1/4"	5	1"	15
15/32"	15	1-1/16"	15



KTI-00078

144-piece Cotter Pin Assortment

Assortment kit includes six popular products in six different sizes, ranging from 1/8" x 2" to 5/16" x 2-1/2".

Description	Qty:	Description	Qty:
1/8" x 2"	50	1/4" x 2"	20
5/32" x 2-1/2"	30	1/4" x 3"	16
3/16" x 3"	20	5/16" x 2-1/2"	8





KITS

Hardware kits are packaged in multicompartment cases, but do not have individual pieces available for refill. Contains product assortment map for easy identification of components.

KTI-00080

120-piece Auto Fuse Assortment (color-coded fuses)

120-piece assortment kit includes auto fuses sized from 5A to 30A.

Description	Qty:	Description	Qty:
5A Auto Fuses	20	20A Auto Fuses	20
10A Auto Fuses	20	25A Auto Fuses	20
15A Auto Fuses	20	30A Auto Fuses	20



KTI-00081

120-piece Mini Auto Fuse Assortment (color-coded fuses)

120-piece assortment kit includes mini fuses sized from 2A to 30A.

Description	Qty:	Description	Qty:
5A Auto Fuses	20	20A Auto Fuses	20
10A Auto Fuses	20	25A Auto Fuses	20
15A Auto Fuses	20	30A Auto Fuses	20



KTI-00082

56-piece Maxi Auto Fuse Assortment (color-coded fuses)

56-piece assortment kit includes maxi fuses sized from 20A to 100A.

Description	Qty:	Description	Qty:
20A Auto Fuses	7	60A Auto Fuses	7
30A Auto Fuses	7	70A Auto Fuses	7
40A Auto Fuses	7	80A Auto Fuses	7
50A Auto Fuses	7	100A Auto Fuses	7



KTI-00084

170-piece U-clip and Screw Assortment

170-piece U-clip and screw assortment kit includes nine popular products in variety of sizes.

Description	Qty:	Description	Qty:
#6 x 5/16" (3 x 8mm)	40	#6 (3mm) *large	20
#8 x 5/8" (4 x 16mm)	20	#8 (4mm)	20
#10 x 1/2" (5 x 13mm)	15	#10 (5mm)	
1/4" x 3/4" (6 x 19mm)	10	1/4" (6mm)	
#6 (3mm) *small	20	• •	



KTI-00085

200-piece Hex Washer Drill Assortment

200-piece hex head washer drill assortment kit includes eight popular sizes, ranging from #8 to #10.

Description	Qty:	Description	Qty:
#8 x 3/4"	30	#10 x 1/2"	20
#8 x 1"	30	#10 x 5/8"	20
#8 x 1/2"	30	#10 x 3/4"	20
#8 x 5/8"	30	#10 x 1"	20



KTI-00086

270-piece HNBR O-Ring Assortment

270-piece high temperature HNBR O-ring kit assortment includes wide variety of green O-rings in 17 sizes used in A/C applications.

Description	Qty:	Description	Qty:
7/32" x 1/16" (5.29 x 1.78)	20	7/16" x 5/64" (11.00 x 2.00)	15
1/4" x 1/16" (6.07 x 1.78)	20	1/2" x 5/64" (12.00 x 2.00)	15
9/32" x 5/64" (6.80 x 1.90)	20	9/16" x 1/16" (13.90 x 1.80)	10
5/16" x 1/16" (7.65 x 1.78)	20	9/16" x 3/32" (13.95 x 2.62)	10
5/16" x 5/64" (7.80 x 1.90)	20	3/8" x 5/64" (10.00 x 2.00)	10
5/16" x 5/64" (8.00 x 2.00)	20	5/8" x 5/64" (15.00 x 2.00)	10
11/32" x 5/64" (8.80 x 1.90) .	20	11/16" x 5/64" (17.00 x 2.00).	10
7/16" x 1/16" (10.82 x 1.78).	15	11/16" x 1/16" (17.17 x 1.78).	10
7/16" x 3/32" (10.77 x 2.62).	15	11/16" x 1/8" (17.04 x 3.53)	10





KITS

Hardware kits are packaged in multicompartment cases, but do not have individual pieces available for refill. Contains product assortment map for easy identification of components.

KTI-00087 360-piece

360-piece Terminal Assortment

Kit contains 360 insulated PVC-sleeve, zinc-plated wire terminals and connectors. Essential for automotive, small-engine, appliance and electrical repair. Includes 13 of the most common wire connection sizes and styles.

Description	Qty:	Description	Qty
10-32 ring 16-14 ga	30	Butt connector 16-14 ga	15
3/8" ring 16-14 ga	20	Butt connector 12-10 ga	15
1/4" ring 16-14 ga	20	Male bullet 16-14 ga	10
10-32 ring 12-10 ga	20	Female bullet 16-14 ga	10
3/8" ring 12-10 ga	15	Two-way line connector	10
1/4" ring 12-10 ga	15	Male disconnect 18-14 ga	10
10 spade 16-14 ga	30	Female disconnect 18-14 ga.	10
10 spade 12-10 ga	20	Male ins. disconnect 18-14	10
Butt connector 22-16 ga	30	Female ins. disconnect 18-14	110



KTI-00089

110-piece Copper Washer Assortment

110-piece copper washer assortment kit includes six popular products, ranging from 1/4" to 5/8".

Description	Qty:	Description	Qty	
1/4"	30	7/16"	15	
5/16"		1/2"	10	
3/8"		5/8"	10	



KTI-00091

125-piece Grommet Assortment

125-piece grommet assortment kit includes 18 popular products, ranging from 1/8" to 1".

Description	Qty:	Description	Qty:
1/8" x 1/4"	15	5/8" x 31/32"	3
7/32" x 5/16"	10	3/4" x 15/16"	2
9/32" x 1/2"	7	9/32"	20
1/2" x 19/32"	3	3/8"	20
3/8" x 15/32"	6	1/2"	10
3/8" x 1/2"	5	5/8"	5
5/16" x 9/16"	3	3/4"	4
3/8" x 13/16"	3	7/8"	3
7/16" x 3/4"	4	1"	2



KTI-00093

120-piece Roll Pin Assortment

120-piece roll pin assortment kit includes 30 of the most popular sizes.

Description	Qty:	Description	Qty:
5/32" x 5/8"	4	3/8" x 3/4"	2
5/32" x 1"	4	3/8" x 1-1/2"	2
5/32" x 1-1/2"	4	3/8" x 2"	2
1/4" x 5/8"	4	3/32" x 5/8"	4
1/4" x 1-1/4"	4	3/32" x 1"	4
1/4" x 1-3/4"	4	3/32" x 1-1/4"	4
5/64" x 1/4"	4	7/32" x 5/8"	4
5/64" x 1/2"	4	7/32" x 1-1/4"	4
5/64" x 1"	4	7/32" x 1-3/4"	4
1/16" x 3/16"	4	1/8" x 5/8"	4
1/16" x 5/16"	4	1/8" x 1"	2
1/16" x 3/4"	4	1/8" x 1-1/4"	2
5/16" x 3/4"	4	3/16" x 5/8"	2
5/16" x 1-1/2"	4	3/16" x 1"	4
5/16" x 2"	4	3/16" x 1-1/4"	4





KITS

Hardware kits are packaged in multicompartment cases, but do not have individual pieces available for refill. Contains product assortment map for easy identification of components.

KTI-00094 407-piece Universal O-ring Assortment

407-piece universal O-ring kit. Huge assortment includes 34 different products, ranging in size from 1/8" to 2" ID and 1/4" to 2-1/4" OD.

Description	Qty:	Description	Qty:	Description	Qty:
1/8" x 1/4" x 1/16"	20	11/16" x 7/8" x 3/32"	13	1-3/16" x 1-7/16" x 1/8"	10
3/16" x 5/16" x 1/16"	20	3/4" x 15/16" x 3/32"	13	1-1/4" x 1-1/2" x 1/8"	10
1/4" x 3/8" x 1/16"	20	13/16" x 1" x 3/32"	13	1-5/16" x 1-9/16" x 1/8"	10
5/16" x 7/16" x 1/16"	20	7/8" x 1-1/16" x 3/32"	13	1-3/8" x 1-5/8" x 1/8"	10
3/8" x 1/2" x 1/16"	20	3/4" x 1" x 1/8"	10	1-7/16" x 1-11/16" x 1/8"	10
1/2" x 5/8" x 1/16"	20	13/16" x 1-1/16" x 1/8"	10	1-1/2" x 1-3/4" x 1/8"	10
3/8" x 9/16" x 3/32"	13	7/8" x 1-1/8" x 1/8"	10	1-5/8" x 1-7/8" x 1/8"	10
7/16" x 5/8" x 3/32"	13	15/16" x 1-3/16" x 1/8"	10	1-3/4" x 2" x 1/8"	10
1/2" x 11/16" x 3/32"	13	1" x 1-1/4" x 1/8"	10	1-7/8" x 2-1/8" x 1/8"	10
9/16" x 3/4" x 3/32"	13	1-1/16" x 1-15/16" x 1/8"	10	2" x 2-1/4" x 1/8"	10
5/8" x 13/16" x 3/32"	13	1-1/8" x 1-3/8" x 1/8"	10		



KTI-00095

419-piece Metric O-ring Assortment

419-piece metric O-ring kit. Huge assortment includes 32 different products, ranging in size from 3mm to 50mm ID.

Description	.Qty:	Description	Qty:	Description	Qty:
3mm x 1.5mm	20	18mm x 2.5mm	14	30mm x 3.5mm	10
4.4mm x 2mm	20	19mm x 2.5mm	13	31mm x 3.5mm	10
5mm x 2mm	18	21mm x 2.5mm	14	33mm x 3.5mm	10
7mm x 1.5mm	23	22mm x 2.5mm	13	34.5mm x 3.5mm	10
10mm x 1.5mm	23	18mm x 3.5mm	10	36mm x 3.5mm	10
13mm x 1.5mm	23	20mm x 3.5mm	10	38mm x 3.5mm	10
10mm x 2.5mm	14	22mm x 3.5mm	10	41mm x 3.5mm	10
11mm x 2.5mm	13	23.5mm x 3.5mm	10	44mm x 3.5mm	10
13mm x 2.5mm	14	25mm x 3.5mm	10	47mm x 3.5mm	10
14mm x 2.5mm	13	26.5mm x 3.5mm	10	50mm x 3.5mm	10
16mm x 2.5mm	14	28mm x 3.5mm	10		



KTI-00096

110-piece Metric Grease Fitting Assortment

110-piece metric grease fitting assortment kit includes six popular sizes, ranging from 6mm to 10mm.

Description	Qty:	Description	Qty:
6mm	30	10mm (90°)	20
6mm (45°)	15	10mm (45°)	15
6mm (90°)	15	10mm	15



KTI-00097

157-piece Electric Wire Solderless Terminal Kit

157-piece electric wire solderless terminal kit includes 17 popular sizes for 10-18 gauge wire. Products are color-coded for convenience.

Description	Qty:	Description	Qty:	Description	Qty
#8 ring terminal 16-14 ga	11	Butt connect 16-14 ga	22	Male bullet 16-14 ga	11
#10 ring terminal 16-14 ga.	11	Butt connect 12-10 ga	8	Female bullet 16-14 ga	11
1/4" ring terminal 16-14 ga.	11	Male connector 16-14 ga	11	#8 spade terminal 16-14 ga	11
5/16" ring terminal 12-10 ga	8	Female connector 16-14 ga.	11	Quick splice and tap 16-14 ga	a 4
3/8" ring terminal 12-10 ga.	4	Male connector 12-10 ga	4	Quick splice and tap 22-18 ga	a 4
Butt connect 22-18 ga	11	Female connector 12-10 ga.	4		



KTI-07740

235-piece Heat Shrink Tube Kit

Yellow11

235-piece heat shrink tube kit. Assortment includes eight different sizes in five colors, ranging from 3/32" to 5/8".

Size: 3/32"	Qty:	Size: 3/16"	Qty:	Size: 3/8"	Qty:	Size: 5/8"	Qty:
Blue	8	Blue	11	Blue	2	Blue	1
Black	8	Black	11	Black	2	Black	1
Orange	8	Orange	11	Orange	2	Orange	1
Green	8	Green	11	Green	2	Green	1
Yellow	8	Yellow	11	Yellow	2	Yellow	1
Size: 1/8"	Qty:	Size: 1/4"	Qty:	Size: 1/2"	Qty:	Size: 3/4"	Qty:
Blue	11	Blue	11	Blue	2	Blue	1
Black	11	Black	11	Black	2	Black	1
Orange	11	Orange	11	Orange	2	Orange	1
Green	11	Green	11	Green	2	Green	1

Yellow2

Yellow......11



Yellow 1







KTI's eye-catching displays, featuring a popular assortment of merchandise, allow store owners to exhibit a maximum quantity of quick-selling products in a minimum amount of space. KTI displays allow stores to expand their tool offering without investing large sums in inventory or floor space. Each display measures 23.5" x 32". Easy to set up, the display ships with all needed tools, overlay and hardware (hooks, bars, fasteners, etc.). Board must be purchased separately (KTI-098).

KTI-0805

1/4" Drive Tools and Sockets

See page
169
for display
content listing

Conversion kit only: **KTU-0805**



KTI-0806

3/8" Drive Tools and Sockets

See page 169 for display content listing

Conversion kit only: **KTU-0806**



KTI-0807

3/8" Drive Sockets

See page 170 for display

Conversion kit only: **KTU-0807**



KTI-0808

1/2" Drive Tools and Sockets

See pages 170-171 for display content listing


Conversion kit only: **KTU-0808**



KTI-069

3/4" Drive Tools and Sockets

See page 169 for display content listing



KTI-0809

Screwdrivers

See page 171 for display content listing





KTI's eye-catching displays, featuring a popular assortment of merchandise, allow store owners to exhibit a maximum quantity of quick-selling products in a minimum amount of space. KTI displays allow stores to expand their tool offering without investing large sums in inventory or floor space. Each display measures 23.5" x 32". Easy to set up, the display ships with all needed tools, overlay and hardware (hooks, bars, fasteners, etc.). Board must be purchased separately (KTI-098).

KTI-0836

Nutdrivers and Hex Keys

See pages 175-176 for display content listing



KTI-0810

Torq and Hex Sockets

See page 171 for display content listing

Conversion kit only: **KTU-0810**



KTI-0811

Torx and Hex Sockets (U.S.-made)

See page 172 for display content listing

Conversion kit only: **KTU-0811**



KTI-0839

Impact Sockets

See pages 176-177 for display



KTI-0840

Large Impact Sockets


177
for display
content listing



KTI-0812

Fractional Wrenches

See page 172 for display content listing






KTI's eye-catching displays, featuring a popular assortment of merchandise, allow store owners to exhibit a maximum quantity of quick-selling products in a minimum amount of space. KTI displays allow stores to expand their tool offering without investing large sums in inventory or floor space. Each display measures 23.5" x 32". Easy to set up, the display ships with all needed tools, overlay and hardware (hooks, bars, fasteners, etc.). Board must be purchased separately (KTI-098).

KTI-0813

Metric Wrenches

> See pages 172-173 for display content listing

Conversion kit only: **KTU-0813**



KTI-0842

Ratcheting Wrenches

See page 177 for display content listing



KTI-0814

Jumbo Wrenches

> See page 173 for display

Conversion kit only: **KTU-0814**



KTI-0817

Adjustable Wrenches

See page
173
for display

Conversion kit only: **KTU-0817**



KTI-0815

Nylon Ties

> See page 173 for display content listing

Conversion kit only: **KTU-0815**



KTI-0816

Pliers

See page 173 for display content listing





KTI's eye-catching displays, featuring a popular assortment of merchandise, allow store owners to exhibit a maximum quantity of quick-selling products in a minimum amount of space. KTI displays allow stores to expand their tool offering without investing large sums in inventory or floor space. Each display measures 23.5" x 32". Easy to set up, the display ships with all needed tools, overlay and hardware (hooks, bars, fasteners, etc.). Board must be purchased separately (KTI-098).

KTI-0819

Files and Scrapers

See page 173 for display content listing

Conversion kit only: **KTU-0819**



KTI-0820

Hammers

See page 173 for display content listing

Conversion kit only: **KTU-0820**



KTI-0821

Snap Ring Pliers

See page 173 for display

Conversion kit only: **KTU-0821**



KTI-0822

Tie Downs and Tow Straps

See page 173 for display content listing

Conversion kit only: **KTU-0822**



KTI-0831

Punches and Chisels

See page 174 for display content listing

Conversion kit only: **KTU-0831**



KTI-0832

Pneumatic Bits

See page 174 for display content listing





KTI's eye-catching displays, featuring a popular assortment of merchandise, allow store owners to exhibit a maximum quantity of quick-selling products in a minimum amount of space. KTI displays allow stores to expand their tool offering without investing large sums in inventory or floor space. Each display measures 23.5" x 32". Easy to set up, the display ships with all needed tools, overlay and hardware (hooks, bars, fasteners, etc.). Board must be purchased separately (KTI-098).

KTI-0837

Oil Filter Wrenches

See page 176 for display



KTI-0833

Pullers

See page 174 for display content listing

Conversion kit only: **KTU-0833**



KTI-0838

Pullers and Separators

See page 176 for display



KTI-0834

Popular Tools I

See pages
174-175
for display

Conversion kit only: **KTU-0834**



KTI-0835

Popular Tools II

See page 175 for display content listing



KTI-0841

Locking Pliers and Clamps

See page 177 for display





KTI-069			KTI-0805	
	ools and Sockets	Otv		Tools and Sockets (continued)
	Chrome Adapter 1/2"F X 3/4" M			1/4" Dr Deep Socket 3/16"
	3/4" Dr 4" Extension			1/4" Dr Deep Socket 7/32"
	3/4" Dr 8" Extension			1/4" Dr Deep Socket 1/4"
	3/4" Dr T Handle			1/4" Dr Deep Socket 9/32"
	3/4" Dr Ratchet			1/4" Dr Deep Socket 5/16"
	3/4" Dr 6Pt Socket 3/4"			1/4" Dr Deep Socket 11/32"
	3/4" Dr 6Pt Socket 7/8"			1/4" Dr Deep Socket 17/32
	3/4" Dr 6Pt Socket 15/16"			1/4" Dr Deep Socket 7/16"
	3/4" Dr 6Pt Socket 1"			1/4" Dr Deep Socket 1/2"
	3/4" Dr 6Pt Socket 1-1/16"			1/4" Dr 6 Point Deep Socket 9/16"
	3/4" Dr 6Pt Socket 1-1/10"			1/4" Dr Metric Socket Set
	3/4" Dr 6Pt Socket 1-1/0"			1/4" Dr Short Socket 4 mm
	3/4" Dr 6Pt Socket 1-1/4"			1/4" Dr Short Socket 4 mm
	3/4" Dr 6Pt Socket 1-1/4"			1/4" Dr Short Socket 6 mm
	3/4" Dr 6Pt Socket 1-3/10"			1/4" Dr Short Socket 7 mm
	3/4" Dr 6Pt Socket 1-3/6"			
	3/4" Dr 6Pt Socket 1-1/2"			1/4" Dr Short Socket 9 mm
	3/4" Dr 6Pt Socket 1-5/8"			
	3/4" Dr 6Pt Socket 1-3/4"			1/4" Dr Short Socket 11 mm
	3/4" Dr 6Pt Socket 1-7/8"			
	3/4" Dr 6Pt Socket 2"			
	1/2F X 3/4M Impact Adap (Ball)			
	3/4F X 1/2M Impact Adap(Ball)			1/4" Dr Deep Socket 6 mm
	13/16 Square Budd Wheel Socket			1/4" Dr Deep Socket 7 mm
	1 1/2"-13/16" Budd Skt.3/4" Dr			1/4" Dr Deep Socket 8 mm
	3/4F X 1"M Impact Adapter			1/4" Dr Deep Socket 9 mm
	3/4" Dr Short Impact Skt 1			1/4" Dr Deep Socket 10 mm
	3/4" Dr Short Impact Skt 1-1/16			1/4" Dr Deep Socket 11 mm
	3/4" Dr Short Impact Skt 1-1/8			1/4" Dr Deep Socket 12 mm
	3/4" Dr Short Impact Skt 1-1/4			1/4" Dr Deep Socket 13 mm
	3/4" Dr Short Impact Skt 1-5/16			1/4" Dr 6Point Deep Socket 14mm
	3/4" Dr Short Impact Skt 1-3/8			1/4" Dr 6 Point Deep Socket 15mm
	3/4" Dr Short Impact Skt 1-7/16			1/4" Dr Deep Socket 5.5 mm
	3/4" Dr Short Impact Skt 1-1/2			Hooks
	3/4" Dr Deep Impact Skt 1"			Hooks
KTI-34234	3/4" Dr Deep Impact Skt 1-1/16			Display Overlay
	3/4" Dr Deep Impact Skt 1-1/8		KTI-OLF-0433	33Overlay Fasteners (6 Pack)
	3/4" Dr Deep Impact Skt 1-1/4			
KTI-34242	3/4" Dr Deep Impact Skt 1-5/16	1	KTI-0806	
KTI-34244	3/4" Dr Deep Impact Skt 1-3/8	1	3/8" Drive	Tools and Sockets
KTI-34246	3/4" Dr Deep Impact Skt 1-7/16	4		1/4" F X 3/8" M Adapter
KTI-34248	3/4" Dr Deep Impact Skt 1-1/2			3/8" Drive Socket Set
KTI-35024	1"F X 3/4M Impact Adapter			3/8" Dr Extension 2"
KTI-39233	3/4" Dr 33mm Deep Impact Socket		=====	3/8" Dr Extension 3"
	Display Board			3/8" Dr Extension 5"
KTI-HOOK2	Hooks			3/8" Dr Extension 6"
KTI-HOOK5	Hooks			3/8" Dr Extension 8"
KTI-0805				3/8" Dr Extension 10"
	sala and Caalista			3/8" Dr Extension 12"
	ools and Sockets			3/8" Dr Extension 18"
	1/4" Dr Socket Set			3/8" Dr Extension 24"
	1/4" Dr 2" Extension			3/8" Dr Wobble Extension 3"
	1/4" Dr 4" Extension			3/8" Dr Wobble Extension 6"
	1/4" Dr 6" Extension			3/8" Drive 47Pc Socket Set 6 Point
	1/4" Drive Extension 10"			3/8" Dr Wobble Extension 8"
	1/4" Drive Extension 14"			1/2" F X 3/8" M Adapter
	4"Wobble Extension 1/4" Dr			3/8" F X 1/2" M Adapter
	1/4" Drive 44Pc Socket Set			3/8" F X 1/4" M Adapter
KTI-21046	6"Wobble Extension 1/4" Dr	1	KTI-22091	3/8" Dr Push Button Ratchet
KTI-21048	9"Wobble Extension 1/4" Dr	1	KTI-22092	3/8" Pro Ratchet
KTI-21050	1/4" Dr Universal Joint	1	KTI-22093	3/8' Dr Flex Head Ratchet
KTI-21060	1/4" Dr Spinner Handle	1	KTI-22095	Long Handle 3/8" Drive Ratchet
KTI-21091	1/4" Dr Push Button Ratchet	1	KTI-22219	Extra Deep 5/8" Spark Plug Skt
	1/4" Pro Ratchet	1	KTI-22221	3/8" Dr Sparkplug Skt 6Pt 5/8"
KTI-21095	Long Handle 1/4" Drive Ratchet			3/8" Dr Sparkplug Skt 6Pt 13/16
KTI-21106	1///" Dr Short Socket 3/16"		KTI-22500	Universal Joint 3/8" Drive

.1/4" Dr Short Socket 1/4".

.1/4" Dr Short Socket 9/32".

.. 1/4" Dr Short Socket 11/32"

.1/4" Dr Short Socket 3/8" ..

.1/4" Dr Short Socket 7/16".

.1/4" Dr Short Socket 1/2".

......1/4" Dr 6 Point Short Socket 9/16" ..

......1/4" Dr Short Socket 5/16".

KTI-211061/4" Dr Short Socket 3/16".

KTI-211071/4" Dr Short Socket 7/32".

KTI-21108.

KTI-21109

KTI-21110

KTI-21111.

KTI-21114

KTI-21116

KTI-21112



KTI-0807 3/8" Drive Sockets. 3/8" Dr Short Socket 5/16" KTI-22110 KTI-221123/8" Dr Short Socket 3/8"..... KTI-221143/8" Dr Short Socket 7/16" .. KTI-22116..... .3/8" Dr Short Socket 1/2"..... KTI-221183/8" Dr Short Socket 9/16"..... KTI-22120..... .3/8" Dr Short Socket 5/8"..... KTI-22122..... .3/8" Dr Short Socket 11/16"..... KTI-22124..... .3/8" Dr Short Socket 3/4" KTI-22126 3/8" Dr Short Socket 13/16" KTI-22128..... .3/8" Dr Short Socket 7/8"... KTI-22130.... 3/8" Dr 6 Point Socket 15/16"..... KTI-22132..... .3/8" Dr 6 Point Socket 1"..... KTI-22133..... .2/1 Socket 1X1-1/16 Chrome Van..... KTI-22212..... 3/8" Dr Deen Socket 3/8" KTI-22214..... 3/8" Dr Deep Socket 7/16"..... KTI-22216..... .3/8" Dr Deep Socket 1/2"... KTI-22218..... .3/8" Dr Deep Socket 9/16"..... .3/8" Dr Deep Socket 5/8"..... KTI-22220..... KTI-22222..... KTI-22224..... 3/8" Dr Deep Socket 3/4"..... KTI-22226..... .3/8" Dr Deep Socket 13/16"..... KTI-22228..... 3/8" Dr Deep Socket 7/8"..... 3/8" Dr 6 Point Socket 15/16"..... KTI-22230 KTI-22232..... KTI-22408..... 3/8" Dr 12Pt Deep Socket 1/4 KTI-22410 .3/8" Dr 12Pt Deep Socket 5/16 KTI-22412..... 3/8" Dr 12Pt Deep Socket 3/8 KTI-22414..... 3/8" Dr 12Pt Deep Socket 7/16 KTI-22416 3/8" Dr 12Pt Deep Socket 1/2 KTI-22418..... .3/8" Dr 12Pt Deep Socket 9/16 KTI-22420..... .3/8" Dr 12Pt Deep Socket 5/8 KTI-22422 3/8" Dr 12Pt Deep Socket 11/16..... 3/8" Dr 12Pt Deep Socket 3/4 KTI-22424..... .3/8" Dr 12Pt Deep Socket 13/16 KTI-22426..... KTI-22428..... 3/8" Dr 12Pt Deep Socket 7/8 KTI-22430..... .3/8" Dr 12Pt Deep Socket 15/16 KTI-22432..... 3/8" Dr 12Pt Deep Socket 1" KTI-22508. 3/8" Dr 12Pt Short Socket 1/4 KTI-22510.... .3/8" Dr 12Pt Short Socket 5/16 KTI-22512..... .3/8" Dr 12Pt Short Socket 3/8 KTI-22514 .3/8" Dr 12Pt Short Socket 7/16 KTI-22516..... .3/8" Dr 12Pt Short Socket 1/2 KTI-22518..... 3/8" Dr 12Pt Short Socket 9/16 KTI-22520.... .3/8" Dr 12Pt Short Socket 5/8 KTI-22522..... .3/8" Dr 12Pt Short Socket 11/16..... KTI-22524 .3/8" Dr 12Pt Short Socket 3/4 KTI-22526. 3/8" Dr 12Pt Short Socket 7/8 KTI-22528..... .3/8" Dr 12Pt Short Socket 15/16 KTI-22530..... KTI-22532 3/8" Dr 12Pt Short Socket 1" KTI-27108... .3/8" Dr Short Socket 8mm..... KTI-27109. 3/8" Dr Short Socket 9mm..... KTI-27110 3/8" Dr Short Socket 10mm..... KTI-271113/8" Dr Short Socket 11mm KTI-27112 3/8" Dr Short Socket 12mm KTI-27113 3/8" Dr Short Socket 13mm..... KTI-27114 3/8" Dr Short Socket 14mm..... KTI-27115 3/8" Dr Short Socket 15mm..... KTI-27116..... .3/8" Dr Short Socket 16mm.... KTI-27117 3/8" Dr Short Socket 17mm KTI-27118..... 3/8" Dr Short Socket 18mm..... KTI-27119..... 3/8" Dr Short Socket 19mm..... KTI-27120..... 3/8" Dr Short Socket 20mm..... KTI-27121 3/8" Dr Short Socket, 21mm .3/8" Dr 6 Point Short Socket 22mm..... KTI-27122..... KTI-27123..... 3/8 Dr 6 Point Short Socket 23mm..... KTI-27124..... 3/8 Dr 6 Point Short Socket 24mm..... KTI-27125..... 3/8 Dr 6 Point Short Socket 25mm.... 3/8" Dr 6 Point Short Socket 26mm..... KTI-27126..... KTI-27210..... 3/8" Dr Deep Socket 10mm..... KTI-27211 3/8" Dr Deep Socket 11mm..... KTI-27212...... 3/8" Dr Deep Socket 12mm..... 3/8" Dr Deep Socket 13mm..... KTI-27213..... KTI-27214..... 3/8" Dr Deep Socket 14mm..... KTI-27215. 3/8" Dr Deep Socket 15mm.....

K11-0807		
	kets (continued)	
KTI-27216	3/8" Dr Deep Socket 16mm	1
KTI-27217	3/8" Dr Deep Socket 17mm	1
KTI-27218	3/8" Dr Deep Socket 18mm	1
KTI-27219	3/8" Dr Deep Socket 19mm	1
KTI-27220	3/8" Dr 6 Point Deep Socket 20mm	1
KTI-27221	3/8" Dr 6 Point Deep Socket 21mm	1
	3/8" Dr 6 Point Deep Socket 22mm	
	3/8" Dr 6 Point Deep Socket 23mm	
KTI-27224	3/8" Dr 6 Point Deep Socket 24mm	1
KTI-27225	3/8" Dr 6 Point Deep Socket 25mm	1
KTI-27226	3/8" Dr 6 Point Deep Socket 26mm	1
KTI-27407	3/8" Dr 12Pt Deep Socket 7mm	1
KTI-27408	3/8" Dr 12Pt Deep Socket 8mm	1
KTI-27409	3/8" Dr 12Pt Deep Socket 9mm	1
	3/8" Dr 12Pt Deep Socket 10mm	
KTI-27411	3/8" Dr 12Pt Deep Socket 11mm	1
KTI-27412	3/8" Dr 12Pt Deep Socket 12mm	1
	3/8" Dr 12Pt Deep Socket 13mm	
	3/8" Dr 12Pt Deep Socket 14mm	
	3/8" Dr 12Pt Deep Socket 15mm	
	3/8" Dr 12Pt Deep Socket 16mm	
	3/8" Dr 12Pt Deep Socket 17mm	
	3/8" Dr 12Pt Deep Socket 18mm	
	3/8" Dr 12Pt Deep Socket 19mm	
	3/8" Dr 12Pt Deep Socket 20mm	
	3/8" Dr 12Pt Deep Socket 21mm	
	3/8" Dr 12Pt Short Socket 7mm	
	3/8" Dr 12Pt Short Socket 8mm	
	3/8" Dr 12Pt Short Socket 9mm	
KTI-27510	3/8" Dr 12Pt Short Socket 10mm	1
KTI-27511	3/8" Dr 12Pt Short Socket 11mm	1
KTI-27512	3/8" Dr 12Pt Short Socket 12mm	1
	3/8" Dr 12Pt Short Socket 13mm	
KTI-27514	3/8" Dr 12Pt Short Socket 14mm	1
	3/8" Dr 12Pt Short Socket 15mm	
	3/8" Dr 12Pt Short Socket 16mm	
KTI-27517	3/8" Dr 12Pt Short Socket 17mm	1
	3/8" Dr 12Pt Short Socket 18mm	
	3/8" Dr 12Pt Short Socket 19mm	
	3/8" Dr 12Pt Short Socket 20mm	
	3/8" Dr 12Pt Short Socket 21mm	
	Hooks	
	Display Overlay	
	Overlay Fasteners (6 Pack)	
KTI_0000		

KTI-0808

KTI-0807

1000
1/2" Drive Tools and Sockets
KTI-22075Chrome Adapter 1/2"F X 3/4" M
KTI-230031/2" Dr 3" Extension
KTI-230051/2" Dr 5" Extension
KTI-230101/2" Dr 10" Extension
KTI-230151/2" Dr Extension 15"
KTI-230201/2" Dr Extension 20"
KTI-230801/2" Dr 17" Breaker Bar1
KTI-230811/2' Dr 24' Breaker Bar
KTI-230911/2" Dr Push Button Ratchet
KTI-230921/2" Pro Ratchet
KTI-231121/2" Dr 6 Point Short Socket 3/8"
KTI-231141/2" Dr Short Socket 7/16"1
KTI-231161/2" Dr Short Socket 1/2"
KTI-231181/2" Dr Short Socket 9/16"
KTI-231201/2" Dr Short Socket 5/8"
KTI-231221/2" Dr Short Socket 11/16"
KTI-231241/2" Dr Short Socket 3/4"
KTI-231261/2" Dr Short Socket 13/16"
KTI-231281/2" Dr Short Socket 7/8"1
KTI-231301/2" Dr Short Socket 15/16"
KTI-231321/2" Dr Short Socket 1"
KTI-231341/2" Dr Short Socket 1-1/16"
KTI-231361/2" Dr Short Socket 1-1/8"
KTI-231401/2" Dr Short Socket 1-1/4"
KTI-231421/2" Dr 6 Point Short Socket 1-5/16"
KTI-231441/2" Dr 6 Point Short Socket 1-3/8"
KTI-231461/2" Dr 6 Point Short Socket 1-7/16"
KTI-231481/2" Dr 6 Point Short Socket 1-1/2"



KTI-0809 Screwdrivers KTI-11310..

KTI-11315.

.T-10 Torq Screwdriver .

..T-15 Torq Screwdriver.

KTI-0808		
	Is and Sockets (continued)	
KTI-23214	1/2" Dr 6 Point Deep Socket 7/16"	1
	1/2" Dr Deep 6 Pt.Socket 1/2"	
	1/2" Dr Deep 6 Pt.Socket 9/16"	
	1/2" Dr Deep 6 Pt.Socket 11/16"	
	1/2" Dr Deep 6 Pt.Socket 1/16"	
	1/2" Dr Deep 6 Pt.Socket 13/16"	
	1/2" Dr Deep 6 Pt.Socket 7/8"	
	1/2" Dr Deep 6 Pt.Socket 15/16"	
	1/2" Dr 6 Point Deep Socket 1"	
	1/2" Dr 6 Point Deep Socket 1-1/16"	
	1/2" Dr 6 Point Deep Socket 1-1/8"	
KTI-23240	1/2" Dr 6 Point Deep Socket 1-1/4"	1
	1/2" Dr 6 Point Deep Socket 1-5/16"	
	1/2" Dr 6 Point Deep Socket 1-3/8"	
	1/2" Dr 6 Point Deep Socket 1-7/16"	
KTI-23248	1 1/2" Heating Element Socket	1
	1/2" Dr.Universal	
	1/4" Stud Remover 1/2" Dr	
	5/16" Stud Remover 1/2" Dr	
	3/8" Stud Remover 1/2" Dr.	
	7/16" Stud Remover 1/2" Dr	
	8 mm Stud Remover	
	10 mm Stud Remover	
	12mm Stud Remover 1/2" Dr	
	3/4" F X 1/2" M Adapter	
	1/2" Dr 6 Point Short Socket 10mm	
	1/2' Dr 6 Point Short Socket 11mm	
KTI-28112	1/2" Dr 6 Point Short Socket 12mm	1
KTI-28113	1/2" Dr 6 Point Short Socket 13mm	1
KTI-28114	1/2" Dr 6 Point Short Socket 14mm	1
	1/2" Dr Short Socket 15mm	
	1/2" Dr Short Socket 16mm	
	1/2" Dr Short Socket 17mm	
	1/2" Dr Short Socket 18mm	
	1/2" Dr Short Socket 19mm	
	1/2" Dr Short Socket 20mm	
	1/2" Dr Short Socket 21mm	
	1/2" Dr Short Socket 22mm	
	1/2" Dr Short Socket 24mm	
	1/2" Dr Short Socket 25mm	
	1/2" Dr Short Socket 25mm	
	1/2" Dr Short Socket 27mm	
	1/2" Dr Short Socket 28mm	
	1/2 Dr 6 Point Deep Socket 10mm	
KTI-28211	1/2" Dr 6 Point Deep Socket 11mm	1
KTI-28212	1/2" Dr 6 Point Deep Socket 12mm	1
KTI-28213	1/2" Dr 6 Point Deep Socket 13mm	1
	1/2" Dr 6 Point Deep Socket 14mm	
KTI-28215	1/2" Dr Deep Socket 15mm	1
	1/2" Dr Deep Socket 16mm	
	1/2" Dr Deep Socket 17mm	
	1/2" Dr Deep Socket 18mm	
	1/2" Dr Deep Socket 19mm	
	1/2" Dr Deep Socket 20mm	
	1/2" Dr Deep Socket 21mm	
	1/2" Dr Deep Socket 22mm	
	1/2" Dr Deep Socket 23mm	
	1/2" Dr 6 Point Deep Socket 25mm	
	1/2" Dr 6 Point Deep Socket 25mm	
	1/2 Dr 6 Point Deep Socket 27mm	
	1/2" Dr 6 Point Deep Socket 27mm	
	Extension Bar	
	Hooks	
	Hooks - Plastic	
KTI-OL0808	Display Overlay	1
KTI-OLF-04333	Overlay Fasteners (6 Pack)	1

KTI-11315	T-15 Torq Screwdriver
	T-20 Torq Screwdriver
KTI-16001	5 Pc Slotted Screwdriver Set
KTI-16002	5 Pc Phillips Screwdriver Set
	#1 Phillips Screwdriver
	#2 Stubby Phillips Screwdriver
	#2 Phillips Screwdriver
	#2 Long Phillips Screwdriver
	#3 Phillips Screwdriver
	Stubby Slotted Screwdriver
	3" Standard Screwdriver
K11-16204	4" Standard Screwdriver
	6" Standard Screwdriver
KTI-16208	8" Standard Screwdriver
KTI-19000	8 Pc Screwdriver Set Black
KTI-19113	#1 Phillips Screwdriver Black
KTI-19121	#2 Phillips Screwdriver Stubby
KTI-19124	#2 Phillips Screwdriver Black
	Stubby Screwdriver Black
VTI 10202	3" Standard Screwdriver Black
	4" Standard Screwdriver Black
K11-19206	6" Standard Screwdriver Black
	8" Standard Screwdriver Black
	Hooks
	Hooks
KTI-OL0809	Display Overlay
KTI-OLF-04333	Overlay Fasteners (6 Pack)
KTI-0810	
	Sockets
	1/4" Dr Torg Bit T-10
	1/4" Dr Torq Bit T-15
	1/4" Dr Torq Bit T-20
	1/4" Dr Torq Bit T-25
	1/4" Dr Torq Bit T-27
	1/4" Dr Torq Bit T-30
KTI-22800	9Pc Torq Socket Set
KTI-22801	12Pc.Torq Socket Set
K11-22001	
	3/8" Dr Torq Bit T-40
KTI-22840	
KTI-22840 KTI-22845	3/8" Dr Torq Bit T-40
KTI-22840 KTI-22845 KTI-22847	3/8" Dr Torq Bit T-40
KTI-22840 KTI-22845 KTI-22847 KTI-22850	3/8" Dr Torq Bit T-40
KTI-22840 KTI-22845 KTI-22847 KTI-22850 KTI-22855	3/8" Dr Torq Bit T-40
KTI-22840 KTI-22845 KTI-22847 KTI-22850 KTI-22855 KTI-22860	3/8" Dr Torq Bit T-40
KTI-22840 KTI-22845 KTI-22847 KTI-22850 KTI-22860 KTI-22870	3/8" Dr Torq Bit T-40
KTI-22840 KTI-22845 KTI-22847 KTI-22850 KTI-22855 KTI-22860 KTI-22870 KTI-22874	3/8" Dr Torq Bit T-40
KTI-22840 KTI-22845 KTI-22847 KTI-22850 KTI-22855 KTI-22860 KTI-22870 KTI-22874 KTI-22874	3/8" Dr Torq Bit T-40
KTI-22840 KTI-22845 KTI-22847 KTI-22850 KTI-22850 KTI-22870 KTI-22870 KTI-22874 KTI-22875 KTI-22875	3/8" Dr Torq Bit T-40
KTI-22840 KTI-22845 KTI-22847 KTI-22850 KTI-22850 KTI-22860 KTI-22870 KTI-22874 KTI-22875 KTI-22875 KTI-22876 KTI-22877	3/8" Dr Torq Bit T-40
KTI-22840 KTI-22845 KTI-22847 KTI-22850 KTI-22850 KTI-22870 KTI-22874 KTI-22875 KTI-22876 KTI-22877 KTI-22877 KTI-22877 KTI-22877	3/8" Dr Torq Bit T-40
KTI-22840 KTI-22845 KTI-22847 KTI-22850 KTI-22850 KTI-22860 KTI-22870 KTI-22874 KTI-22875 KTI-22876 KTI-22877 KTI-22878 KTI-22878 KTI-22878 KTI-22878	3/8" Dr Torq Bit T-40
KTI-22840 KTI-22845 KTI-22847 KTI-22850 KTI-22850 KTI-22860 KTI-22870 KTI-22874 KTI-22875 KTI-22876 KTI-22877 KTI-22878 KTI-22878 KTI-22878 KTI-22880 KTI-22880	3/8" Dr Torq Bit T-40
KTI-22840 KTI-22845 KTI-22847 KTI-22850 KTI-22850 KTI-22870 KTI-22870 KTI-22874 KTI-22875 KTI-22876 KTI-22877 KTI-22878 KTI-22878 KTI-22880 KTI-22880 KTI-22882	3/8" Dr Torq Bit T-403/8" Dr Torq Bit T-453/8" Dr Torq Bit T-453/8" Dr Torq Bit T-503/8" Dr Torq Bit T-553/8" Dr Torq Bit T-553/8" Dr Torq Bit T-60External Torq Socket SetExternal Torq E-4 1/4" DrExternal Torq E-5 1/4" DrExternal Torq E-6 1/4" DrExternal Torq E-7 1/4" DrExternal Torq E-7 1/4" DrExternal Torq E-10 3/8" DrExternal Torq E-10 3/8" DrExternal Torq E-10 3/8" DrExternal Torq E-12 3/8" DrExternal Torq E-14 3/8" Dr
KTI-22840 KTI-22845 KTI-22847 KTI-22850 KTI-22850 KTI-22870 KTI-22874 KTI-22874 KTI-22875 KTI-22876 KTI-22877 KTI-22878 KTI-22880 KTI-22884 KTI-22884 KTI-22884	3/8" Dr Torq Bit T-40
KTI-22840 KTI-22845 KTI-22847 KTI-22850 KTI-22850 KTI-22870 KTI-22874 KTI-22874 KTI-22875 KTI-22876 KTI-22877 KTI-22878 KTI-22880 KTI-22884 KTI-22884 KTI-22884	3/8" Dr Torq Bit T-403/8" Dr Torq Bit T-453/8" Dr Torq Bit T-453/8" Dr Torq Bit T-503/8" Dr Torq Bit T-553/8" Dr Torq Bit T-553/8" Dr Torq Bit T-60External Torq Socket SetExternal Torq E-4 1/4" DrExternal Torq E-5 1/4" DrExternal Torq E-6 1/4" DrExternal Torq E-7 1/4" DrExternal Torq E-7 1/4" DrExternal Torq E-10 3/8" DrExternal Torq E-10 3/8" DrExternal Torq E-10 3/8" DrExternal Torq E-12 3/8" DrExternal Torq E-14 3/8" Dr
KTI-22840 KTI-22845 KTI-22847 KTI-22850 KTI-22850 KTI-22870 KTI-22874 KTI-22874 KTI-22875 KTI-22876 KTI-22878 KTI-22880 KTI-22880 KTI-22884 KTI-22884 KTI-22884 KTI-22884	3/8" Dr Torq Bit T-40
KTI-22840 KTI-22845 KTI-22847 KTI-22850 KTI-22850 KTI-22870 KTI-22874 KTI-22874 KTI-22876 KTI-22876 KTI-22878 KTI-22880 KTI-22880 KTI-22884 KTI-22884 KTI-22886 KTI-22886 KTI-22888 KTI-22888 KTI-22888 KTI-22904	3/8" Dr Torq Bit T-40
KTI-22840	3/8" Dr Torq Bit T-403/8" Dr Torq Bit T-453/8" Dr Torq Bit T-473/8" Dr Torq Bit T-503/8" Dr Torq Bit T-503/8" Dr Torq Bit T-553/8" Dr Torq Bit T-505/8" Dr Torq Bit T-60External Torq Socket SetExternal Torq E-4 1/4" DrExternal Torq E-5 1/4" DrExternal Torq E-6 1/4" DrExternal Torq E-7 1/4" DrExternal Torq E-8 1/4" DrExternal Torq E-10 3/8" DrExternal Torq E-10 3/8" DrExternal Torq E-10 3/8" DrExternal Torq E-14 3/8" DrExternal Torq E-16 3/8" DrExternal Torq E-18 3/8" Dr
KTI-22840	3/8" Dr Torq Bit T-403/8" Dr Torq Bit T-453/8" Dr Torq Bit T-453/8" Dr Torq Bit T-503/8" Dr Torq Bit T-553/8" Dr Torq Bit T-553/8" Dr Torq Bit T-60External Torq Bit T-60External Torq E-4 1/4" DrExternal Torq E-5 1/4" DrExternal Torq E-6 1/4" DrExternal Torq E-7 1/4" DrExternal Torq E-8 1/4" DrExternal Torq E-10 3/8" DrExternal Torq E-10 3/8" DrExternal Torq E-16 3/8" DrExternal Torq E-16 3/8" DrExternal Torq E-18 3/8" Dr
KTI-22840 KTI-22845 KTI-22847 KTI-22850 KTI-22850 KTI-22870 KTI-22874 KTI-22877 KTI-22877 KTI-22878 KTI-22878 KTI-22880 KTI-22880 KTI-22880 KTI-22884 KTI-22884 KTI-22884 KTI-22886 KTI-22888 KTI-22904 KTI-22905 KTI-22906 KTI-22906	3/8" Dr Torq Bit T-403/8" Dr Torq Bit T-453/8" Dr Torq Bit T-453/8" Dr Torq Bit T-503/8" Dr Torq Bit T-553/8" Dr Torq Bit T-553/8" Dr Torq Bit T-60External Torq Socket SetExternal Torq E-6 1/4" DrExternal Torq E-6 1/4" DrExternal Torq E-7 1/4" DrExternal Torq E-8 1/4" DrExternal Torq E-9 1/4" DrExternal Torq E-10 3/8" DrExternal Torq E-10 3/8" DrExternal Torq E-114 3/8" DrExternal Torq E-16 3/8" DrExternal Torq E-16 3/8" DrExternal Torq E-18 3/8" Dr
KTI-22840	3/8" Dr Torq Bit T-403/8" Dr Torq Bit T-453/8" Dr Torq Bit T-453/8" Dr Torq Bit T-503/8" Dr Torq Bit T-553/8" Dr Torq Bit T-553/8" Dr Torq Bit T-60External Torq Socket SetExternal Torq E-4 1/4" DrExternal Torq E-5 1/4" DrExternal Torq E-7 1/4" DrExternal Torq E-8 1/4" DrExternal Torq E-10 3/8" DrExternal Torq E-10 3/8" DrExternal Torq E-10 3/8" DrExternal Torq E-14 3/8" DrExternal Torq E-18 3/8" Dr
KTI-22840	3/8" Dr Torq Bit T-403/8" Dr Torq Bit T-453/8" Dr Torq Bit T-453/8" Dr Torq Bit T-503/8" Dr Torq Bit T-553/8" Dr Torq Bit T-553/8" Dr Torq Bit T-60External Torq Socket SetExternal Torq E-4 1/4" DrExternal Torq E-5 1/4" DrExternal Torq E-6 1/4" DrExternal Torq E-7 1/4" DrExternal Torq E-10 3/8" DrExternal Torq E-10 3/8" DrExternal Torq E-10 3/8" DrExternal Torq E-14 3/8" DrExternal Torq E-14 3/8" DrExternal Torq E-18 3/8" Dr
KTI-22840	3/8" Dr Torq Bit T-403/8" Dr Torq Bit T-453/8" Dr Torq Bit T-453/8" Dr Torq Bit T-503/8" Dr Torq Bit T-503/8" Dr Torq Bit T-553/8" Dr Torq Bit T-553/8" Dr Torq Bit T-503/8" Dr Torq Bit T-60External Torq E-6 1/4" DrExternal Torq E-7 1/4" DrExternal Torq E-6 1/4" DrExternal Torq E-7 1/4" DrExternal Torq E-7 1/4" DrExternal Torq E-10 3/8" DrExternal Torq E-10 3/8" DrExternal Torq E-16 3/8" DrExternal Torq E-16 3/8" DrExternal Torq E-18 3/8" Dr
KTI-22840	3/8" Dr Torq Bit T-403/8" Dr Torq Bit T-453/8" Dr Torq Bit T-453/8" Dr Torq Bit T-503/8" Dr Torg Bit T-553/8" Dr Torg Bit T-553/8" Dr Torg Bit T-503/8" Dr Torg Bit T-503/8" Dr Torg Bit T-505.4 Dr Torg Bit T-605.4 External Torq E-6 1/4" Dr5.4 External Torq E-6 1/4" Dr5.4 External Torq E-6 1/4" Dr5.4 External Torq E-7 1/4" Dr5.4 External Torq E-8 1/4" Dr5.4 External Torq E-10 3/8" Dr5.4 External Torq E-10 3/8" Dr5.4 External Torq E-16 3/8" Dr5.4 External Torq E-16 3/8" Dr5.4 External Torq E-18 3/8" Dr5.4 External Torq E-18 3/8" Dr5.5 External Torq E-18 3/8" Dr5.6 External Torq E-18 3/8" Dr5.7 External Torq E-18 3/8" Dr5.8 External Torq E-18 3/8" Dr5.9 External Extern
KTI-22840	3/8" Dr Torq Bit T-403/8" Dr Torq Bit T-453/8" Dr Torq Bit T-453/8" Dr Torq Bit T-503/8" Dr Torq Bit T-553/8" Dr Torq Bit T-553/8" Dr Torq Bit T-60External Torq Socket SetExternal Torq E-6 1/4" DrExternal Torq E-7 1/4" DrExternal Torq E-7 1/4" DrExternal Torq E-8 1/4" DrExternal Torq E-10 3/8" DrExternal Torq E-10 3/8" DrExternal Torq E-10 3/8" DrExternal Torq E-16 3/8" DrExternal Torq E-18 3/8" DrExternal Torq E-18 3/8" DrExternal Torq E-18 3/8" DrExternal Torq E-16 3/8" Dr
KTI-22840	3/8" Dr Torq Bit T-403/8" Dr Torq Bit T-453/8" Dr Torq Bit T-453/8" Dr Torq Bit T-503/8" Dr Torq Bit T-553/8" Dr Torq Bit T-553/8" Dr Torq Bit T-60External Torq Socket SetExternal Torq E-6 1/4" DrExternal Torq E-7 1/4" DrExternal Torq E-7 1/4" DrExternal Torq E-8 1/4" DrExternal Torq E-8 1/4" DrExternal Torq E-10 3/8" DrExternal Torq E-10 3/8" DrExternal Torq E-12 3/8" DrExternal Torq E-16 3/8" DrExternal Torq E-16 3/8" DrExternal Torq E-18 3/8" Dr
KTI-22840	3/8" Dr Torq Bit T-403/8" Dr Torq Bit T-453/8" Dr Torq Bit T-453/8" Dr Torq Bit T-503/8" Dr Torq Bit T-553/8" Dr Torq Bit T-553/8" Dr Torq Bit T-60External Torq Socket SetExternal Torq F-4 1/4" DrExternal Torq E-5 1/4" DrExternal Torq E-6 1/4" DrExternal Torq E-7 1/4" DrExternal Torq E-8 1/4" DrExternal Torq E-10 3/8" DrExternal Torq E-10 3/8" DrExternal Torq E-10 3/8" DrExternal Torq E-14 3/8" DrExternal Torq E-18 3/8" DrExternal Torq E-18 3/8" DrExternal Torq E-18 3/8" DrExternal Torq E-18 3/8" DrHex Bit 1/8"Hex Bit 5/32Hex Bit 1/4"Hex Bit 5/16"Hex Bit 7/32Hex Bit 1/4"Hex Bit 5/16"Hex Bit 5/
KTI-22840	3/8" Dr Torq Bit T-403/8" Dr Torq Bit T-453/8" Dr Torq Bit T-453/8" Dr Torq Bit T-503/8" Dr Torq Bit T-503/8" Dr Torq Bit T-553/8" Dr Torq Bit T-553/8" Dr Torq Bit T-60External Torq E-6 1/4" DrExternal Torq E-6 1/4" DrExternal Torq E-6 1/4" DrExternal Torq E-7 1/4" DrExternal Torq E-7 1/4" DrExternal Torq E-10 3/8" DrExternal Torq E-10 3/8" DrExternal Torq E-10 3/8" DrExternal Torq E-16 3/8" DrExternal Torq E-18 3/8" DrE
KTI-22840	3/8" Dr Torq Bit T-403/8" Dr Torq Bit T-453/8" Dr Torq Bit T-453/8" Dr Torq Bit T-503/8" Dr Torg Bit T-553/8" Dr Torg Bit T-553/8" Dr Torg Bit T-60External Torq Socket SetExternal Torq E-6 1/4" DrExternal Torq E-7 1/4" DrExternal Torq E-7 1/4" DrExternal Torq E-8 1/4" DrExternal Torq E-8 1/4" DrExternal Torq E-10 3/8" DrExternal Torq E-10 3/8" DrExternal Torq E-16 3/8" DrExternal Torq E-16 3/8" DrExternal Torq E-18 3/8" DrExternal Torq E-18 3/8" DrHex Bit 1/32Hex Bit 1/32Hex Bit 1/4"Hex Bit 3/16Hex Bit 3/8"TPC 3/8" Dr Hex Bit Set FractMetric Hex Bit 3 mmMetric Hex Bit 4 mmMetric Hex Bit 5 mmMetric Hex Bit 5 mmMetric Hex Bit 5 mmMetric Hex Bit 6 mmMetric Hex Bit 6 mmMetric Hex Bit 6 mmMetric Hex Bit 6 mmMetric Hex Bit 7 mm
KTI-22840	3/8" Dr Torq Bit T-403/8" Dr Torq Bit T-453/8" Dr Torq Bit T-453/8" Dr Torq Bit T-503/8" Dr Torg Bit T-553/8" Dr Torg Bit T-553/8" Dr Torg Bit T-60External Torq Socket SetExternal Torq E-6 1/4" DrExternal Torq E-7 1/4" DrExternal Torq E-7 1/4" DrExternal Torq E-8 1/4" DrExternal Torq E-10 3/8" DrExternal Torq E-10 3/8" DrExternal Torq E-10 3/8" DrExternal Torq E-16 3/8" DrExternal Torq E-18 3/8" DrExternal Torq E-16 3/8" DrExternal Torq E-18 3/8" DrExternal Torq E-16 3/8" DrExternal Torq E-10 3/8" Dr
KTI-22840	3/8" Dr Torq Bit T-403/8" Dr Torq Bit T-453/8" Dr Torq Bit T-453/8" Dr Torq Bit T-503/8" Dr Torq Bit T-553/8" Dr Torq Bit T-553/8" Dr Torq Bit T-60External Torq Socket SetExternal Torq E-6 1/4" DrExternal Torq E-7 1/4" DrExternal Torq E-7 1/4" DrExternal Torq E-8 1/4" DrExternal Torq E-8 1/4" DrExternal Torq E-10 3/8" DrExternal Torq E-10 3/8" DrExternal Torq E-12 3/8" DrExternal Torq E-16 3/8" DrExternal Torq E-18 3/8" DrExternal Torq E
KTI-22840 KTI-22845 KTI-22847 KTI-22847 KTI-22850 KTI-22850 KTI-22870 KTI-22874 KTI-22878 KTI-22878 KTI-22878 KTI-22878 KTI-22878 KTI-22878 KTI-22888 KTI-22888 KTI-22888 KTI-22888 KTI-22904 KTI-22905 KTI-22907 KTI-22907 KTI-27907 KTI-27908	3/8" Dr Torq Bit T-403/8" Dr Torq Bit T-453/8" Dr Torq Bit T-473/8" Dr Torq Bit T-503/8" Dr Torq Bit T-503/8" Dr Torq Bit T-553/8" Dr Torq Bit T-503/8" Dr Torq Bit T-503/8" Dr Torq Bit T-60External Torq E-6 1/4" DrExternal Torq E-6 1/4" DrExternal Torq E-6 1/4" DrExternal Torq E-7 1/4" DrExternal Torq E-8 1/4" DrExternal Torq E-10 3/8" DrExternal Torq E-10 3/8" DrExternal Torq E-10 3/8" DrExternal Torq E-14 3/8" DrExternal Torq E-18 3/8" Dr
KTI-22840	3/8" Dr Torq Bit T-403/8" Dr Torq Bit T-453/8" Dr Torq Bit T-453/8" Dr Torq Bit T-503/8" Dr Torq Bit T-553/8" Dr Torg Bit T-553/8" Dr Torg Bit T-503/8" Dr Torg Bit T-503/8" Dr Torg Bit T-503/8" Dr Torg Bit T-60External Torq E-4 1/4" DrExternal Torq E-5 1/4" DrExternal Torq E-6 1/4" DrExternal Torq E-7 1/4" DrExternal Torq E-7 1/4" DrExternal Torq E-10 3/8" DrExternal Torq E-10 3/8" DrExternal Torq E-16 3/8" DrExternal Torq E-16 3/8" DrExternal Torq E-16 3/8" DrExternal Torq E-18 3/8" DrHex Bit 1/8"Hex Bit 1/32Hex Bit 1/32Hex Bit 5/16"Hex Bit 5/16"Hex Bit 5/16"Hex Bit 5/16"Hex Bit 3/8"TPC 3/8" Dr Hex Bit Set FractMetric Hex Bit 3 mmMetric Hex Bit 4 mmMetric Hex Bit 7 mmMetric Hex Bit 7 mmMetric Hex Bit 7 mmMetric Hex Bit 10 mmMetric Hex Bit 10 mmMetric Hex Bit 10 mmMetric Hex Bit 10 mmMetric Hex Bit 55 mm
KTI-22840	3/8" Dr Torq Bit T-403/8" Dr Torq Bit T-453/8" Dr Torq Bit T-453/8" Dr Torq Bit T-503/8" Dr Torg Bit T-503/8" Dr Torg Bit T-553/8" Dr Torg Bit T-553/8" Dr Torg Bit T-503/8" Dr Torg Bit T-503/8" Dr Torg Bit T-60External Torq E-6 1/4" DrExternal Torq E-6 1/4" DrExternal Torq E-6 1/4" DrExternal Torq E-7 1/4" DrExternal Torq E-7 1/4" DrExternal Torq E-10 3/8" DrExternal Torq E-10 3/8" DrExternal Torq E-14 3/8" DrExternal Torq E-16 3/8" DrExternal Torq E-16 3/8" DrExternal Torq E-18 3/8" DrHex Bit 1/8"Hex Bit 1/32Hex Bit 1/32Hex Bit 1/4"Hex Bit 3/16Hex Bit 3/8"Pr 3/8" Dr Hex Bit Set FractMetric Hex Bit 3 mmMetric Hex Bit 4 mmMetric Hex Bit 5 mmMetric Hex Bit 7 mmMetric Hex Bit 8 mmMetric Hex Bit 8 mmMetric Hex Bit 10 mmMetric Hex Bit 5.5mmMetric Hex Bit Set MetricHooks
KTI-22840	3/8" Dr Torq Bit T-403/8" Dr Torq Bit T-453/8" Dr Torq Bit T-453/8" Dr Torq Bit T-503/8" Dr Torq Bit T-553/8" Dr Torg Bit T-553/8" Dr Torg Bit T-503/8" Dr Torg Bit T-503/8" Dr Torg Bit T-503/8" Dr Torg Bit T-60External Torq E-4 1/4" DrExternal Torq E-5 1/4" DrExternal Torq E-6 1/4" DrExternal Torq E-7 1/4" DrExternal Torq E-7 1/4" DrExternal Torq E-10 3/8" DrExternal Torq E-10 3/8" DrExternal Torq E-16 3/8" DrExternal Torq E-16 3/8" DrExternal Torq E-16 3/8" DrExternal Torq E-18 3/8" DrHex Bit 1/8"Hex Bit 1/32Hex Bit 1/32Hex Bit 5/16"Hex Bit 5/16"Hex Bit 5/16"Hex Bit 5/16"Hex Bit 3/8"TPC 3/8" Dr Hex Bit Set FractMetric Hex Bit 3 mmMetric Hex Bit 4 mmMetric Hex Bit 7 mmMetric Hex Bit 7 mmMetric Hex Bit 7 mmMetric Hex Bit 10 mmMetric Hex Bit 10 mmMetric Hex Bit 10 mmMetric Hex Bit 10 mmMetric Hex Bit 55 mm



KTI-0811 Torx and Hex Sockets (U.S.-made) .Master Tamper Proof Torx Set 12 Pc..... KTI-21500. .1/4" Dr Torx Bit T-10 USA..... KTI-21615.....1/4" Dr Torx Bit T-15 USA... KTI-21620.....1/4" Dr Torx Bit T-20 USA... KTI-21625..... .1/4" Dr Torx Bit T-25 USA. KTI-21627..... .1/4" Dr T52.orx Bit T-27 USA..... KTI-21630.....1/4" Dr Torx Bit T-30 USA.... KTI-22601..... .12Pc Torx Bit Set T10-T60 USA..... KTI-22640..... .3/8" Dr Torx Bit T-40 USA..... KTI-22645..... 3/8" Dr Torx Bit T-45 USA..... KTI-22647... .3/8 Dr. Torx Bit T-47 USA.... KTI-22650...... .3/8" Dr. Torx Bit T-50 USA3/8" Dr Torx Bit T-55 USA..... KTI-22655 KTI-22660. .1/2" Dr Torx Bit T-60 USA... 1/2 Dr T-70 Torx Socket USA..... KTI-22670..... KTI-22671..... .External Torg Socket Set..... KTI-22675...... .External Torg E-5 1/4" Dr..... KTI-22676.... External Torq E-6 1/4" Dr..... KTI-22677.... .External Torq E-7 1/4" Dr..... KTI-22678. External Torq E-8 1/4" Dr..... KTI-22680.... External Torg E-10 3/8" Dr..... KTI-22682 KTI-22684. KTI-22686. .External Torq E-16 3/8" Dr..... KTI-22688..... .External Torq E-18 3/8" Dr..... KTI-22689. External Torq E-20 3/8" Dr..... KTI-22904..... ..Hex Bit 1/8"... KTI-22905. .Hex Bit 5/32.. KTI-22906. .Hex Bit 3/16.... KTI-22907..... .Hex Bit 7/32..... KTI-22908... Hex Bit 1/4" KTI-22910 .Hex Bit 5/16"..... KTI-22912.. .Hex Bit 3/8"..... KTI-22970..... .7Pc 3/8" Dr Hex Bit Set Fract..... KTI-27903..... .Metric Hex Bit 3 mm..... KTI-27904... .Metric Hex Bit 4 mm KTI-27905. .Metric Hex Bit 5 mm......1 KTI-27906..... Metric Hex Bit 6 mm..... KTI-27907.... .Metric Hex Bit 7 mm KTI-27908..... Metric Hex Bit 8 mm KTI-27910. Metric Hex Bit 10 mm..... KTI-27955. Metric Hex Bit 5.5mm... KTI-27970..... 7Pc 3/8" Dr Hex Bit Set Metric KTI-HOOK2.. .Hooks ..

KTI-0812

KTI-OI 0811...

..... Display Overlay

Fractional W	renches	<u>Oty</u>
		1
KTI-41112	Combination Wrench 3/8"	2
KTI-41114	Combination Wrench 7/16"	2
KTI-41116	Combination Wrench 1/2"	3
KTI-41118	Combination Wrench 9/16"	3
KTI-41120	Combination Wrench 5/8"	2
KTI-41122	Combination Wrench 11/16"	2
KTI-41124	Combination Wrench 3/4"	2
KTI-41126	Combination Wrench 13/16"	1
	Combination Wrench 7/8"	
KTI-41130	Combination Wrench 15/16"	1
	Combination Wrench 1"	
KTI-41134	Combination Wrench 1-1/16"	1
	Combination Wrench 1-1/8"	
	Combination Wrench 1-1/4"	
	Jumbo Combo Wrench 1-5/16"	
	3/8" Short Combinaton Wrench	
	7/16" Short Combination Wrench	
	1/2" Short Combination Wrench	
	9/16" Short Combination Wrench	
	5/8" Short Combination Wrench	
	11/16"Short Combination Wrench	
	3/4" Short Combination Wrench	
KTI-41312	3/8" High Polish Comb.Wrench	2
KTI-41314	7/16" High Polish Comb.Wrench	2
KTI-41316	1/2" High Polish Comb. Wrench	2

KTI-0812

Fractional Wrenches (continued))ty
KTI-413189/16" High Polish Comb.Wrench	2
KTI-413205/8" High Polish Comb. Wrench	1
KTI-4132211/16"High Polish Comb. Wrench	1
KTI-413243/4" High Polish Comb. Wrench	1
KTI-4132613/16"High Polish Comb.Wrench	1
KTI-413287/8" High Polish Comb. Wrench	1
KTI-4133015/16" High Polish Comb.Wrench	1
KTI-413321" High Polish Comb. Wrench	1
KTI-41334 1 1/16"High Polish Comb.Wrench	1
KTI-413361 1/8"High Polish Comb.Wrench	1
KTI-413401 1/4"High Polish Comb.Wrench	1
KTI-414126Pt Combination Wrench 3/8"	1
KTI-414146Pt Combination Wrench 7/16	1
KTI-414166Pt Combination Wrench 1/2"	1
KTI-414186Pt Combination Wrench 9/16	1
KTI-414206Pt Combination Wrench 5/8"	1
KTI-414226Pt Combination Wrench 11/16	1
KTI-414246Pt Combination Wrench 3/4"	
KTI-089 Extension Bar	1
KTI-HOOK2Hooks	28
KTI-HOOK11Hooks-Plastic	16
KTI-OL0812 Display Overlay	
KTI-OLF-04333Overlay Fasteners (6 Pack)	1

KTI-0813		
	nches	
	Metric Comb Wrench 8mm	
	Metric Comb Wrench 9mm	
	Metric Comb Wrench 10mm	
	Metric Comb Wrench 11mm	
	Metric Comb Wrench 12mm	
	Metric Comb Wrench 13mm	
	Metric Comb Wrench 14mm	
	Metric Comb Wrench 15mm	
	Metric Comb Wrench 16mm	
	Metric Comb Wrench 17mm	
	Metric Comb Wrench 18mm	
	Metric Comb Wrench 19mm	
	10mm Short Combination Wrench	
	12mm Short Combination Wrench	
	13mm Short Combination Wrench	
	14mm Short Combination Wrench	
	15mm Short Combination Wrench	
	17mm Short Combination Wrench	
	18mm Short Combination Wrench	
	7mm High Polish Comb.Wrench	
KTI-41808	8mm High Polish Comb. Wrench	. 1
	9mm High Polish Comb. Wrench	
KTI-41810	10mm High Polish Comb. Wrench	. 2
	11mm High Polish Comb. Wrench	
	12mm High Polish Comb. Wrench	
KTI-41813	13mm High Polish Comb. Wrench	. 2
KTI-41814	14mm High Polish Comb. Wrench	. 1
KTI-41815	15mm High Polish Comb. Wrench	. 2
KTI-41816	16mm High Polish Comb. Wrench	. 1
	17mm High Polish Comb. Wrench	
KTI-41818	18mm High Polish Comb. Wrench	. 2
KTI-41819	19mm High Polish Comb. Wrench	. 1
KTI-41820	Metric Comb Wrench 20mm (Bulk)	. 1
	Metric Comb Wrench 21mm (Bulk)	
	Metric Comb Wrench 22mm (Bulk)	
KTI-41823	Metric Comb Wrench 23mm (Bulk)	. 1
	Metric Comb Wrench 24mm (Bulk)	
	Metric Comb Wrench 25mm (Bulk)	
	Metric Comb Wrench 26mm (Bulk)	
	Metric Comb Wrench 27mm (Bulk)	
	Metric Comb Wrench 28mm (Bulk)	
	Metric Comb Wrench 29mm (Bulk)	
	Metric Comb Wrench 30mm (Bulk)	
	Metric Comb Wrench 31mm (Bulk)	
	Metric Comb Wrench 32mm (Bulk)	
	Metric Comb Wrench 32mm (Bulk)	
	Metric Comb Wrench 34mm (Bulk)	
	Metric Comb Wrench 35mm (Bulk)	
	Metric Comb Wrench 36mm (Bulk)	
K11-41030	weare comb mench somm (park)	. 1



KTI-0813			KTI-0817	
Metric Wrench	es (continued)	Otv	Adjustable Wi	renches (continued)
	Extension Bar			12" Pipe Wrench
	Hooks-Plastic			14" Pipe Wrench
	Hooks			18" Pipe Wrench
	Display Overlay			24" Pipe Wrench
	Overlay Fasteners (6 Pack)			Hooks
K11-OLI -04333	Veriay i asieriers (o rack)	1		
1/71 0044				Display Overlay
KTI-0814			K11-ULF-04333	Overlay Fasteners (6 Pack)
Jumbo Wrencl	1es	<u>Oty</u>		
KTI-41144	Jumbo Combo Wrench 1-3/8	1	KTI-0819	
KTI-41146	Jumbo Combo Wrench 1-7/16	1	Files and Scra	apers
KTI-41148	Jumbo Combo Wrench 1-1/2	1		Long Handled Scraper
KTI-41152	Jumbo Combo Wrench 1-5/8	1		4 Pc Scraper Set - USA
KTI-41156	Jumbo Combo Wrench 1-3/4	1		3/4 Chisel Edge Stiff Scraper
	Jumbo Combo Wrench 1-7/8			1 1/2" Flexible Scraper
	Jumbo Combo Wrench 2			1 1/2"Chisel Edge Stiff Scraper
	Jumbo Combo Wrench 2-1/8 (Bulk)			3" Flex Scraper
	Jumbo Combo Wrench 2-1/4 (Bulk)			File Set 5 Piece
	Jumbo Combo Wrench 2-3/8 (Bulk)			6" Mill File
	Jumbo Combo Wrench 2-1/2 (Bulk)			10" Mill File
	Extension Bar			8" Bastard File
	Hooks-Plastic			8" Half Round File
	Hooks			8" Round File
	Display Overlay			Hooks
KTI-OLF-04333	Overlay Fasteners (6 Pack)	1	KTI-OL0819	Display Overlay
			KTI-OLF-04333	Overlay Fasteners (6 Pack)
KTI-0815				
Nylon Ties		Otv	KTI-0820	
	Nylon Tie Tool		Hammers	
	4" Cable Tie Natural 100 Pack			3/8" Dr Impact Driver W/4 Bits
	7" Cable Tie Natural 100 Pack			8 Oz. Ball Pein Hammer
	11" Cable Tie Natural 100 Pack			24 Oz. Bail i ell maniner. 24 Oz. Brass Hammer, Hickory
	14" Cable Tie Natural 100 Pack			16 Oz. Ball Pein Hammer
	14"Hd Cable Tie Natur.100 Pack			4 Lb. Cross-Pein Hammer
	7.5" Natural Mt.Head 100 Pack			24 Oz. Ball Pein Hammer
	14" Natural Mt.Head 100 Pack			32 Oz. Ball Pein Hammer
	4" Cable Tie Black 100 Pack			24 Oz. Rubber Mallet
	7" Cable Tie Black 100 Pack			48 Oz. Solid Brass Hammer
	11" Cable Tie Black 100 Pack		KTI-H00K2	Hooks
KTI-78140	14" Cable Tie Black 100 Pack	2	KTI-OL0820	Display Overlay
KTI-78145	14"Hd Cable Tie Black 100 Pack	1	KTI-OLF-04333	Overlay Fasteners (6 Pack)
KTI-HOOK2	Hooks	8		
KTI-OL0815	Display Overlay	1	KTI-0821	
	Overlay Fasteners (6 Pack)			iers
	, , , , , , , , , , , , , , , , , , , ,			
KTI-0816				12 Pc. Kit Universal Snap Ring
				Fixed Tip Convertible Pliers S
	6" Needle Nose Chrome Vanadium			Fixed Tip Convertible Pliers S
	7" Needle Nose Chrome Vanadium			Fixed Tip Convertible Pliers S
KTI-51008	8" Needle Nose Chrome Vanadium	1	KTI-55130	Fixed Tip Convertible Pliers 4
KTI-51111	11" Needle Nose Plier 90 Deg	1	KTI-55131	Fixed Tip Convertible Pliers 4
KTI-51211	11" Needle Nose Plier 45 Deg	1	KTI-55132	Fixed Tip Convertible Pliers 4
KTI-51311	11" Needle Nose Plier "S"	1	KTI-55133	Fixed Tip Convertible Pliers 4
KTI-52006	6" Diagonals Chrome Vanadium	1	KTI-55140	Fixed Tip Convertible Pliers 9
KTI-52007	7" Diagonals Chrome Vanadium	1	KTI-55141	Fixed Tip Convertible Pliers 9
KTI-52107	7" H.D. Diagonals Chrome Van	1	KTI-55142	Fixed Tip Convertible Pliers 9
KTI-53004	4" Chrome Pliers Red Handles	1	KTI-55143	Fixed Tip Convertible Pliers 9
	6" Chrome Pliers Red Handles			Hooks
	8" Chrome Pliers Red Handles			Display Overlay
	6" Groove Joint Plier			Overlay Fasteners (6 Pack)
	10" Groove Joint Plier		KII OLI 04000	Overlay i distoriors to i doky
	12" Groove Joint Plier		I/TI 0000	
	Hooks		KTI-0822	
	.Display Overlay			d Tow Straps
	1 3 3			1 7/8" X 10' Tow Strap 7000Lbs
N11-ULT-U4333	Overlay Fasteners (6 Pack)	1		1 3/4"X 15' Tow Strap 10,000Lb
I/TI 65				1 3/4"X 25' Tow Strap 10,000Lb
KTI-0817			KTI-73861	1" X 13' Ratchet Tie Down, Hook
Adjustable Wr	enches	<u>Oty</u>	KTI-73862	1" X 13' Ratchet Tie Down,Loop
	4" Adjustable Wrench		KTI-73864	1" X 6' Motorcycle Tie Down
KTI-48006	6" Adjustable Wrench	1		4 Pack 1" X 10' Ratch.Tie Down
	8" Adjustable Wrench			1" X 10' Universal Tie Down
	10" Adjustable Wrench			2 Pack 1" X 13'Buckle Tie Down
	12" Adjustable Wrench			Hooks
	8" Pipe Wrench			Display Overlay
	· · ·		520022	



KTI-0831 Punches and C	ChiselsQly
KTI-70002	Automatic Center Punch
	6 Pc Pin Punch Set
	15Pc Punch & Chisel Set
	3/32" Pin Punch
	1/8" Pin Punch
	5/32" Pin Punch
	3/16" Pin Punch
	1/4" Pin Punch
	5/16" Pin Punch
	3/32" Taper Punch 1
KTI-72922	1/8" Taper Punch
KTI-72923	5/32" Taper Punch
KTI-72924	3/16" Taper Punch
KTI-72925	1/4" Taper Punch
	1/8" Center Punch
	3/16" Center Punch
	3/8" Brass Punch
	1/2" Brass Punch
	5/8" Brass Punch
	3/4" Brass Punch
	5 Pc Chisel Set
	3/8" Cold Chisel
	1/2" Cold Chisel
	5/8" Cold Chisel
	3/4" Cold Chisel1
KTI-73028	7/8" Cold Chisel
KTI-HOOK2	Hooks
KTI-OL0831	Display Overlay 1
	Overlay Fasteners (6 Pack)
KTI-0832 Pneumatic Bits	SOly
KTI-81900	4 Pc. Pneumatic Bit Set
KTI-81956	Double Cut Body Ripper1
	Slotted Panel Cutter
	Sheet Metal Trimmer
	Tail Pipe Cut Off
	6" Cold Chisel
KTI-81973	8" Cold Chisel
KTI-81975	Rivet & Bolt Cutter
KTI-81976	Scraper
KTI-81979	3/8" Taper Punch
	Hammer
	Hammer
	Tie Rod Seperator-Pneumatic
	Ball Joint Seperator-Pneumatic
	1/8" Taper Punch
	Spring Retainer For Air Tools
	Safety Chuck
KTI-0307Z	Quick Coupler Retainer
KTI-83093	Hooks
KTI-HUUKZ	HUKS
KTI-ULU832	Display Overlay
	Overlay Fasteners (6 Pack)1
KTI-0833	
	<u>Oty</u>
	4" Two Jaw Adjustable Puller 1
KTI-70312	6" Two Jaw Reversible Puller
	7" Two Jaw Adjustable Puller 1
	4" Three Jaw Adjustable Puller 1
KTI-70322	7" 2-3 Jaw Reversible Puller
KTI-70323	8" 2-3 Jaw Adjustable Puller 1
	Steering Wheel Puller - USA1
KTI-70344	Harmonic Balancer Puller - USA1
	Pitman Arm Puller - USA1
KTI-70383	Bearing Separator 1-1/4" - 2-1/4"
	Bearing Separator 3" - 4-1/2"
	Hooks
KTI-OL0833	Display Overlay1
KTI-OLF-04333	Overlay Fasteners (6 Pack)1

KTI-0834		
Popular Tools I	<u> </u>	у
	1/4" Dr 2" Extension	
	1/4" Dr 4" Extension	
	.1/4" Dr 6" Extension	
	Adapter 1/4" F X 3/8" M	
	1/4" Dr Spinner Handle	
	1/4" Dr Ratchet	
	1/4" Dr Pro Ratchet	
	1/4" Dr Short Socket 3/16"	
	1/4" Dr Short Socket 7/32"	
	1/4" Dr Short Socket 1/4"	
	1/4 Dr Short Socket 5/16"	
	1/4" Dr Short Socket 11/32"	
	1/4" Dr Short Socket 3/8"	
KTI-21114	1/4" Dr Short Socket 7/16"	
	1/4" Dr Short Socket 1/2"	
	1/4" Dr Short Socket 9/16"	
	1/4" Dr Deep Socket 3/16"	
	.1/4" Dr Deep Socket 7/32"	
	1/4" Dr Deep Socket 1/4	
	1/4" Dr Deep Socket 5/16"	
KTI-21211	1/4" Dr Deep Socket 11/32"1	
	1/4" Dr Deep Socket 3/8" 1	
	1/4" Dr Deep Socket 7/16"	
	1/4" Dr Deep Socket 1/2"	
	1/4" Dr Deep Socket 9/16"	
	.3/8" Dr Extension 6"	
	3/8" Dr Extension 8"	
	Adapter 1/2" F X 3/8" M 1	
	Adapter 3/8" F X 1/2" M 1	
	Adapter 3/8" F X 1/4" M	
	Adapter 1/2" F X 3/4" M	
	3/8" Dr Push Button Ratchet	
	3/8" Dr Short Socket 5/16"	
	3/8" Dr Short Socket 3/8"	
	3/8" Dr Short Socket 7/16"	
	3/8" Dr Short Socket 1/2"	
	3/8" Dr Short Socket 9/16"	
	3/8" Dr Short Socket 5/8"	
	3/8" Dr Short Socket 11/16"	
	3/8" Dr Short Socket 13/16"	
	3/8" Dr Short Socket 7/8"	
	3/8" Dr Short Socket 15/16"	
	3/8" Dr Short Socket 1"	
	3/8" Dr Deep Socket 3/8"	
K11-22214	.3/8" Dr Deep Socket 7/16"	
	3/8" Dr Deep Socket 1/2	
	3/8" Dr Deep Socket 5/8"	
KTI-22222	3/8" Dr Deep Socket 11/16"	
	3/8" Dr Deep Socket 3/4"1	
	3/8" Dr Deep Socket 13/16"1	
	3/8" Dr Deep Socket 7/8"	
	3/8" Dr Deep Socket 15/16"	
	.3/8" Dr Deep Socket 1"	
	1/2" Dr. 3" Extension	
	1/2" Dr. 5" Extension	
	1/2" Dr 10" Extension	
	1/2" Dr Push Button Ratchet	
	1/2" Dr Pro Ratchet	
	1/2" Dr Short Socket 1/2"	
	1/2" Dr Short Socket 9/16"	
	1/2" Dr Snort Socket 5/8"	
	1/2" Dr Short Socket 1/1/0"	
	1/2" Dr Short Socket 13/16"	
KTI-23128	1/2" Dr Short Socket 7/8"1	
	1/2" Dr Short Socket 15/16"	
KTI-23132	1/2" Dr Short Socket 1"	



KTI-0834			KTI-0835
Popular Tools	I (continued)	<u>Oty</u>	Popular Tools II (continued)
KTI-23134	1/2" Dr Short Socket 1-1/16"	1	KTI-281141/2" Dr Short Socket 14mm
KTI-23136	1/2" Dr Short Socket 1-1/8"	1	KTI-281151/2" Dr Short Socket 15mm
KTI-23140	1/2" Dr Short Socket 1-1/4"	1	KTI-281161/2" Dr Short Socket 16mm
	1/2" Dr Deep Socket 1/2"		KTI-281171/2" Dr Short Socket 17mm
KTI-23218	1/2" Dr Deep Socket 9/16"	1	KTI-281181/2" Dr Short Socket 18mm
	1/2" Dr Deep Socket 5/8"		KTI-281191/2" Dr Short Socket 19mm
	1/2" Dr Deep Socket 11/16"		KTI-281201/2" Dr Short Socket 20mm
	1/2" Dr Deep Socket 3/4"		KTI-281211/2" Dr Short Socket 21mm
	1/2" Dr Deep Socket 13/16"		KTI-282101/2" Dr Deep Socket 10mm
	1/2" Dr Deep Socket 7/8"		KTI-282111/2" Dr Deep Socket 11mm
	1/2" Dr Deep Socket 15/16"		KTI-282121/2" Dr Deep Socket 12mm
	1/2" Dr Deep Socket 1"		KTI-28213
	1/2" Dr Deep Socket 1-1/16"		KTI-282141/2" Dr Deep Socket 14mm
	1/2" Dr Deep Socket 1-1/8"		KTI-28215
	1/2" Dr Deep Socket 1-1/4"		KTI-282161/2" Dr Deep Socket 16mm
	Universal Joint 1/2" Dr		KTI-282171/2" Dr Deep Socket 17mm
	Extension Bar		KTI-282181/2" Dr Deep Socket 18mm
	Hooks		KTI-282191/2" Dr Deep Socket 19mm
	Small Plastic Hook		KTI-282201/2" Dr Deep Socket 20mm
	Display Overlay		KTI-282211/2" Dr Deep Socket 21mm
KTI-OLF-04333	Overlay Fasteners (6 Pack)	1	KTI-41108Combination Wrench 1/4"
			KTI-41110Combination Wrench 5/16"
KTI-0835			KTI-41112Combination Wrench 3/8""
Popular Tools	II	Otv	KTI-41114Combination Wrench 7/16"
	Spark Plug Socket 3/8" Dr 5/8"		KTI-41116Combination Wrench 1/2"
	Spark Plug Socket 3/8" Dr 13/16"		KTI-41118Combination Wrench 9/16"
	1/4" Dr Short Socket 5mm		KTI-41120 Combination Wrench 5/8"
	1/4" Dr Short Socket 6mm		KTI-41122 Combination Wrench 11/16"
	1/4" Dr Short Socket 7mm		KTI-41124Combination Wrench 3/4"
			KTI-41126Combination Wrench 13/16"
	1/4" Dr Short Socket 8mm		KTI-41128Combination Wrench 7/8"
	1/4" Dr Short Socket 9mm		KTI-41130Combination Wrench 15/16"
	1/4" Dr Short Socket 10mm		KTI-41132 Combination Wrench 1"
	1/4" Dr Short Socket 11mm		KTI-41134Combination Wrench 1-1/16"
	1/4" Dr Short Socket 12mm		KTI-41134 Combination Wrench 1-1/18"
	1/4" Dr Short Socket 13mm		KTI-41130Combination Wrench 1-1/76
	1/4" Dr Short Socket 14mm		
	1/4" Dr Short Socket 15mm		
	1/4" Dr Short Socket 5.5mm		KTI-41610Combination Wrench 10mm
KTI-26206	1/4" Dr Deep Socket 6mm	1	KTI-41611 Combination Wrench 11mm
KTI-26207	1/4" Dr Deep Socket 7mm	1	KTI-41612Combination Wrench 12mm
KTI-26208	1/4" Dr Deep Socket 8mm	1	KTI-41613Combination Wrench 13mm
KTI-26209	1/4" Dr Deep Socket 9mm	1	KTI-41614Combination Wrench 14mm
	1/4" Dr Deep Socket 10mm		KTI-41615Combination Wrench 15mm
	1/4" Dr Deep Socket 11mm		KTI-41616Combination Wrench 16mm
	1/4" Dr Deep Socket 12mm		KTI-41617Combination Wrench 17mm
	1/4" Dr Deep Socket 13mm		KTI-41618Combination Wrench 18mm
	1/4" Dr Deep Socket 14mm		KTI-41619Combination Wrench 19mm
	1/4" Dr Deep Socket 15mm		KTI-444123/8" X 7/16" Flare Nut Wrench
	1/4" Dr Deep Socket 5.5mm		KTI-444161/2" X 9/16" Flare Nut Wrench
	3/8" Dr Short Socket 8mm	1	KTI-444205/8" X 11/16" Flare Nut Wrench
	3/8" Dr Short Socket 9mm.	I	KTI-089Extension Bar
			KTI-HOOK2Hooks
	3/8" Dr Short Socket 10mm		KTI-HOOK11Small Plastic Hook
	3/8" Dr Short Socket 11mm		KTI-OL0835 Display Overlay
	3/8" Dr Short Socket 12mm		KTI-OLF-04333Overlay Fasteners (6 Pack)
	3/8" Dr Short Socket 13mm		KTT OET O 1000Overlag Taskeriors (O Tasky
	3/8" Dr Short Socket 14mm		KTI 0026
	3/8" Dr Short Socket 15mm		KTI-0836
	3/8" Dr Short Socket 16mm		Nut Drivers and Hex Keys
KTI-27117	3/8" Dr Short Socket 17mm	1	KTI-144007-Piece Fractional Nut Driver Set
KTI-27118	3/8" Dr Short Socket 18mm	1	KTI-144063/16" X 3" Fractional Nut Driver
KTI-27119	3/8" Dr Short Socket 19mm	1	KTI-144081/4" X 3" Fractional Nut Driver
KTI-27210	3/8" Dr Deep Socket 10mm	1	KTI-144105/16" X 3" Fractional Nut Driver
KTI-27211	3/8" Dr Deep Socket 11mm	1	KTI-1441111/32" X 3" Fractional Nut Driver
	3/8" Dr Deep Socket 12mm		KTI-144123/8" X 3" Fractional Nut Driver
	3/8" Dr Deep Socket 13mm		KTI-144147/16" X 3" Fractional Nut Driver
	3/8" Dr Deep Socket 14mm		KTI-144161/2" X 3" Fractional Nut Driver
	3/8" Dr Deep Socket 15mm		KTI-145007-Piece Metric Nut Driver Set
	3/8" Dr Deep Socket 16mm		KTI-145055mm X 75 Metric Nut Driver
	3/8" Dr Deep Socket 17mm		KTI-145066mm X 75 Metric Nut Driver
	3/8" Dr Deep Socket 17/11111		KTI-1450777 Metric Nut Driver
	3/8" Dr Deep Socket 19mm		
	•		KTI-145088mm X 75 Metric Nut Driver
	1/2" Dr Short Socket 10mm		KTI-145099mm X 75 Metric Nut Driver
	1/2" Dr Short Socket 11mm		KTI-14510
N11-20112	1/2" Dr Short Socket 12mm	1	KTI-1451111mm X 75 Metric Nut Driver

KTI-281131/2" Dr Short Socket 13mm



KTI-0836			KTI-0839	
	and Hex Keys (continued)		Impact Soci	kets (continued)
KTI-70070	4-Piece Pick Set (Neon Orange)	1	KTI-33012	1/2" Female X 3/8" Male Impact Adapter
KTI-70075	4-Piece Pick Set (Neon Green)	1	KTI-33016	1/2" Drive Universal Joint Impact
KTI-71400	Hex Key Set 1/8" - 3/8" Folding	1	KTI-33024	1/2" Female X 3/4" Male Impact Adapter
KTI-71420	Hex Key Set 1/16" - 3/8" on Ring	1	KTI-33041	1/2" Female X 3/8" Male Wobble Adapter
	Hex Key Set 2.5mm - 10mm Folding			Socket Impact 1/2" Drive Flip 3/4" X 13/16"
	Hex Key Set 1.5mm - 10mm on Ring			Socket 1/2" Drive Short Impact 3/8"
	Hooks			Socket 1/2" Drive Short Impact 7/16"
	Display Overlay			Socket 1/2" Drive Short Impact 1/2"
				·
K11-ULF-04333	Overlay Fasteners (6 Pack)	I		Socket 1/2" Drive Short Impact 9/16"
				Socket 1/2" Drive Short Impact 5/8"
KTI-0837				Socket 1/2" Drive Short Impact 11/16"
Oil Filter Wr	renches	Otv	KTI-33124	Socket 1/2" Drive Short Impact 3/4"
	4-In-1 Filter Wrench		KTI-33126	Socket 1/2" Drive Short Impact 13/16"
	Oil Filter Wrench Adj From 2-7/8"-3-1/4"		KTI-33128	Socket 1/2" Drive Short Impact 7/8"
	•			Socket 1/2" Drive Short Impact 15/16"
	Oil Filter Wrench Adj From 3-7/16"-3-3/4"			Socket 1/2" Drive Short Impact 1"
	Oil Filter Wrench Adj From 4"-4-3/8"			Socket 1/2" Drive Short Impact 1-1/16"
	Oil Filter Wrench Adj From 4-5/16"-4-3/4"			
KTI-73606	Oil Filter Wrench Adj From 5-1/4"-5-3/4"	1		Socket 1/2" Drive Short Impact 1-1/8"
KTI-73613	Cap Style Filter Wrench 65mm/14 Flute	1		Socket 1/2" Drive Short Impact 1-3/16"
	Cap Style Filter Wrench 74-76mm/15 Flute		KTI-33140	Socket 1/2" Drive Short Impact 1-1/4"
	Cap Style Filter Wrench 76mm/14 Flute		KTI-33142	Socket 1/2" Drive Short Impact 1-5/16"
	Cap Style Filter Wrench 93mm/15 Flute			Socket 1/2" Drive Short Impact 1-3/8"
				Socket 1/2" Drive Short Impact 1-7/16"
	Oil Filter Cap Socket 32mm			Socket 1/2" Drive Short Impact 1-1/10"
	Oil Filter Cap Socket 35-36mm			
KTI-73620	Oil Filter Pliers - Adjustable	1		Socket 1/2" Drive Impact Deep 3/8"
KTI-73730	Filter Wrench Nylon Strap 1/2"	1		Socket 1/2" Drive Impact Deep 7/16"
KTI-73731	Heavy-Duty Strap Oil Filter Wrench	1	KTI-33216	Socket 1/2" Drive Impact Deep 1/2"
	Overlay 0837		KTI-33218	Socket 1/2" Drive Impact Deep 9/16"
	Overlay Fasteners (6 Pack)		KTI-33220	Socket 1/2" Drive Impact Deep 5/8"
				Socket 1/2" Drive Impact Deep 11/16"
	3" Extension Bar			Socket 1/2" Drive Impact Deep 3/4"
	Hooks			
KTI-HOOK11	Plastic Hooks	6		Socket 1/2" Drive Impact Deep 13/16"
				Socket 1/2" Drive Impact Deep 7/8"
KTI-0838				Socket 1/2" Drive Impact Deep 15/16"
	Separators	01	KTI-33232	Socket 1/2" Drive Impact Deep 1"
			KTI-33234	Socket 1/2" Drive Impact Deep 1-1/16"
	3" Two-Jaw Two-Ton Puller		KTI-33236	Socket 1/2" Drive Impact Deep 1-1/8"
KTI-70302	3" Two/Three-Jaw Two-Ton Puller	1		Socket 1/2" Drive Impact Deep 1-3/16"
KTI-70303	4" Two-Jaw Five-Ton Puller	1		Socket 1/2" Drive Impact Deep 1-1/4"
KTI-70304	3" Two/Three-Jaw Five-Ton Puller	1		
KTI-70305	6" Two-Jaw Five-Ton Puller	1		Socket 1/2" Drive Impact Deep 1-5/16"
	6" Two/Three-Jaw Five-Ton Puller			Socket 1/2" Drive Impact Deep 1-3/8"
	Steering Wheel Puller			Socket 1/2" Drive Impact Deep 1-7/16"
	Bearing Separator 1 1/4"-2 1/4"			Socket 1/2" Drive Impact Deep 1-1/2"
			KTI-34016	3/4" Female X 1/2" Male Impact Adapter
	Bearing Separator 3"-4 1/2"			Socket Impact Metric Short 3/8" Drive 8mn
	Hooks			Socket Impact Metric Short 3/8" Drive 9mn
KTI-OL0838	Overlay 0838	1		Socket Impact Metric Short 3/8" Drive 10m
KTI-OLF-04333	Overlay Fasteners (6 Pack)	1		
				Socket Impact Metric Short 3/8" Drive 11m
KTI-0839				Socket Impact Metric Short 3/8" Drive 12m
			KTI-37113	Socket Impact Metric Short 3/8" Drive 13m
•	kets		KTI-37114	Socket Impact Metric Short 3/8" Drive 14m
KTI-32012	Impact Universal Joint 3/8" Drive	1	KTI-37115	Socket Impact Metric Short 3/8" Drive 15m
KTI-32016	3/8" Female X 1/2" Male Impact Adapter	1		Socket Impact Metric Short 3/8" Drive 16m
	Socket Impact 3/8" Drive 5/16"			Socket Impact Metric Short 3/8" Drive 17m
	Socket Impact 3/8" Drive 3/8"			•
	Socket Impact 3/8" Drive 3/16"			Socket Impact Metric Short 3/8" Drive 18m
	•			Socket Impact Metric Short 3/8" Drive 19m
	Socket Impact 3/8" Drive 1/2"			Socket Deep Impact 3/8" Drive 8mm
	Socket Impact 3/8" Drive 9/16"			Socket Deep Impact 3/8" Drive 9mm
	Socket Impact 3/8" Drive 5/8"		KTI-37210	Socket Deep Impact 3/8" Drive 10mm
KTI-32122	Socket Impact 3/8" Drive 11/16"	1		Socket Deep Impact 3/8" Drive 11mm
	Socket Impact 3/8" Drive 3/4"			Socket Deep Impact 3/8" Drive 12mm
	Socket Impact 3/8" Drive 13/16"			Socket Deep Impact 3/8" Drive 13mm
	Socket Impact 3/8" Drive 7/8"			
	•			Socket Deep Impact 3/8" Drive 14mm
	Socket Impact Deep 3/8" Drive 5/16"			Socket Deep Impact 3/8" Drive 15mm
	Socket Impact Deep 3/8" Drive 3/8"		KTI-37216	Socket Deep Impact 3/8" Drive 16mm
KTI-32214	Socket Impact Deep 3/8" Drive 7/16"	1	KTI-37217	Socket Deep Impact 3/8" Drive 17mm
KTI-32216	Socket Impact Deep 3/8" Drive 1/2"	1		Socket Deep Impact 3/8" Drive 18mm
	Socket Impact Deep 3/8" Drive 9/16"			Socket Deep Impact 3/8" Drive 19mm
	Socket Impact Deep 3/8" Drive 5/8"			
	·			Socket Impact 1/2" Drive Flip 19mm X 21n
	Socket Impact Deep 3/8" Drive 11/16"			Socket 1/2" Drive Short Impact 10mm
	Socket Impact Deep 3/8" Drive 3/4"		KTI-38111	Socket 1/2" Drive Short Impact 11mm
KTI-32226	Socket Impact Deep 3/8" Drive 13/16"	1		Socket 1/2" Drive Short Impact 12mm
KTI-32228	Socket Impact Deep 3/8" Drive 7/8"	1		Socket 1/2" Drive Short Impact 13mm
	1/2" Drive Impact Extension 3-Inch			Socket 1/2" Drive Short Impact 14mm
	1/2" Drive Impact Extension 6-Inch		KTI-38115	

KTI-38115Socket 1/2" Drive Short Impact 15mm

KTI-33006......1/2" Drive Impact Extension 6-Inch.....



KTI-0839			KTI-0840	
Impact Sock	(ets (continued)	<u>Oty</u>	Large Impact Socket (continued)	
KTI-38116	Socket 1/2" Drive Short Impact 16mm	1	KTI-34176Socket 3/4" Drive Shor	t Impa
	Socket 1/2" Drive Short Impact 17mm		KTI-34232Socket 3/4" Drive Deep	p Impa
	Socket 1/2" Drive Short Impact 18mm		KTI-34234Socket 3/4" Drive Deep	
	Socket 1/2" Drive Short Impact 19mm		KTI-34236Socket 3/4" Drive Deep	
	Socket 1/2" Drive Short Impact 20mm		KTI-34240Socket 3/4" Drive Deep	
	Socket 1/2" Drive Short Impact 21mm		KTI-34242Socket 3/4" Drive Deep	
	Socket Impact Metric 1/2" Drive 22mm		KTI-34244Socket 3/4" Drive Deep	
	Socket Impact Metric 1/2" Drive 23mm		KTI-34246Socket 3/4" Drive Deep	
	Socket Impact Metric 1/2" Drive 24mm		KTI-34248Socket 3/4" Drive Deep KTI-34250Socket 3/4" Drive Deep	
	Socket Impact Metric 1/2" Drive 25mm		KTI-34250Socket 3/4" Drive Deep	
	Socket Impact Metric 1/2" Drive 27mm		KTI-34254Socket 3/4" Drive Deep	
	Socket Impact Metric 1/2" Drive 28mm		KTI-34256Socket 3/4" Drive Deep	
	Socket Impact Metric 1/2" Drive 29mm		KTI-34258Socket 3/4" Drive Deep	
	Socket Impact Metric 1/2" Drive 30mm		KTI-34260Socket 3/4" Drive Deep	
	Socket Impact Metric 1/2" Drive 32mm		KTI-34262Socket 3/4" Drive Deep	
	Socket Impact Metric 1/2" Drive 33mm		KTI-34264Socket 3/4" Drive Deep	
	Socket Impact Metric 1/2" Drive 34mm		KTI-350241" Female X 3/4" Male	
KTI-38135	Socket Impact Metric 1/2" Drive 35mm	1	KTI-35026Socket Impact 1" Drive	13/1
KTI-38136	Socket Impact Metric 1/2" Drive 36mm	1	KTI-35027Socket Impact 1" Drive	1-1/2
KTI-38210	Socket 1/2" Drive Impact Deep 10mm	1	KTI-35233Socket Impact Deep 1'	" Drive
	Socket 1/2" Drive Impact Deep 11mm		KTI-HOOK8Hooks	
	Socket 1/2" Drive Impact Deep 12mm		KTI-088Plexiglass Shelf	
	Socket 1/2" Drive Impact Deep 13mm		KTI-OL0840 Display Overlay	
	Socket 1/2" Drive Impact Deep 14mm		KTI-OLF-04333Overlay Fasteners (6 F	² ack).
	Socket 1/2" Drive Impact Deep 15mm			
	Socket 1/2" Drive Impact Deep 16mm		KTI-0841	
	Socket 1/2" Drive Impact Deep 17mm		Locking Pliers and Clamps	
	Socket 1/2" Drive Impact Deep 19mm		KTI-587055" Curved-Jaw Locking	
	Socket 1/2" Drive Impact Deep 1711111		KTI-587077" Curved-Jaw Locking	
	Socket 1/2" Drive Impact Deep 21mm		KTI-587177" Straight-Jaw Locking	9
	Socket 1/2" Drive Impact Deep 22mm		KTI-5871010" Curved-Jaw Lockin	
	Socket 1/2" Drive Impact Deep 23mm		KTI-588099" Locking Welding Cla KTI-5881111" Locking C-Clamp F	
	Socket 1/2" Drive Impact Deep 24mm		KTI-004Counter Merchandiser	
KTI-38225	Socket 1/2" Drive Impact Deep 25mm	1	KTI-HOOK8Hooks	
KTI-38226	Socket 1/2" Drive Impact Deep 26mm	1		
KTI-38227	Socket 1/2" Drive Impact Deep 27mm	1	KTI-0842	
	Socket 1/2" Drive Impact Deep 28mm		Ratcheting Wrenches	
	Socket 1/2" Drive Impact Deep 29mm		KTI-45608Wrench Metric Ratchei	
	Socket 1/2" Drive Impact Deep 30mm		KTI-45609Wrench Metric Ratche	
	Socket Impact Metric Deep 1/2" Drive 32mm		KTI-45610Wrench Metric Ratche	
	Socket Impact Metric Deep 1/2" Drive 33mm		KTI-45611 Wrench Metric Ratche	
	Socket Impact Metric Deep 1/2" Drive 34mm		KTI-45612Wrench Metric Ratche	-
	Socket Impact Metric Deep 1/2" Drive 35mm		KTI-45613Wrench Metric Ratcher	ting R
	Hooks		KTI-45614Wrench Metric Ratche	ting R
	Display Overlay		KTI-45615Wrench Metric Ratcher	
	Overlay Fasteners (6 Pack)		KTI-45616Wrench Metric Ratche	
K 11 0 21 0 10001			KTI-45617Wrench Metric Ratche	
KTI-0840			KTI-45618Wrench Metric Ratche	
	t Sockets	Otv	KTI-45619Wrench Metric Ratche	-
	13/16" Square Budd Wheel Socket		KTI-45620Wrench Metric Ratche	
	1-1/2" - 13/16" Budd Wheel Socket 3/4" Drive		KTI-45621Wrench Metric Ratchel	
	3/4" Female X 1" Male Impact Adapter		KTI-45622Wrench Metric Ratche	9
	Universal Joint 3/4" Drive Impact		KTI-45624Wrench Metric Ratche KTI-45908Wrench Fractional Rat	
	Socket 3/4" Drive Short Impact 1"		KTI-45910Wrench Fractional Rati	
KTI-34134	Socket 3/4" Drive Short Impact 1-1/16"	1	KTI-45912Wrench Fractional Rat	
KTI-34136	Socket 3/4" Drive Short Impact 1-1/8"	1	KTI-45914Wrench Fractional Rat	
KTI-34140	Socket 3/4" Drive Short Impact 1-1/4"	1	KTI-45916Wrench Fractional Rat	
	Socket 3/4" Drive Short Impact 1-5/16"		KTI-45918Wrench Fractional Rat	
	Socket 3/4" Drive Short Impact 1-3/8"		KTI-45920Wrench Fractional Rat	
	Socket 3/4" Drive Short Impact 1-7/16"		KTI-45922Wrench Fractional Rate	chetin
	Socket 3/4" Drive Short Impact 1-1/2"		KTI-45924Wrench Fractional Rate	chetin
	Socket 3/4" Drive Short Impact 1-9/16"		KTI-45926Wrench Fractional Rate	
	Socket 3/4" Drive Short Impact 1-5/8"		KTI-45928Wrench Fractional Rat	
	Socket 3/4" Drive Short Impact 1-11/16"		KTI-45930Wrench Fractional Rat	
	Socket 3/4" Drive Short Impact 1-3/4" Socket 3/4" Drive Short Impact 1-13/16"		KTI-45932Wrench Fractional Rat	
	Socket 3/4" Drive Short Impact 1-15/16"		KTI-089Extension Bar	
	Socket 3/4" Drive Short Impact 1-13/10Socket 3/4" Drive Short Impact 1-7/8"		KTI-HOOK2Hooks	
	Socket 3/4" Drive Short Impact 2"		KTI-HOOK11Small Plastic Hook	
	Socket 3/4" Drive Short Impact 2-1/16"		KTI-OL0842Display Overlay KTI-OLF-04333Overlay Fasteners (6 F	
VTI 2/140	Socket 2/// Drive Short Impact 2 1/0"	1	ich oer ofoodOverlay i asieliels (0 f	uck).

Large Impact S	Socket (continued)
KTI-34176	Socket 3/4" Drive Short Impact 2-3/8"
KTI-34232	Socket 3/4" Drive Deep Impact 1"
	Socket 3/4" Drive Deep Impact 1-1/16"
	Socket 3/4" Drive Deep Impact 1-1/8"
	Socket 3/4" Drive Deep Impact 1-1/4"
KTI-34242	Socket 3/4" Drive Deep Impact 1-5/16"
K11-34244	Socket 3/4" Drive Deep Impact 1-3/8"
	Socket 3/4" Drive Deep Impact 1-7/16"
	Socket 3/4" Drive Deep Impact 1-1/2"
	Socket 3/4" Drive Deep Impact 1-9/16"
K11-34252	Socket 3/4" Drive Deep Impact 1-5/8" Socket 3/4" Drive Deep Impact 1-11/16"
	Socket 3/4" Drive Deep Impact 1-1/10"
	Socket 3/4" Drive Deep Impact 1-3/16"
	Socket 3/4" Drive Deep Impact 1-15/16"
	Socket 3/4" Drive Deep Impact 1-7/8"
	Socket 3/4" Drive Deep Impact 2"
	1" Female X 3/4" Male Impact Adapter
KTI-35026	Socket Impact 1" Drive 13/16" Square Budd Wheel
KTI-35027	Socket Impact 1" Drive 1-1/2" - 13/16" Budd Wheel
KTI-35233	Socket Impact Deep 1" Drive 33mm Hex Budd Wheel
KTI-HOOK8	Hooks
	Plexiglass Shelf
KTI-OL0840	Display Overlay
KTI-OLF-04333	Overlay Fasteners (6 Pack)
I/TI 0044	
KTI-0841	
	and Clamps
	5" Curved-Jaw Locking Pliers
	7" Curved-Jaw Locking Pliers
KII-58/1/	7" Straight-Jaw Locking Pliers
	10" Curved-Jaw Locking Pliers
	11" Locking C-Clamp Pliers
	Counter Merchandiser
	Hooks
KTI-0842	
Ratcheting Wro	enchesg
	Wrench Metric Ratcheting Reversible 8mm
	Wrench Metric Ratcheting Reversible 9mm
KTI-45610	Wrench Metric Ratcheting Reversible 10mm
KTI-45611	Wrench Metric Ratcheting Reversible 11mm
	Wrench Metric Ratcheting Reversible 12mm
	Wrench Metric Ratcheting Reversible 13mm
	Wrench Metric Ratcheting Reversible 14mm
	Wrench Metric Ratcheting Reversible 15mm
	Wrench Metric Ratcheting Reversible 16mm
	Wrench Metric Ratcheting Reversible 17mm
	Wrench Metric Ratcheting Reversible 18mm
	Wrench Metric Ratcheting Reversible 19mm
	Wrench Metric Ratcheting Reversible 19mm
	Wrench Metric Ratcheting Reversible 19mmWrench Metric Ratcheting Reversible 20mm
	Wrench Metric Ratcheting Reversible 19mmWrench Metric Ratcheting Reversible 20mmWrench Metric Ratcheting Reversible 21mm
KTI-45624	Wrench Metric Ratcheting Reversible 19mm Wrench Metric Ratcheting Reversible 20mm Wrench Metric Ratcheting Reversible 21mm Wrench Metric Ratcheting Reversible 22mm Wrench Metric Ratcheting Reversible 24mm
KTI-45624 KTI-45908	Wrench Metric Ratcheting Reversible 19mm
KTI-45624 KTI-45908 KTI-45910	Wrench Metric Ratcheting Reversible 19mm Wrench Metric Ratcheting Reversible 20mm Wrench Metric Ratcheting Reversible 21mm Wrench Metric Ratcheting Reversible 22mm Wrench Metric Ratcheting Reversible 24mm
KTI-45624 KTI-45908 KTI-45910 KTI-45912	Wrench Metric Ratcheting Reversible 19mmWrench Metric Ratcheting Reversible 20mmWrench Metric Ratcheting Reversible 21mmWrench Metric Ratcheting Reversible 22mmWrench Metric Ratcheting Reversible 24mmWrench Fractional Ratcheting Reversible 1/4*Wrench Fractional Ratcheting Reversible 5/16*
KTI-45624 KTI-45908 KTI-45910 KTI-45912 KTI-45914	Wrench Metric Ratcheting Reversible 19mm
KTI-45624 KTI-45908 KTI-45910 KTI-45912 KTI-45914 KTI-45916 KTI-45918	Wrench Metric Ratcheting Reversible 19mm
KTI-45624	Wrench Metric Ratcheting Reversible 19mm
KTI-45624 KTI-45908 KTI-45910 KTI-45912 KTI-45914 KTI-45916 KTI-45918 KTI-45920 KTI-45922	Wrench Metric Ratcheting Reversible 19mmWrench Metric Ratcheting Reversible 20mmWrench Metric Ratcheting Reversible 21mmWrench Metric Ratcheting Reversible 21mmWrench Metric Ratcheting Reversible 24mmWrench Fractional Ratcheting Reversible 1/4*Wrench Fractional Ratcheting Reversible 5/16*Wrench Fractional Ratcheting Reversible 3/8*Wrench Fractional Ratcheting Reversible 7/16*Wrench Fractional Ratcheting Reversible 1/2*Wrench Fractional Ratcheting Reversible 9/16*Wrench Fractional Ratcheting Reversible 5/8*Wrench Fractional Ratcheting Reversible 1/1/16*
KTI-45624	Wrench Metric Ratcheting Reversible 19mmWrench Metric Ratcheting Reversible 20mmWrench Metric Ratcheting Reversible 21mmWrench Metric Ratcheting Reversible 21mmWrench Metric Ratcheting Reversible 24mmWrench Metric Ratcheting Reversible 14*Wrench Fractional Ratcheting Reversible 5/16*Wrench Fractional Ratcheting Reversible 3/8*Wrench Fractional Ratcheting Reversible 7/16*Wrench Fractional Ratcheting Reversible 1/2*Wrench Fractional Ratcheting Reversible 9/16*Wrench Fractional Ratcheting Reversible 5/8*Wrench Fractional Ratcheting Reversible 1/176*Wrench Fractional Ratcheting Reversible 3/4*
KTI-45624	Wrench Metric Ratcheting Reversible 19mm
KTI-45624 KTI-45908 KTI-45910 KTI-45912 KTI-45914 KTI-45918 KTI-45920 KTI-45922 KTI-45924 KTI-45924 KTI-45926 KTI-45928	Wrench Metric Ratcheting Reversible 19mm
KTI-45624	Wrench Metric Ratcheting Reversible 19mm
KTI-45624	Wrench Metric Ratcheting Reversible 19mm
KTI-45624	Wrench Metric Ratcheting Reversible 19mm
KTI-45624	Wrench Metric Ratcheting Reversible 19mm

.Socket 3/4" Drive Short Impact 2-1/16". .Socket 3/4" Drive Short Impact 2-1/8" .Socket 3/4" Drive Short Impact 2-1/4"

KTI-34166.. KTI-34168..



KTI-0804

Installer Kit Floor Display

Installer kit floor display contains 13 of KTI's most popular installer kit part numbers! A total of 42 kits are shipped complete with free-standing floor display for maximum exposure.

Kit No.	<u>Description</u>	Qty	Kit No.	<u>Description</u>	Qty
KTI-00071	150-piece Hitch Pin Assortment	3	KTI-00093	120-piece Roll Pin Assortment	3
KTI-00072	300-piece E-clip Assortment	3	KTI-00094	407-piece Universal O-ring Assortment	2
KTI-00074	110-piece Hydraulic Grease Fitting Asst	4	KTI-00095	419-piece Metric O-ring Assortment	2
KTI-00075	555-piece Cotter Pin Assortment	3	KTI-LAB804	Label Sheet for Display #0804	1
KTI-00077	300-piece Snap Ring Assortment	3	KTI-BASE	Floor Display Base	1
KTI-00078	144-piece Cotter Pin Assortment	3	KTI-TRAY	Floor Display Tray	1
KTI-00080	120-piece Auto Fuse Assortment	5	KTI-SHELF	Floor Display Shelves (1 sheet = 3 shelves)	1
KTI-00081	120-piece Mini Fuse Assortment	5	KTI-HEADER	Floor Display KTI Header	1
KTI-00086	270-piece HNBR O-ring Assortment	3	KTI-OUTBOX	Floor Display Outer Box	1
KTI-00087	360-piece Terminal Assortment	2			



KTI-0545

50-piece Spark Plug Gap Tool Counter Merchandiser

Contains 50 universal spark plug gap tools (KTI-73701). Tools measure in increments of one thousandth from .020 through .100. Packaged in a convenient counter merchandiser.

Refill units:

KTI-73701-50 50-piece bulk pack

KTI-004

Acrylic Counter Merchandiser

Acrylic counter display features a 15-11/16" x 15-13/16" display area to maximize product exposure. Compact

design requires a minimal footprint (8" x 15-11/16"). A great way to generate 'impulse' buys. Utilizes 'dead' space behind point-of-sale terminals or computer monitors for additional merchandising area. Featuring two height-adjustable legs, the display area has a tilt range from 75-degrees to 87-degrees.



KTI-001

8-board Rotary Merchandiser

KTI's rotary merchandiser is the perfect way to display a maximum amount of product in a minimal amount of space. Rotary merchandiser will hold up to eight (8) displays!* The rotary display requires a minimal amount of space - only 36" x 36". Display is complete with four (4) durable casters for added mobility. A must-have for professional, effective merchandising. Boards (KTI-098) sold separately.

*NOTE: Some displays are not recommended for use on the rotary merchandiser due to weight restrictions.





KTI-098

Blank Display Board

Display boards can be used with any of the display overlay and merchandising kits listed on pages 160 through 173 or to create customized in-store merchandising programs. Blank display board measures 23.5" x 32". Color: black.



KTI-089

3" Display Extension Bar



Add more room to any display with the 3" extension bar. Larger product can be displayed behind the display bar with plenty of clearance for easy shopping and visual appeal. Place smaller product on the extension to maximize display space and sales!



Index by Part Number

NOTE: Warranty code key on page 187

ilidex by Fait Nullib	CI						manany couc	,	pago ioi
Page Warrant		Page \	Warranty		Page	Warranty		Page	Warranty
Part No. No. Code	Part No.	<u>No.</u>	<u>Code</u>	Part No.	<u>No.</u>	<u>Code</u>	Part No.	<u>No.</u>	<u>Code</u>
KTI-00001 154NC	KTI-01840			KTI-04000	147	NC	KTI-04079	143	NC
KTI-00002 154NC	KTI-01912	139	NC	KTI-04001	147	NC	KTI-04080	143	NC
KTI-00003 153NC	KTI-01920	139	NC	KTI-04002	147	NC.	KTI-04081	143	NC
KTI-00004 153NC	KTI-01939			KTI-04003			KTI-04082		
KTI-00005 154NC	KTI-01933			KTI-04004			KTI-04083	-	_
KTI-00006 154NC	KTI-02020		-	KTI-04005			KTI-04084	-	_
KTI-00007 153NC	KTI-02039			KTI-04006			KTI-04085		
KTI-00009 155NC	KTI-02112	139	NC	KTI-04007	147	NC	KTI-04086	142	NC
KTI-00020 152NC	KTI-02127	139	NC	KTI-04008	146	NC	KTI-04087	142	NC
KTI-00021 152NC	KTI-02130			KTI-04009			KTI-04088		
KTI-00023 155NC	KTI-02149			KTI-04010			KTI-04089		
KTI-00024 155NC	KTI-02143			KTI-04010			KTI-04099		
KTI-00026 152NC	KTI-02227			KTI-04012		-	KTI-04091		
KTI-00027 152NC	KTI-02230			KTI-04013			KTI-04092		
KTI-00028 152NC	KTI-02249	139	NC	KTI-04014	147	NC	KTI-04093	142	NC
KTI-00035 153NC	KTI-02312	139	NC	KTI-04015	147	NC	KTI-04094	142	NC
KTI-00037 153NC	KTI-02327	139	NC	KTI-04016	147	NC	KTI-04095	142	NC
KTI-00038 153NC	KTI-02330			KTI-04017			KTI-04096		
KTI-00039 153NC	KTI-02349			KTI-04017			KTI-04097		
KTI-00040 155NC	KTI-02411			KTI-04019		_	KTI-04098		_
KTI-00042 155NC	KTI-02421		-	KTI-04020			KTI-04099		_
KTI-00045 152NC	KTI-02431			KTI-04021			KTI-04100		
KTI-00047 154NC	KTI-02441	138	NC	KTI-04022	147	NC	KTI-04101	142	NC
KTI-00048 154NC	KTI-02451	138	NC	KTI-04023	146	NC	KTI-04102		
KTI-00049 154NC	KTI-02461			KTI-04024			KTI-04103		
KTI-00050 154NC	KTI-02471			KTI-04025	-	-	KTI-04104		
KTI-00058 155NC	KTI-02471			KTI-04025			KTI-04105		
KTI-00059 155NC	KTI-02491			KTI-04027			KTI-04106		
KTI-00067 152NC	KTI-02511			KTI-04028			KTI-04107		
KTI-00068152NC	KTI-02611	143	NC	KTI-04029	147	NC	KTI-04108	143	NC
KTI-00069 152NC	KTI-02621	143	NC	KTI-04030	147	NC	KTI-04109	143	NC
KTI-00070 152NC	KTI-02631	143	NC	KTI-04031	147	NC	KTI-04120	145	NC
KTI-00071 159, 178NC	KTI-02641	143	NC	KTI-04032	147	NC	KTI-04121	145	NC
KTI-00072 159, 178NC	KTI-02651			KTI-04033			KTI-04123		
KTI-00074 159, 178NC	KTI-02742			KTI-04034			KTI-04124	-	_
KTI-00075 159, 178NC	KTI-02742			KTI-04035			KTI-04125		
KTI-00077 159, 178NC	KTI-02744			KTI-04036			KTI-04126		
KTI-00078 159, 178NC	KTI-02745			KTI-04037			KTI-04134		
KTI-00080 160, 178NC	KTI-02751			KTI-04038			KTI-04135		
KTI-00081 160, 178NC	KTI-02761			KTI-04039			KTI-04136		
KTI-00082 160NC	KTI-02771			KTI-04040			KTI-04137		
KTI-00084 160NC	KTI-02781			KTI-04041	148	NC	KTI-04138		
KTI-00085 160NC	KTI-02791	138	NC	KTI-04042	148	NC	KTI-04139	145	NC
KTI-00086 160. 178NC	KTI-02922	139	NC	KTI-04049	142	NC	KTI-04140	145	NC
KTI-00087 161, 178NC	KTI-02923			KTI-04050			KTI-04141		
KTI-00089 161NC	KTI-02924		-	KTI-04051			KTI-04142		
KTI-00091 161NC	:						I :		
	KTI-02925			KTI-04052			KTI-04168		
KTI-00093 161, 178NC	KTI-03963			KTI-04053		-	KTI-04181		
KTI-00094 162, 178NC	KTI-03964			KTI-04054			KTI-04182		
KTI-00095 162, 178NC	KTI-03965			KTI-04055			KTI-04183		
KTI-00096 162NC	KTI-03966			KTI-04056			KTI-04184		
KTI-00097 162NC	KTI-03967	146	NC	KTI-04057	143	NC	KTI-04185	145	NC
KTI-001178NC	KTI-03968	146	NC	KTI-04060	143	NC	KTI-04188	145	NC
KTI-004 178NC	KTI-03969	146	NC	KTI-04061	143	NC	KTI-04189	145	NC
KTI-00811 141NC	KTI-03970			KTI-04064			KTI-04190		
KTI-00821 141NC	KTI-03971			KTI-04065			KTI-04193		
KTI-00831141NC	KTI-03972			KTI-04066			KTI-04195		
KTI-00841 141NC	KTI-03973			KTI-04069			KTI-04196		
KTI-00851 141NC	KTI-03973			KTI-04070			KTI-04198		
KTI-00861 141NC	KTI-03975			KTI-04071			KTI-04199		
KTI-01611 138NC	KTI-03976			KTI-04072			KTI-04200		
KTI-01641 139NC	KTI-03977			KTI-04073			KTI-04201		
KTI-01651 138NC	KTI-03978			KTI-04074			KTI-04202		
KTI-01661 139NC	KTI-03979			KTI-04075			KTI-04203		
KTI-01671 137NC	KTI-03980	146	NC	KTI-04076	143	NC	KTI-04204	140	NC
KTI-01838 139NC	KTI-03984	146	NC	KTI-04077	143	NC	KTI-04205		
KTI-01839 139NC	KTI-03985	146	NC	KTI-04078	143	NC	KTI-04206	140	NC
	1			I .			I		



	D	
Part No.	Page <u>No.</u>	Warranty <u>Code</u>
KTI-04207	. 140	NC
KTI-04208	. 140	NC
KTI-04209	-	NC
KTI-04210		NC
KTI-04211	-	NC
KTI-04212	-	NC
KTI-04213		NC
KTI-04214 KTI-04215		NC NC
KTI-04216		NC
KTI-04220		NC
KTI-04221		NC
KTI-04222		NC
KTI-04223		NC
KTI-04224	. 141	NC
KTI-04226	. 141	NC
KTI-04227	. 141	NC
KTI-04228		NC
KTI-04229		NC
KTI-04230		NC
KTI-04231		NC
KTI-04234 KTI-04235		NC NC
KTI-04235		NC
KTI-04230		NC
KTI-04238		NC
KTI-04239		NC
KTI-04240		NC
KTI-04241		NC
KTI-04242	. 144	NC
KTI-04243	. 144	NC
KTI-04245		NC
KTI-04247		NC
KTI-04251		NC
KTI-04252		NC
KTI-04253		NC
KTI-04260 KTI-04261		NC NC
KTI-04262		NC
KTI-04263		NC
KTI-04264		NC
KTI-04265		NC
KTI-04266	. 144	NC
KTI-04270		NC
KTI-04271		NC
KTI-04272		NC
KTI-04273		NC
KTI-04274 KTI-04275		NC
KTI-04275KTI-04276	-	NC NC
KTI-04270		NC
KTI-04277	-	NC
KTI-04279	. 140	NC
KTI-04280		NC
KTI-04281		NC
KTI-04282	. 140	NC
KTI-04283	-	NC
KTI-04284		NC
KTI-04285		NC
KTI-04286		NC
KTI-04308	. 144	NC
KTI-04309 KTI-04310		NC NC
KTI-04310 KTI-04311		NC
KTI-04311		NC
KTI-04312		NC
KTI-04314		NC
KTI-04315		NC

Part No.	Page <u>No.</u>	Warranty Code
KTI-04316		NC
KTI-04317		NC
KTI-04318		NC
KTI-04319		NC
KTI-04320		NC
KTI-04494 KTI-04497		NC NC
KTI-04497		NC
KTI-05100		NC
KTI-05101		NC
KTI-05102		NC
KTI-05103	-	NC
KTI-05104 KTI-05105		NC NC
KTI-05105		NC
KTI-05107		NC
KTI-05108		NC
KTI-05109	150	NC
KTI-05110		NC
KTI-05111		NC
KTI-05112		NC NC
KTI-05113 KTI-05114		NC
KTI-05115		NC
KTI-05116		NC
KTI-05117	150	NC
KTI-05118		NC
KTI-05119		NC
KTI-05120 KTI-05124		NC NC
KTI-05124	-	NC
KTI-05126		NC
KTI-05127	-	NC
KTI-05136		NC
KTI-05138	150	NC
KTI-05141		NC
KTI-05143 KTI-05145		NC NC
KTI-05149		NC
KTI-05165		NC
KTI-05167		NC
KTI-05169		NC
KTI-05171		NC
KTI-05177 KTI-05179		NC NC
KTI-05179		NC
KTI-05181		NC
KTI-05202		NC
KTI-05205	149	NC
KTI-05206		NC
KTI-05207		NC
KTI-05209 KTI-05211		NC NC
KTI-05211		NC
KTI-05215		NC
KTI-05217		NC
KTI-05219		NC
KTI-05221		NC
KTI-05225		NC
KTI-05226 KTI-05228		NC NC
KTI-05228KTI-05233		NC
KTI-05235		NC
KTI-05237	151	NC
KTI-05243	151	NC
KTI-05245		NC
KTI-05253		NC NC
KTI-05255	101	INC

		Page	Warranty
	: No.	<u>No.</u>	Code
	I-05370	-	NC
	I-05371	149	NC
KΤ	I-05372	151	NC
ΚT	I-05373	151	NC
ΚT	I-05374	151	NC
	I-05375	-	NC
	I-05376		NC
	I-05377	-	NC
		-	_
	I-05378		NC
	I-05379	-	NC
	I-05380		NC
	I-05381		NC
KΤ	I-05382	149	NC
ΚT	I-05383	149	NC
ΚT	I-05384	149	NC
ΚT	I-0545		NC
	I-069		69NC
	I-07740	- ,	NC
	I-0804		NC
	I-0805	,	69NC
ΚT	I-0806	,	69NC
ΚT	I-0807	164, 1	70NC
ΚT	I-0808	164, 1	70NC
	I-0809		71NC
	I-0810		71NC
	I-0811		72NC
		,	
	I-0812	,	72NC
	I-0813	,	72NC
KΤ	I-0814		73NC
KΤ	I-0815	166, 1	73NC
ΚT	I-0816	166, 1	73NC
ΚT	I-0817	166. 1	73NC
	I-0819	,	73NC
	I-0820		73NC
	I-0821	,	73NC
	I-0822		73NC
	I-0831		74NC
KΤ	I-0832	,	74NC
KΤ	I-0833	168, 1	74NC
ΚT	I-0834	168, 1	74NC
ΚT	I-0835	168, 1	75NC
ΚT	I-0836	,	75NC
KT		168. 1	
	I-0838	,	76NC
		,	76NC
	I-0839		
	I-0840	165, 1	77NC
	I-0841	168, 1	77NC
	I-0842		77NC
ΚT	I-089	178	NC
ΚT	I-098	178	NC
ΚT	I-10010	129	90
	I-10210		90
	I-10215		90
	I-10213 I-10330		90
	I-11100	ა	LT
	I-11310		LT
	I-11315		LT
ΚT	I-11320		LT
ΚT	l-14219	3	LT
	I-14400		
	I-14406		
	I-14408 I-14408		
	l-14410		
	I-14411		
	l-14412		
	I-14414		
	l-14416		
	l-14500		

Part No.	Page <u>No.</u>	Warranty <u>Code</u>
KTI-14505	3	
KTI-14506		
KTI-14507		
KTI-14508	. 3	LT
KTI-14509	. 3	LT
KTI-14510	. 3	LT
KTI-14511	. 3	LT
KTI-16000		
KTI-16001		
KTI-16002		
KTI-16113		
KTI-16121		
KTI-16124		
KTI-16129		
KTI-16136		
KTI-16201		
KTI-16203		
KTI-16204 KTI-16206		
KTI-16208 KTI-18008		
KTI-18012 KTI-18702		
KTI-18703		
KTI-18801		NC
KTI-18802		
KTI-18810		_
KTI-18820		_
KTI-18920		
KTI-19000		
KTI-19113		
KTI-19121		
KTI-19124		
KTI-19201		
KTI-19203 KTI-19204		
KTI-19206 KTI-19208		
KTI-19209 KTI-19212	. 4	LT
KTI-19218 KTI-19224		
KTI-19224		
KTI-19240 KTI-19700		
KTI-19700		
KTI-19701		
KTI-19703 KTI-19704		
KTI-19704 KTI-19706		
KTI-19700 KTI-19708		
KTI-19713		
KTI-19713		
KTI-19724		
KTI-19800		
KTI-19801		
KTI-19803	2	IT
KTI-19804		
KTI-19806		
KTI-19808		
KTI-19813		
KTI-19821		
KTI-19824		
KTI-19900		
KTI-19901		
KTI-19903		
KTI-19904		
KTI-19906		
KTI-19908		
KTI-19913	. 2	LT



Warranty

Index by Part Number

Part No.	Page <u>No.</u>	Warranty Code
KTI-19921	. 2	
KTI-19924		
KTI-20045		
KTI-20210	. 21	LT
KTI-20212	. 21	LT
KTI-20214	. 21	LT
KTI-20216		
KTI-20218		
KTI-20220		
KTI-20222		
KTI-20224 KTI-20226		
KTI-20228		
KTI-20310		
KTI-20311		
KTI-20312		
KTI-20313		
KTI-20314		
KTI-20315		
KTI-20316		
KTI-20317		
KTI-20318		
KTI-20319 KTI-20412		
KTI-20412 KTI-20414		
KTI-20414 KTI-20416		
KTI-20418		
KTI-20420		
KTI-20422		
KTI-20424	. 21	LT
KTI-20426		
KTI-20428		
KTI-20707		
KTI-20708		
KTI-20709		
KTI-20710 KTI-20711		
KTI-20711 KTI-20712		
KTI-20713		
KTI-20714		
KTI-20715	. 21	LT
KTI-20716	. 21	LT
KTI-20717	. 21	LT
KTI-20718		
KTI-20719		
KTI-21000	. 5, 19	LT LT
KTI-21002		
KTI-21004 KTI-21006		LT LT
KTI-21000		LT
KTI-21014		LT
KTI-21040		LT
KTI-21043		LT
KTI-21044		LT
KTI-21046	. 16	LT
KTI-21048	-	LT
KTI-21050		LT
KTI-21055	-	NC
KTI-21060		LT
KTI-21070 KTI-21080		LT
KTI-21080 KTI-21091		LT LT
KTI-21091 KTI-21092		LT
KTI-21092		LT
KTI-21095		
KTI-21100		
KTI-21106	. 5, 20	LT
KTI-21107	. 5, 20	LT

		Warranty
Part No.	<u>No.</u>	Code
KTI-21108 KTI-21109		
KTI-21109		
KTI-21110	. 5, 20 5, 20	L1
KTI-21112		
KTI-21114	. 5, 20	LT
KTI-21116		
KTI-21118		
KTI-21200	. 5, 20	LT
KTI-21206	. 5	LT
KTI-21207		
KTI-21208	. 5, 20	LT
KTI-21209	. 5, 20	LT
KTI-21210	. 5, 20	LT
KTI-21211		
KTI-21212 KTI-21214	. 5, 20	LI
KTI-21214 KTI-21216	. 5, 20	LT
KTI-21218	. 5, 20 5, 20	LI
KTI-21500		
KTI-21510	. 19 15 10	LT
KTI-21515		
KTI-21510		LT
KTI-21525	-, -	LT
KTI-21527		LT
KTI-21530		LT
KTI-21540		LT
KTI-21545	. 15, 19.	LT
KTI-21550	. 15, 19.	LT
KTI-21555	. 15, 19.	LT
KTI-21610	. 15, 18.	LT
KTI-21615		LT
KTI-21620		LT
KTI-21625		LT
KTI-21627		LT
KTI-21630 KTI-21810		LT
KTI-21815		LT LT
KTI-21820		LT
KTI-21825		LT
KTI-21827		LT
KTI-21830		
KTI-22000	. 21	LT
KTI-22001		
KTI-22002		
KTI-22003	. 16	LT
KTI-22005		LT
KTI-22006		LT
KTI-22008 KTI-22010		LT LT
KTI-22010 KTI-22012		LT
KTI-22018		LT
KTI-22024		LT
KTI-22041		LT
KTI-22043		LT
KTI-22046		LT
KTI-22047		LT
KTI-22048		LT
KTI-22050		NC
KTI-22055	. 15	NC
KTI-22060		NC
KTI-22070	. 17	LT
KTI-22071	. 17	LT
KTI-22075		NC
KTI-22080		LT
KTI-22091		LT
KTI-22092 KTI-22092RK	. 10 16	LT
K11-22092RK		

_		
Part No. KTI-22093	Page	Warranty
<u>Part No.</u> KTI-22003	16	Lode I T
KTI-22095	16	L1
KTI-22100		
KTI-22108		
KTI-22110		
KTI-22112	. 6, 21	LT
KTI-22114	. 6, 21	LT
KTI-22116		
KTI-22118		
KTI-22120		
KTI-22122		
KTI-22124		
KTI-22126	. 6, 21	LI
KTI-22128	. 6, 21	LI
KTI-22130		
KTI-22132 KTI-22133		
KTI-22133		
KTI-22208		
KTI-22210		
KTI-22212		
KTI-22214		
KTI-22216		
KTI-22218	. 6, 21	LT
KTI-22219	. 6, 21	LT
KTI-22220	. 6, 21	LT
KTI-22221		
KTI-22222		
KTI-22224		
KTI-22226		
KTI-22227		
KTI-22228 KTI-22230		
KTI-22230 KTI-22232		
KTI-22300		
KTI-22312		
KTI-22314	-	
KTI-22316	_	
KTI-22318	. 18	LT
KTI-22320		
KTI-22322	. 18	LT
KTI-22324	. 18	LT
KTI-22328		
KTI-22401	. 22	
KTI-22408	. 6, 22	
KTI-22410		
KTI-22412		
KTI-22414 KTI-22416	. 6, 22	LI
KTI-22418	6 22	LI
KTI-22410		
KTI-22422	6 22	L1
KTI-22424	6. 22	IT
KTI-22426	. 6. 22	LT
KTI-22428	. 6. 22	LT
KTI-22430	. 6, 22	LT
KTI-22432	. 6, 22	LT
KTI-22500		
KTI-22501	. 22	LT
KTI-22508	. 6, 22	LT
KTI-22510	. 6, 22	LT
KTI-22512		
KTI-22514	. 6, 22	L <u>T</u>
KTI-22516	. 6, 22	LT
KTI-22518		
KTI-22520		
KTI-22521	. ა∠ 6. ??	Ll

KTI-22522...... 6, 22......LT

		Page	Warranty
art	<u>No.</u> -22524	NO.	Code
(TI	-22524 -22526	6 22	LI
	-22527 -22528		
\ I I /TI	-22530	6 22	L1
(TI	-22530	6, 22	LI
	-22532 -22547		
	-22600		
	-22600		
	-22640		
	-22645		
	-22647		
	-22650		
	-22655		
	-22660		
	-22670	15	
	-22671	19	
	-22675	19	
(TI	-22676	19	
(TI	-22677	19	LT
(TI	-22678	19	
	-22680	19	LT
(TI	-22682		LT
(TI	-22684		
	-22686		
	-22688		
	-22689		
(TI	-22700	23	LT
(TI	-22710	23	LT
(TI	-22712	23	LT
(-22714	23	<u>L</u>
((T	-22716	23	LI
(I I	-22718 -22720	23	LT
(T)	-22720 -22722	23	LI
(T)	-22722 -22724	23	L1
	-22800		
	-22801		
	-22802		
(TI	-22840	18	
	-22845		
	l-22847		
	-22850	-	
	-22855		LT
	l-22860		
	l-22870		LI
	-22874 -22875		
	-22875 -22876	19 19	
(TI	l-22877	19	
T	-22878	19	
	-22880	19	
	-22882	19	
	-22884	19	LT
(T	l-22886	19	LT
	l-22888	19	
	l-22902	14, 80	
	l-22904	14	
	l-22905	14	
	l-22906	14	
	l-22907	14	
	-22908 -22910	14	
(T)	I-22910 I-22912	14 14	
	I-22912 I-22970	14	
(T	l-23000	24	
(T	l-23003		
	l-23005		



	Page	Warranty
Part No.	No.	Code
KTI-23010		LT
KTI-23015		LT
KTI-23020		LT
KTI-23070 KTI-23080		
KTI-23080		
KTI-23082		
KTI-23091		LT
KTI-23092		
KTI-23092RK	. 16	
KTI-23095		LT
KTI-23110	. 24	LT
KTI-23112		
KTI-23114		
KTI-23116	. 8, 24	LT
KTI-23118		
KTI-23120	,	
KTI-23122 KTI-23124	. 8, 24	LT
KTI-23124 KTI-23126		
KTI-23128		
KTI-23130		
KTI-23132		
KTI-23134	. 8. 24	LT
KTI-23136		
KTI-23140		
KTI-23142		
KTI-23144		
KTI-23146		
KTI-23148	. 8	LT
KTI-23200		
KTI-23214		
KTI-23216 KTI-23218	. 8, 24	LT LT
KTI-23210		
KTI-23222		
KTI-23224		
KTI-23226		
KTI-23228	. 8, 24	LT
KTI-23230		
KTI-23232	-	
KTI-23234		
KTI-23236		
KTI-23240		
KTI-23242		
KTI-23244 KTI-23246		
KTI-23248		
KTI-23248		
KTI-23500		
KTI-23512		
KTI-23516	. NA	LT
KTI-23800	. 25	LT
KTI-23808		
KTI-23810		
KTI-23812		
KTI-23814		
KTI-23900		
KTI-23906 KTI-23908		
KTI-23906 KTI-23910		
KTI-23910		
KTI-24004		
KTI-24008	. 16	LT
KTI-24016		
KTI-24050	. 15	NC
KTI-24070	. 17	LT

Davi Na	Page Warranty
<u>Part No.</u> KTI-24080	No. Code
KTI-24090	
KTI-24090RK	
KTI-24092	
KTI-24105	. 25LT
KTI-24121	. 25LT
KTI-24124	. 9, 25LT
KTI-24128	
KTI-24130	
KTI-24132	,
KTI-24134 KTI-24136	
KTI-24138	
KTI-24140	9, 25LT
KTI-24142	9. 25LT
KTI-24144	
KTI-24146	
KTI-24148	. 9, 25LT
KTI-24152	,
KTI-24156	
KTI-24160	
KTI-24164	. 9, 25LI
KTI-24166 KTI-24168	
KTI-24170	
KTI-24172	
KTI-24176	
KTI-24500	15LT
KTI-26000	
KTI-26100	5, 20LT
KTI-26104	
KTI-26105	. 5, 20LT
KTI-26106	
KTI-26107	
KTI-26108 KTI-26109	
KTI-26110	
KTI-26111	
KTI-26112	
KTI-26113	
KTI-26114	. 5, 20LT
KTI-26115	
KTI-26155	. 5, 20LT
KTI-26200	. 5, 20LI
KTI-26206 KTI-26207	
KTI-26207 KTI-26208	. 5, 20LT
KTI-26209	5 20 IT
KTI-26210	. 5, 20LT
KTI-26211	. 5, 20LT
KTI-26212	5, 20LT
KTI-26213	. 5, 20LT
KTI-26214	
KTI-26215	. 5, 20LT
KTI-26255	
KTI-27000 KTI-27101	
KTI-27101	7 23 IT
KTI-27107	7. 23IT
KTI-27108	7, 23LT
KTI-27109	. 7, 23LT
KTI-27110	. 7, 23LT
KTI-27111	. 7, 23 LT
KTI-27112	. 7, 23LT
KTI-27113	. 7, 23LT
KTI-27114	
KTI-27115 KTI-27116	. 1, ∠3LI 7 23 IT
N11-21 110	. 1, 20LI

				Warranty
Part	<u>: No.</u> -27117	<u>N</u>	<u>o.</u>	<u>Code</u> LT
	-27117 -27118			LT
	-27119	7.	23	LT
ΚT	-27120			LT
ΚT	l-27121			
	-27122			
	-27123			
	-27124 -27125			
	-27 125 -27126			
	I-27120 I-27201			
	-27210			
ΚT	-27211	7,	23	LT
	l-27212			
	-27213	7,	23	L <u>T</u>
	l-27214	7,	23	LT
	-27215 -27216	/,	23 23	LI
	1-27216 1-27217	7, 7	23	L1
	I-27218	7, 7	23	L1
	-27219			
ΚT	-27220	7.		LT
	-27221			LT
	-27222			
	-27223			
	-27224 -27225			
	-27225 -27226			
	-27220 -27300		 3	
	-27310			LT
	-27311		3	
ΚT	l-27312	18	3	LT
	l-27313		3	
	l-27314			LT
	l-27315		3	
	l-27316 l-27317		3 3	
	I-27317 I-27318		} }	
	l-27319		3	
ΚT	l-27401	22		
ΚT	l-27407			
	l-27408		22	
	l-27409			
	l-27410 l-27411			
KT		1, 7	22	LI
	I-27412 I-27413	7, 7	22	L1
KT	l-27414	7.	22	LT
ΚT	l-27415	7,	22	LT
KΤ	l-27416	7,	22	LT
KΤ	l-27417	7,	22	LT
KT	l-27418	<u>7</u> ,	22	LT
KT	l-27419	7,	22	LT
KII KT	l-27420 l-27421	/,	22	LI
KTI	1-27421 1-27501	7,)	LI
KT	I-27506	7	23	IT
KT	l-27507	7.	22	LT
KΤ	l-27508	7,	22	LT
KT	l-27509	7.	22	LT
ΚT	l-27510	7,	22	LT
KΤ	l-27511	7,	22	LT
KΤ	l-27512	7,	22	LT
	l-27513 l-27514			
	1-27514 1-27515			
KT	I-27516	7.	22	LT
ΚT	l-27516 l-27517	7,	22	LT

	Page	Warranty
<u>Part No.</u> KTI-27518	<u>No.</u> . 7, 22	Code I T
KTI-27519		LT
KTI-27520		
KTI-27521	,	
KTI-27902	. 14, 80.	LT
KTI-27903	. 14	LT
KTI-27904		LT
KTI-27905		
KTI-27906		LT
KTI-27907 KTI-27908		LT LT
KTI-27900 KTI-27910		
KTI-27955		
KTI-27970		
KTI-28000	. 24	LT
KTI-28100	. 24	LT
KTI-28110		
KTI-28111		
KTI-28112		
KTI-28113		
KTI-28114 KTI-28115		
KTI-28116	. 0, 24 8 24	LT
KTI-28117		
KTI-28118		
KTI-28119	. 8, 24	LT
KTI-28120		
KTI-28121		
KTI-28122		
KTI-28123		
KTI-28124 KTI-28125		
KTI-28126		
KTI-28127	8 24	LT
KTI-28128	. 8, 24	LT
KTI-28200		
KTI-28206		
KTI-28210		
KTI-28211 KTI-28212		
KTI-28212 KTI-28213		
KTI-28214	. 6 8	LT
KTI-28215		
KTI-28216		
KTI-28217	. 8, 24	LT
KTI-28218		
KTI-28219	. 8, 24	LT
KTI-28220	. 8, 24	LT
KTI-28221	. 8, 24	LI
KTI-28222 KTI-28223	. 8, 24	LI
KTI-20223	. 0, 24 8 24	L1
KTI-28225		
KTI-28226	. 8	LT
KTI-28227	. 8	LT
KTI-28228	. 8	LT
KTI-28229	. 8, 25	LT
KTI-28230	. 8, 25	LT
KTI-28232 KTI-28234	. ŏ, 25	Ll
KTI-28234 KTI-28235	. o, ∠ɔ 8 25	LI I T
KTI-28236		
KTI-20230	. 31	LT
KTI-32012	. 31	LT
KTI-32013	. 31	LT
KTI-32016	. 31	NC
KTI-32100	. 26	L <u>T</u>
KTI-32110	. 10, 27.	LT



Part No. No. Code			
KTI-32112			•
KTI-32114			
KTI-32116 10, 26 LT KTI-32118 10, 26 LT KTI-32120 10, 26 LT KTI-32122 10, 26 LT KTI-32124 10, 26 LT KTI-32128 10, 26 LT KTI-32128 10, 26 LT KTI-32210 10, 27 LT KTI-32210 10, 27 LT KTI-32214 10, 27 LT KTI-32214 10, 27 LT KTI-32218 10, 27 LT KTI-32218 10, 27 LT KTI-32220 10, 27 LT KTI-32220 10, 27 LT KTI-32222 10, 27 LT KTI-32222 10, 27 LT KTI-32228 10, 27 LT KTI-32229 32 LT KTI-32440 26 LT KTI-32414 10, 26 LT KTI-32416 10, 26 LT KTI-32418 10, 26 LT KTI-32420 10, 26 LT KTI-32424 10, 26 LT KTI-32425 10, 26 LT KTI-32520 10, 26 LT KTI-32516 10, 26 LT KTI-325218 10, 26 LT KTI-32518 10, 26 LT KTI-32524 10, 26 LT KTI-32524 10, 26 LT KTI-32524 10, 26 LT KTI-33030 31 LT KTI-33041 31 NC KTI-33012 31 NC KTI-33041 31 NC KTI-33041 31 NC KTI-33041 31 NC KTI-33041 31 NC KTI-33114 LT KTI-33116 LT KTI-33116 LT KTI-33118 LT KTI-33118 LT KTI-33118 LT KTI-33118 LT KTI-33119 LT KTI-33118 LT KTI-33118 LT KTI-33118 LT KTI-33118 LT KTI-33118 LT KTI-33119 LT KTI-33110 LT KTI-33110 LT KTI-33114 LT KTI-33114 LT KTI-33114 LT KTI-33114 LT KTI-33118 LT KTI-33114 LT KTI-33118 LT KTI-33119 LT KTI-33110 LT KTI-33110 LT KTI-33114 LT KTI-33114 LT KTI-33118 LT KTI-33114 LT KTI-33120			
KTI-32118			
KTI-32120		. 10, 26.	
KTI-32122	KTI-32118		
KTI-32122	KTI-32120	. 10, 26.	LT
KTI-32124	KTI-32122	. 10, 26.	LT
KTI-32126	KTI-32124		
KTI-32128			
KTI-32200 26 LT KTI-32210 10, 27 LT KTI-32214 10, 27 LT KTI-32216 10, 27 LT KTI-32218 10, 27 LT KTI-32228 10, 27 LT KTI-32222 10, 27 LT KTI-32222 10, 27 LT KTI-32226 10, 27 LT KTI-32229 32 LT KTI-32229 32 LT KTI-32414 10, 26 LT KTI-32414 10, 26 LT KTI-32418 10, 26 LT KTI-32418 10, 26 LT KTI-32418 10, 26 LT KTI-32420 10, 26 LT KTI-32500 26 LT KTI-32500 26 LT KTI-32500 26 LT KTI-32514 10, 26 LT KTI-32524 10, 26 LT KTI-32514 10, 26 LT KTI-32514 10, 26 LT KTI-32514 10, 26 LT KTI-32514 10, 26 LT KTI-32516 10, 26 LT KTI-32518 10, 26 LT KTI-33000 26 LT KTI-33518 10, 26 LT KTI-33518 10, 26 LT KTI-33518 10, 26 LT KTI-33500 26 LT KTI-33500 26 LT KTI-33518 10, 26 LT KTI-33518 10, 26 LT KTI-33518 10, 26 LT KTI-33518 10, 26 LT KTI-33500 31 LT KTI-33006 31 LT KTI-33006 31 LT KTI-33006 31 LT KTI-33006 31 LT KTI-33012 31 NC KTI-33014 31 NC KTI-33016 31 LT KTI-33118 1T KTI-33110 29 LT KTI-33110 29 LT KTI-33110 129 LT KTI-33112 8, 29 LT KTI-33112 11, 29 LT KTI-33112 11, 29 LT KTI-33122 11, 29 LT KTI-33130 11, 29 LT KTI-33130 11, 29 LT KTI-33130 11, 29 LT KTI-33140 11, 29 LT KTI-33130 11, 29 LT KTI-33130 11, 29 LT KTI-33134 11, 29 LT KTI-33144 11, 29 LT KTI-33134 11, 29 LT KTI-33134 11, 29 LT KTI-33134 11, 29 LT KTI-33144 11, 29 LT KTI-33204 28 LT			
KTI-32210			
KTI-32212			
KTI-32214			
KTI-32216			
KTI-32218		10, 27.	LT
KTI-32220			
KTI-32222			L1
KTI-32224 10, 27 LT KTI-32226 10, 27 LT KTI-32228 10, 27 LT KTI-32229 32 LT KTI-32400 26 LT KTI-32414 10, 26 LT KTI-32418 10, 26 LT KTI-32418 10, 26 LT KTI-32420 10, 26 LT KTI-32422 10, 26 LT KTI-32422 10, 26 LT KTI-32500 26 LT KTI-32514 10, 26 LT KTI-32514 10, 26 LT KTI-32514 10, 26 LT KTI-32516 10, 26 LT KTI-32520 10, 26 LT KTI-32520 10, 26 LT KTI-33518 10, 26 LT KTI-33522 10, 26 LT KTI-3306 31 LT KTI-33006 31 LT KTI-33006 31 LT KTI-33006 31 LT KTI-33012 31 NC KTI-33014 31 NC KTI-33014 31 NC KTI-33014 11, 29 LT KTI-33114 11, 29 LT KTI-33118 11, 29 LT KTI-33120 11, 29 LT KTI-33130 11, 29 LT KTI-33130 11, 29 LT KTI-33144 11, 29 LT KTI-33130 11, 29 LT KTI-33140 11, 29 LT KTI-33130 11, 29 LT KTI-33130 11, 29 LT KTI-33130 11, 29 LT KTI-33140 11, 29 LT KTI-33130 11, 29 LT KTI-33130 11, 29 LT KTI-33134 11, 29 LT KTI-33134 11, 29 LT KTI-33134 11, 29 LT KTI-33144 11, 29 LT KTI-33146 11, 29 LT KTI-33146 11, 29 LT KTI-33148 11, 29 LT KTI-33140 11, 29 LT			
KTI-32226			
KTI-32228		. 10, 27.	LT
KTI-32229	KTI-32226	. 10, 27.	LT
KTI-32229	KTI-32228	. 10, 27.	LT
KTI-32400	KTI-32229	. 32	LT
KTI-32414	KTI-32400		
KTI-32416			
KTI-32418	KTI-32416		
KTI-32420			
KTI-32422			
KTI-32424		10, 20.	L1
KTI-32500		10, 20.	LT
KTI-32514 10, 26 LT KTI-32516 10, 26 LT KTI-32518 10, 26 LT KTI-32520 10, 26 LT KTI-32522 10, 26 LT KTI-33003 31 LT KTI-33006 31 LT KTI-33012 31 NC KTI-3304 31 LT KTI-33050 31 LT KTI-33041 31 NC KTI-33050 31 LT KTI-33104 28 LT KTI-33104 28 LT KTI-33112 8, 29 LT KTI-33114 11, 29 LT KTI-33118 11, 29 LT KTI-33120 11, 29 LT KTI-33122 11, 29 LT KTI-33124 11, 29 LT KTI-33132 11, 29 LT KTI-33134 11, 29 LT KTI-33134 11, 29 LT KTI-33134 11, 29 LT KTI-33134 11, 29	-		
KTI-32516			
KTI-32518		. 10, 26.	LI
KTI-32520		. 10, 26.	
KTI-32522			
KTI-32524		. 10, 26.	LT
KTI-33003	KTI-32522	. 10, 26.	
KTI-33006			LT
KTI-33012	KTI-33003	. 31	LT
KTI-33016	KTI-33006	. 31	LT
KTI-33024	KTI-33012	. 31	NC
KTI-33024	KTI-33016	. 31	LT
KTI-33041			
KTI-33050			
KTI-33100 28 LT KTI-33101 29 LT KTI-33104 28 LT KTI-33112 8, 29 LT KTI-33114 11, 29 LT KTI-33116 11, 29 LT KTI-33118 11, 29 LT KTI-33120 11, 29 LT KTI-33122 11, 29 LT KTI-33124 11, 29 LT KTI-33128 11, 29 LT KTI-33128 11, 29 LT KTI-33130 11, 29 LT KTI-33130 11, 29 LT KTI-33130 11, 29 LT KTI-33132 11, 29 LT KTI-33134 11, 29 LT KTI-33134 11, 29 LT KTI-33134 11, 29 LT KTI-33136 11, 29 LT KTI-33138 11, 29 LT KTI-33140 11, 29 LT KTI-33148 11, 29 LT KTI-33148 11, 29 LT KTI-33148 11, 29 LT KTI-33200 28 LT KTI-33200 28 LT KTI-33202 29 LT KTI-33204 28 LT	KTI-33050	31	IT
KTI-33101 29 LT KTI-33104 28 LT KTI-33112 8, 29 LT KTI-33114 11, 29 LT KTI-33118 11, 29 LT KTI-33120 11, 29 LT KTI-33122 11, 29 LT KTI-33124 11, 29 LT KTI-33124 11, 29 LT KTI-33126 11, 29 LT KTI-33128 11, 29 LT KTI-33130 11, 29 LT KTI-33130 11, 29 LT KTI-33130 11, 29 LT KTI-33130 11, 29 LT KTI-33134 11, 29 LT KTI-33134 11, 29 LT KTI-33136 11, 29 LT KTI-33136 11, 29 LT KTI-33136 11, 29 LT KTI-33140 11, 29 LT KTI-33140 11, 29 LT KTI-33140 11, 29 LT KTI-33144 11, 29 LT KTI-33146 11, 29 LT KTI-33148 11, 29 LT KTI-33148 11, 29 LT KTI-33148 11, 29 LT KTI-33200 28 LT KTI-33202 29 LT KTI-33204 28 LT			
KTI-33104		-	
KTI-33112 8, 29 LT KTI-33114 11, 29 LT KTI-33116 11, 29 LT KTI-33118 11, 29 LT KTI-33120 11, 29 LT KTI-33122 11, 29 LT KTI-33124 11, 29 LT KTI-33126 11, 29 LT KTI-33128 11, 29 LT KTI-33130 11, 29 LT KTI-33132 11, 29 LT KTI-33134 11, 29 LT KTI-33136 11, 29 LT KTI-33136 11, 29 LT KTI-33138 11, 29 LT KTI-33140 11, 29 LT KTI-33140 11, 29 LT KTI-33140 11, 29 LT KTI-33140 11, 29 LT KTI-33144 11, 29 LT KTI-33148 11, 29 LT KTI-33200 28 LT KTI-33202 29 LT KTI-33204 28 LT			
KTI-33114			
KTI-33116	KTI 22444	. 0, 29	LT
KTI-33118			
KTI-33120	K11-33110	. 11, 29.	
KTI-33122			
KTI-33124			
KTI-33126		, -	
KTI-33128			
KTI-33130	KTI-33126	. 11, 29.	LT
KTI-33132	KTI-33128	. 11, 29.	LT
KTI-33134	KTI-33130	. 11, 29.	LT
KTI-33134	KTI-33132	. 11, 29.	LT
KTI-33136	KTI-33134		
KTI-33138			
KTI-33140			
KTI-33142			
KTI-33144			
KTI-33146			
KTI-33148			
KTI-3320028LT KTI-3320229LT KTI-3320428LT			∟I
KTI-33202 29LT KTI-33204 28LT			
KTI-33204 28LT			
K I I-33212 11, 29 LT			
	K11-33212	. 11, 29.	LT

Mailibei	
Part No.	Page Warranty No. Code
KTI-33214	
KTI-33216	11, 29LT
KTI-33218	
KTI-33220	
KTI-33222 KTI-33224	,
KTI-33224	, -
KTI-33228	
KTI-33230	
KTI-33232	,
KTI-33234 KTI-33236	, =
KTI-33238	,
KTI-33240	
KTI-33242	11, 29LT
KTI-33244	
KTI-33246	
KTI-33248 KTI-33500	
KTI-33516	
KTI-33518	
KTI-33520	
KTI-33522	
KTI-33524	
KTI-33526 KTI-33528	,
KTI-33526 KTI-34016	, -
KTI-34026	
KTI-34027	31LT
KTI-34032	
KTI-34050 KTI-34100	31LT
KTI-34100	
KTI-34132	
KTI-34134	
KTI-34136	
KTI-34140	
KTI-34142 KTI-34144	
KTI-34146	
KTI-34148	
KTI-34150	12, 30LT
KTI-34152	,
KTI-34154 KTI-34156	
KTI-34158	12, 30IT
KTI-34160	12, 30LT
KTI-34162	12, 30LT
KTI-34164	
KTI-34166	
KTI-34168 KTI-34172	,
KTI-34176	12, 30LT
KTI-34200	
KTI-34201	
KTI-34232	
KTI-34234 KTI-34236	
KTI-34240	
KTI-34242	12, 30LT
KTI-34244	12, 30LT
KTI-34246	12, 30LT
KTI-34248	12, 30LT
KTI-34250 KTI-34252	
KTI-34254	
KTI-34256	12, 30LT
KTI-34258	12, 30LT

Part No.		Warranty
KTI-34260	No. . 12. 30.	<u>Code</u> LT
KTI-34262		LT
KTI-34264	. 12, 30	LT
KTI-35001		NC
KTI-35002		NC
KTI-35003 KTI-35004		NC NC
KTI-35004	-	LT
KTI-35007		
KTI-35013		LT
KTI-35024		NC
KTI-35026	. 31	LT
KTI-35027 KTI-35028		LT
KTI-35100		
KTI-35124		LT
KTI-35126	. 12, 31	LT
KTI-35128		LT
KTI-35130		LT
KTI-35132 KTI-35134	, -	
KTI-35134		∟I IT
KTI-35138	. 12, 51. . 12	LT
KTI-35140		
KTI-35142	. 12, 31	LT
KTI-35146	. 12, 31	L <u>T</u>
KTI-35148	. 12, 31	LT
KTI-35152 KTI-35154		LT
KTI-35158	. 12, 31	LT
KTI-35160	. 12, 31	LT
KTI-35164	. 12, 31	LT
KTI-35233	, -	
KTI-35234	. 12	LT
KTI-35235 KTI-35236		LT LT
KTI-35238		
KTI-35240		LT
KTI-35241	. 12, 31	LT
KTI-35242		LT
KTI-37042		LT
KTI-37100 KTI-37108		
KTI-37109		
KTI-37110		
KTI-37111	. 10, 27	LT
KTI-37112		LT
KTI-37113	. 10, 27	LT
KTI-37114 KTI-37115	. 10, 27	LT LT
KTI-37116	. 10, 27 10, 27	LT
KTI-37117	. 10, 27 . 10, 27	LT
KTI-37118	. 10, 27	LT
KTI-37119	. 10, 27	LT
KTI-37200	. 26	LT
KTI-37208 KTI-37209		LT
KTI-37210		LT LT
KTI-37211		LT
KTI-37212	. 10, 27	LT
KTI-37213		LT
KTI-37214		LT
KTI-37215 KTI-37216		LT
KTI-37216 KTI-37217		LT LT
KTI-37217	. 10, <i>21</i> . 10. 27	LT
KTI-37219	. 10, 27	LT
KTI-37400		

	Page	Warranty
Part No.	No.	Code
KTI-37410	<u>No.</u> 10, 27.	LT
KTI-37411	10, 27.	LT
KTI-37412	10, 27.	
KTI-37413	10, 27.	LT
KTI-37414	10, 27.	
KTI-37415	10, 27.	
KTI-37416	10, 27.	
KTI-37417 KTI-37418	10, 27.	
KTI-37410	10, 27. 10, 27.	
KTI-37500	27	
KTI-37510	10, 27.	
KTI-37511	10, 27.	
KTI-37512	10, 27.	
KTI-37513	10, 27.	
KTI-37514	10, 27.	LT
KTI-37515	10, 27.	LT
KTI-38050	31	
KTI-38100	28	
KTI-38101	29	
KTI-38110	11, 29.	
KTI-38111	11, 29.	
KTI-38112 KTI-38113	, -	LT
KTI-38114	11, 29.	LT
KTI-38115	11, 29.	
KTI-38116	11, 29.	
KTI-38117		LT
KTI-38118	11, 29.	
KTI-38119		LT
KTI-38120	11, 29.	LT
KTI-38121	11, 29.	LT
KTI-38122	11, 29.	LT
KTI-38123		LT
KTI-38124		LT
KTI-38125		LT
KTI-38126		LT
KTI-38127 KTI-38128	,	LT LT
KTI-38129	11, 29.	
KTI-38130	11, 29.	
KTI-38132	11, 29.	
KTI-38133		LT
KTI-38134	11, 29.	
KTI-38135	11, 29.	
KTI-38136	11, 29.	LT
KTI-38200		
KTI-38201		
KTI-38202		
KTI-38210		
KTI-38211 KTI-38212	11, 29. 11, 29.	
KTI-38213	11, 29.	
KTI-38214	11, 29.	
KTI-38215	11, 29.	
KTI-38216	11, 29.	
KTI-38217	11, 29.	
KTI-38218	11, 29.	LT
KTI-38219	11, 29.	LT
KTI-38220	11, 29.	
KTI-38221	11, 29.	
KTI-38222	11, 29.	
KTI-38223	11, 29.	
KTI-38224 KTI-38225	11, 29. 11, 29.	
KTI-38225 KTI-38226	11, 29. 11, 29.	
KTI-38227	11, 29.	
KTI-38228	11, 29.	
000	, _0.	



Warranty

	Page	Warranty
<u>Part No.</u> KTI-38229	<u>No.</u> 11, 29.	Code IT
KTI-38230		
KTI-38232		
KTI-38233		
KTI-38234		LT
KTI-38235		
KTI-38236		LT
KTI-38500		
KTI-38513 KTI-38514		LT
KTI-38515		
KTI-38517		
KTI-38518		LT
KTI-38519		LT
KTI-39001		
KTI-39003 KTI-39100	30	NC
KTI-39100	12 30	L1
KTI-39119	12, 30.	LT
KTI-39120	12, 30.	LT
KTI-39122	12, 30.	LT
KTI-39124		L <u>T</u>
KTI-39127		
KTI-39130 KTI-39131	12, 30.	LI
KTI-39131	12, 30.	∟1 I T
KTI-39134	12, 30.	LT
KTI-39135	12, 30.	LT
KTI-39136	12, 30.	LT
KTI-39138	12, 30.	L <u>T</u>
KTI-39140	12, 30.	LT
KTI-39146 KTI-39233		
KTI-41004		
KTI-41006		
KTI-41011	41	LT
KTI-41013		
KTI-41014		
KTI-41016 KTI-41108		
KTI-41100		
KTI-41112		
KTI-41114		
KTI-41116	36	LT
KTI-41118		
KTI-41120		
KTI-41122 KTI-41124		
KTI-41126	36	L1
KTI-41128		
KTI-41130	36	LT
KTI-41132		
KTI-41134		
KTI-41136 KTI-41140	36	LI
KTI-41140	36	∟1 I T
KTI-41144	36	IT
KTI-41146	36	LT
KTI-41148	36	LT
KTI-41152	36	LT
KTI-41156	36	LT
KTI-41158		
KTI-41160 KTI-41164	. 30 36	∟I IT
KTI-41168		
KTI-41172	36	LT
KTI-41176	36	LT
KTI-41180	36	LT

David No.	Page	Warranty
<u>Part No.</u> KTI-41200	<u>No.</u> 37	Code I T
KTI-41212	37	L1
KTI-41214		IT
KTI-41216		
KTI-41218		
KTI-41220	37	LT
KTI-41222		
KTI-41224		
KTI-41300		
KTI-41304		
KTI-41310		
KTI-41312		
KTI-41314		
KTI-41316	. 36	LT
KTI-41318	. 36	LT
KTI-41320	. 36	LT
KTI-41322	. 36	LT
KTI-41324		
KTI-41326		
KTI-41328		
KTI-41330		
KTI-41332		
KTI-41334		
KTI-41336		
KTI-41340		
KTI-41412		
KTI-41414		
KTI-41416		
KTI-41418		
KTI-41420		
KTI-41422		
KTI-41424		
KTI-41513		
KTI-41607 KTI-41608		
KTI-41609		
KTI-41610		
KTI-41611		
KTI-41612		
KTI-41613		
KTI-41614		
KTI-41615		
KTI-41616		
KTI-41617		
KTI-41618 KTI-41619	. 39	LT
KTI-41700	. 44	LT
KTI-41710	. 39	LT
KTI-41712	. 39	LT
KTI-41713	. 39	LT
KTI-41714		
KTI-41715		
KTI-41717	. 39	LT
KTI-41718		
KTI-41800		
KTI-41801	. 44	LT
KTI-41802		
KTI-41807		
KTI-41808		
KTI-41809	. 39	LT
KTI-41810		
KTI-41811		
KTI-41812		
KTI-41813 KTI-41814	. აყ	LI
KTI-41815	. აყ ვი	LI IT
KTI-41816 KTI-41817	. วฮ วด	∟I T
1117-41017		∟1

	_	
Part No.	Page No.	Warranty Code
KTI-41818	39	
KTI-41819	39	
KTI-41820	39	LT
KTI-41821	39	LT
KTI-41822	39	
KTI-41823	39	
KTI-41824	39	
KTI-41825	39	
KTI-41826	39	
KTI-41827 KTI-41828		
KTI-41829		
KTI-41830		
KTI-41831	39	
KTI-41832	39	LT
KTI-41833	39	
KTI-41834		LT
KTI-41835	39	LT
KTI-41836		
KTI-42316	37	
KTI-42318	-	
KTI-43100 KTI-43112		
KTI-43112 KTI-43116	•••••	······ —·
KTI-43110		
KTI-43124	38	IT
KTI-43500		
KTI-43510	40	LT
KTI-43513		
KTI-43515		
KTI-43518	-	
KTI-43519		
KTI-44003		
KTI-44412 KTI-44416		
KTI-44416 KTI-44420		L I
KTI-44500		
KTI-44910		
KTI-44913		
KTI-44917	41	LT
KTI-45208		
KTI-45212		
KTI-45216	38	LT
KTI-45220 KTI-45318		
KTI-45316 KTI-45400		
KTI-45410		
KTI-45412	37	LT
KTI-45414		
KTI-45416		
KTI-45418	37	LT
KTI-45420	37	LT
KTI-45424		
KTI-45500		
KTI-45508		
KTI-45510 KTI-45512		
KTI-45513		
KTI-45514	40	IT
KTI-45515		
KTI-45518		
KTI-45600	43	LT
KTI-45608	40	LT
KTI-45609		
KTI-45610		
KTI-45611		
KTI-45612 KTI-45613		
N11-40013	40	Ll

Part No.	No.	Code
KTI-45614	40	LT
KTI-45615		
KTI-45616	40	LT
KTI-45617		
KTI-45618		
KTI-45619	-	
KTI-45620		
KTI-45621		
KTI-45622		
KTI-45624		
KTI-45900		
KTI-45900	43	
KTI-45906	37	∟۱
KTI-45910 KTI-45912	37	LI
K11-45912	37	LI
KTI-45914 KTI-45916	37	LI
KTI-45916	37	LI
KTI-45918	37	L
KTI-45920		
KTI-45922		
KTI-45924		
KTI-45926	37	LT
KTI-45928	37	LT
KTI-45930	37	LT
KTI-45932	37	LT
KTI-48004	45	LT
KTI-48006	45	LT
KTI-48008	45	LT
KTI-48010	45	LT
KTI-48012		
KTI-48015		
KTI-48018		
KTI-49000		
KTI-49008		
KTI-49010		
KTI-49010		
KTI-49012		
KTI-49014	45	∟!
KTI-49024		
KTI-49036		
KTI-49112		
KTI-49114		
KTI-49118		
KTI-49124	45	LT
KTI-49136		
KTI-50201		
KTI-51006		
KTI-51007		
KTI-51008		
KTI-51103	48	LT
KTI-51111		
KTI-51206	48	LT
KTI-51211		
KTI-51311		
KTI-52006		
KTI-52007		
KTI-52107	48	ΙΤ
KTI-53004		
KTI-53006		
KTI-53008		
KTI-53006		
KTI-54000		
KTI-54012		
KTI-55001		
KTI-55012		
KTI-55034		
KTI-55106		
KTI-55112		
KTI-55120	50	LT



Part No. Page No. Warranty Code KTI-55121. 50. LT KTI-55122. 50. LT KTI-55130. 50. LT KTI-55131. 50. LT KTI-55132. 50. LT KTI-55133. 50. LT KTI-55140. 50. LT KTI-55142. 50. LT KTI-55143. 50. LT KTI-55934. 50. LT KTI-55934. 50. LT KTI-56208. 137. LT KTI-57124. 58. LT KTI-57136. 58. LT KTI-57224. 58. LT KTI-57236. 58. LT KTI-58707. 49. LT KTI-588710. 49. LT KTI-588710. 49. LT KTI-61006. 114. 1Y KTI-61003. 115. 9R KTI-61203. 115. 9R			
KTI-55122 50 LT KTI-55133 50 LT KTI-55131 50 LT KTI-55132 50 LT KTI-55133 50 LT KTI-55133 50 LT KTI-55140 50 LT KTI-55141 50 LT KTI-55142 50 LT KTI-55143 50 LT KTI-55912 50 LT KTI-55934 50 LT KTI-56208 137 LT KTI-56209 137 LT KTI-57124 58 LT KTI-57124 58 LT KTI-57126 58 LT KTI-57224 58 LT KTI-57236 58 LT KTI-58705 49 LT KTI-58706 49 LT KTI-58809 49 LT KTI-58811 49 LT KTI-58811 49 LT KTI-61003 115 9R KTI-61075 115 9R KTI-61203 115 9R KTI-61212 115 9R KTI-63121 117 NC KTI-63122 116 9R KTI-63121 117 NC KTI-63121 117 NC KTI-63122 114 19 NC KTI-63120 115 9R KTI-63121 117 NC KTI-63120 116 9R KTI-63120 117 1R KTI-63121 117 NC KTI-63122 114 19 NC KTI-63120 116 9R KTI-63120 117 1R KTI-63120 114 9R KTI-63120 114 9R KTI-63120 114 9R KTI-63200 114 9R KTI-63200 114 9R KTI-63212 114 9R KTI-63220 114 9R KTI-63423 116 9R KTI-63423 118 1R KTI-63612 119 9R KTI-63620 119 9R KTI-63612 119 9R	Port No	Page	Warranty
KTI-55122 50 LT KTI-55133 50 LT KTI-55131 50 LT KTI-55132 50 LT KTI-55133 50 LT KTI-55133 50 LT KTI-55140 50 LT KTI-55141 50 LT KTI-55142 50 LT KTI-55143 50 LT KTI-55912 50 LT KTI-55934 50 LT KTI-56208 137 LT KTI-56209 137 LT KTI-57124 58 LT KTI-57124 58 LT KTI-57126 58 LT KTI-57224 58 LT KTI-57236 58 LT KTI-58705 49 LT KTI-58706 49 LT KTI-58809 49 LT KTI-58811 49 LT KTI-58811 49 LT KTI-61003 115 9R KTI-61075 115 9R KTI-61203 115 9R KTI-61212 115 9R KTI-63121 117 NC KTI-63122 116 9R KTI-63121 117 NC KTI-63121 117 NC KTI-63122 114 19 NC KTI-63120 115 9R KTI-63121 117 NC KTI-63120 116 9R KTI-63120 117 1R KTI-63121 117 NC KTI-63122 114 19 NC KTI-63120 116 9R KTI-63120 117 1R KTI-63120 114 9R KTI-63120 114 9R KTI-63120 114 9R KTI-63200 114 9R KTI-63200 114 9R KTI-63212 114 9R KTI-63220 114 9R KTI-63423 116 9R KTI-63423 118 1R KTI-63612 119 9R KTI-63620 119 9R KTI-63612 119 9R	KTI-55121	. 50	LT
KTI-55130	KTI-55122	. 50	LT
KTI-55131			
KTI-55132 50 LT KTI-55133 50 LT KTI-55140 50 LT KTI-55141 50 LT KTI-55142 50 LT KTI-55142 50 LT KTI-55912 50 LT KTI-55934 50 LT KTI-56208 137 LT KTI-56209 137 LT KTI-57124 58 LT KTI-57124 58 LT KTI-57126 58 LT KTI-58705 49 LT KTI-58705 49 LT KTI-58707 49 LT KTI-58717 49 LT KTI-58809 49 LT KTI-58811 49 LT KTI-60060 114 1Y KTI-61003 115 9R KTI-61203 115 9R KTI-61203 115 9R KTI-61203 115 9R KTI-62126 115 9R KTI-63102 116 9R KTI-63102 116 9R KTI-63102 116 9R KTI-63132 117 NC KTI-63145 117 1R KTI-63156 117 1R KTI-63166 117 1R KTI-63168 118 1R KTI-63208 114 9R KTI-63208 114 9R KTI-63208 114 9R KTI-63212 114 9R KTI-63208 114 9R KTI-63423 116 9R KTI-63423 116 9R KTI-63429 116 NC KTI-63429 116 NC KTI-63612 119 9R KTI-636704 120 1R KTI-63710 120 1R			
KTI-55133 50 LT KTI-55140 50 LT KTI-55141 50 LT KTI-55142 50 LT KTI-55143 50 LT KTI-55912 50 LT KTI-55934 50 LT KTI-56208 137 LT KTI-56209 137 LT KTI-57124 58 LT KTI-57124 58 LT KTI-57126 58 LT KTI-57126 58 LT KTI-58707 49 LT KTI-58707 49 LT KTI-58717 49 LT KTI-58811 49 LT KTI-58811 49 LT KTI-60060 114 1Y KTI-61003 115 9R KTI-61203 115 9R KTI-61206 115 9R KTI-61212 115 9R KTI-62126 115 9R KTI-63102 116 9R KTI-63102 116 9R KTI-63102 117 NC KTI-63130 117 9R KTI-63145 117 1R KTI-63156 117 1R KTI-63166 117 1R KTI-63166 117 1R KTI-6317 19R KTI-63195A 118 1R KTI-63195A 118 1R KTI-63202 114 9R KTI-63208 114 9R KTI-63208 114 9R KTI-63212 114 9R KTI-63208 114 9R KTI-63423 116 9R KTI-63501 118 1R KTI-63501 118 1R KTI-63612 119 9R KTI-63600 119 9R KTI-63600 119 9R KTI-63600 119 9R KTI-63600 119 9R KTI-63700 120 1R			
KTI-55140 50 LT KTI-55141 50 LT KTI-55142 50 LT KTI-55143 50 LT KTI-55934 50 LT KTI-56208 137 LT KTI-56209 137 LT KTI-57124 58 LT KTI-57124 58 LT KTI-57126 58 LT KTI-5724 58 LT KTI-5726 58 LT KTI-5786 58 LT KTI-58705 49 LT KTI-58707 49 LT KTI-58717 49 LT KTI-58811 49 LT KTI-58811 49 LT KTI-60060 114 1Y KTI-61003 115 9R KTI-61203 115 9R KTI-61206 115 9R KTI-61203 115 9R KTI-61206 115 9R KTI-63102 116 9R KTI-63102 116 9R KTI-63102 117 NC KTI-63130 117 9R KTI-63145 117 1R KTI-63156 117 1R KTI-63166 117 1R KTI-63166 117 1R KTI-63166 117 1R KTI-6317 114 119 NC KTI-63185 117 1R KTI-63195A 118 1R KTI-63195A 118 1R KTI-63202 114 9R KTI-63204 114 9R KTI-63208 114 9R KTI-63212 114 9R KTI-63208 114 9R KTI-63208 114 9R KTI-63208 118 1R KTI-63423 116 9R KTI-63600 119 9R KTI-63610 119 9R KTI-63610 119 9R KTI-63610 119 9R KTI-63710 120 1R			
KTI-55141 50 LT KTI-55142 50 LT KTI-55143 50 LT KTI-55934 50 LT KTI-56208 137 LT KTI-56209 137 LT KTI-57124 58 LT KTI-57124 58 LT KTI-57224 58 LT KTI-57236 58 LT KTI-58705 49 LT KTI-58707 49 LT KTI-58710 49 LT KTI-58811 49 LT KTI-58811 49 LT KTI-60060 114 1Y KTI-61003 115 9R KTI-61075 115 9R KTI-61206 115 9R KTI-61206 115 9R KTI-62120 115 9R KTI-62120 115 9R KTI-63102 116 9R KTI-63102 116 9R KTI-63102 117 17 KTI-63145 117 18 KTI-63156 117 18 KTI-63168 117 18 KTI-63168 117 18 KTI-63195A 118 1R KTI-63195A 118 1R KTI-63202 114 9R KTI-63202 114 9R KTI-63203 115 9R KTI-63204 114 9R KTI-63204 114 9R KTI-63208 114 9R KTI-63212 114 9R KTI-63212 114 9R KTI-63208 114 9R KTI-63212 114 9R			
KTI-55142 50 LT KTI-55143 50 LT KTI-55912 50 LT KTI-55934 50 LT KTI-56208 137 LT KTI-56209 137 LT KTI-57124 58 LT KTI-57124 58 LT KTI-57224 58 LT KTI-57236 58 LT KTI-58705 49 LT KTI-58707 49 LT KTI-588717 49 LT KTI-58889 49 LT KTI-58881 49 LT KTI-60060 114 1Y KTI-61003 115 9R KTI-61075 115 9R KTI-61212 115 9R KTI-61212 115 9R KTI-62126 115 9R KTI-63132 117 NC KTI-63130 117 9R KTI-63131 117 NC KTI-6316 117 18 KTI-63185 117 19 KTI-63185 117 19 KTI-63196A 118 1R KTI-63204 114 9R KTI-63208 114 9R KTI-63208 114 9R KTI-63212 NC KTI-63212 NC KTI-63212 NC KTI-63156 NC KTI-63156 NC KTI-6316 NC KTI-6320 NC KTI-6320 NC KTI-6320 NC KTI-63212 NC KTI-63213 NC KTI-63213 NC KTI-63214 NC KTI-63612 NC KTI-63610 NC KTI-63710 NC			
KTI-55912 50 LT KTI-55934 50 LT KTI-56208 137 LT KTI-56209 137 LT KTI-57124 58 LT KTI-57136 58 LT KTI-57224 58 LT KTI-57236 58 LT KTI-58705 49 LT KTI-58707 49 LT KTI-58710 49 LT KTI-58717 49 LT KTI-58809 49 LT KTI-68809 49 LT KTI-61003 115 9R KTI-61003 115 9R KTI-61203 115 9R KTI-61204 115 9R KTI-6212 115 9R KTI-63102 116 9R KTI-63121 117 NC KTI-63132 117 1Y KTI-63133 117 1Y KTI-63145 117	KTI-55142	. 50	LT
KTI-55934			
KTI-56208			
KTI-56209 137 LT KTI-57124 58 LT KTI-57136 58 LT KTI-57244 58 LT KTI-57236 58 LT KTI-58705 49 LT KTI-58707 49 LT KTI-58710 49 LT KTI-58717 49 LT KTI-58717 49 LT KTI-58809 49 LT KTI-58809 49 LT KTI-61003 115 9R KTI-61075 115 9R KTI-61203 115 9R KTI-61204 115 9R KTI-62100 115 9R KTI-63102 116 9R KTI-63121 117 NC KTI-63130 117 9R KTI-63130 117 9R KTI-63145 117 1R KTI-63156 117 1R KTI-63204 114 <td></td> <td></td> <td></td>			
KTI-57124			
KTI-57136 58 LT KTI-57224 58 LT KTI-57236 58 LT KTI-58705 49 LT KTI-58707 49 LT KTI-58710 49 LT KTI-58717 49 LT KTI-58811 49 LT KTI-58881 49 LT KTI-61003 115 9R KTI-61003 115 9R KTI-61003 115 9R KTI-61206 115 9R KTI-62120 115 9R KTI-62120 115 9R KTI-62120 115 9R KTI-63102 116 9R KTI-63102 116 9R KTI-63127 114-119 NC KTI-63132 117 1Y KTI-63145 117 1R KTI-63156 117 1R KTI-63195A 118 1R KTI-63204 <td< td=""><td></td><td></td><td></td></td<>			
KTI-57224			
KTI-58705			
KTI-58707			
KTI-58710			
KTI-58717			
KTI-58809			
KTI-58811 49 LT KTI-60060 114 1Y KTI-61003 115 9R KTI-611075 115 9R KTI-61203 115 9R KTI-61206 115 9R KTI-62120 115 9R KTI-62100 115 9R KTI-62126 115 9R KTI-63102 116 9R KTI-63102 116 9R KTI-63127 114-119 NC KTI-63130 117 9R KTI-63132 117 1Y KTI-63145 117 1R KTI-63156 117 1R KTI-63195A 118 1R KTI-63202 114 9R KTI-63204 114 9R KTI-63206 114 9R KTI-63208 114 9R KTI-63212 114 9R KTI-63213 116 9R KTI-63413 116 9R KTI-63423 116 9R KTI-63423 116 9R KTI-63429 116 9R KTI-63429 116 9R KTI-63421 118 1R KTI-63501 118 1R KTI-63511A 118 1R KTI-63512A 118 1R KTI-63512A 118 1R KTI-63612 119 9R KTI-63620 119 9R KTI-63620 119 9R KTI-63620 119 9R KTI-636704 120 1R			
KTI-60060			
KTI-61003			
KTI-61203			
KTI-61206	KTI-61075	. 115	9R
KTI-61212			-
KTI-62100			
KTI-62126	-	_	-
KTI-63102			
KTI-63121			
KTI-63130			
KTI-63132	KTI-63127	. 114-11	9NC
KTI-63145			
KTI-63156			
KTI-63185			
KTI-63195A			
KTI-63196A			
KTI-63202			
KTI-63206	KTI-63202		
KTI-63208			
KTI-63212	00200		
KTI-63212-RK 114			
KTI-63212W 114 9R KTI-63220 114 9R KTI-63220-RK 114 NC KTI-63227A 114 9R KTI-63413 116 9R KTI-63422 116 1R KTI-63423 116 9R KTI-63428 116 9R KTI-63429 116 NC KTI-63501 118 9R KTI-63501A 118 1R KTI-63501A 118 1R KTI-63511A 118 1R KTI-63612 119 9R KTI-63612 119 NC KTI-63620 119 9R KTI-63620 119 9R KTI-636704 120 1R KTI-63710 120 1R			
KTI-63220			
KTI-63220-RK 114			
KTI-63413	KTI-63220-RK	. 114	
KTI-63422			9R
KTI-63423		-	
KTI-63428			
KTI-63429			
KTI-63501 118 9R KTI-63503A 118 1R KTI-63511A 118 1R KTI-63512A 118 1R KTI-63612 119 9R KTI-63612-H12 119 NC KTI-63620 119 9R KTI-63704 120 1R KTI-63710 120 1R			
KTI-63503A			
KTI-63511A			
KTI-63612	KTI-63511A	. 118	
KTI-63612-H12 119NC KTI-63620 119 9R KTI-63704 120 1R KTI-63710 120 1R			
KTI-636201199R KTI-637041201R KTI-637101201R			
KTI-63704 120 1R KTI-63710 120 1R			
KTI-63710 120 1R			

		200
		Warranty
<u>Part No.</u> KTI-63800	<u>No.</u> 110	<u>Code</u> 1R
KTI-64001		NC
KTI-64005		NC
KTI-64006		NC
KTI-64008		NC
KTI-64105		10
KTI-64106		10
KTI-64108 KTI-70002		10
KTI-70002		LT
KTI-70005		
KTI-70006		
KTI-70007		
KTI-70008		
KTI-70009		
KTI-70010 KTI-70013		
KTI-70013 KTI-70014		
KTI-70015		
KTI-70016	57	NC
KTI-70017		
KTI-70018		
KTI-70019		
KTI-70020		
KTI-70021 KTI-70022		
KTI-70022		
KTI-70024		
KTI-70025		
KTI-70026		
KTI-70027		
KTI-70028 KTI-70029		
KTI-70029 KTI-70031		
KTI-70032		
KTI-70033	56	LT
KTI-70034	56	LT
KTI-70035		
KTI-70036		
KTI-70040 KTI-70045		
KTI-70045		
KTI-70060		
KTI-70060-1		
KTI-70061		
KTI-70062		
KTI-70063 KTI-70064		
KTI-70064		
KTI-70066		
KTI-70067		
KTI-70068	70	LT
KTI-70069		
KTI-70070	59	LT
KTI-70071 KTI-70072	59	LI
KTI-70072KTI-70073		
KTI-70073		
KTI-70075		
KTI-70076	59	LT
KTI-70077	59	LT
KTI-70078	59	L <u>T</u>
KTI-70079	59	Ll
KTI-70080 KTI-70081	70 7∩	LI T
KTI-70085		
KTI-70090	32	LT
KTI-70091		

	_	
Part No.	Page <u>No.</u>	Warranty Code
KTI-70092		LT
KTI-70093	-	
KTI-70094	-	
KTI-70095		
KTI-70096	-	
KTI-70097		
KTI-70131		
KTI-70132		
KTI-70133		
KTI-70160		
KTI-70163	-	
KTI-70182		
KTI-70183		
KTI-70184		
KTI-70186	-	
KTI-70188	-	
KTI-70166 KTI-70210		
	-	1Y
KTI-70211		LT
KTI-70212		LT
KTI-70215		1Y
KTI-70216		1Y
KTI-70220		NC
KTI-70300		
KTI-70301		
KTI-70302	. 71	LT
KTI-70303		LT
KTI-70304	. 71	LT
KTI-70305	. 71	LT
KTI-70306	. 71	LT
KTI-70311	. 72	LT
KTI-70312	. 72	LT
KTI-70313	. 72	LT
KTI-70321	. 72	LT
KTI-70322	. 72	LT
KTI-70323	. 72	LT
KTI-70330	. 73	LT
KTI-70343		LT
KTI-70344		LT
KTI-70348		
KTI-70350		
KTI-70355		
KTI-70356		
KTI-70360		
KTI-70365		· · · · · · · · · · · · · · · · · · ·
KTI-70370		
KTI-70370		LT
KTI-70371		LT
KTI-70375		LT
KTI-70380		LT
KTI-70380		LT
KTI-70383		LT
KTI-70384		LT
KTI-70384		1Y
KTI-70390		
KTI-70391	-	1Y 1Y
	-	
KTI-70393 KTI-70394		1Y
	-	1Y
KTI-70395		1Y
KTI-70396		
KTI-70397		
KTI-70440		
KTI-70450		
KTI-70461		
KTI-70500		
KTI-70510		
KTI-70540		
KTI-70541		
KTI-70545	. 57	LT

	<u>. No.</u> I-70546	Page	Warranty
<u>Part</u> ∠⊤i	: <u>No.</u> I 70546	<u>No.</u> 57	<u>Code</u> N.⊂
KTI	I-70546I-70550	. 57 60	NC
	I-70551		
	I-70600		
	I-70720		
ΚT	I-70721	66	LT
	I-70722		
	I-70723		
	I-70724		
	I-70725		
	I-70726 I-70727		
	I-70727 I-70728		
	I-70720 I-70730		
	I-70731		
	I-70732		
ΚT	I-70750	. 64	LT
KΤ	I-70816	. 60	LT
	I-70826		
	I-70900		
	I-70901		
	I-70903		
	I-70904		
	I-70905 I-70909		
	I-70909 I-70910		
	I-70915		
	I-70920		
	I-70921		
	I-70922		
ΚT	I-70999	. 62	
ΚT	I-71025	. 133	LT
	I-71100		
	I-71103		
	I-71105		
	I-71106 I-71108		
	I-71100 I-71200		LT
	I-71300		
	I-71301		
	I-71303		
ΚT	I-71306	. 133	LT
	I-71400		
	I-71420		
KT	I-71425	. 46	LT
	I-71475		
	I-71480 I-71501		
KT	I-71502	. 70 76	LT
	I-71519		
ΚT	I-71550	. 77	LT
KΤ	I-71555	. 77	LT
	I-71600		
	I-71606		
	I-71612		
	I-71616		
	I-71620		
	I-71700 I-71708		
	I-71708 I-71714		
ΚT	I-71714 I-71715	. 51	NC
	I-71716		
ΚT	I-71724	. 50	LT
ΚT	I-71725	. 51	LT
ΚT	I-71732	. 51	LT
KΤ	I-71733	. 51	N <u>C</u>
	I-71751		
ĸΙ	I-71772	. ວ∪	Ll



Part No.	Page <u>No.</u>	Warranty Code
KTI-71782		NC
KTI-71783		NC
KTI-71910	. 81	LT
KTI-71920	. 81	LT
KTI-71921	-	
KTI-71922		
KTI-71923		
KTI-71924		
KTI-71925 KTI-71926		LT
KTI-71920	-	LT
KTI-71930		NC
KTI-71931		NC
KTI-71932		NC
KTI-71933		NC
KTI-71934		
KTI-71935		
KTI-71940		
KTI-71980		
KTI-71981 KTI-71982		
KTI-71982		
KTI-71985		
KTI-71987-2		-
KTI-71987-3		
KTI-71987-4		
KTI-71987-5		NC
KTI-71987A		3Y
KTI-71989		3Y
KTI-71990A		3Y
KTI-71991		-
KTI-71992 KTI-71993		NC NC
KTI-71995		LT
KTI-71997		
KTI-71999		3Y
KTI-72025	. 134	90
KTI-72035	-	90
KTI-72050		90
KTI-72092	-	
KTI-72095 KTI-72100		90
KTI-72100		9R
KTI-72101		-
KTI-72117		-
KTI-72118		
KTI-72120	. 86	1R
KTI-72121		
KTI-72125		
KTI-72126	. 86	1R
KTI-72130 KTI-72132		
KTI-72132 KTI-72140		
KTI-72140		-
KTI-72142		
KTI-72143		
KTI-72145	. 86	9R
KTI-72175		
KTI-72176		
KTI-72200	. 67	90
KTI-72205		
KTI-72250 KTI-72260		
KTI-72200		
KTI-72320		
KTI-72330	. 59	LT
KTI-72340	. 59	LT
KTI-72345		

Part No.	Page No.	Warranty Code
<u>Part No.</u> KTI-72355	. 58	LT
KTI-72355-1	. 58	NC
KTI-72450		
KTI-72451	_	
KTI-72460 KTI-72465		LT LT
KTI-72505	-	
KTI-72512		
KTI-72514		
KTI-72523		
KTI-72543		
KTI-72553		
KTI-72612 KTI-72625		
KTI-72025		
KTI-72770		
KTI-72771	. 65	NC
KTI-72780		
KTI-72781		
KTI-72782		
KTI-72790		
KTI-72791 KTI-72792		
KTI-72792 KTI-72801		
KTI-72802		
KTI-72900		
KTI-72901	. 52	LT
KTI-72901K	-	
KTI-72911		
KTI-72912		
KTI-72913 KTI-72914	. 52	LI
KTI-72914		
KTI-72916		
KTI-72921		
KTI-72922		
KTI-72923		
KTI-72924		
KTI-72925 KTI-72931		
KTI-72931		
KTI-72980		
KTI-72982		
KTI-72984		
KTI-72986		_
KTI-72988		
KTI-73000 KTI-73012	. 52	LI
KTI-73012	. 52 52	L1
KTI-73020	52	IT
KTI-73024	. 52	LT
KTI-73028	. 52	LT
KTI-73104	. 57	NC
KTI-73104-1		
KTI-73105		
KTI-73201 KTI-73202		
KTI-73202		
KTI-73304	. 98	NC
KTI-73305	. 98	NC
KTI-73306		
KTI-73307		
KTI-73310		
KTI-73311 KTI-73312		
KTI-73312 KTI-73315		
KTI-73318		
KTI-73330		

	_	
Part No.	Page <u>No.</u>	Warranty <u>Code</u>
KTI-73332		90
KTI-73333		90
KTI-73333	-	
	-	90
KTI-73335		90
KTI-73340	-	90
KTI-73341	-	90
KTI-73342	-	90
KTI-73343	. 92	90
KTI-73345	. 92	90
KTI-73346	. 92	90
KTI-73348	92	90
KTI-73349	-	NC
KTI-73350		NC
KTI-73350		NC
KTI-73355		NC
KTI-73356		NC
KTI-73357		NC
KTI-73358	. 93	90
KTI-73359	. 93	90
KTI-73360	. 93	90
KTI-73361	93	90
KTI-73362		90
KTI-73363		90
KTI-73370	-	90
KTI-73371	-	NC
KTI-73372		90
KTI-73375	. 97	90
KTI-73380	. 92	90
KTI-73381	. 92	90
KTI-73391	. 95	90
KTI-73392		90
KTI-73393		90
KTI-73394		90
KTI-73395		90
KTI-73400		
KTI-73400		NC
		_
KTI-73550		NC
KTI-73560		NC
KTI-73600		
KTI-73601		
KTI-73602		
KTI-73603		
KTI-73605	. 69	LT
KTI-73606	. 69	LT
KTI-73613	. 69	LT
KTI-73614	. 69	LT
KTI-73615	. 69	LT
KTI-73616	. 69	LT
KTI-73618	69	IT
KTI-73619		
KTI-73620		
KTI-73620		
KTI-73701		
KTI-73701-50		
KTI-73730		
KTI-73731		
KTI-73801		
KTI-73802		
KTI-73803	. 54	90
KTI-73810		
KTI-73811	. 54	90
KTI-73812		
KTI-73813		
KTI-73814		
KTI-73830		
KTI-73831		
KTI-73832		
KTI-73832	. 54 54	 nn
NTI-13033	. 54	90

	Page	Warranty
<u>Part No.</u> KTI-73834	<u>No.</u>	<u>Code</u>
K11-73834	. 54	90
KTI-73849 KTI-73850		90
KTI-73851		
KTI-73861		
KTI-73862		
KTI-73864		
KTI-73870	-	
KTI-73871		
KTI-73873		
KTI-73900	. 67	90
KTI-74005		
KTI-74010		
KTI-74015		
KTI-74020		
KTI-74025		
KTI-74030	. 55	NC
KTI-74103		NC
KTI-74106		
KTI-74107		
KTI-74108 KTI-74301		NC
KTI-74306		1R 1R
KTI-74308		
KTI-74300		
KTI-74311		
KTI-74313		
KTI-74324		
KTI-74325		
KTI-74336		
KTI-74355	. 104	1R
KTI-74375	. 104	1R
KTI-74386	. 104	1R
KTI-74500	. 102	1Y
KTI-74505	. 102	1Y
KTI-74510		1Y
KTI-74521		1Y
KTI-74522		1Y
KTI-74525	. 102	NC
KTI-74530	. 102	1Y
KTI-74535 KTI-74601-1		NC
KTI-74601-1		NC
KTI-74601-12 KTI-74602-1	67	NC
KTI-74602-11		
KTI-74603		
KTI-74604		
KTI-74630	. 68	NC
KTI-74900		90
KTI-74951	. 106	90
KTI-74956	. 106	90
KTI-74957	. 107	NC
KTI-74958		NC
KTI-74959		NC
KTI-74961	. 106	1Y
KTI-74971		1Y
KTI-74981	-	1Y
KTI-75004		9R
KTI-75004-16 KTI-75004-6	. 1∠∪	NC
KTI-75004-6 KTI-75004-9	. 1∠∪	NC
KTI-75004-9	. 1∠∪	9R
KTI-75020	. 120	NC
KTI-75020 5		1Y
KTI-75100	. 109	NC
KTI-75105		1Y
KTI-75140	. 108	1Y
KTI-75141		1Y



	Page	Warranty
Part No.	No.	Code
KTI-75142		1Y
KTI-75143		1Y
KTI-75145		1Y
KTI-75201		LT
KTI-75202	. 76	LT
KTI-75300		
KTI-75305	. 151	1Y
KTI-75310		
KTI-75311		LT
KTI-75312		LT
KTI-75320		
KTI-75320		LT
KTI-75321		
		LT
KTI-75323		
KTI-75324		LT
KTI-76000		LT
KTI-76004	. 136	NC
KTI-76040		NC
KTI-76070		NC
KTI-76110	. 136	NC
KTI-76140	. 136	NC
KTI-76145	. 136	NC
KTI-76180	. 136	NC
KTI-76240	136	NC
KTI-76360	136	NC
KTI-77070		NC
KTI-77140		NC
KTI-77140 KTI-78004		NC
KTI-78040		_
		NC
KTI-78070		NC
KTI-78110		NC
KTI-78140	. 136	NC
KTI-78145		NC
KTI-78180		NC
KTI-78240	. 136	NC
KTI-78360		NC
KTI-79100	. 58	LT
KTI-79110		LT
KTI-79200	. 134	NC
KTI-79201		NC
KTI-79205		NC
KTI-79210		NC
KTI-79215		NC
KTI-79216		NC
KTI-79210 KTI-79217		NC
KTI-79217 KTI-79220		NC
KTI-79225		NC
KTI-80955		1R
KTI-80989		NC
KTI-80995		1R
KTI-80996		NC
KTI-80998		1R
KTI-81380	. 129	1R
KTI-81550	. 122	1R
KTI-81560	. 122	1R
KTI-81622	. 122	1R
KTI-81631		
KTI-81632		
KTI-81772	. 122	
KTI-81775		
KTI-81775 KTI-81797		1R 1R
KTI-81797 KTI-81798		
KTI-81798 KTI-81900		1R
		LT
KTI-81956		LT
KTI-81958		LT
KTI-81959		LT
KTI-81968		L <u>T</u>
KTI-81972	. 130	LT

	Page	Warranty
<u>Part No.</u> KTI-81973	<u>No.</u> 130	<u>Code</u> LT
KTI-81974		LT
KTI-81975		LT
KTI-81976		LT
KTI-81977		LT
KTI-81979		LT
KTI-81981 KTI-81982		LT LT
KTI-81986		LT
KTI-81995		LT
KTI-81996	. 130	LT
KTI-81997	. 130	LT
KTI-82500		
KTI-82503		1R
KTI-83090 KTI-83091		NC
KTI-83092		NC
KTI-83093		NC
KTI-83275		1R
KTI-83277		
KTI-83280		
KTI-84218 KTI-84227	. 124	
KTI-84227 KTI-84228		
KTI-84229		
KTI-84230		
KTI-84291	. 124, 1	32NC
KTI-84292		32NC
KTI-84390		32NC
KTI-85003		NC
KTI-85004 KTI-85005		NC
KTI-85006		NC
KTI-85007		NC
KTI-85008	. 133	NC
KTI-85265		1R
KTI-85695		NC
KTI-85696 KTI-85697		NC
KTI-85746	. 133	1NC
KTI-85800		1R
KTI-85810	. 133	NC
KTI-85811		NC
KTI-85846		1R
KTI-85866 KTI-86800		
KTI-80800		
KTI-87126		
KTI-87128		
KTI-87129		
KTI-87130		
KTI-87131		
KTI-87132 KTI-87133		1R 1R
KTI-87140		NC
KTI-87141	. 132	NC
KTI-88255		1R
KTI-89001		1Y
KTI-89002		1Y
KTI-89003 KTI-89110		1Y 1R
KTI-89110 KTI-89115		1R
KTI-89191		NC
KTI-89193		NC
KTI-89194	. 131	NC
KTI-89218		1R
KTI-89220		NC
KTI-89275	. 123	1R

ACCUTORQ

ACCUTORQ		
Part No. ACC-10-0103	Page	Warranty
Part No.	NO.	Code
ACC-10-0103	84	LI
ACC-10-0304		
ACC-10-0305	85	LI
ACC-10-0306		
ACC-10-0307	85	LT
ACC-10-0308	85	LT
ACC-10-0309	85	LT
ACC-10-0310		
ACC-10-0311	85	LT
ACC-10-0312		
ACC-10-0313	85	LT
ACC-10-0314	82	LT
ACC-10-0315	82	LT
ACC-10-0317		
ACC-10-0319		
ACC-10-0321	83	IT
ACC-10-0322		
ACC-10-0323	83	IT
ACC-10-0324		
ACC-10-0326	83	IT
ACC-10-0320	85	LT
ACC-10-0327	05	LT
ACC-10-0328 ACC-10-0329	05	LI
ACC-10-0334		
ACC-10-0336		
ACC-10-0337	85	LI
ACC-10-0338		
ACC-10-0339	85	LT
ACC-10-0340	85	LT
ACC-10-0341		
ACC-10-0342		
ACC-10-0343	85	LT
ACC-10-0449		
ACC-10-0450	84	LT
ACC-10-0451	84	LT
ACC-10-0455	84	LT
ACC-10-3898	85	LT
ACC-10-3899	85	LT
ACC-20-3055		
ACC-20-3056	85	LT
ACC-20-3100	84	IT
ACC-20-3345	85	IT
ACC-20-3360		
ACC-20-3900		
ACC-20-3901		
ACC-20-3901		
ACC-20-3902 ACC-20-3903		
ACC-20-3903 ACC-20-3904		
ACC-20-3908	05	LI
ACC-20-3909	δ5	LI
ACC-20-3910	δ5	LI
ACC-20-3911	85	<u>L I</u>
ACC-20-3918	85	LI
ACC-20-3919	85	LT
ACC-20-3920	85	LT
ACC-20-3921	85	LT
ACC-20-4000	84	LT

ACC-20-4100..... 84......LT

GLASS	SMASTE	F
Part No.		

Part No.	<u>No.</u>	Code
KTD-72002	61	NC
KTD-72004	61	NC
KTD-72502	61	NC
KTD-74003	61	NC
KTD-74004	61	NC
KTD-74503	61	NC
KTD-76003	61	NC
KTD-76503	61	NC
KTD-77601	61	1Y


MAG-CLIP

WAC OLI		
Part No.	Page	Warranty
Part No.	<u>No.</u>	<u>Code</u>
MC-72400	111	LI
MC-72401	111	LT
MC-72402	111	LT
MC-72403	111	LT
MC-72404	111	LT
MC-72405	111	LT
MC-72421	111	LT
MC-72422	111	LT
MC-72423	111	LT
MC-72424	112	LT
MC-72425	112	LT
MC-72426	112	LT
MC-72441	112	LT
MC-72442	112	LT
MC-72443	112	LT
MC-72453	112	LT
MC-72455	112	LT
MC-72460		

WARRANTY CODE KEY

LT	Lifetime Warranty
9R	90-day Repairable
90	90-day Warranty
30	30-day Warranty
1R	1-year Repairable
1Y	1-year Warranty
2R	2-year Repairable
2Y	2-year Warranty
3R	3-year Repairable
3Y	3-year Warranty
5Y	5-year Warranty
10	10-year Warranty
NC Not	covered/consumable
R	Renair Item Only

NOTE: Warranties are subject to change. All warranty issues are handled on an individual basis and are subject to final approval by K-Tool International.





Index by Category

Α	
Abrasive Discs	133
Adapters and Reducers	
Adjustable Wrenches	
Air Cut Off Tool	
Air Die Grinders	
Air Drills	
Air Hammer Bit Retainers	
Air Hammers	
Air Hoses	
Air Impacts	
Air Nibbler	
Air Punch and Flange Tool	
Air Ratchet Head Repair Kits	
Air Ratchets	
Air Regulator	
Air Riveters	
Air Sanders/Polishers	
Air Shears	
Allen Hex Keys	50
Allen Hex Sockets	14
Angle Grinder	129
Antifreeze Tester	100
Automatic Center Punch	52
Awl	
В	
Ball Joint Service Kit	77
Ball Joint Tools	
Barrel Pump	
Battery Booster Cables	
Battery Booster/Charger	
Battery Cable Ends	
Battery Chargers	
Battery Terminal Brush	100
Battery Tester	100
Bearing Separators	75
Bench Grinder	114
Bleeder Screw Kit	
Body Clip Plier	137
Body Repair Kits	
Bolt Cutter	
Bottle Jacks	
Brake Adapter Kits	
Brake Line	
Brake Line	
Brake Tools	
Brass Hammers and Punches	
Breaker Bar (Flex Handles)	
Brushes	
Budd Wheel Sockets	,
Butane Fuel	60
Butt Connectors	153, 156
C	
Caliper (digital)	60
Carts - Service/Utility	
C-Clamps	
Chisels	
Circuit Testers	
Combination Wrenches	
Cotter Pin Kits	
Cranes	116

C (cont'd)	
Creepers	106-107
Crowfoot Wrenches	
Cup Brushes	
Cut Off Arbor	
Cut Off Wheels	
D	
D	
Dent Puller Kits	77
Diagonal Cutters	
Displays	164-178
Distributor Wrench	
Drain Plug Gaskets	155-156
Drain Plugs	155-156
Drill Bits	13
Drill Chucks	
Driii Oridoko	
Б	
E	
E-clip Kit	
Electric Impact	
Electrical and Hardware Kits138-14	
Electrical Connectors	142-143
Electrical Terminals	
Electrical Wire	
Engine Stands	
Extension Cords	
Extensions	
External Torx Sockets	13-1
F	
Fender Covers	60
Files	
Flare Nut Wrenches	
Flaring Tool	
Flex Handles	
Flip Sockets	
Fluorescent Lights	94-98
Fuel Line and Components	
Fuel Line Assembly Tools	
Funnels	67-68
Fuse Kits	2, 156-157, 160
Fuses140-14	
	, - ,
G-H	
Glass Cleaning Tool	0.
Grease Fittings	144
Grease Gun - Air Operated	
Hacksaws	
Hammers	50-51, 167
Heat Blankets	6′
Heat Shrink Tubing	
Heating Element Socket	
Hex Keys	
Hitch Pin Kit	
Hydraulic Jacks	
Hydraulic Presses	119
I-J	
Impact Driver	
inipact Birror initialistic	32
Impact Socket Sets	
Impact Socket Sets	26-3
	26-3 ²



Index by Category

L-M
Letter Stamps - Metal60
Lighting
Lighting Accessories / Parts98
Locking Pliers
Long Ram Jacks
Lug Nut Remover Kit.32Lug Wrenches.82
Magnet - Telescoping
Magnetic Parts Tray
Magnetic Tool Organization
McPherson Strut Tools74
Mini Pick Sets59
Mirrors - Telescoping63
N O
N-O Needle Nose Pliers48, 166
Needle Scaler
Number Stamps - Metal
Nut Drivers
Nylon Ties/Tools
Oil Filter Cap Sockets32, 168
Oil Filter Pliers68, 168
Oil Filter Wrenches
Oil Sending Unit Socket32
O-Ring Assortments
Oxygen Sensor Socket32
Р
Pallet Jack
Parts Cleaning Tank
Pinch Off Pliers64
Pipe Wrenches45, 166
Pitman Arm Puller74
Pliers / Pliers Sets
Pneumatic Bits
Polisher - Orbital Waxer
Pry Bars 4 Pullers 71-75, 168
Punches and Chisels
T difference and officers
R
Ratcheting Box Wrenches
Ratcheting Tie Downs
Ratcheting Wrenches
Ratchets
Rivet Gun
Rubber Mallet51
Rubber Straps54
_
\$
Sander Pads
Sanding Pen
Scrapers 56-57, 167 Screw Extractors 60
Screwdriver Bits
Screwdrivers
Serpentine Belt Tool
Shrink Tube Kits
Shrink Tubing143, 153, 157
Siphon Pump67
Slide Hammer Set77
Sliding T-Handle
Snap Ring Kits
Snap Ring Pliers50, 167

S (cont'd)
Socket Sets - Chrome
Socket Sets - Impact
Sockets - Chrome
Sockets - Impact
Spark Plug Extractors7
Spark Plug Gauge6
Spark Plug Sockets3
Specialty Kits
Spindle Nut Sockets2
Spinner Handle1
Spray Gun Accessories13
Spray Guns12
Spring Compressors74-7
Steering Wheel Puller7
Stoplight Switch Socket3
Stretch Belt Tools6
Stretch Cords5
Т
Tamper Proof Torx13, 1
Tape - Electrical, Duct, Pipe Thread5
Tape Measures5
Tie Rod Tools
Tire Inflator/Gauge8
Tire Wrench 4-way8
Tool Cart / Service Cart
Torq Screwdrivers3, 16
Torque Limiting Sockets
Torque Wrenches
Torx Socket Sets
Tow Ropes, Straps50, 16
TPMS Tools and Accessories
Transmission Jacks11
Treadle Pump11
Trolley Jacks11
Trouble Lights
Truck Wheel Sockets
Tubing Bender5
Tubing Cutters5
U-V-W
Universal Joints
Upholstery Tools
Utility Cutter
Vacuum Tees144, 155, 15
Vises
Washer Kits16
Wheel Bearing Locknut Set
Windshield Knife5
Windshield Removing Tool5
Wire
Wire Connectors
Wire Looms
Wire Strippers
Wire Ties
Wire Wheels
Wrenches



WARRANTY POLICY

LIFETIME WARRANTY

K-Tool International hand tools are warranted against defects in material or workmanship for the life of the tool. Improper use of a tool will void its warranty. Exceptions to this warranty are as follows:

KTI Hand Tools	Lifetime warranty. Excludes adapters.
KTI Torque Wrenches - USA	
KTI Torque Wrenches - Taiwan	
KTI Lighting	90 Day Limited. Repairable item. Bulbs are not covered.
KTI Pullers - USALimited lifetime on parts. W	/e will not warrant entire tool, credit issued for defective part.
KTI Pullers - Taiwan	
KTI Equipment	Orange Series equipment carries a full 90 day warranty.
Blue "Pro" Series equipment carries a one (1) year warranty. Reti	urn within warranty period for repair or replacement unit at the
option of the service center. Brand new defectives must be return	ned in original box. Customer must pay freight to K-Tool
International; KTI will return unit freight prepaid.	
Body Repair Kits	•
Rams	•
KTI Hydraulics - Floor Jacks	• , ,
Blue "Pro" Series equipment carries a one (1) year warranty. Re	
the option of the service center. Jacks (orange) have a partial o	ne (1) year warranty. If unit fails between 91days and one
(1) year, unit will be replaced with a reconditioned unit or custome	
Brand new defectives must be returned in original box. Custome	r must pay freight to K-Tool International; KTI will return unit
freight prepaid.	
KTI Hydraulics - Bottle Jacks	
Blue "Pro" Series equipment carries a limited one (1) year warrar	
repair or replacement unit at the option of the service center. 20	
Bench Grinder	
Vises	
Battery ChargersOne (1) year repair	
Battery Boosters (Jump-Start Units)	
Battery Testers	
Electrical	
Air Hoses	
Test Equipment	
Expendibles, Non-Metal Products	
Repair Parts	
AccuTorq	
sockets with manufacturing code of A though H (prior to 1995). S	Sockets date coded "I" and after are covered by the lifetime
warranty.	
Economax	
KTIp.s.t. Three (
item. Return to K-Tool International for repair or replacement at	•
Mag-Clip	
MEGAHAMMERO	ne (1) year warranty against manufacturer's defects. Return
to K-Tool International for repair or replacement at our option.	

All returns on noted exceptions must be accompanied by a sales receipt.

Do NOT, under any circumstances, attempt to repair or make any adjustments on your tool, as this will VOID your warranty.

Should you experience a problem within your warranty period, ship prepaid to:

WARRANTY CENTER

31133 Wixom Road, P.O. Box 1004 Wixom, Michigan 48393-1004

^{*}Repairs required as a result of abuse, misuse, damage or repair attempts made by others are not covered by this warranty.



AIR TOOL WARRANTY POLICY

ONE (1) YEAR LIMITED WARRANTY *30 day over-the-counter replacement

Requirements for all warranty repairs:

- Proof of purchase Sales receipt must accompany all repairs.
- Warranty card must be on file within 30 days from date of purchase.

K-Tool International air tools are warranted against defects in workmanship for one (1) year from the date of purchase*. We will repair or replace, at our option, any defective part or unit which proves to be defective in material or workmanship within the warranty period. Should an air tool fail within the first 30 days after purchase date, it may be returned to the place of purchase for a free replacement*. The foregoing obligation is K-Tool International's sole liability under this or any implied warranty, and under no circumstances, shall it be liable for any incidental or consequential damages.

This warranty applies to the basic tool. It does not apply to normal wear and tear on attached accessories/consumable products, such as drill chucks, backing pads for sanders, punch and die for nibblers, air hammer retainers, spray gun cups or "kit" accessories, etc.

*Repairs required as a result of abuse, misuse, damage or repair attempts made by others are not covered by this warranty.

Do NOT, under any circumstances, attempt to repair or make any adjustments on your tool, as this will VOID your warranty.

Suggested instructions for maximum air tool efficiency:


- Your tool should be oiled daily when in use with a non-detergent type oil. Manufacturer recommends 4 - 5 drops of type "A" transmission oil or air tool oil be applied through the rear inlet. If possible, a fog type oiler is recommended.
- Check your compressor daily for excess water. Moisture greatly affects the efficiency of tool
 operation and may void warranty.
- Use recommended air pressure (not to exceed 90 psi). For maximum performance, air compressor must be capable of maintaining approximately 90 psi.
- 3/8" air hose and fittings are recommended for optimum operation of tools.
 1/2" air hose for 3/4" or 1" impact wrenches is required to maximize performance.
- · An oil/water extractor is necessary for spray guns.

Notice: Warranty repair will not be performed on a spray gun that has not been cleaned. Item must be cleaned before it is sent for repair, or spray gun will be returned collect, with no repairs performed.

Should you experience a problem within your warranty period, ship prepaid to:

WARRANTY CENTER

31133 Wixom Road, P.O. Box 1004 Wixom, Michigan 48393-1004





Safety Information

For your safety, please read and understand the following safety guidelines.

Never misuse a tool. Improper use of a tool will shorten its life.

ALWAYS wear safety goggles to protect eyes. Keep your tools clean.

Never use a broken tool. Keep all tools out of the reach of children.

AccuTorq®:

Wear protective goggles. Never hold with hands while tightening. Never use torque sockets to remove lug nuts. When tightening lug nuts, use the criss-cross wheel nut tightening sequence.

Battery Chargers:

Wear protective goggles. Charger must be OFF when connecting or disconnecting leads. Do not smoke, strike a match or cause a spark in vicinity of battery during charging. All clamps and connections should be tight and clean. Replace defective cords and wires immediately. Do not start car with charger clips connected to battery.

Grinders, Grinding Wheels and Air Tool Accessories:

Wear protective goggles. Do not operate power tools at speeds that exceed their maximum rated rpm. Power tool accessories can break, causing particles to fly. Avoid injury by using eyeshields and guards.

Hammers

Wear protective goggles. Always use a hammer that is suitable for the job. Head diameter should always exceed the object being struck, such as a punch or chisel. Do not strike a tool that shows distress.

KTIp.s.t.® TPMS Activation Tool

Product emits magnetic and electromagnetic waves that may interfere with the safe operation of pacemakers. Individuals who have pacemakers should never use this product. Do not use any harsh chemical solvents to clean tool. Do not use tool where contact or immersion in water is possible. Never spill liquid of any kind on the tool. Do not use or store the tool where it is exposed to direct sunlight or excessive moisture. Do not operate tool in the vicinity of open containers or flammable liquids. Do not operate tool with battery cover removed.

Lifting Equipment:

Do not exceed the rated capacity of jack or jack stands. Use jacks only on strong level surfaces. Collapse of lifting equipment can cause serious injury. Do not work on a vehicle supported by a jack, use jack stands.

MEGAHAMMER®:

Lock nut on hub removal tool must be tight to protect against thread damage. Slide shaft thread to be engaged into base plate thread so it is flush with inside edge of base plate thread. Use countersunk holes ONLY for proper grip on studs. Use outboard support to help prevent tool and wheel assembly from dropping to floor. Do not stand behind tool when in use. Tool is heavy. Use extreme caution when lifting. Keep extremities clear of pinch points. Always wear eye protection when using hub removal tool. Locking pin must be in place when not in use. Not responsible for damage to vehicle.

Pliers:

Wear protective goggles. Broken tips or cut material can fly.

Power Tools:

Wear protective goggles. Always read instructions before using a power tool. Flying particles can cause injuiry. Use hearing protection when exposed to noise for prolonged periods of time. Do not misuse power tools.

Prybars:

Wear protective goggles. Do not strike a prybar. Prybars may cause loose material to fly. Do not use if chipped or cracked.

Pullers:

Wear protective goggles. Be sure that center screw threads are clean and well lubricated. Be sure the puller is seated properly, do not use on an angle. Do not overstress the puller, always use the largest size possible to do the job efficiently. Never use a puller with worn or damaged parts.

Punches/Chisels:

Always wear protective goggles. Regrind a dull chisel to its original shape when the cutting edge becomes dull. Use a punch or chisel holder to prevent injury. Never use a broken punch or chisel.

Ratchets:

Ratchet mechanism may slip or break if parts are worn or dirty. Frequently clean and lubricate.

Screwdrivers:

Wear protective goggles. Never use a screwdriver for prying, punching, chiseling or scraping. Be sure tip width and thickness are appropriate for slot size.

Sockets (Hand):

Wear protective goggles. Be sure to always choose the appropriate type of socket based on its application. Do not use hand sockets on power tools.

Sockets (Impact):

Wear protective goggles. Flexible sockets and swivel joint tools rotate under power during use and should not be held. Using broken tools can cause serious injury.

Spray Guns:

Wear protective goggles.

Tie Downs/Stretch Cords:

Wear protective goggles when stretching, fastening or releasing hooks. A rebounding hook is dangerous. Do not use if product appears frayed or worn, or if the hook has been bent or otherwise tampered with. Do not stretch a stretch cord beyond 50% of its unstretched length. Do not expose to extreme stress or incorrect use. Do not exceed the maximum working load.

Tow Straps/Ropes:

Do not expose to extreme stress or incorrect use. Working load requirement should be evaluated by user before choosing the appropriate assembly. Always check anchor points. Never use if webbing is worn or frayed.

Wrenches:

Wear protective goggles. Do not over-torque. Avoid excess force on crowfoot or flare nut wrenches. Always use correct size.



Notes	



K-TOOL INTERNATIONAL WIXOM. MI 48393

WIXOM. MI 48393
WWW.KTOOLINTERNATIONAL.COM
PART No. KTI-CAT

