



Perfect[®]
EQUIPMENT



2014 CATALOG



Perfect[®]
EQUIPMENT



celebrating success.



OUR BRAND IS A PROMISE

For 75 years Perfect Equipment has maintained its passion for high quality and ingenuity in everything that we do. A wheel weight by any other name just isn't the same.

UNDERSTANDING YOUR NEEDS

At the end of the day we simply want to help you get the job done right the first time, every time. That means you require the right products and the right quality. We are here to deliver exactly that.





GIVING YOU A PARTNER

Sometimes you need more than just products, you need a partner. Someone that's always there. For 75 years we have been providing our customers with the products, tools and service they demand.



ON THE LEADING EDGE

Just because the product is small, the amount of innovation packed inside it doesn't have to be. History has shown that we are on the leading edge when it comes to delivering forward thinking ideas.

PROVIDING SOLUTIONS

We understand that every business is different and that every customer is important. That's why we continue to deliver multiple solutions. Options give you the freedom of choice.



**Non-Lead
Balance Weights**

**P
BLACK**



DELIVERING VALUE

When you combine our high-quality products with our best in class service and programs, it is clear to see why we have been the industry leader for 75 years. We deliver value.

TABLE OF CONTENTS

About Us			8-9
Explaining Imbalance			10-11
Non-Lead Transition			12
Clip-On Wheel Weights	Passenger car & light truck	Zinc	14-15
		Steel	16-17
		Lead	18-19
	Heavy-duty truck	Zinc	21
		Lead	22-23
Clip-On & Adhesive Installation Instructions			24
Adhesive Wheel Weights	Passenger car & motorcycle	Steel	26-27
		Lead	28
	Heavy-duty truck	Steel	30
		Lead	31
Clip-On Assortment Kits		Zinc	33
		Steel	34
		Lead	35
Accessories & Tools			37-39
Complete Part Number Reference			41-47



Factory photo from 1950's



Advertisement from *Automotive Digest*, 1951



Engineers hard at work in the early 1960's

Serving our customers for 75 years and counting

The Perfect Equipment brand has been delivering wheel weights to customers since 1939 - longer than any other brand in the business. Founded by William P. Smissen only a few short years after the original patent for the clip-on wheel weight was issued in 1932, Perfect Equipment has been on the forefront of technology ever since. As we move forward, we will continue our tradition of innovation and quality, and just as our tagline states, we are 'balancing the future.'



Original patent drawing for pre-segmented adhesive weight



A brand with global reach

Perfect Equipment is a brand of the WEGMANN automotive family of brands. WEGMANN automotive has a long history of success and features companies and brands all over the world. With fully owned and operated manufacturing, distribution and sales facilities strategically located worldwide, WEGMANN automotive is able to provide a supply chain advantage that no other wheel balance weight manufacturer can match.



2013 Chrysler Emerging Supplier of the Year Award



Committed to excellence

Perfect Equipment is a proud recipient of many of the industries' top awards and certifications.

Some of our achievements

- ISO/TS-16949 Quality Systems Certified
- ISO-14001 Environmental Systems Certified
- Ford Q1 Certified Facility
- GM Excellence Award Winner
- GM Best Practices Award Winner
- Chrysler Pentastar Award Winner
- Nissan Zero Defects Award Winner

Supplying more OEMs than anyone else in America

Perfect Equipment has been supplying the OEM market since the beginning of the wheel balance industry and has worked with some of North America's leading manufacturers for more than 40 years.



Highest capacity available

Perfect Equipment is a global brand and with the WEGMANN automotive network of manufacturing and distribution facilities strategically located all over the globe, we feature unmatched capacity in the wheel balance industry.

Customer service focused

One of our top priorities is to continually provide our customers with the best and fastest customer service available. Regardless of your question or issue, give us a call at our SERVICE FIRST LINE and you will immediately speak directly with a representative that can help you. Dial us today and see for yourself!



ZINC TYPE	STEEL TYPE	LEAD TYPE
PZ	PST	P
AWZ	AWST	AWN
MCZ	MCST	MCN
LHZ	LHST	LH
IAWZ	IAWST	IAW
ENZ	ENST	EN
FNZ	FNST	FN
TZ	TST	TN
ADHESIVE	ADHESIVE	ADHESIVE


Providing full lines in three different raw materials

No one offers more series of wheel balance weights than Perfect Equipment. We have been in the wheel balance weight industry for 75 years, longer than anyone else, and we constantly strive to deliver the options you need to be successful. Regardless of your material preference, we've got you covered.

EXPLAINING IMBALANCE


What is wheel assembly imbalance?

Nearly every wheel and every tire has some type of imbalance. When made, wheels and tires inherently feature a heavy spot, or an imbalance, which must be corrected if the wheel assembly is to roll true while driving at highway speeds. There are two types of imbalance: static imbalance and dynamic imbalance. Static imbalance is caused by a heavy-spot located on the circumference of an assembly and can cause wheel tramp, or a severe bouncing of the assembly when in motion. Dynamic imbalance is caused by a heavy-spot outside of the side-centerline of an assembly and can cause wheel shimmy, or a severe side-to-side staggering of the assembly when in motion.



How do you correct an imbalance?

To correct, or offset, a wheel assembly imbalance a weight of some type must be applied to the opposite side of the weight imbalance area. This is true for correcting a static imbalance and a dynamic imbalance. By placing a clip-on or an adhesive wheel balance weight opposite the assemblies' heavy spot(s), the wheel assembly can now roll true.



Smooth, comfortable ride? Only with balanced tires!


Balanced Tires

- Improve a vehicle's ride
- Help save money on tires
- Help save money on fuel
- Recommended by most car companies
- Improve handling and braking
- Improve comfort


Where do you install wheel weights?

There are multiple ways to dynamically balance a wheel assembly. The most common method is to attach a clip-on wheel weight to the inside and outside of the rim. You can also use adhesive wheel weights if preferred or required due to a flangeless wheel. The 6 different methods for balancing a passenger car wheel assembly are shown below.


6 different methods of balancing passenger car rims




1. Balancing using clip-on weights for both planes. This method requires the least mass for balancing.




2. Balancing using adhesive weights for both planes. The weights are applied to the interior and exterior rim spacer areas.




3. Both adhesive weights are applied to the interior rim spacer area.



4. On wheels without an outside rim flange, which is most common on modern style wheels, it is best to add a clip-on weight to the inner rim flange and an adhesive weight to the inner rim spacer area.



5. An adhesive weight is used on the outer rim spacer area. A clip-on weight is applied to the inner rim flange.



6. A clip-on weight is applied to the outer rim flange. An adhesive weight is used on the inner rim spacer area.

NOTE: Always check inside rim weights for brake caliper clearance to the weight with a minimum of 1/8"

Want to learn more?

In an effort to provide the right wheel balance training necessary for you and your team to be successful, Perfect Equipment has developed a brand new website located at wheelbalancetraining.com. This comprehensive website provides individualized video training modules that will educate you on the basics of wheel imbalance, explain in more detail the differences between static and dynamic imbalance, discuss the future of non-lead wheel weights, as well as show the proper ways to install and remove clip-on and adhesive wheel weights.



Employee Training

- Increases productivity
- Increases efficiency
- Increases customer satisfaction
- Decreases customer returns
- Decreases overall costs
- Shows a commitment to education

NON-LEAD TRANSITION



Eliminate the complexity by staying informed

Perfect Equipment continues to remain active with legislative and environmental experts to stay up-to-date on the most current lead wheel weight information available. We are dedicated to keeping you informed of changes that affect your business and providing you assistance with your non-lead transition from start to finish. With a complete wheel weight program in both zinc and steel, we offer customers a choice when switching to a non-lead alternative.

Understand the non-lead options available

Since the beginning of the global non-lead transition, there have been two main alternatives: zinc and steel. Zinc wheel weights were one of the first alternatives and were originally developed in Europe. Steel was soon to follow as the search for available options broadened. Today, zinc is considered the industry standard material in Europe for OEMs and the aftermarket, and is increasing in popularity in other parts of the world, while steel is mostly popular among some aftermarket and OEM companies in North America and Asia. Both options offer an environmentally friendly alternative.


Perfect Equipment is proud to offer its customers the highest quality, OEM approved wheel balance weights in zinc and steel. We pride ourselves on providing our customers with the options they need to be successful.

ZINC



- Easy to install - function and fit much like lead
- Superior corrosion resistance - will never rust!
- Softer material reduces scratching
- The most used material on a global scale
- Environmentally friendly

STEEL



- Best steel retention in the industry
- Patented clip-to-body engagement
- Zinc-based coating helps prevent corrosion
- Used by some OEMs in North America & Asia
- Environmentally friendly

Passenger car & light truck

CLIP-ON




OEM ZINC

Zinc wheel balance weights are used by more OEMs worldwide than any other material available.



PROVEN PERFORMANCE

When given the choice between non-lead options, most technicians prefer zinc wheel weights because they are simply easier to work with. We tend to agree.



PZ-Series

The most common weight for steel wheels. Will fit standard-width rim flange thickness passenger car steel wheels with 13"-17" wheel size. Also available uncoated (PZU-Series).

Fits Standard-width rim flange thickness passenger car steel wheels with 13"-17" wheel size.

Available Sizes 0.25 oz. - 3 oz.



For Steel Wheels



Coated & Uncoated



Ounces & Grams



OEM Approved

AWZ-Series

Used on domestic vehicles equipped with alloy rims that were manufactured prior to 1995.

Fits Many brands like Acura, Buick, Chevrolet, Chrysler, Dodge, Infiniti, Isuzu, Lexus, Oldsmobile & Pontiac

Available Sizes 0.25 oz. - 3 oz.



For Alloy Wheels



Coated Only



Ounces & Grams



OEM Approved

MCZ-Series

Used on most domestic vehicles equipped with alloy rims. The MCZ-Series is the most sold & installed zinc series wheel weight for alloy rims.

Fits Many brands like Buick, Chevrolet, Chrysler, Dodge, Ford, Mazda, Oldsmobile, Pontiac & Saturn

Available Sizes 0.25 oz. - 3 oz.



For Alloy Wheels



Coated Only



Ounces & Grams



OEM Approved

NOTE: Please refer to application guide or use a rim gauge to verify all specific applications.

LHZ-Series

Used on Chrysler vehicles and is designed to fit their unique alloy rim flange.

Fits All Chrysler models and some Dodge & Ram models prior to 2009

Available Sizes 0.25 oz. - 3 oz.



For Alloy Wheels

Ounces Only



Coated Only



OEM Approved

IAWZ-Series

Used on many new Ford models, on most European vehicles and certain Asian vehicles equipped with alloy wheels.

Fits Many brands like Audi, BMW, Cadillac, Jaguar, Kia, Nissan, Toyota, Volkswagen & Volvo

Available Sizes 10g - 60g



For Alloy Wheels

Grams Only



Coated Only



OEM Approved

ENZ-Series

Used on Audi, Mercedes-Benz, Volkswagen and very early-model Japanese vehicles equipped with alloy wheels.

Fits Many brands like Acura, Audi, Ford, Honda, Mercedes-Benz & Volkswagen

Available Sizes 10g - 60g



For Alloy Wheels

Grams Only



Coated Only



OEM Approved

FNZ-Series

Used on most Japanese vehicles equipped with alloy wheels.

Fits Many brands like Acura, Honda, Infiniti, Lexus, Nissan & Toyota

Available Sizes 10g - 60g



For Alloy Wheels

Grams Only



Coated Only



OEM Approved

TZ-Series

Used on most domestic light trucks equipped with decorative and larger thickness steel wheels and most light-trucks equipped with alloy wheels.

Fits Steel wheels with a thicker than standard rim flange and light-trucks with non-commercial alloy rims

Available Sizes 0.25 oz. - 3 oz.



For Steel/Alloy Wheels

Ounces & Grams



Coated Only





OEM Approved

NOTE: Find individual part numbers for each product shown in this catalog in the part number reference.

OEM STEEL

Perfect Equipment sells more OEM steel in North America than any other manufacturer.



PST-Series

The most common weight for steel wheels. Will fit standard-width rim flange thickness passenger car steel wheels with 13"-17" wheel size.

Fits Standard-width rim flange thickness passenger car steel wheels with 13"-17" wheel size.

Available Sizes 0.25 oz. - 3 oz.



For Steel Wheels



Coated Only



Ounces & Grams



OEM Approved

AWST-Series

Used on domestic vehicles equipped with alloy rims that were manufactured prior to 1995.

Fits Many brands like Acura, Buick, Chevrolet, Chrysler, Dodge, Infiniti, Isuzu, Lexus, Oldsmobile & Pontiac

Available Sizes 0.25 oz. - 3 oz.



For Alloy Wheels



Coated Only



Ounces & Grams



OEM Approved

MCST-Series

Used on most domestic vehicles equipped with alloy rims. The MCST-Series is the most sold & installed steel series wheel weight for alloy rims.

Fits Many brands like Buick, Chevrolet, Chrysler, Dodge, Ford, Mazda, Oldsmobile, Pontiac & Saturn

Available Sizes 0.25 oz. - 3 oz.



For Alloy Wheels



Coated Only



Ounces & Grams



OEM Approved

NOTE: Please refer to application guide or use a rim gauge to verify all specific applications.

LHST-Series

Used on Chrysler vehicles and is designed to fit their unique alloy rim flange.

Fits All Chrysler models and some Dodge & Ram models prior to 2009

Available Sizes 0.25 oz. - 3 oz.



For Alloy Wheels

Ounces Only



Coated Only



OEM Approved

IAWST-Series

Used on many new Ford models, on most European vehicles and certain Asian vehicles equipped with alloy wheels.

Fits Many brands like Audi, BMW, Cadillac, Jaguar, Kia, Nissan, Toyota, Volkswagen & Volvo

Available Sizes 5g - 60g



For Alloy Wheels

Grams Only



Coated Only



OEM Approved

ENST-Series

Used on Audi, Mercedes-Benz, Volkswagen and very early-model Japanese vehicles equipped with alloy wheels.

Fits Many brands like Acura, Audi, Ford, Honda, Mercedes-Benz & Volkswagen

Available Sizes 10g - 60g



For Alloy Wheels

Grams Only



Coated Only



OEM Approved

FNST-Series

Used on most Japanese vehicles equipped with alloy wheels.

Fits Many brands like Acura, Honda, Infiniti, Lexus, Nissan & Toyota

Available Sizes 10g - 60g



For Alloy Wheels

Grams Only



Coated Only



OEM Approved

TST-Series

Used on most domestic light trucks equipped with decorative and larger thickness steel wheels and most light-trucks equipped with alloy wheels.

Fits Steel wheels with a thicker than standard rim flange and light-trucks with non-commercial alloy rims

Available Sizes 0.25 oz. - 3 oz.



For Steel/Alloy Wheels

Ounces & Grams



Coated Only



OEM Approved

NOTE: Find individual part numbers for each product shown in this catalog in the part number reference.


LEAD

Perfect Equipment has been delivering industry leading lead wheel weights for 75 years.



THE INDUSTRY STANDARD

Since the very beginning we have been the leader in wheel weight technology. From the dove-tail clip to the pre-segmented adhesive weight, we helped start it all.



PS-Series

The most common weight for steel wheels. Will fit standard-width rim flange thickness passenger car steel wheels with 13"-17" wheel size. Also available uncoated (P-Series).

Fits Standard-width rim flange thickness passenger car steel wheels with 13"-17" wheel size.

Available Sizes 0.25 oz. - 6 oz.



For Steel Wheels



Coated & Uncoated



Ounces & Grams

AWN-Series

Used on domestic vehicles equipped with alloy rims that were manufactured prior to 1995. Also available uncoated (AW-Series).

Fits Many brands like Acura, Buick, Chevrolet, Chrysler, Dodge, Infiniti, Isuzu, Lexus, Oldsmobile & Pontiac

Available Sizes 0.25 oz. - 3 oz.



For Alloy Wheels



Coated & Uncoated



Ounces & Grams

MCN-Series

Used on most domestic vehicles equipped with alloy rims. The MCN-Series is the most sold & installed lead series wheel weight for alloy rims. Also available uncoated (MC-Series).

Fits Many brands like Buick, Chevrolet, Chrysler, Dodge, Ford, Mazda, Oldsmobile, Pontiac & Saturn

Available Sizes 0.25 oz. - 4 oz.



For Alloy Wheels



Coated & Uncoated



Ounces & Grams

NOTE: Please refer to application guide or use a rim gauge to verify all specific applications.




LH-Series

Used on Chrysler vehicles and is designed to fit their unique alloy rim flange.

Fits All Chrysler models and some Dodge & Ram models prior to 2009

Available Sizes 0.25 oz. - 3 oz.



-  For Alloy Wheels
-  Coated Only
-  Ounces Only




IAW-Series

Used on many new Ford models, on most European vehicles and certain Asian vehicles equipped with alloy wheels.

Fits Many brands like Audi, BMW, Cadillac, Jaguar, Kia, Nissan, Toyota, Volkswagen & Volvo

Available Sizes 5g - 60g



-  For Alloy Wheels
-  Coated Only
-  Grams Only




EN-Series

Used on Audi, Mercedes-Benz, Volkswagen and very early-model Japanese vehicles equipped with alloy wheels.

Fits Many brands like Acura, Audi, Ford, Honda, Mercedes-Benz & Volkswagen

Available Sizes 10g - 60g



-  For Alloy Wheels
-  Coated Only
-  Grams Only




FN-Series

Used on most Japanese vehicles equipped with alloy wheels.

Fits Many brands like Acura, Honda, Infiniti, Lexus, Nissan & Toyota

Available Sizes 5g - 80g



-  For Alloy Wheels
-  Coated Only
-  Grams Only




TN-Series

Used on most domestic light trucks equipped with decorative and larger thickness steel wheels and most light-trucks equipped with alloy wheels.

Fits Steel wheels with a thicker than standard rim flange and light-trucks with non-commercial alloy rims

Available Sizes 0.50 oz. - 5 oz.



-  For Steel/Alloy Wheels
-  Coated Only
-  Ounces & Grams

NOTE: Find individual part numbers for each product shown in this catalog in the part number reference.


Heavy-duty truck

CLIP-ON



HEAVY-DUTY ZINC

A non-lead solution for a single heavy-duty vehicle or a whole fleet of vehicles



LT1Z-Series

The most commonly used weight on medium-duty trucks (14,000-26,000 lbs GVWR) with either tube or tubeless steel rims. Also used on mostly older light-duty trucks with thinner rim flanges that are too thick for passenger car wheel weights.

Fits Medium-duty steel wheels and older light-duty trucks with thicker than standard rim flanges

Available Sizes 0.5 oz. - 6 oz.



For Steel Wheels



Coated Only



Ounces & Grams

I7Z-Series

The most commonly used weight on heavy-duty trucks (larger than 26,000 lbs GVWR) with steel rims. Also used on some older medium-duty trucks.

Fits Most heavy-duty & some older medium-duty trucks with steel wheels

Available Sizes 1 oz. - 6 oz.



For Steel Wheels



Coated Only




Ounces & Grams

TAL-Series

The most common weight on light to heavy-duty trucks with alloy rims, primarily Alcoa and Accuride aluminum, tubeless truck wheels manufactured after 1983. Weight is designed to fit the disc and open side rim flanges.

Fits Most heavy-duty & some older medium-duty trucks with alloy wheels

Available Sizes 1 oz. - 6 oz.



For Alloy Wheels



Coated Only




Ounces & Grams

NOTE: Find individual part numbers for each product shown in this catalog in the part number reference.

HEAVY-DUTY LEAD

Perfect balance your medium & heavy-duty vehicles with our heavy-duty lead wheel weights



BUILT FOR THE EXTREME

When you have extra-large equipment that requires balance, you need wheel balance weights that can hold up under the pressure. We've got you covered.

LT1-Series

The most commonly used weight on medium-duty trucks (14,000-26,000 lbs GVWR) with either tube or tubeless steel rims. Also used on mostly older light-duty trucks with thinner rim flanges that are too thick for passenger car wheel weights.

Fits Medium-duty steel wheels and older light-duty trucks with thicker than standard rim flanges

Available Sizes 0.5 oz. - 6 oz.



For Steel Wheels



Uncoated only



Ounces & Grams

I7-Series

The most commonly used weight on heavy-duty trucks (larger than 26,000 lbs GVWR) with steel rims. Also used on some older medium-duty trucks.

Fits Most heavy-duty & some older medium-duty trucks with steel wheels

Available Sizes 1 oz. - 16 oz.



For Steel Wheels



Uncoated only



Ounces & Grams

I9-Series

Specialty low-profile weight for heavy-duty trucks (larger than 26,000 lbs GVWR) with steel rims where there may be interference with steering parts. Also for use on rims that are too thick for I7-Series weights.

Fits Most heavy-duty & some older medium-duty trucks with steel wheels where a low profile weight is needed

Available Sizes 2 oz. - 12 oz.



For Steel Wheels



Uncoated only



Ounces & Grams


NOTE: Please refer to application guide or use a rim gauge to verify all specific applications.

TAL-Series

The most common weight on light to heavy-duty trucks with alloy rims, primarily Alcoa and Accuride aluminum, tubeless truck wheels manufactured after 1983. Weight is designed to fit the disc and open side rim flanges. Also available uncoated (TALU-Series).

Fits Most heavy-duty & some older medium-duty trucks with alloy wheels

Available Sizes 2 oz. - 8 oz.



-  For Alloy Wheels
-  Coated & Uncoated
-  Ounces Only

CT-Series

Specialty weight used on heavy-duty trucks with Firestone, Accuride, Budd or Goodyear tubeless alloy rims with straight flanges. Primarily used on rim widths of 6.75", 7.50" and 8.25".

Fits HD tubeless alloy rims from Firestone, Accuride, Budd or Goodyear

Available Sizes 2 oz. - 16 oz.



-  For Alloy Wheels
-  Uncoated Only
-  Ounces & Grams

RC-Series

Specialty weight used on heavy-duty trucks with Firestone, Accuride or Radial Commander alloy rims. It can also be used with strip-steel rims with curved flanges, such as Budd, Firestone, Goodyear and Redco.

Fits HD alloy rims from Firestone, Accuride or Radial Commander

Available Sizes 2 oz. - 12 oz.



-  For Alloy Wheels
-  Uncoated Only
-  Ounces & Grams

NOTE: Find individual part numbers for each product shown in this catalog in the part number reference.

INSTALLATION INSTRUCTIONS

Clip-on wheel weights



1. Select the correct application

Using a wheel weight application guide, select the correct application for the vehicle you are servicing. Check that the weight application is correct by testing the placement on the wheel flange.



2. Placing the weight on the rim

Place the wheel weight in the correct location of the imbalance. Prior to striking with the hammer, make sure that the top and the bottom of the clip are touching the rim flange. The body of the weight should not be touching the rim!



3. Installing the weight using a hammer

Once the wheel weight is properly aligned, strike the clip with a proper wheel weight installation hammer. Please note: striking the weight body could result in clip retention failure or weight movement.



4. Checking the weight fitment

After installing the weight, check to make sure that it is secured properly.

Adhesive wheel weights



1. Cleaning and pre-treating the rim

Apply a suitable cleaning agent on the area where weight is to be applied. Wipe area clean and dry. Please note: Be sure to test the cleaning agent on a small area to ensure it will not damage the wheel's finish.



2. Select the correct adhesive weight size

Cut the adhesive weights or break them apart, depending on weight type, to obtain the correct amount of weight needed.



3. Applying the adhesive weight

Remove the tape backing and press the center of the weight exactly at the imbalance point. Please note: Do not touch the tape surface after peeling off the tape backing.



4. Securing the adhesive weight

Once the center of the weight is located at the imbalance point, press down on the full weight length working from the center to the left and right. Using firm hand pressure should be enough to secure the weight.

NOTE: Please refer to application guide or use a rim gauge to verify all specific applications.

Passenger car & light truck

ADHESIVE

Perfect
EQUIPMENT


STEEL QUIKSTIK®

Pre-Segmented Adhesive Wheel Weights on a Roll

- No Ruler Measuring
Pre-segmented for quicker weight selection - just count and go
- No Cutting Required
Easy-to-tear paper backing reduces installation time for most applications
- No Waste
Dispense only what you need each time you balance
- Superior Adhesive
Sticks fast and holds longer - minimizes adjustment and rework
- Patented QuikTab® Feature
Paper backing features an overhang for easier removal
- Environmentally Friendly
100% non-toxic product

STEEL QUIKSTIK®

The Steel QuikStik® is used by more OEMs in North America than any other steel adhesive



DESIGNED FOR PROFESSIONALS

Our OEM Steel QuikStik® adhesives feature patented innovations like the QuikTab® that make it easier to use. Simply snap, peel and stick. It's that easy.

SSGO60N OEM QuikStik®

A low profile adhesive weight in a 60g strip that features our OEM powder coating for corrosion protection. Also available with black coating (SSGO60NB).

Product Details 5g segments, 60g per strip, 25 strips per box, 300 segments per box

Product Size Low profile, 0.1875" height, 0.875" width



 5g Segments

 OEM Coating


SST300N OEM QuikStik®

A standard profile adhesive weight in a 3 oz. strip that features our OEM powder coating for corrosion protection.

Product Details 0.25 oz. segments, 3 oz. per strip, 25 strips per box, 300 segments per box

Product Size Standard profile, 0.25" height, 0.875" width



 .25 oz. Segments

 OEM Coating

200624ST QuikStik®

A low profile adhesive weight in a 3 oz. strip that features an aftermarket optimized coating for corrosion protection. Also available with black coating (200624STB).

Product Details 0.25 oz. segments, 3 oz. per strip, 52 strips per box, 624 segments per box

Product Size Low profile, 0.1875" height, 1" width



 .25 oz. Segments

 Aftermarket Coating

NOTE: Please refer to application guide or use a rim gauge to verify all specific applications.

SSG7500N OEM QuikStik® Roll

A low profile adhesive weight on a roll that features our OEM powder coating for corrosion protection.

Product Details 5g segments,
1,500 segments per box, 16.5 lb total box weight

Product Size Low profile, 0.1875" height, 0.875" width



5g Segments

OEM Coating

SST3200N OEM QuikStik® Roll

A standard profile adhesive weight on a roll that features our OEM powder coating for corrosion protection.

Product Details 0.25 oz. segments,
1,280 segments per box, 20 lb total box weight

Product Size Standard profile, 0.25" height, 0.875" width



.25 oz. Segments

OEM Coating

200624STR QuikStik® Roll

A low profile adhesive weight on a roll that features an aftermarket optimized coating for corrosion protection.

Product Details 0.25 oz. segments,
1,250 segments per box, 20 lb total box weight

Product Size Low profile, 0.1875" height, 1" width



.25 oz. Segments

Aftermarket Coating

QuikStik® Roll Starter Kits

Our QuikStik® Roll Starter Kits are an easy and cost effective way to test our steel roll products. Each kit comes complete with a roll stand (single or dual head), two 5 lb. roll boxes of product (SST3200N & SSG7500N) and an adhesive scraper tool.

Part Numbers

SK2000 - Single head stand, two 5 lb. boxes & scraper

SK3000 - Dual head stand, two 5 lb. boxes & scraper



QuikStik® Roll Stands

These rugged floor stands are made of steel and can withstand nearly any environment. The base is wide enough to prevent easy tipping and the head places the wheel weight box(es) at the perfect angle for quick and easy segment removal.

Part Numbers

QS2000 - Single head stand


QS3000 - Dual head stand



NOTE: Find individual part numbers for each product shown in this catalog in the part number reference.

LEAD QUIKSTIK®

Patented more than 40 years ago, our lead adhesives were the first pre-segmented adhesive available



THE ORIGINAL YOU CAN TRUST

Our lead QuikStik® wheel weights haven't changed much since their beginning. But that's because the original patent for these pre-segmented weights was that good.

100360 QuikStik®

A standard profile adhesive weight in a 3 oz. strip for use on most wheels. Also available with our OEM coating (100360S).

Product Details 0.25 oz. segments, 3 oz. per strip, 30 strips per box, 360 segments per box

Product Size Standard profile, 0.2188" height, 0.50" width



 .25 oz. Segments  Coated & Uncoated

100720 QuikStik®

The 100720 QuikStik® lead adhesive wheel weight is the same as the 100360 QuikStik® lead adhesive wheel weight except that the box quantity is increased to 60 strips.

Product Details 0.25 oz. segments, 3 oz. per strip, 60 strips per box, 720 segments per box

Product Size Standard profile, 0.2188" height, 0.50" width



 .25 oz. Segments  Uncoated Only

200624 QuikStik®

A low profile adhesive weight in a 3 oz. strip for use on most wheels. Also available with our OEM coating (200624N) and an uncoated short box (200624S - 48 strips per box/576 segments per box).

Product Details 0.25 oz. segments, 3 oz. per strip, 52 strips per box, 624 segments per box

Product Size Low profile, 0.1875" height, 0.75" width



 .25 oz. Segments  Coated & Uncoated

NOTE: Please refer to application guide or use a rim gauge to verify all specific applications.

Heavy-duty truck


ADHESIVE

 Perfect
EQUIPMENT



HEAVY-DUTY STEEL QUIKSTIK®

Heavy-duty steel adhesives for balancing medium & heavy-duty trucks & RVs



READY TO DO THE JOB RIGHT

When you are balancing larger equipment, it's important to use the right weights. Our heavy-duty adhesives can get the job done, whether it's a work truck or a weekend RV.

SSM600N OEM QuikStik®

A standard profile heavy-duty adhesive weight in a 6 oz. strip that features our OEM powder coating for corrosion protection.

Product Details 0.25 oz segments, 6 oz. per strip, 30 strips per box, 720 segments per box

Product Size Standard profile, 0.25" height, 1.125" width



.25 oz. Segments OEM Coating

300360ST QuikStik®

A standard profile heavy-duty adhesive weight in a 6 oz. strip that features an aftermarket optimized coating for corrosion protection.

Product Details 0.5 oz. segments, 6 oz. per strip, 30 strips per box, 360 segments per box

Product Size Standard profile, 0.3125" height, 1" width



.25 oz. Segments Aftermarket Coating

NEW 300360STR QuikStik® Roll

A standard profile heavy-duty adhesive weight on a roll that features an aftermarket optimized coating for corrosion protection.

Product Details 0.50 oz. segments, 640 segments per box, 20 lb total box weight

Product Size Standard profile, 0.3125" height, 1" width




.25 oz. Segments Aftermarket Coating

NOTE: Please refer to application guide or use a rim gauge to verify all specific applications.

HEAVY-DUTY LEAD **QUIKSTIK®**

Heavy-duty lead adhesives that are as heavy-duty as your vehicle is.



BIG WEIGHTS FOR BIG RIDES

Our heavy-duty lead weights, especially the CL6 and CL12 pack a huge punch when you are looking to balance even the largest pieces of equipment. They are proven.

300360 QuikStik®

A standard profile heavy-duty adhesive weight in a 6 oz. strip that is made for medium & heavy-duty truck applications.

Product Details 0.5 oz. segments, 6 oz. per strip, 30 strips per box, 360 segments per box

Product Size Standard profile, 0.2813" height, 0.75" width



0.5 oz. Segments



Uncoated Only

CL6 QuikStik®

A standard profile heavy-duty adhesive weight in a 6 oz. strip that is made for medium & heavy-duty truck applications.

Product Details 1 oz. segments, 6 oz. per strip, 30 strips per box, 180 segments per box

Product Size Standard profile, 0.2813 height, 0.75" width



1 oz. Segments



Uncoated Only

CL12 QuikStik®

A standard profile heavy-duty adhesive weight in a 12 oz. strip that is made for medium & heavy-duty truck applications.

Product details 2 oz. segments, 12 oz. per strip, 8 strips per box, 48 segments per box

Product Size Standard profile, 0.3438" height, 1.25" width



2 oz. Segments



Uncoated Only

NOTE: Find individual part numbers for each product shown in this catalog in the part number reference.

Perfect
EQUIPMENT

WHEEL BALANCE WEIGHTS



Passenger car & light truck

ASSORTMENTS





CWW075Z **OEM Zinc Full-Size Assortment**

The CWW075Z OEM zinc wheel weight master assortment is a comprehensive floor-standing clip-on wheel weight kit that includes all eight standard clip types needed for nearly all of today's passenger car market.

Total Weights Included 2,325 OEM zinc clip-on wheel weights

Dimensions 36" W x 14.5" D x 67" H

Kit Includes

- OEM Zinc wheel weights (inclusion list on page 44)
- Rack stand & colored bins
- OE alloy universal header card
- Universal bin label kit
- 75K - Alloy soft-head wheel weight hammer
- 18027 - OE alloy application wall chart
- 18082 - OE alloy application guide
- RGP1 - Two (2) passenger car rim gauges



NEW CWW155Z **OEM Zinc Table-Top Assortment**

The CWW155Z OEM zinc wheel weight master assortment is a comprehensive table-top clip-on wheel weight kit that includes all eight standard clip types needed for nearly all of today's passenger car market. The CWW155Z is an upgrade over our previous generation table-top zinc assortment as it includes a full box of product for each weight series.

Total Weights Included 1,525 OEM zinc clip-on wheel weights

Dimensions 35.75" W x 8.25" D x 39" H

Kit Includes

- OEM Zinc wheel weights (inclusion list on page 44)
- Rack stand & colored bins
- OE alloy universal header card
- Universal bin label kit
- 75K - Alloy soft-head wheel weight hammer
- 18027 - OE alloy application wall chart
- 18082 - OE alloy application guide
- RGP1 - Two (2) passenger car rim gauges

NOTE: Find individual part numbers for each product shown in this catalog in the part number reference.



CWW075ST OEM Steel Full-Size Assortment

The CWW075ST OEM steel wheel weight master assortment is a comprehensive floor-standing clip-on wheel weight kit that includes all eight standard clip types needed for nearly all of today's passenger car market.

Total Weights Included 2,325 OEM steel clip-on wheel weights

Dimensions 36" W x 14.5" D x 67" H

Kit Includes

- OEM Steel wheel weights (inclusion list on page 45)
- Rack stand & colored bins
- OE alloy universal header card
- Universal bin label kit
- 75K - Alloy soft-head wheel weight hammer
- 18027 - OE alloy application wall chart
- 18082 - OE alloy application guide
- RGPI - Two (2) passenger car rim gauges



NEW CWW155ST OEM Steel Table-Top Assortment

The CWW155ST OEM steel wheel weight master assortment is a comprehensive table-top clip-on wheel weight kit that includes all eight standard clip types needed for nearly all of today's passenger car market. The CWW155ST is an upgrade over our previous generation table-top steel assortment as it includes a full box of product for each weight series.

Total Weights Included 1,525 OEM steel clip-on wheel weights

Dimensions 35.75" W x 8.25" D x 39" H

Kit Includes

- OEM Steel wheel weights (inclusion list on page 45)
- Rack stand & colored bins
- OE alloy universal header card
- Universal bin label kit
- 75K - Alloy soft-head wheel weight hammer
- 18027 - OE alloy application wall chart
- 18082 - OE alloy application guide
- RGPI - Two (2) passenger car rim gauges

NOTE: Please refer to application guide or use a rim gauge to verify all specific applications.



CWW075 Lead Floor-Standing Assortment

The CWW075 lead wheel weight master assortment is a comprehensive floor-standing clip-on wheel weight kit that includes all eight standard clip types needed for nearly all of today's passenger car market.

Total Weights Included 2,625 lead clip-on wheel weights

Dimensions 36" W x 14.5" D x 67" H

Kit Includes

- Lead wheel weights (inclusion list on page 46)
- Rack stand & colored bins
- OE alloy universal header card
- Universal bin label kit
- 75K - Alloy soft-head wheel weight hammer
- 18027 - OE alloy application wall chart
- 18082 - OE alloy application guide
- RGP1 - Two (2) passenger car rim gauges



NEW CWW155 Lead Table-Top Assortment

The CWW155 lead wheel weight master assortment is a comprehensive table-top clip-on wheel weight kit that includes seven of the standard clip types needed for nearly all of today's passenger car market (P-Series excluded). The CWW155 is an upgrade over our previous generation table-top lead assortment as it includes a full box of product for each weight series.

Total Weights Included 1,325 lead clip-on wheel weights

Dimensions 35.75" W x 8.25" D x 39" H

Kit Includes

- Lead wheel weights (inclusion list on page 46)
- Rack stand & colored bins
- OE alloy universal header card
- Universal bin label kit
- 75K - Alloy soft-head wheel weight hammer
- 18027 - OE alloy application wall chart
- 18082 - OE alloy application guide
- RGP1 - Two (2) passenger car rim gauges

Empty Rack Kits

Empty rack kits include everything as shown with the full kits except for the soft-head hammer and the wheel weights.

Part Numbers

- CWW075E - Lead & non-lead full-size assortment empty kit
- CWW155NLE - Non-lead table-top assortment empty kit
- CWW155E - Lead table-top assortment empty kit

NOTE: Find individual part numbers for each product shown in this catalog in the part number reference.

ACCESSORIES & TOOLS





2014 Catalog

Additional copies of this full-line catalog are available.

Part Number 18000



OEM Alloy Clip-On Application Wall Chart

This wall chart provides clip type application data for OE alloy rims for passenger cars and light trucks. Chart comes pre-folded.

Part Number 18027

Dimensions 34" W x 22" H



OEM Alloy Clip-On Application Guide

This guide provides clip type application data for OE alloy rims for passenger cars and light trucks.

Part Number 18082



RGP1



RG2

Rim Gauges

Rim gauges should be used when proper applications can not be found in the application guide.

Part Numbers

RGP1 - Passenger car & light truck

RG2 - Medium & heavy-duty truck



25K Pliers

This light-duty wheel weight installation and removal tool is the industry standard for uncoated lead clip-on style wheel weights. Plastic-coated handles provide a better grip.

Part Number 25K



50K & 50KE Pliers

This European designed clip-on wheel weight installation and removal tool features a “Clip Claw” crowbar, punch-designed handles, and a heavier hammer head. Made from forged vanadium steel for exceptional durability. The 50KE is an economical version of the 50K, where forged strength and durability are not of critical concern.

Part Number 50K & 50KE



71K Pliers

Known as “The Protector,” this wheel weight installation and removal tool is to be used on coated clip-on wheel weights. This tool comes with a unique replaceable “soft head” face design that facilitates the installation and removal of wheel weights without damaging the wheel or the weight.

Part Number 71K
(5 qty replacement faces - 71P)



PT7 Pliers

Primarily used for large truck steel clip-on wheel weights. Designed by mechanics for mechanics. The “Clip Claw” design is ideal for removing weights that have minimum tire/wheel flange clearance. Extra-heavy hammer weight simplifies the installation of larger weights. Plastic-coated handles provide a better grip and a comfortable feel.

Part Number PT7



TR10 Removal Tool

This heavy-duty, hardened steel removal tool even makes taking off the toughest weights easy.

Part Number TR10



75K Alloy Hammer

Used for the installation of coated clip-on wheel weights. This hammer features a replaceable soft acetate hammer face. The wooden handle has a natural lacquer finish. The cast steel head has an enamel finish and the rear mounted & replaceable, hardened steel "Clip Claw" horn quickly removes old weights.

Part Number 75K
 (75H - 5 qty replacement horns)
 (75P - 5 qty replacement faces)



95K Alloy Hammer

Specifically designed to install TAL clip-on wheel weights. The extra-heavy hammer weight provides the additional striking force needed to install TAL weights. The small diameter, soft-tip hammer face allows for concentration of the force precisely on the clip. The dual head increases longevity and efficiency.

Part Number 95K



105K Alloy Hammer

The 105K is the preferred non-lead clip-on installation and removal tool. This hammer features a replaceable soft acetate hammer face. The cast steel head has an enamel finish and the rear mounted & removable, hardened steel "Clip Claw" horn quickly removes old weights.

Part Number 105K
 (105HSD - 1 qty standard replacement horn)
 (105HST - 1 qty short replacement horn)



QSS1 QuikStik® Adhesive Scraper

This adhesive wheel weight removal tool is the industry standard.

Part Number QSS1



QS2000 & QS3000 Roll Stands

These rugged floor stands are made to hold our various QuikStik® adhesive wheel weight rolls. Made of steel, these stands can withstand nearly any environment. The base is wide enough to prevent easy tipping and the head places the wheel weight box(es) at the perfect angle for quick and easy segment removal.

Part Numbers
 QS2000 - Hold one roll box
 QS3000 - Holds two roll boxes

PART NUMBER REFERENCE



OEM Zinc Clip-On AS SEEN ON PAGES 14-15

Part No.	Size	Pcs/box	Part No.	Size	Pcs/box	Part No.	Size	Pcs/box	Part No.	Size	Pcs/box
■ P025Z	0.25 oz.	25	■ AW100Z	1.00 oz.	25	■ LH175Z	1.75 oz.	25	■ EN055Z	55 g	25
P050Z	0.50 oz.	25	AW125Z	1.25 oz.	25	LH200Z	2.00 oz.	25	EN060Z	60 g	25
P075Z	0.75 oz.	25	AW150Z	1.50 oz.	25	LH225Z	2.25 oz.	25	■ FN010Z	10 g	25
P100Z	1.00 oz.	25	AW175Z	1.75 oz.	25	LH250Z	2.50 oz.	25	FN015Z	15 g	25
P125Z	1.25 oz.	25	AW200Z	2.00 oz.	25	LH275Z	2.75 oz.	25	FN020Z	20 g	25
P150Z	1.50 oz.	25	AW225Z	2.25 oz.	25	LH300Z	3.00 oz.	25	FN025Z	25 g	25
P175Z	1.75 oz.	25	AW250Z	2.50 oz.	25	■ IAW005S*	5 g	25	FN030Z	30 g	25
P200Z	2.00 oz.	25	AW275Z	2.75 oz.	25	IAW010Z	10 g	25	FN035Z	35 g	25
P225Z	2.25 oz.	25	AW300Z	3.00 oz.	25	IAW015Z	15 g	25	FN040Z	40 g	25
P250Z	2.5 oz.	25	■ MC025S*	0.25 oz.	25	IAW020Z	20 g	25	FN045Z	45 g	25
P275Z	2.75 oz.	25	MC050Z	0.50 oz.	25	IAW025Z	25 g	25	FN050Z	50 g	25
P300Z	3.00 oz.	25	MC075Z	0.75 oz.	25	IAW030Z	30 g	25	FN055Z	55 g	25
■ P025ZU	0.25 oz.	25	MC100Z	1.00 oz.	25	IAW035Z	35 g	25	FN060Z	60 g	25
P050ZU	0.50 oz.	25	MC125Z	1.25 oz.	25	IAW040Z	40 g	25	■ TO25S*	0.25 oz.	25
P075ZU	0.75 oz.	25	MC150Z	1.50 oz.	25	IAW045Z	45 g	25	TO50Z	0.50 oz.	25
P100ZU	1.00 oz.	25	MC175Z	1.75 oz.	25	IAW050Z	50 g	25	TO75Z	0.75 oz.	25
P125ZU	1.25 oz.	25	MC200Z	2.00 oz.	25	IAW055Z	55 g	25	T100Z	1.00 oz.	25
P150ZU	1.50 oz.	25	MC225Z	2.25 oz.	25	IAW060Z	60 g	25	T125Z	1.25 oz.	25
P175ZU	1.75 oz.	25	MC250Z	2.50 oz.	25	■ EN010Z	10 g	25	T150Z	1.50 oz.	25
P200ZU	2.00 oz.	25	MC275Z	2.75 oz.	25	EN015Z	15 g	25	T175Z	1.75 oz.	25
P225ZU	2.25 oz.	25	MC300Z	3.00 oz.	25	EN020Z	20 g	25	T200Z	2.00 oz.	25
P250ZU	2.50 oz.	25	■ LH025Z	0.25 oz.	25	EN025Z	25 g	25	T225Z	2.25 oz.	25
P275ZU	2.75 oz.	25	LH050Z	0.50 oz.	25	EN030Z	30 g	25	T250Z	2.50 oz.	25
P300ZU	3.00 oz.	25	LH075Z	0.75 oz.	25	EN035Z	35 g	25	T275Z	2.75 oz.	25
■ AW025S*	0.25 oz.	25	LH100Z	1.00 oz.	25	EN040Z	40 g	25	T300Z	3.00 oz.	25
AW050Z	0.50 oz.	25	LH125Z	1.25 oz.	25	EN045Z	45 g	25			
AW075Z	0.75 oz.	25	LH150Z	1.50 oz.	25	EN050Z	50 g	25			

* Some OEM Zinc series use the 0.25 oz./5 g weight from the OEM Steel series

OEM Steel Clip-On AS SEEN ON PAGES 16-17

Part No.	Size	Pcs/box	Part No.	Size	Pcs/box	Part No.	Size	Pcs/box	Part No.	Size	Pcs/box
■ P025ST	0.25 oz.	25	■ MC025S	0.25 oz.	25	■ IAW005S	5 g	25	■ FN010ST	10 g	25
P050ST	0.50 oz.	25	MC050ST	0.50 oz.	25	IAW010ST	10 g	25	FN015ST	15 g	25
P075ST	0.75 oz.	25	MC075ST	0.75 oz.	25	IAW015ST	15 g	25	FN020ST	20 g	25
P100ST	1.00 oz.	25	MC100ST	1.00 oz.	25	IAW020ST	20 g	25	FN025ST	25 g	25
P125ST	1.25 oz.	25	MC125ST	1.25 oz.	25	IAW025ST	25 g	25	FN030ST	30 g	25
P150ST	1.50 oz.	25	MC150ST	1.50 oz.	25	IAW030ST	30 g	25	FN035ST	35 g	25
P175ST	1.75 oz.	25	MC175ST	1.75 oz.	25	IAW035ST	35 g	25	FN040ST	40 g	25
P200ST	2.00 oz.	25	MC200ST	2.00 oz.	25	IAW040ST	40 g	25	FN045ST	45 g	25
P225ST	2.25 oz.	25	MC225ST	2.25 oz.	25	IAW045ST	45 g	25	FN050ST	50 g	25
P250ST	2.50 oz.	25	MC250ST	2.50 oz.	25	IAW050ST	50 g	25	FN055ST	55 g	25
P275ST	2.75 oz.	25	MC275ST	2.75 oz.	25	IAW055ST	55 g	25	FN060ST	60 g	25
P300ST	3.00 oz.	25	MC300ST	3.00 oz.	25	IAW060ST	60 g	25	■ TO25S	0.25 oz.	25
■ AW025S	0.25 oz.	25	■ LH025ST	0.25 oz.	25	■ EN010ST	10 g	25	TO50ST	0.50 oz.	25
AW050ST	0.50 oz.	25	LH050ST	0.50 oz.	25	EN015ST	15 g	25	TO75ST	0.75 oz.	25
AW075ST	0.75 oz.	25	LH075ST	0.75 oz.	25	EN020ST	20 g	25	T100ST	1.00 oz.	25
AW100ST	1.00 oz.	25	LH100ST	1.00 oz.	25	EN025ST	25 g	25	T125ST	1.25 oz.	25
AW125ST	1.25 oz.	25	LH125ST	1.25 oz.	25	EN030ST	30 g	25	T150ST	1.50 oz.	25
AW150ST	1.50 oz.	25	LH150ST	1.50 oz.	25	EN035ST	35 g	25	T175ST	1.75 oz.	25
AW175ST	1.75 oz.	25	LH175ST	1.75 oz.	25	EN040ST	40 g	25	T200ST	2.00 oz.	25
AW200ST	2.00 oz.	25	LH200ST	2.00 oz.	25	EN045ST	45 g	25	T225ST	2.25 oz.	25
AW225ST	2.25 oz.	25	LH225ST	2.25 oz.	25	EN050ST	50 g	25	T250ST	2.50 oz.	25
AW250ST	2.50 oz.	25	LH250ST	2.50 oz.	25	EN055ST	55 g	25	T275ST	2.75 oz.	25
AW275ST	2.75 oz.	25	LH275ST	2.75 oz.	25	EN060ST	60 g	25	T300ST	3.00 oz.	25
AW300ST	3.00 oz.	25	LH300ST	3.00 oz.	25						

Lead Clip-On AS SEEN ON PAGES 18-19

Uncoated

Part No.	Size	Pcs/box
■ PO25	0.25 oz.	50
PO50	0.50 oz.	50
P075	0.75 oz.	50
P100	1.00 oz.	50
P125	1.25 oz.	50
P150	1.50 oz.	50
P175	1.75 oz.	50
P200	2.00 oz.	50
P225	2.25 oz.	50
P250	2.50 oz.	50
P275	2.75 oz.	50
P300	3.00 oz.	50
P325	3.25 oz.	25
P350	3.50 oz.	25
P375	3.75 oz.	25
P400	4.00 oz.	25
P450	4.50 oz.	25
P500	5.00 oz.	25
P550	5.50 oz.	25
P600	6.00 oz.	25
■ AWO25	0.25 oz.	25
AWO50	0.50 oz.	25
AWO75	0.75 oz.	25
AW100	1.00 oz.	25
AW125	1.25 oz.	25
AW150	1.50 oz.	25
AW175	1.75 oz.	25
AW200	2.00 oz.	25
AW225	2.25 oz.	25
AW250	2.50 oz.	25
AW275	2.75 oz.	25
AW300	3.00 oz.	25
■ MCO25	0.25 oz.	25
MCO50	0.50 oz.	25
MCO75	0.75 oz.	25
MC100	1.00 oz.	25
MC125	1.25 oz.	25
MC150	1.50 oz.	25
MC175	1.75 oz.	25
MC200	2.00 oz.	25
MC225	2.25 oz.	25
MC250	2.50 oz.	25
MC275	2.75 oz.	25
MC300	3.00 oz.	25

Coated

Part No.	Size	Pcs/box
■ PO25S	0.25 oz.	25
PO50S	0.50 oz.	25
P075S	0.75 oz.	25
P100S	1.00 oz.	25
P125S	1.25 oz.	25
P150S	1.50 oz.	25
P175S	1.75 oz.	25
P200S	2.00 oz.	25
P225S	2.25 oz.	25
P250S	2.50 oz.	25
P275S	2.75 oz.	25
P300S	3.00 oz.	25
P325S	3.25 oz.	25
P350S	3.50 oz.	25
P375S	3.75 oz.	25
P400S	4.00 oz.	25
P450S	4.50 oz.	25
P500S	5.00 oz.	25
P550S	5.50 oz.	25
P600S	6.00 oz.	25
■ AWO25N	0.25 oz.	25
AWO50N	0.50 oz.	25
AWO75N	0.75 oz.	25
AW100N	1.00 oz.	25
AW125N	1.25 oz.	25
AW150N	1.50 oz.	25
AW175N	1.75 oz.	25
AW200N	2.00 oz.	25
AW225N	2.25 oz.	25
AW250N	2.50 oz.	25
AW275N	2.75 oz.	25
AW300N	3.00 oz.	25
■ MCO25N	0.25 oz.	25
MCO50N	0.50 oz.	25
MCO75N	0.75 oz.	25
MC100N	1.00 oz.	25
MC125N	1.25 oz.	25
MC150N	1.50 oz.	25
MC175N	1.75 oz.	25
MC200N	2.00 oz.	25
MC225N	2.25 oz.	25
MC250N	2.50 oz.	25
MC275N	2.75 oz.	25
MC300N	3.00 oz.	25
MC325N	3.25 oz.	25
MC350N	3.50 oz.	25
MC375N	3.75 oz.	25
MC400N	4.00 oz.	25

Part No.	Size	Pcs/box
■ LHO25	0.25 oz.	25
LHO50	0.50 oz.	25
LHO75	0.75 oz.	25
LH100	1.00 oz.	25
LH125	1.25 oz.	25
LH150	1.50 oz.	25
LH175	1.75 oz.	25
LH200	2.00 oz.	25
LH225	2.25 oz.	25
LH250	2.50 oz.	25
LH275	2.75 oz.	25
LH300	3.00 oz.	25
■ IAW005	5 g	25
IAW010	10 g	25
IAW015	15 g	25
IAW020	20 g	25
IAW025	25 g	25
IAW030	30 g	25
IAW035	35 g	25
IAW040	40 g	25
IAW045	45 g	25
IAW050	50 g	25
IAW055	55 g	25
IAW060	60 g	25
■ ENO10	10 g	25
ENO15	15 g	25
ENO20	20 g	25
ENO25	25 g	25
ENO30	30 g	25
ENO35	35 g	25
ENO40	40 g	25
ENO45	45 g	25
ENO50	50 g	25
ENO55	55 g	25
ENO60	60 g	25
■ FNO05	5 g	25
FNO75	7.5 g	25
FNO10	10 g	25
FNO125	12.5 g	25
FNO15	15 g	25
FNO175	17.5 g	25
FNO20	20 g	25
FNO225	22.5 g	25
FNO25	25 g	25
FNO275	27.5 g	25
FNO30	30 g	25
FNO325	32.5 g	25
FNO35	35 g	25
FNO375	37.5 g	25
FNO40	40 g	25
FNO45	45 g	25
FNO50	50 g	25
FNO55	55 g	25
FNO60	60 g	25
FNO65	65 g	25
FNO70	70 g	25
FNO75	75 g	25
FNO80	80 g	25

Part No.	Size	Pcs/box
■ TO25N	0.25 oz.	25
TO50N	0.50 oz.	25
T075N	0.75 oz.	25
T100N	1.00 oz.	25
T125N	1.25 oz.	25
T150N	1.50 oz.	25
T175N	1.75 oz.	25
T200N	2.00 oz.	25
T225N	2.25 oz.	25
T250N	2.50 oz.	25
T275N	2.75 oz.	25
T300N	3.00 oz.	25
T325N	3.25 oz.	25
T350N	3.50 oz.	25
T375N	3.75 oz.	25
T400N	4.00 oz.	25
T450N	4.50 oz.	25
T500N	5.00 oz.	25

Heavy-Duty Zinc & Lead Clip-On AS SEEN ON PAGES 21-23

Zinc

Part No.	Size	Pcs/box
LT1Z005	0.50 oz.	25
LT1Z010	1.00 oz.	25
LT1Z015	1.50 oz.	25
LT1Z020	2.00 oz.	25
LT1Z025	2.50 oz.	25
LT1Z030	3.00 oz.	25
LT1Z035	3.50 oz.	25
LT1Z040	4.00 oz.	25
LT1Z045	4.50 oz.	25
LT1Z050	5.00 oz.	25
LT1Z055	5.50 oz.	25
LT1Z060	6.00 oz.	25
I7Z010	1.00 oz.	25
I7Z015	1.50 oz.	25
I7Z020	2.00 oz.	25
I7Z025	2.50 oz.	25
I7Z030	3.00 oz.	25
I7Z035	3.50 oz.	25
I7Z040	4.00 oz.	25
I7Z050	5.00 oz.	25
I7Z060	6.00 oz.	25
TALZ010	1.00 oz.	25
TALZ020	2.00 oz.	25
TALZ030	3.00 oz.	25
TALZ040	4.00 oz.	25
TALZ050	5.00 oz.	25
TALZ060	6.00 oz.	25

Lead

Part No.	Size	Pcs/box
RC020	2.00 oz.	25
RC030	3.00 oz.	25
RC040	4.00 oz.	25
RC060	6.00 oz.	25
RC080	8.00 oz.	25
RC100	10.00 oz.	20
RC120	12.00 oz.	20
CT020	2.00 oz.	25
CT030	3.00 oz.	25
CT040	4.00 oz.	25
CT060	6.00 oz.	25
CT080	8.00 oz.	25
CT100	10.00 oz.	20
CT120	12.00 oz.	20
CT140	14.00 oz.	10
CT160	16.00 oz.	10
TAL020	2.00 oz.	25
TAL030	3.00 oz.	25
TAL040	4.00 oz.	25
TAL060	6.00 oz.	25
TAL080	8.00 oz.	25
TAL030U	3.00 oz.	25
TAL040U	4.00 oz.	25
TAL060U	6.00 oz.	25
TAL080U	8.00 oz.	25

Part No.	Size	Pcs/box
LT1005	0.50 oz.	25
LT1010	1.00 oz.	25
LT1015	1.50 oz.	25
LT1020	2.00 oz.	25
LT1025	2.50 oz.	25
LT1030	3.00 oz.	25
LT1035	3.50 oz.	25
LT1040	4.00 oz.	25
LT1045	4.50 oz.	25
LT1050	5.00 oz.	25
LT1060	6.00 oz.	25
I7010	1.00 oz.	25
I7015	1.50 oz.	25
I7020	2.00 oz.	25
I7025	2.50 oz.	25
I7030	3.00 oz.	25
I7035	3.50 oz.	25
I7040	4.00 oz.	25
I7050	5.00 oz.	25
I7060	6.00 oz.	25
I7080	8.00 oz.	25
I7100	10.00 oz.	20
I7120	12.00 oz.	20
I7140	14.00 oz.	10
I7160	16.00 oz.	10

Part No.	Size	Pcs/box
I9020	2.00 oz.	25
I9030	3.00 oz.	25
I9040	4.00 oz.	25
I9060	6.00 oz.	25
I9080	8.00 oz.	25
I9100	10.00 oz.	20
I9120	12.00 oz.	20

All Adhesives AS SEEN ON PAGES 26-31

Part No.	Material	Segment Size	Strip Size	Pcs/box
200624ST	Steel	0.25 oz.	3.00 oz.	52
200624STB	Steel	0.25 oz.	3.00 oz.	52
200624STR	Steel	0.25 oz.	1,280 segments	20lb Roll
300360ST	Steel	0.50 oz.	6.00 oz.	30
NEW 300360STR	Steel	0.50 oz.	640 segments	20lb Roll
SSG060N	Steel	5 g	60 g	25
SSG060NB	Steel	5 g	60 g	25
SSG7500N	Steel	5 g	1,500 segments	16.5lb Roll
SST300N	Steel	0.25 oz.	3.00 oz.	25
SST32000N	Steel	0.25 oz.	1,280 segments	20lb Roll
SSM600N	Steel	0.25 oz.	6.00 oz.	30

Part No.	Material	Segment Size	Strip Size	Pcs/box
100360	Lead	0.25 oz.	3.00 oz.	30
100360S	Lead	0.25 oz.	3.00 oz.	30
100720	Lead	0.25 oz.	3.00 oz.	60
300360	Lead	0.50 oz.	6.00 oz.	30
200624	Lead	0.25 oz.	3.00 oz.	52
200624N	Lead	0.25 oz.	3.00 oz.	52
200624S	Lead	0.25 oz.	3.00 oz.	48
CL6	Lead	1.00 oz.	6.00 oz.	30
CL12	Lead	2.00 oz.	12.00 oz.	8

CWW075Z - OEM Zinc Full-Size Assortment AS SEEN ON PAGE 33

The CWW075Z zinc wheel weight master assortment is a comprehensive floor-standing clip-on wheel weight kit. Kit includes a total of 2,325 clip-on wheel weights, rack stand, application guide, wall chart, 75K hammer, and two rim gauges.

Part No.	Size	Pcs/box	Part No.	Size	Pcs/box	Part No.	Size	Pcs/box	Part No.	Size	Pcs/box
PO25ZU	0.25 oz.	25	MC025S	0.25 oz.	25	IAW010Z	10 g	25	FNO10Z	10 g	25
PO50ZU	0.50 oz.	25	MC050Z	0.50 oz.	25	IAW015Z	15 g	25	FNO15Z	15 g	25
PO75ZU	0.75 oz.	25	MC075Z	0.75 oz.	25	IAW020Z	20 g	25	FNO20Z	20 g	25
P100ZU	1.00 oz.	25	MC100Z	1.00 oz.	25	IAW025Z	25 g	25	FNO25Z	25 g	25
P125ZU	1.25 oz.	25	MC125Z	1.25 oz.	25	IAW030Z	30 g	25	FNO30Z	30 g	25
P150ZU	1.50 oz.	25	MC150Z	1.50 oz.	25	IAW035Z	35 g	25	FNO35Z	35 g	25
P175ZU	1.75 oz.	25	MC175Z	1.75 oz.	25	IAW040Z	40 g	25	FNO40Z	40 g	25
P200ZU	2.00 oz.	25	MC200Z	2.00 oz.	25	IAW045Z	45 g	25	FNO45Z	45 g	25
P225ZU	2.25 oz.	25	MC225Z	2.25 oz.	25	IAW050Z	50 g	25	FNO50Z	50 g	25
P250ZU	2.50 oz.	25	MC250Z	2.50 oz.	25	IAW055Z	55 g	25	FNO55Z	55 g	25
P275ZU	2.75 oz.	25	MC275Z	2.75 oz.	25	IAW060Z	60 g	25	FNO60Z	60 g	25
P300ZU	3.00 oz.	25	MC300Z	3.00 oz.	25	ENO10Z	10 g	25	TO25S	0.25 oz.	25
AW025S	0.25 oz.	25	LH025Z	0.25 oz.	25	ENO15Z	15 g	25	TO50Z	0.50 oz.	25
AW050Z	0.50 oz.	25	LH050Z	0.50 oz.	25	ENO20Z	20 g	25	TO75Z	0.75 oz.	25
AW075Z	0.75 oz.	25	LH075Z	0.75 oz.	25	ENO25Z	25 g	25	T100Z	1.00 oz.	25
AW100Z	1.00 oz.	25	LH100Z	1.00 oz.	25	ENO30Z	30 g	25	T125Z	1.25 oz.	25
AW125Z	1.25 oz.	25	LH125Z	1.25 oz.	25	ENO35Z	35 g	25	T150Z	1.50 oz.	25
AW150Z	1.50 oz.	25	LH150Z	1.50 oz.	25	ENO40Z	40 g	25	T175Z	1.75 oz.	25
AW175Z	1.75 oz.	25	LH175Z	1.75 oz.	25	ENO45Z	45 g	25	T200Z	2.00 oz.	25
AW200Z	2.00 oz.	25	LH200Z	2.00 oz.	25	ENO50Z	50 g	25	T225Z	2.25 oz.	25
AW225Z	2.25 oz.	25	LH225Z	2.25 oz.	25	ENO55Z	55 g	25	T250Z	2.50 oz.	25
AW250Z	2.50 oz.	25	LH250Z	2.50 oz.	25	ENO60Z	60 g	25	T275Z	2.75 oz.	25
AW275Z	2.75 oz.	25	LH275Z	2.75 oz.	25				T300Z	3.00 oz.	25
AW300Z	3.00 oz.	25	LH300Z	3.00 oz.	25						

NEW CWW155Z - OEM Zinc Table-Top Assortment AS SEEN ON PAGE 33

The CWW155Z zinc wheel weight master assortment is a comprehensive table-top clip-on wheel weight kit. Kit includes a total of 1,525 clip-on wheel weights, rack stand, application guide, wall chart, 75K hammer, and two rim gauges.

Part No.	Size	Pcs/box	Part No.	Size	Pcs/box	Part No.	Size	Pcs/box	Part No.	Size	Pcs/box
PO25ZU	0.25 oz.	25	MC025S	0.25 oz.	25	IAW010Z	10 g	25	FNO10Z	10 g	25
PO50ZU	0.50 oz.	25	MC050Z	0.50 oz.	25	IAW015Z	15 g	25	FNO15Z	15 g	25
PO75ZU	0.75 oz.	25	MC075Z	0.75 oz.	25	IAW020Z	20 g	25	FNO20Z	20 g	25
P100ZU	1.00 oz.	25	MC100Z	1.00 oz.	25	IAW025Z	25 g	25	FNO25Z	25 g	25
P125ZU	1.25 oz.	25	MC125Z	1.25 oz.	25	IAW030Z	30 g	25	FNO30Z	30 g	25
P150ZU	1.50 oz.	25	MC150Z	1.50 oz.	25	IAW035Z	35 g	25	FNO35Z	35 g	25
P175ZU	1.75 oz.	25	MC175Z	1.75 oz.	25	IAW040Z	40 g	25	FNO40Z	40 g	25
P200ZU	2.00 oz.	25	MC200Z	2.00 oz.	25	ENO10Z	10 g	25	TO25S	0.25 oz.	25
AW025S	0.25 oz.	25	LH025Z	0.25 oz.	25	ENO15Z	15 g	25	TO50Z	0.50 oz.	25
AW050Z	0.50 oz.	25	LH050Z	0.50 oz.	25	ENO20Z	20 g	25	TO75Z	0.75 oz.	25
AW075Z	0.75 oz.	25	LH075Z	0.75 oz.	25	ENO25Z	25 g	25	T100Z	1.00 oz.	25
AW100Z	1.00 oz.	25	LH100Z	1.00 oz.	25	ENO30Z	30 g	25	T125Z	1.25 oz.	25
AW125Z	1.25 oz.	25	LH125Z	1.25 oz.	25	ENO35Z	35 g	25	T150Z	1.50 oz.	25
AW150Z	1.50 oz.	25	LH150Z	1.50 oz.	25	ENO40Z	40 g	25	T175Z	1.75 oz.	25
AW175Z	1.75 oz.	25	LH175Z	1.75 oz.	25				T200Z	2.00 oz.	25
AW200Z	2.00 oz.	25	LH200Z	2.00 oz.	25						

CWW075ST - OEM Steel Full-Size Assortment AS SEEN ON PAGE 34

The CWW075ST steel wheel weight master assortment is a comprehensive full-size clip-on wheel weight kit. Kit includes a total of 2,325 clip-on wheel weights, rack stand, application guide, wall chart, 75K hammer, and two rim gauges.

Part No.	Size	Pcs/box	Part No.	Size	Pcs/box	Part No.	Size	Pcs/box	Part No.	Size	Pcs/box
■ PO25ST	0.25 oz.	25	■ MCO25S	0.25 oz.	25	■ IAW010ST	10 g	25	■ FNO10ST	10 g	25
PO50ST	0.50 oz.	25	MCO50ST	0.50 oz.	25	IAW015ST	15 g	25	FNO15ST	15 g	25
PO75ST	0.75 oz.	25	MC075ST	0.75 oz.	25	IAW020ST	20 g	25	FNO20ST	20 g	25
P100ST	1.00 oz.	25	MC100ST	1.00 oz.	25	IAW025ST	25 g	25	FNO25ST	25 g	25
P125ST	1.25 oz.	25	MC125ST	1.25 oz.	25	IAW030ST	30 g	25	FNO30ST	30 g	25
P150ST	1.50 oz.	25	MC150ST	1.50 oz.	25	IAW035ST	35 g	25	FNO35ST	35 g	25
P175ST	1.75 oz.	25	MC175ST	1.75 oz.	25	IAW040ST	40 g	25	FNO40ST	40 g	25
P200ST	2.00 oz.	25	MC200ST	2.00 oz.	25	IAW045ST	45 g	25	FNO45ST	45 g	25
P225ST	2.25 oz.	25	MC225ST	2.25 oz.	25	IAW050ST	50 g	25	FNO50ST	50 g	25
P250ST	2.50 oz.	25	MC250ST	2.50 oz.	25	IAW055ST	55 g	25	FNO55ST	55 g	25
P275ST	2.75 oz.	25	MC275ST	2.75 oz.	25	IAW060ST	60 g	25	FNO60ST	60 g	25
P300ST	3.00 oz.	25	MC300ST	3.00 oz.	25	■ ENO10ST	10 g	25	■ TO25S	0.25 oz.	25
■ AWO25S	0.25 oz.	25	■ LH025ST	0.25 oz.	25	ENO15ST	15 g	25	TO50ST	0.50 oz.	25
AW050ST	0.50 oz.	25	LH050ST	0.50 oz.	25	ENO20ST	20 g	25	T075ST	0.75 oz.	25
AW075ST	0.75 oz.	25	LH075ST	0.75 oz.	25	ENO25ST	25 g	25	T100ST	1.00 oz.	25
AW100ST	1.00 oz.	25	LH100ST	1.00 oz.	25	ENO30ST	30 g	25	T125ST	1.25 oz.	25
AW125ST	1.25 oz.	25	LH125ST	1.25 oz.	25	ENO35ST	35 g	25	T150ST	1.50 oz.	25
AW150ST	1.50 oz.	25	LH150ST	1.50 oz.	25	ENO40ST	40 g	25	T175ST	1.75 oz.	25
AW175ST	1.75 oz.	25	LH175ST	1.75 oz.	25	ENO45ST	45 g	25	T200ST	2.00 oz.	25
AW200ST	2.00 oz.	25	LH200ST	2.00 oz.	25	ENO50ST	50 g	25	T225ST	2.25 oz.	25
AW225ST	2.25 oz.	25	LH225ST	2.25 oz.	25	ENO55ST	55 g	25	T250ST	2.50 oz.	25
AW250ST	2.50 oz.	25	LH250ST	2.50 oz.	25	ENO60ST	60 g	25	T275ST	2.75 oz.	25
AW275ST	2.75 oz.	25	LH275ST	2.75 oz.	25				T300ST	3.00 oz.	25
AW300ST	3.00 oz.	25	LH300ST	3.00 oz.	25						

NEW CWW155ST - OEM Steel Table-Top Assortment AS SEEN ON PAGE 34

The CWW155ST steel wheel weight master assortment is a comprehensive table-top clip-on wheel weight kit. Kit includes a total of 1,525 clip-on wheel weights, rack stand, application guide, wall chart, 75K hammer, and two rim gauges.

Part No.	Size	Pcs/box	Part No.	Size	Pcs/box	Part No.	Size	Pcs/box	Part No.	Size	Pcs/box
■ PO25ST	0.25 oz.	25	■ MCO25S	0.25 oz.	25	■ IAW010ST	10 g	25	■ FNO10ST	10 g	25
PO50ST	0.50 oz.	25	MCO50ST	0.50 oz.	25	IAW015ST	15 g	25	FNO15ST	15 g	25
PO75ST	0.75 oz.	25	MC075ST	0.75 oz.	25	IAW020ST	20 g	25	FNO20ST	20 g	25
P100ST	1.00 oz.	25	MC100ST	1.00 oz.	25	IAW025ST	25 g	25	FNO25ST	25 g	25
P125ST	1.25 oz.	25	MC125ST	1.25 oz.	25	IAW030ST	30 g	25	FNO30ST	30 g	25
P150ST	1.50 oz.	25	MC150ST	1.50 oz.	25	IAW035ST	35 g	25	FNO35ST	35 g	25
P175ST	1.75 oz.	25	MC175ST	1.75 oz.	25	IAW040ST	40 g	25	FNO40ST	40 g	25
P200ST	2.00 oz.	25	MC200ST	2.00 oz.	25	■ ENO10ST	10 g	25	■ TO25S	0.25 oz.	25
■ AWO25S	0.25 oz.	25	■ LH025ST	0.25 oz.	25	ENO15ST	15 g	25	TO50ST	0.50 oz.	25
AW050ST	0.50 oz.	25	LH050ST	0.50 oz.	25	ENO20ST	20 g	25	T075ST	0.75 oz.	25
AW075ST	0.75 oz.	25	LH075ST	0.75 oz.	25	ENO25ST	25 g	25	T100ST	1.00 oz.	25
AW100ST	1.00 oz.	25	LH100ST	1.00 oz.	25	ENO30ST	30 g	25	T125ST	1.25 oz.	25
AW125ST	1.25 oz.	25	LH125ST	1.25 oz.	25	ENO35ST	35 g	25	T150ST	1.50 oz.	25
AW150ST	1.50 oz.	25	LH150ST	1.50 oz.	25	ENO40ST	40 g	25	T175ST	1.75 oz.	25
AW175ST	1.75 oz.	25	LH175ST	1.75 oz.	25				T200ST	2.00 oz.	25
AW200ST	2.00 oz.	25	LH200ST	2.00 oz.	25						

CWW075 - Lead Full-Size Assortment AS SEEN ON PAGE 35

The CWW075 lead wheel weight master assortment is a comprehensive floor-standing clip-on wheel weight kit. Kit includes a total of 2,625 clip-on wheel weights, rack stand, application guide, wall chart, 75K hammer, and two rim gauges.

Part No.	Size	Pcs/box	Part No.	Size	O75	Part No.	Size	O75	Part No.	Size	O75
PO25	0.25 oz.	50	MCO25N	0.25 oz.	25	IAW010	10 g	25	FNO10	10 g	25
PO50	0.50 oz.	50	MCO50N	0.50 oz.	25	IAW015	15 g	25	FNO15	15 g	25
PO75	0.75 oz.	50	MCO75N	0.75 oz.	25	IAW020	20 g	25	FNO20	20 g	25
P100	1.00 oz.	50	MC100N	1.00 oz.	25	IAW025	25 g	25	FNO25	25 g	25
P125	1.25 oz.	50	MC125N	1.25 oz.	25	IAW030	30 g	25	FNO30	30 g	25
P150	1.50 oz.	50	MC150N	1.50 oz.	25	IAW035	35 g	25	FNO35	35 g	25
P175	1.75 oz.	50	MC175N	1.75 oz.	25	IAW040	40 g	25	FNO40	40 g	25
P200	2.00 oz.	50	MC200N	2.00 oz.	25	IAW045	45 g	25	FNO45	45 g	25
P225	2.25 oz.	50	MC225N	2.25 oz.	25	IAW050	50 g	25	FNO50	50 g	25
P250	2.50 oz.	50	MC250N	2.50 oz.	25	IAW055	55 g	25	FNO55	55 g	25
P275	2.75 oz.	50	MC275N	2.75 oz.	25	IAW060	60 g	25	FNO60	60 g	25
P300	3.00 oz.	50	MC300N	3.00 oz.	25	ENO10	10 g	25	TO25N	0.25 oz.	25
AWO25N	0.25 oz.	25	LH025	0.25 oz.	25	ENO15	15 g	25	TO50N	0.50 oz.	25
AWO50N	0.50 oz.	25	LH050	0.50 oz.	25	ENO20	20 g	25	TO75N	0.75 oz.	25
AWO75N	0.75 oz.	25	LH075	0.75 oz.	25	ENO25	25 g	25	T100N	1.00 oz.	25
AW100N	1.00 oz.	25	LH100	1.00 oz.	25	ENO30	30 g	25	T125N	1.25 oz.	25
AW125N	1.25 oz.	25	LH125	1.25 oz.	25	ENO35	35 g	25	T150N	1.50 oz.	25
AW150N	1.50 oz.	25	LH150	1.50 oz.	25	ENO40	40 g	25	T175N	1.75 oz.	25
AW175N	1.75 oz.	25	LH175	1.75 oz.	25	ENO45	45 g	25	T200N	2.00 oz.	25
AW200N	2.00 oz.	25	LH200	2.00 oz.	25	ENO50	50 g	25	T225N	2.25 oz.	25
AW225N	2.25 oz.	25	LH225	2.25 oz.	25	ENO55	55 g	25	T250N	2.50 oz.	25
AW250N	2.50 oz.	25	LH250	2.50 oz.	25	ENO60	60 g	25	T275N	2.75 oz.	25
AW275N	2.75 oz.	25	LH275	2.75 oz.	25				T300N	3.00 oz.	25
AW300N	3.00 oz.	25	LH300	3.00 oz.	25						

NEW CWW155 - Lead Table-Top Assortment AS SEEN ON PAGE 35

The CWW155 lead wheel weight master assortment is a comprehensive table-top clip-on wheel weight kit. Kit includes a total of 1,325 clip-on wheel weights, rack stand, application guide, wall chart, 75K hammer, and two rim gauges.

Part No.	Size	Pcs/box	Part No.	Size	Pcs/box	Part No.	Size	Pcs/box	Part No.	Size	Pcs/box
AWO25N	0.25 oz.	25	LH025	0.25 oz.	25	ENO10	10 g	25	TO25N	0.25 oz.	25
AWO50N	0.50 oz.	25	LH050	0.50 oz.	25	ENO15	15 g	25	TO50N	0.50 oz.	25
AWO75N	0.75 oz.	25	LH075	0.75 oz.	25	ENO20	20 g	25	TO75N	0.75 oz.	25
AW100N	1.00 oz.	25	LH100	1.00 oz.	25	ENO25	25 g	25	T100N	1.00 oz.	25
AW125N	1.25 oz.	25	LH125	1.25 oz.	25	ENO30	30 g	25	T125N	1.25 oz.	25
AW150N	1.50 oz.	25	LH150	1.50 oz.	25	ENO35	35 g	25	T150N	1.50 oz.	25
AW175N	1.75 oz.	25	LH175	1.75 oz.	25	ENO40	40 g	25	T175N	1.75 oz.	25
AW200N	2.00 oz.	25	LH200	2.00 oz.	25	ENO45	45 g	25	T200N	2.00 oz.	25
MCO25N	0.25 oz.	25	IAW010	10 g	25	FNO10	10 g	25			
MCO50N	0.50 oz.	25	IAW015	15 g	25	FNO15	15 g	25			
MCO75N	0.75 oz.	25	IAW020	20 g	25	FNO20	20 g	25			
MC100N	1.00 oz.	25	IAW025	25 g	25	FNO25	25 g	25			
MC125N	1.25 oz.	25	IAW030	30 g	25	FNO30	30 g	25			
MC150N	1.50 oz.	25	IAW035	35 g	25	FNO35	35 g	25			
MC175N	1.75 oz.	25	IAW040	40 g	25	FNO40	40 g	25			
MC200N	2.00 oz.	25									

Empty Rack Kits AS SEEN ON PAGE 35

Part No.	Size
CWW075E	Lead & non-lead full-size assortment empty kit (includes rack stand, application guide, wall chart and two rim gauges)
CWW155NLE	Non-lead table-top assortment empty kit (includes rack stand, application guide, wall chart and two rim gauges)
CWW155E	Lead table-top assortment empty kit (includes rack stand, application guide, wall chart and two rim gauges)

Accessories & Tools AS SEEN ON PAGES 37-39

Part No.	Description
25K	Wheel Weight Installation & Removal Tool
50K	Wheel Weight Installation & Removal Tool
50KE	Wheel Weight Installation & Removal Tool
71K	Wheel Weight Installation & Removal Tool
71P	Replacement "Soft Head" Face For 71K
75K	Wheel Weight Installation & Removal Tool
75P	Replacement "Soft Head" Face For 75K
75H	Replacement Removal Horns (3) for 75K & 105K
95K	Wheel Weight Installation & Removal Tool
PT7	Wheel Weight Installation & Removal Tool
105K	Wheel Weight Installation & Removal Tool
105HSD	Wheel Weight Installation & Removal Tool
105HST	Wheel Weight Installation & Removal Tool

Part No.	Description
QSS1	QuikStik® Adhesive Scraper
QS2000	Steel Weight Roll Stand - Single Head
QS3000	Steel Weight Roll Stand - Dual Head
SK2000	Steel Adhesive Roll Starter Kit - Single Head
SK3000	Steel Adhesive Roll Starter Kit - Dual Head
TR-10	Wheel Weight Installation & Removal Tool
RG2	Heavy-Duty Truck Rim Flange Gauge
RGP1	Passenger Car Rim Flange Gauge
18027	OE Alloy Application Wall Chart
18082	OE Alloy Application Guide
18000	Perfect Equipment Full Line Catalog



celebrating success.



Perfect Equipment is a brand of WEGMANN automotive.

1715 Joe B. Jackson Parkway
Murfreesboro, TN 37127
Service First Line: 1-888-215-4575
www.perfectequipment.com



Form 18000 - Perfect Equipment Wheel Weight Catalog
All content © copyright 2014, Perfect Equipment. All rights reserved.