

Catalogue # 2011



SHARK

Professional Abrasives & Automotive Products



INTRODUCTION

SHARK INDUSTRIES MINNESOTA FACILITY

In 2001, Shark Industries relocated their manufacturing facility to a new building in Rockford, Minnesota. The 50,000 square foot facility houses their expanded manufacturing /assembly plant. Shark manufactures their small diameter cut-off wheels to exacting specifications; in many different thickness /center hole dimensions to afford your customers many choices as well as the best performance.

In 2001 Shark became a converter of surface conditioning material and now supplies a complete line of discs from 1.5" to 7". Their quality is comparable to or better than the most noteworthy suppliers in the marketplace.

CATALOGUE CATEGORIES BY SEQUENCE

Category	Page
Abrasives	1-26
Air Tools	19
Autobody Small Tools	27-28
Sanders	28
Body Shop Tools	27-30
Blow Guns	29-30
Welding Screens / Blankets	31
Spark Suppressor / Compu-Save	32
Auto Bay Curtains	33-34
Carbide Burs	35-37
Carbide Bur Kits	33/38-39
Extended Carbide Burs	39
High Speed Steel Burs	40
Files	40
Honing Stones / Valve Seat Wheels	41-42
Hones / Brake	42
Tire Repair Burs / Stones & Changer Accessories	43-44
Inflator Hoses / Air Chucks	45
Mount / Demount Heads	45-47
Tire Changer Accessories	47-50
Lift Pads	50-51

A QUICK GUIDE TO USING THIS CATALOGUE!

Category	Page
Wheel Balancer Accessories	52-55
Car & Truck Calipers	55
Wire Brushes	56-60
Carbide Bits	61-66
Carbide Toolholders	66-70
Silencer Bands	70-73
Swirl Kits & Pads	74-75
Silencer Assembly / Chip Shields	76
Brake Lathe Spindle Boots	77
Brake Lathe Twin Cutter and Extenda-Feed	78
Brake Lathe Arbors & Nuts	79
Brake Lathe Adaptor Sets	80-88
Rotor / Drum Adaptors	79-86
Quik-Chuk	82
Adaptor Plus System	87
Adapt-Rite Adaptor System	88
Gearbox- Powercut	87-88
Brake Lathe Internal Parts	89-96
Brake Bleeder	97
Brake Fluid Tester	98
Ceramlub	98

NEW IN THIS CATALOGUE...

ABRASIVES

New expanded abrasives include mini flap discs, ceramic and cubitron mini grinding discs, expanded offering of depressed cut-off wheels as well as expanded kit options in various product ranges.

BRAKE LATHE REPAIR PARTS

Different options on arbors, expanded internal parts for Ammco lathes, etc. offers a much improved selection.

BRAKE BITS, BANDS & ACCESSORIES

Additional models of bits for all manufacturer's.

TIRE CHANGER AND WHEEL BALANCER ACCESSORIES

Tire changer repair parts, wheel balancer cones and nuts as well as other adaptors for these items.

Shark and Shark Welding are registered trademarks of Shark Industries Ltd. Any use of the name without express written permission is prohibited. Any reproduction of this catalogue without the permission of Shark is prohibited. Shark is a manufacturer/repackager of its own products. Any mention of any other manufacturer in this catalogue is only for reference purposes of part number, etc., and is not intended in any way to imply that Shark are manufactured by any of the mentioned manufacturers. **Catalogue Date: 03/11**

TABLE OF CONTENTS



Abrasive File Pads/Sheets	22	Flexible Depressed Center Wheels	8		
Abrasive Sanding Pads/Discs	21-22	Flywheel Grinding Wheels	41	Strip-Brite Discs	10-12
Abrasive Non-Directional Pads	74-75	Grinder Pads/Rotor	74-75	Surface Preparation Discs	10-12
Air Regulators	44	Grinding Discs/Mini	13-15	Kits/Surface Prep	10/19
Air Tools in Kits	19	Grinding Wheel Dressers	25	Swirl Tools	75
Aluminum Oxide Discs/Small	13-14	High Speed Steel Burs	40	Tire Changer Accessories	
Auto Bay Curtains	33-34	Hones/Honing Stones		Booties	44
Backing Pads	21	Brake Honing Stones	42	Inflator Hose Assemblies	45
Bench Wheel Adaptors	26	Engine Honing Stones	41-42	Lube Buckets	47
Bench Seat Grinding Wheels	26	Hones	42	Mount/Demount Heads	45-47
Bench Wheel Sharpeners	25	Hubless Adaptors	81-82/87/88	Pedal Switch	49
Blow Guns	30	Koolie Hat Wheels	7	Pressure Gauges	48
Boots/Brake Lathe	77	Lift Pads	51	Swabs	47
Booties/for Tire Changers	44	Lathe Accessories	61-96	Tire Spreaders	47
Brake Lathe Adaptors	80-88	Adaptors	78-88	Tray/Tool Tire Changer	43
Brake Lathe Repair Parts	76-96	Arbors	79-80	Tire Repair Tools	
Arbors	79-80	Bands/Silencer	71-73	Air Line Accessories	44
Boots/Spindle	77	Bits	61-66	Carbide Burs for Tire Repair	43
Chip Shields	76	Boots/Boot Rings	77	Lug Nut Removing Tool	43
Extenda-Feed	78	Chip Shields	76	Mounted Point/Tire	43
Internal Parts	91-96	Gearbox	89-90	Wheel Weight Tools	43
Lights	76	Hubless Adaptors	81-82/87-88	Trim Pad Removing Tools	28
Truck Adaptor Kits	80-88	Internal Components	91-96	Twist-Lock Backing Pads/holders	8/10
Twin Cutters	78	Lights/Lathe	76	Valve Seat Wheels	41
Brake Tools		Rotor/Drive Assembly	85	Valve Stem Wheels	41
Bead Depressing Tool	44	Truck Adaptor Kits	81 - 88	Way Cover for Accu-turn	77
Bleeders/Vacuum	97	Twin Cutter	78	Welding Blankets	31
Fluid Testers	98	Lube Buckets	47	Welding Screens	31/34
Hones/Honing Stones	41-42	Mandrels	2	Wet/Dry Sandpaper	20
Rotor & Hub Cleaner	74	Masks/Dust	27	Wheel Balancer Truck Cones	52/54
Brushes/See Wire		Mold Release Tools	28	Wheel Tools	
Buffing Bonnets	15	Mounted Grinding Wheels	25	Lug Nut Remover	43
Carbide Bits	61-66	Mounted Points	23-25	Weight Tool	44
Carbide Bit Holders	67-70	Mounted Point Display Box	23	Window Handle Clip Tool	28
Carbide Brazed Tools	70	Parts Cleaning Brushes	57	Wire Brushes	
Carbide Burs	35-39/43	Pin Stripe Eraser	27	Acid	57
Bur Displays	38	Pistol Vac	29	Adaptors/Wheel	60
Double Cut Burs	35-39	Power Cut Gearbox	89-90	Chipping Hammer Brush	57
Extended Burs	39	PSA Discs	21-22	Circular	58
Kits	35/38-39	PSA Pads	21-22	Cup	58-59
Mini	35	Quik-Chuk	82	End	57-58
Tire Repair Burs	43	Razor Blades/Steel or Plastic	27	Fitting	57
Ceramic Mini Grinding Discs	15	Resin Fibre Discs	9	Lug Cleaning Brush	60
Chip Shields	76	Mini Grinding Discs	14-15	Knotted/Cup	58-59
Compu-Save Computer Saver	32	Retractable Scrapers	27	Knotted/Straight	59-60
Cubitron Mini Grinding Discs	15	Rotary Files	40	Mounted Cup	58
Curtains/Auto Bay	33-34	Rotor/Hub Cleaning Tool	74	Cleaning	57
Cut-off Wheels	1-5	Rotor Finishing Swirl Tool	75	Crimped/Cup	58
Depressed Center Wheels	6-8	Sand Paper/Discs	21	Crimped/Straight	59
Depressed Ctr. Wheel Adaptors	8/25	General Purpose Paper	20	Scratch	56
Door Handle Clip Tools	28	Sand Screen Sheets	20	Spray Gun Cleaning	57
Dressing Sticks/Tools	25	Sanders/Hand	28	Stringer Bead	60
Drills/Stubby Body Panel	28	Scrapers	27	Tinning	56
Drive Assembly/Rotor & Drum	85	Sheet Metal Hammer	28	Tube	57
Engine Hones	42	Shop Rolls	23	Wire Solvent	57
Engine Honing Stones	41-42	Silencer Bands	71/73		
Extenda-Feed/Brake Lathe	78	Spark Suppressor	32		
Files	40	Spot Blaster	29		
File Sheets	22	Spray Tips	29		
Flap Discs	17-18	Spray Gun Cleaning Brushes	57		
Mini Flap Discs	18	Star-Brite Assortment Kits	10		
Flap Wheels	16	Star-Brite Hand Pads	12		



2" - 3" ALUMINUM OXIDE RESIN BONDED CUT-OFF WHEELS

Shark quality cut-off wheels are the most popular item in the line. In 1983, we were one of the first companies to offer the 3" cut-off wheels to the Automotive Aftermarket.

Shark manufactures these wheels at their Minnesota facility. The plant is over 50,000 square feet and offers the latest in high-speed manufacturing equipment for wheels, surface prep discs, sanding discs and other abrasives.



25

2" Cut-Off Wheels

Part#	Diameter	Thickness	Arbor	Grit	RPM	PKG	Master Pack
19	2"	1/32"	3/8"	54	30,000	10/PK	5 PKGS
20	2"	1/16"	1/4"	54	30,558	10/PK	5 PKGS
21	2"	1/16"	3/8"	54	30,558	10/PK	5 PKGS
22	2"	1/8"	1/4"	54	45,000	10/PK	5 PKGS
23	2"	1/8"	3/8"	54	45,000	10/PK	5 PKGS

3" Cut-Off Wheels

Part#	Diameter	Marquette Norton #	Thickness	Arbor	Grit	RPM	PKG	Master Pack
24-10	3"	N89012 Mandrel & Wheels	1/16"	3/8"	46	25,000	10/PK	20 PKGS
24-50	3"		1/16"	3/8"	46	25,000	50/PK	10 PKGS
24-100	3"		1/16"	3/8"	46	25,000	100/BX	10 BXS
25-6M	3"		1/16"	3/8"	54	25,000	6/PK, 1-31	6 PKGS
25-10	3"		1/16"	3/8"	54	25,000	10/PK	20 PKGS
25-25	3"	Zirconia Mandrel & Wheels	1/16"	3/8"	54	25,000	25/PK	8 PKGS
25-50	3"		1/16"	3/8"	54	25,000	50/BX	4 BXS
25-100	3"		1/16"	3/8"	54	25,000	100/BX	10 BXS
25SL	3"		1/16"	3/8"	54	25,000	6/PK	6 PKGS
25SL-M	3"		1/16"	3/8"	54	25,000	6/PK	6 PKGS
26-6M	3"	Zirconia Mandrel & Wheels	1/32"	3/8"	54	25,000	6/PK, 1-31	6 PKGS
26-10	3"		1/32"	3/8"	54	25,000	10/PK	20 PKGS
26-25	3"		1/32"	3/8"	54	25,000	25/PK	8 PKGS
26-50	3"		1/32"	3/8"	54	25,000	50/PK	10 PKGS
26-100	3"		1/32"	3/8"	54	25,000	100/BX	10 BXS
26SL	3"	Zirconia	1/32"	3/8"	54	25,000	6/PK	20 PKGS
26SL-M	3"		1/32"	3/8"	54	25,000	6/PK, 1-31	6 PKGS
27-10	3"		1/16"	1/4"	54	25,000	10/PK	20 PKGS
27-100	3"		1/16"	1/4"	54	25,000	100/BX	10 BXS
28-5	3"		1/8"	1/4"	46	25,000	5/PK	10 PKGS
28-50	3"	Zirconia	1/8"	1/4"	46	25,000	50/BX	2 BXS
29-5	3"		1/8"	3/8"	46	25,000	5/PK	10 PKGS
29-50	3"		1/8"	3/8"	46	25,000	50/BX	2 BXS
30-10	3"		1/32"	1/4"	54	25,000	10/PK	20 PKGS
30-100	3"		1/32"	1/4"	54	25,000	100/BX	10 BXS
37-10	3"	Zirconia	3/32"	3/8"	54	25,000	10/PK	20 BXS
37-100	3"		3/32"	3/8"	54	25,000	100/BX	10 BXS
38-5	3"		3/16"	3/8"	54	25,000	5/PK	20 BXS
38-50	3"		3/16"	3/8"	54	25,000	50/BX	4 BXS



Designed for steel cutting use only, never use these wheels for any other applications.

Never use on fiberglass!

CAUTION: Always wear full face protection and wheel guard!

ZIRCONIA SURE-LIFE CUT-OFF WHEELS

Shark Long-Life, Sure-Life Zirconia Cut-Off Wheels will give you more than the competition offers at a substantial savings! Comes in displayable attractive clamshell packaging.

Sure-Life cut-off wheels containing Cubic Zirconium are manufactured to last at least three times as long as regular Shark wheels.



25SL

Zirconia Cut-Off Wheels

Part #	3M #	Description
25SL	31990(1) 01990	One 6 Pack of Sure-Life Wheels Size: 3" x 1/16" x 3/8" Hole
25SL-10	31990	One 10 Pack of Sure-Life Wheels
26SL	31989(1) 01989	One 6 Pack of Sure-Life Wheels Size: 3" x 1/32" x 3/8" Hole
26SL-10	31989	One 10 Pack of Sure-Life Wheels

SHARK® WHEEL & MANDREL COMBINATION PACKS

Available in a combination package with 6 wheels of our two most popular cut-off wheel sizes.

Zirc & Alum. Oxide Cut-Off Wheels with Mandrels

Part #	Description
Zirconia Discs	
25SL-M	Assortment Includes: 6 each Sure-Life Wheels 3" x 1/16" x 3/8" with a #31 Mandrel
26SL-M	Assortment Includes: 6 each Sure-Life Wheels 3" x 1/32" x 3/8" with a #31 Mandrel
Aluminum Oxide Discs	
25-6M	Assortment Includes: 6 each 3" x 1/16" x 3/8" #25 Cut-off Wheels with a #31 Mandrel
26-6M	Assortment Includes: 6 each 3" x 1/32" x 3/8" #26 Cut-off Wheels with a #31 Mandrel

SHARK FACT:

These ASSORTMENTS allow
the mechanic to use
the wheels in any die grinder.



26-6M

MANDRELS FOR SMALL CUT-OFF WHEELS

Shark mandrels can be used to convert any die grinder into a cut off tool. Be sure to wear proper eye protection/face mask, gloves and safety gear.

Mandrels for Cut-Off Wheels

Part #	Description
31	Mandrel with 3/8" Shoulder Screw
32	Mandrel with 1/4" & 3/8" Shoulder Screw
33	Mandrel with 3/8" Extended Screw (For use with thicker than 3/8" with a 3/8" arbor hole)
34	Mandrel with 1/2" Adapter
37L	Mandrel with extra long screw for thicker wheels
37S	Mandrel with 1/4" Screw

32



4" - 7" CUT-OFF WHEELS FOR STAINLESS STEEL

Type 1 - 4"- 7" Stainless Steel Cut-Off Wheels

Part#	Dia.	Thickness	Arbor	Grit	RPM	PKG	Master Pack
13021	4"	.045	5/8"	60	15,300	10/PK	10 PKGS
13022	4"	.045	5/8"	60	15,300	25/PK	4 PKGS
13023	4.5"	.045	7/8"	60	13,300	10/PK	10 PKGS
13024	4.5"	.045"	7/8"	60	13,300	25/PK	4 PKGS
13028	5"	.045"	7/8"	60	12,250	5/PK	10 PKGS
13029	5"	.045"	7/8"	60	12,250	25/PK	4 PKGS
13030	6"	.045"	7/8"	60	12,700	5/PK	10 PKGS
13031	6"	.045"	7/8"	60	12,700	25/PK	4 PKGS
13032	7"	.045"	7/8"	60	12,700	5/PK	10 PKGS
13033	7"	.045"	7/8"	60	12,700	25/PK	4 PKGS

Type 27 - 4"- 7" Stainless Steel Cut-Off Wheels

Part#	Dia.	Thickness	Arbor	Grit	RPM	PKG	Master Pack
13034	4"	.045	5/8"	60	15,300	10/PK	10 PKGS
13035	4"	.045	5/8"	60	15,300	25/PK	4 PKGS
13036	4.5"	.045	7/8"	60	13,300	10/PK	10 PKGS
13037	4.5"	.045	7/8"	60	13,300	25/PK	4 PKGS
13038	5"	.045	7/8"	60	12,250	5/PK	10 PKGS
13039	5"	.045	7/8"	60	12,250	25/PK	4 PKGS
13040	6"	.045	7/8"	60	12,700	5/PK	10 PKGS
13041	6"	.045	7/8"	60	12,700	25/PK	4 PKGS
13042	7"	.045	7/8"	60	12,700	5/PK	10 PKGS
13043	7"	.045	7/8"	60	12,700	25/PK	4 PKGS

Type 27 - 4-4 1/2" Metal/Stainless Steel Cutting/Notching Wheels

Part#	Dia.	Thickness	Arbor	Grit	RPM	PKG	Master Pack
13044	4"	1/8"	5/8"	60	15,300	10/PK	10 PKGS
13045	4"	1/8"	5/8"	60	15,300	25/PK	4 PKGS
13046	4.5"	1/8"	7/8"	60	13,300	10/PK	10 PKGS
13047	4.5"	1/8"	7/8"	60	13,300	25/PK	4 PKGS
13048	4.5"	1/8"	5/8-11NC	60	13,300	5/PK	10 PKGS

4" - 8" ALUMINUM OXIDE RESIN BONDED CUT-OFF WHEELS FOR STEEL CUTTING



46

4" - 8" Cut-Off Wheels

Part#	Dia.	Thickness	Arbor	Grit	RPM	PKG	Master Pack
41	4"	3/32"	5/8"	46	15,300	10/PK	10 PKGS
41-100	4"	3/32"	5/8"	46	15,300	100/PK	5 PKGS
42	4"	1/32"	3/8"	60	21,000	10/PK	10 PKGS
42-100	4"	1/32"	3/8"	60	21,000	100/PK	5 PKGS
43	4"	1/32"	5/8"	60	21,000	10/PK	10 PKGS
43-100	4"	1/32"	5/8"	60	21,000	100/PK	5 PKGS
44	4"	1/16"	1/4"	54	21,000	10/PK	10 PKGS
44-100	4"	1/16"	1/4"	54	21,000	100/PK	5 PKGS
45	4"	1/16"	3/8"	54	21,000	10/PK	10 PKGS
45-100	4"	1/16"	3/8"	54	21,000	100/PK	5 PKGS
46	4"	1/16"	5/8"	54	15,300	10/PK	10 PKGS
46-100	4"	1/16"	5/8"	54	15,300	100/PK	5 PKGS
47	4"	1/8"	3/8"	46	15,300	10/PK	10 PKGS
47-100	4"	1/8"	3/8"	46	15,300	100/PK	5 PKGS
48	4"	1/8"	5/8"	46	15,300	10/PK	10 PKGS
48-100	4"	1/8"	5/8"	46	15,300	100/PK	5 PKGS
49	4"	1/8"	7/8"	46	15,300	10/PK	10 PKGS
49-100	4"	1/8"	7/8"	46	15,300	100/PK	5 PKGS
50	4"	1/16"	7/8"	46	21,000	10/PK	10 PKGS
50-100	4"	1/16"	7/8"	46	21,000	100/PK	5 PKGS
453	4-1/2"	3/32"	3/8"	46	17,500	10/PK	5 PKGS
454	4-1/2"	3/32"	7/8"	46	17,500	10/PK	5 PKGS
455	4-1/2"	1/16"	7/8"	46	17,500	10/PK	5 PKGS
456	4-1/2"	.045	7/8"	46	17,500	10/PK	5 PKGS
13150	5"	3/64"	7/8"	46	12,200	1/E.A.	200 EACH
13151	5"	3/64"	7/8"	46	12,200	5/PK	40 PKGS
13152	5"	.045	7/8"	46	10,200	1/E.A.	200 EACH
13153	5"	.045	7/8"	46	10,200	5/PK	40 PKGS
13154	6"	.040	7/8"	46	10,200	1/E.A.	200 EACH
13155	6"	.040	7/8"	46	10,200	5/PK	40 PKGS
77-5	7"	1/8"	5/8-Diamond	36	8700	5/PK	10 PKGS
13055	7"	.045"	5/8"	60	8600	5/PK	10 PKGS
13056	7"	3/32"	5/8-Diamond	60	8600	5/PK	10 PKGS
88-5	8"	1/8"	Diamond	36	7600	5/PK	10 PKGS
13057	8"	.045"	5/8"	60	8600	5/PK	10 PKGS

TYPE 27 1/8" PIPELINE CUTTING/GRINDING WHEELS

This Metal / Stainless Steel wheel is specially designed for Light Grinding and Cutting.
When working on pipelines, use for light grinding or cutting of root pass or welds.

4 1/2" - 7" Type 27 - Pipeline Cut-Off /Light Grinding Wheels

Part#	Dia.	Thickness	Arbor	Grit	RPM	PKG	Master Carton
13049	4-1/2"	1/8"	7/8"	24	13,300	10/PK	5 PKGS
13050	4-1/2"	1/8"	5/8-11NC	24	13,300	10/PK	5 PKGS
13051	6"	1/8"	7/8"	24	10,020	5/PK	5 PKGS
13052	6"	1/8"	5/8-11NC	24	10,020	5/PK	5 PKGS
13053	7"	1/8"	7/8"	24	8,600	5/PK	5 PKGS
13054	7"	1/8"	5/8-11NC	24	8,600	5/PK	5 PKGS

SHARK



142

4 1/2" - 14" CUT-OFF WHEELS FOR STEEL, STAINLESS STEEL AND ALUMINUM

12" - 14" Cut-Off Wheels

Part#	*OEM#	Dia.	Thickness	Arbor	Grit	RPM	Reinforcement Desc.	Pkg.	Master Carton
121-5		12"	1/8"	1"	36	5100	Single/Steel	5/PK	5 PKGS
122-5		12"	1/8"	1"	36	6300	Double/Steel	5/PK	5 PKGS
122M-5		12"	1/8"	1"	36	6000	Dble./Masonry/Gas Saw	5/PK	5 PKGS
123-5		12"	7/64"	1"	36	5100	Makita Type	5/PK	5 PKGS
124-5	M57412	12"	3/32"	1"	36	5000	Reinforced	5/PK	5 PKGS
141-5		14"	1/8"	1"	36	4400	Single/Steel	5/PK	5 PKGS
142MH-5		14"	1/8"	1"	24	4365	Dble./Masonry/Heavy Duty	5/PK	5 PKGS
142-5		14"	1/8"	1"	36	5400	Double/Steel	5/PK	5 PKGS
142M-5		14"	3/16"	1"	24	4365	Dble./Masonry/Walk-Behind	5/PK	5 PKGS
143-5		14"	7/64"	1"	36	4400	Makita Type	5/PK	5 PKGS
144-5	M57413	14"	3/32"	1"	36	4400	Reinforced	5/PK	5 PKGS

*NOTE: "M" prefix is a Marquette Number.

12" - 14" High Speed / Type 1 / Cut-Off Wheels FOR GAS & ELECTRIC HIGH SPEED SAWS

Part#	*OEM#	Dia.	Thickness	Arbor	Grit	RPM	Reinforcement Desc.	Pkg.	Master Carton
13058		12"	5/32"	20mm	24	6,400	Reinforced/Steel-Stainless	5/PK	5 PKGS
13059		12"	5/32"	1"	24	6,400	Double/Steel	5/PK	5 PKGS
13060		14"	5/32"	20mm"	24	5,500	Triple Reinf/Steel-Stainless	5/PK	5 PKGS
13061		14"	5/32"	1"	24	5,500	Triple Reinf/Steel-Stainless	5/PK	5 PKGS

4.5" - 7" Cut-Off / Grinding Wheels FOR ALUMINUM -Type 1 & Type 27

Part#	STYLE	Dia.	Thickness	Arbor	Grit	RPM	Reinforcement Desc.	Pkg.	Master Carton
13063	Type 27	4.5"	1/4"	7/8"	N/A	13,300	Double	5/PK	5 PKGS
13064	Type 27	4.5"	1/4"	5/8-11	N/A	13,300	Double	5/PK	5 PKGS
12763	Type 27	7"	1/4"	7/8"	N/A	8,600	Double	5/PK	5 PKGS
12764	Type 27	7"	1/4"	5/8-11	N/A	8,600	Double	5/PK	5 PKGS
TYPE 1									
12765	Type 1	4.5"	3/16"	7/8"	N/A	13,300	Double	5/PK	5 PKGS
12766	Type 1	7"	3/16"	7/8"	N/A	8,600	Double	5/PK	5 PKGS

Type 11 Cup Wheels

COARSE ALUMINUM OXIDE CUP WHEELS ARE MADE FROM 16-20 GRIT AND ARE RESINOID BONDED.

Available in 3 different sizes for varying portable grinders to meet all applications.
General purpose grinding wheel is designed to remove large deposits on stone, masonry and non-ferrous materials quickly.

Part#	Size	Arbor	RPM	Pkg.
12690	4/3" x 2"	5/8-11NC	7,260	1
12691	5/3" x 2"	5/8-11NC	7,260	1
12692	6/3" x 2"	5/8-11NC	7,260	1

12690



DEPRESSED CENTER GRINDING WHEELS

ALL NEW 2" Diameter! All Shark Depressed Center Wheels are reinforced for long life.



TYPE 27 STANDARD SHAPE

The most popular raised hub wheel for grinding and blending.



- Never use a wheel that has been dropped
- Always wear full face protection when grinding
- Always use a guard covering 50% or more of wheel diameter.
- Always follow OSHA B7.1 standards.

General Purpose Depressed Center Wheels- Type 27

Part#	Pkg.Qty.	Marquette	M/W#	Makita#	Dia.	Width	Arbor	Grit	RPM	Master
SDP220	(5)	N/A	N/A	N/A	2"	3/16"	3/8"	120	25,000	20 PKGS
SDP260	(5)	N/A	N/A	N/A	2"	3/16"	3/8"	60	25,000	20 PKGS
SDP280	(5)	N/A	N/A	N/A	2"	3/16"	3/8"	80	25,000	20 PKGS
SDP301	(1)	N/A	N/A	N/A	3"	1/8"	3/8"	36	20,000	20 PKG
SDP302	(1)	N/A	N/A	N/A	3"	1/4"	3/8"	36	20,000	20 PKG
13027	(4)	NEW Cut-off Wheel			4"	1/8"	5/8"	24	13,700	200 EA
SDP401	(1)				4"	1/8"	5/8"	36	13,700	25 PKG
SDP401-5	(5)	M57500	MW08585		4"	1/8"	5/8"	36	13,700	10 PKGS
SDP402	(1)	N/A			4"	1/4"	3/8"	24	13,700	25 PKG
SDP403	(1)	M57501		741402-C	4"	1/4"	5/8"	24	13,700	25 PKG
SDP403-3	(3)				4"	1/4"	5/8"	24	13,700	8 PKGS
SDP403-5	(5)			741402-9AP	4"	1/4"	5/8"	24	13,700	10 PKGS
SDP403-25	(25)				4"	1/4"	5/8"	24	13,700	4 PKGS
SDP404	(1)		MW08586		4"	1/4"	5/8"	24	13,700	25 PKGS
SDP404-3	(3)				4"	1/4"	5/8"	36	13,700	8 PKGS
SDP404-5	(5)				4"	1/4"	5/8"	36	13,700	10 PKGS
SDP404-25	(25)				4"	1/4"	5/8"	36	13,700	4 PKGS
SDP424	(1)			741402-B	4"	3/16"	5/8"	24	13,700	25 PKG
SDP424-3	(3)				4"	3/16"	5/8"	24	13,700	8 PKGS
SDP424-5	(5)			741402-8	4"	3/16"	5/8"	24	13,700	10 PKGS
SDP424-25	(25)				4"	3/16"	5/8"	24	13,700	4 PKGS
SDP434	(1)			741405-2-1	4"	3/16"	5/8"	36	13,700	25 PKG
SDP434-3	(3)				4"	3/16"	5/8"	36	13,700	8 PKGS
SDP434-5	(5)			741405-2P	4"	3/16"	5/8"	36	13,700	10 PKGS
SDP434-25	(25)				4"	3/16"	5/8"	36	13,700	4 PKGS
SDP451	(1)				4 1/2"	1/8"	7/8"	36	11,900	25 PKG
SDP451-3	(3)				4 1/2"	1/8"	7/8"	24	11,900	8 PKGS
SDP451-5	(5)				4 1/2"	1/8"	7/8"	24	11,900	10 PKGS
SDP451-25	(25)				4 1/2"	1/8"	7/8"	24	11,900	4 PKGS
SDP452	(1)	M57502		741423-B	4 1/2"	1/4"	7/8"	24	11,900	25 PKG
SDP452-3	(3)				4 1/2"	1/4"	7/8"	24	11,900	8 PKGS
SDP452-5	(5)			741423-0	4 1/2"	1/4"	7/8"	24	11,900	10 PKGS
SDP452-25	(25)				4 1/2"	1/4"	7/8"	24	11,900	4 PKGS
SDP452H	(1)			741416-B	4 1/2"	1/4"	5/8-11	24	11,900	10 PKG
SDP452Z	(1)	Zirconia			4 1/2"	1/4"	7/8"	24	11,900	25 PKG
SDP452Z-25	(25)	Zirconia			4 1/2"	1/4"	7/8"	24	11,900	4 PKG
SDP452ZH	(1)	Zirconia			4 1/2"	1/4"	5/8-11	24	11,900	10 PKG
SDP453	(1)				4 1/2"	1/4"	7/8"	36	11,900	25 PKG
SDP453-3	(3)				4 1/2"	1/4"	7/8"	36	11,900	8 PKG
SDP453-5	(5)				4 1/2"	1/4"	7/8"	36	11,900	10 PKG
SDP454-5	(5)	NEW Cut-off Wheel (FOR GRINDERS)			4 1/2"	.045	7/8"	60	13,500	10 PKGS
SDP454-10	(10)	NEW Cut-off Wheel (FOR GRINDERS)			4 1/2"	.045	7/8"	60	13,500	10 PKGS
SDP455-5	(5)	NEW Cut-off Wheel (FOR GRINDERS)			4 1/2"	1/16"	7/8"	60	13,500	5 PKGS
SDP501	(1)				5"	1/8"	7/8"	24	11,900	25 PKGS
SDP502	(1)			741417-B	5"	1/4"	5/8-11	24	11,000	25 PKGS
SDP502N	(1)			741407-8-1	5"	1/4"	7/8"	24	11,000	25 PKGS
13156	(1)				6"	1/4"	7/8"	24	10,200	200 EA
13157	(5)				6"	1/4"	7/8"	24	10,200	30 PKGS

SHARK



7"-9" GENERAL PURPOSE DEPRESSED CENTER WHEELS

TYPE 27 STANDARD SHAPE

The most popular raised hub wheel for grinding and blending.



7" & 9" General Purpose Depressed Center Wheels- Type 27

Part #	Marquette	M/W#	Makita#	Dia.	Width	Arbor	Grit	RPM	MasterPack
SDP701		08642		7"	1/8"	5/8-11"	24	11,000	10 PKGS
SDP701-10		N/A		7"	1/8"	5/8-11"	24	8,500	10 PKGS
SDP701N		N/A		7"	1/8"	7/8"	24	8,500	10 PKGS
SDP702	M57504	08644	741414-B	7"	1/4"	5/8-11"	24	8,500	10 PKGS
SDP702-10		N/A	741414-A	7"	1/4"	5/8-11"	24	8,500	10 PKGS
SDP702N	M57505	08609	741413-B	7"	1/4"	7/8"	24	8,500	10 PKGS
SDP702N-10		N/A		7"	1/4"	7/8"	24	8,500	10 PKGS
SDP702NZ-5	Zirconia	N/A	741313-7A	7"	1/4"	7/8"	24	8,500	10 PKGS
SDP702Z	Zirconia	N/A		7"	1/4"	5/8-11"	24	8,500	10 PKGS
SDP702Z-10	Zirconia	N/A		7"	1/4"	5/8-11"	24	8,500	10 PKGS
SDP902	M57506	N/A	741415-B	9"	1/4"	5/8-11"	24	6,500	10 PKGS
SDP902-10			741415-A	9"	1/4"	5/8-11"	24	6,500	10 PKGS
SDP902N	M57507	08649	741421-B	9"	1/4"	7/8"	24	6,500	10 PKGS
SDP902N-10	N/A	08650	N/A	9"	1/4"	7/8"	24	6,500	10 PKGS
SDP902Z	Zirconia	N/A	N/A	9"	1/4"	5/8-11"	24	6,500	10 PKGS
SDP902Z-10	Zirconia	N/A	N/A	9"	1/4"	5/8-11"	24	6,500	10 PKGS

MASONRY DEPRESSED CENTER WHEELS

Masonry- Silicon Carbide Depressed Center Wheels - Type 27

Part #	B&D#	M/W#	Makita#	Dia.	Width	Hole Size	Grit	RPM	Master Pack
SDP401SC-25	44032			4"	1/8"	5/8"	A24R	13,500	4 PKGS
SDP403SC-5	55035	08625(1)	741425-B	4"	1/4"	5/8"	A24R	13,500	20 PKGS
SDP403SC-25	44035	08626		4"	1/8"	7/8"	A24R	12,000	4 PKGS
SDP451SC-5	54532			4 1/2"	1/8"	7/8"	A24R	12,000	20 PKGS
SDP451SC-25	44532		741426-B	4 1/2"	1/8"	7/8"	A24R	10,850	4 PKGS
SDP452SC-5	54535	08628(1)		4 1/2"	1/4"	7/8"	A24R	10,850	20 PKGS
SDP452SC-25	44535	08629		4 1/2"	1/4"	5/8-11"	A24R	8,500	4 PKGS
SDP502SC-25	45035			5"	1/4"	5/8-11"	A24R	8,500	4 PKGS
SDP702SC-10	47059	08631(1)	741428-B	7"	1/4"	5/8-11"	A24R	6,600	5 PKGS
SDP902SC-10	49055	08634(1)	741429-B	9"	1/4"	5/8-11"	A24R	6,600	5 PKGS



SKP702

KOOLIE HAT WHEELS

TYPE 28 SAUCER SHAPE

A special "flared" shape that keeps the grinding face at the correct position.



Koolie Hat Wheels - Type 28

Part#	M/W#	Forney#	Dia.	Width	Hole Size	Grit	RPM	Master Pack
SKP702	08656	71826	7"	1/4"	5/8-11	24	8,500	10 PKG
SKP702-10	N/A	N/A	7"	1/4"	5/8-11	24	8,500	5 PKGS
SKP902	08659	71834	9"	1/4"	5/8-11	24	6,500	10 PKG
SKP902-10	N/A	N/A	9"	1/4"	5/8-11	24	6,500	5 PKGS

MAKITA TYPE FLEXIBLE WHEEL FOR GRINDING & POLISHING



4060

Available in 4 1/2" & 7" Diameters (7/8" Hole)

Type 27 Style Wheels For Use with any Portable Angle Grinder

These wheels will flex and follow your work after they have been used for just a few minutes. They offer extended life over resin fibre discs.

- Allows for broad surface contact
- Excellent for weld blending
- Outlasts resin fibre discs 5 times
- Works more efficiently
- Reduces Dust

SHARK

7" Flexi-Wheels

Part#	Makita#	Description	Grit
7036	N/A	7" x 1/8"	36
7036-10	741445-0	7" x 1/8" (10 BX)	36
7036H-10	741445-0	7" x 1/8" x 5/8-11 (10 BX)	36
7046	N/A	7" x 1/8"	46
7046-10	741441-8	7" x 1/8" (10 BX)	46
7046H-10	741441-8	7" x 1/8" x 5/8-11 (10 BX)	46
7060	N/A	7" x 1/8" x 7/8"	60
7060-10	741442-6	7" x 1/8" x 7/8" (10 BX)	60
7060H-10	741442-6	7" x 1/8" x 5/8-11 (10 BX)	60
7070S	743027-4	7" Plastic Backing Pad	70
7080	N/A	7" x 1/8" x 7/8"	80
7080-10	741443-4	7" x 1/8" x 7/8" (10 BX)	80
7080H-10	741443-4	7" x 1/8" x 5/8-11 (10 BX)	80

4 1/2" Flexi-Wheels

Part#	Makita#	Description	Grit
4536-3	N/A	4.5" x 1/8"	36
4536-10	N/A	4.5" x 1/8" (10 BX)	36
4546-3	N/A	4.5" x 1/8"	46
4546-10	741438-7	4.5" x 1/8" (10 BX)	46
4560-3	N/A	4.5" x 1/8"	60
4560-10	741404-0	4.5" x 1/8" (10 BX)	60
4580-3	N/A	4.5" x 1/8"	80
4580-10	741404-0	4.5" x 1/8" (10 BX)	80
4582-3	N/A	4.5" x 1/8"	120
4582-10	741404-0	4.5" x 1/8" (10 BX)	120

SHARK FACT: The Flexi-Wheel combines the advantages of a Depressed Center Wheel and the Resin Fiber Disc. Their flexibility puts more grinding surface on the job and permits faster easier cutting and longer life.

SCUFF-BRITE TWIST-LOCK/VELCRO HOLDERS

NEW Surface Prep Twist-TO-Lock Holders With Patented Ventilated Fins

Part#	Description	Qty.	Case
44320	2" Twist-Type Vented Backing Pad	1	10
44321	3" Twist-Type Vented Backing Pad	1	10
44322	4" Twist-Type Vented Backing Pad	1	10

Surface Prep Twist-TO-Lock Holders

Part#	3M	Description	Qty.	Case
323T	05539	2" Twist-Type Backing Pad	1	10
333T	05540	3" Twist-Type Backing Pad	1	10
343T	05541	4" Twist-Type Backing Pad	1	10

Surface Prep Velcro Holders

Part#	3M	Description	Qty.	Case
323	07706	2" Velcro Backing Pad	1	10
333	07707	3" Velcro Backing Pad	1	10
343	07708	4" Velcro Backing Pad	1	10

NEW Surface Prep Holder for 2" Mini Grinders

This NEW Holder turns your 2" Mini Grinder - NAPA, Mac and others into a versatile tool!

Part#	Description	Qty.	Case
13025	2" 3/8-24 Threaded Pad	1	10
13026	3" 3/8-24 Threaded Pad	1	10

DEPRESSED CENTER WHEEL ADAPTOR

For use on depressed center wheels purchased without a hub. Adapts any depressed center wheel with a 7/8" hole to a 5/8-11NC spindle. For use with any standard right angle grinder.

Depressed Center Grinding Wheel Hub Adaptor Kit

Part #	Description
13213	Kit includes wrench with hub, nut and 2 washers.



SHARK

For grinding, descaling,
polishing of welds and
paint removal.

- Premium quality
- Cool grinding
- Long-life

DISC SIZES

4"
4 1/2"
5"
7"
9"



40360

5080Z

40160

Aluminum Oxide & Zirconia

25 Per Box 100 Per Case		Aluminum Oxide 3 PACK	Zirconia 3 PACK	Aluminum Oxide (25 Box)	Zirconia (25 Box)	Marquette Forney Metal Work	= M = F = MW
Diameter	Grit	Shark Part Numbers				Competitive Number	
4"	16	40160-3	40160Z-3	40160	40160Z	MW08765	F71749
4"	24	40240-3	40240Z-3	40240	40240Z	MW08766	F71750
4"	36	40360-3	40360Z-3	40360	40360Z	MW08767	F71751
4"	50	40500-3	40500Z-3	40500	40500Z	MW08768	F71752
4"	80	40800-3	40800Z-3	40800	40800Z	MW08769	F71753
4"	100	40100-3	40100Z-3	40100	40100Z	MW08770	F71754
4 1/2"	16	45160-3	45160Z-3	45160	45160Z	MW08773	F71736
4 1/2"	24	45240-3	45240Z-3	45240	45240Z	MW08774	F71737
4 1/2"	36	45360-3	45360Z-3	45360	45360Z	MW08775	F71738
4 1/2"	50	45500-3	45500Z-3	45500	45500Z	MW08775	F71739
4 1/2"	80	45800-3	45800Z-3	45800	45800Z	MW08777	F71740
4 1/2"	100	45100-3	45100Z-3	45100	45100Z	MW08778	F71741
5"	16	50160-3	50160Z-3	50160	50160Z	MW08781	M57300
5"	24	50240-3	50240Z-3	50240	50240Z	MW08782	M57301
5"	36	50360-3	50360Z-3	50360	50360Z	MW08783	M57302
5"	50	50500-3	50500Z-3	50500	50500Z	MW08784	M57303
5"	80	50800-3	50800Z-3	50800	50800Z	MW08785	M57304
5"	100	50100-3	50100Z-3	50100	50100Z	MW08786	M57305
7"	16	70160-3	70160Z-3	70160	70160Z	MW08790	M57307
7"	24	70240-3	70240Z-3	70240	70240Z	MW08791	M57308
7"	36	70360-3	70360Z-3	70360	70360Z	MW08792	M57309
7"	50	70500-3	70500Z-3	70500	70500Z	MW08793	M57310
7"	80	70800-3	70800Z-3	70800	70800Z	MW08794	M57311
7"	100	70100-3	70100Z-3	70100	70100Z	MW08795	M57312
9"	16	90160-3	90160Z-3	90160	90160Z	MW08798	F71773
9"	24	90240-3	90240Z-3	90240	90240Z	MW08799	F71774
9"	36	90360-3	90360Z-3	90360	90360Z	MW08800	F71775
9"	50	90500-3	90500Z-3	90500	90500Z	MW08801	F71776
9"	80	90800-3	90800Z-3	90800	90800Z	MW08802	F71777
9"	100	90100-3	90100Z-3	90100	90100Z	MW08803	F71778

STAR-BRITE PREMIUM PADS



642T



Shark Star-Brite products are guaranteed to last as long and in most cases longer than competitive brands. For use in:

- Gasket Removal
- Paint and Rust Removal
- Bead Sanding and Body Scuffing
- Paint Preparation

Star-Brite Discs- Premium for use on Steel

Part#	Dia.	Color	Grit	3M#	Pkg.Qty	Case
620T	2"	Brown	Coarse	07480	25/PK	200/BX
620TC	2"	Brown	Coarse	07480	100/PK	10/BX
622T	2"	Burgundy	Medium	07481	25/PK	200/BX
622TC	2"	Burgundy	Medium	07481	100/PK	10/BX
630T	3"	Brown	Coarse	07485	25/PK	200/BX
630TC	3"	Brown	Coarse	07485	100/PK	10/BX
632T	3"	Burgundy	Medium	07486	25/PK	200/BX
632TC	3"	Burgundy	Medium	07486	100/PK	10/BX
640T	4"	Brown	Coarse	07482	25/PK	200/BX
640TC	4"	Brown	Coarse	07482	100/PK	10/BX
642T	4"	Burgundy	Medium	07484	25/PK	200/BX
642TC	4"	Burgundy	Medium	07484	100/PK	10/BX

Star-Brite Discs- Premium for use on Aluminum

Part#	Dia.	Color	Grit	3M#	Pkg.Qty	Case
624T	2"	Blue	Fine	07515	25/PK	200/BX
626T	2"	Gray	X-Fine	07516	25/PK	200/BX
634T	3"	Blue	Fine	07513	25/PK	200/BX
636T	3"	Gray	X-Fine	07514	25/PK	200/BX
644T	4"	Blue	Fine	07511	10/PK	100/BX
646T	4"	Gray	X-Fine	07512	10/PK	100/BX

STAR-BRITE MINI GRINDING DISC CLAMSHELL PACKAGES

Part# 16401/16402 Star-Brite Finishing Kit Packages

Part#	Qty.	Description	Pkg/Qty	Case
16401	6/PK	620TB-1 2" Coarse Disc	1 EA.	10/PKGS
		622TB-1 2" Medium Disc	1 EA.	—
		3220GT-1 2" 24 Grit Disc	1 EA.	—
		3230GT-1 2" 36 Grit Disc	1 EA.	—
		3250GT-1 2" 50 Grit Disc	1 EA.	—
		323T 2" Holder for Discs	1 EA.	—
16402	6/PK	All of the above in 3" (NOT PICTURED)	10/PKGS	

Part# 6200 Star-Brite Display Package

Part#	Qty.	Description	Pkg/Qty	Case
6200	20/PK	620TB-1 2" Coarse Discs	10 EA.	10/PKGS
		622TB-1 2" Medium Discs	8 EA.	—
		624TB-1 2" Fine Discs	2 EA.	—

Part# 6300 - 6400 Mini Grinding/Star-Brite Package

Part#	Qty.	Description	Pkg/Qty	Case
6300	20/PK	3220GT-1 2" 24 grit - A.O. Discs	8 EA.	10/PKGS
		3230GT-1 2" 36 grit - A.O. Discs	5 EA.	—
		3250GT-1 2" 50 grit - A.O. Discs	5 EA.	—
		3280GT-1 2" 80 grit - A.O. Discs	2 EA.	—
6400	20/PK	620TB-1 2" Coarse Star-Brite	4 EA.	10/PKGS
		630TB-1 3" Coarse Star-Brite	4 EA.	—
		3220GT-1 2" 24 grit - A.O. Discs	4 EA.	—
		3230GT-1 2" 36 grit - A.O. Discs	4 EA.	—
		3250GT-1 2" 50 grit - A.O. Discs	4 EA.	—



16401

SHARK

ALL NEW SUPERIOR LIFE ECONOMY SURFACE CONDITIONING DISCS

Shark Star-Brite products are guaranteed to last as long and in most cases longer than competitive brands.

For use in:

- Gasket Removal
- Paint and Rust Removal
- Bead Sanding and Body Scuffing
- Paint Preparation

NEW! Available in

- Extra Coarse
- Heavy Duty Medium
- Larger Diameters



624T New 624TB

Star-Brite EXTRA Discs - Premium for use on Various Metals including Aluminum

Part#	Dia.	Color	Grit	3M#	Pkg. Qty	Case
610TB	1.5"	Brown	Coarse	37454	25/PK	200/BX
612TB	1.5"	Burgundy	Medium	37462	25/PK	200/BX
614TB	1.5"	Blue	Fine	37470	25/PK	200/BX
620TB	2"	Brown	Coarse	07480	25/PK	200/BX
620TBC	2"	Brown	Coarse	07480	100/PK	10/BX
621TB	2"	Brown	X-Tra Coarse	92679	25/PK	200/BX
621TBC	2"	Brown	X-Tra Coarse	92679	100/PK	10/BX
622TB	2"	Burgundy	Medium	07481	25/PK	200/BX
622TBC	2"	Burgundy	Medium	07481	100/PK	10/BX
623TB	2"	Burgundy	Heavy Duty Medium	83987	25/PK	200/BX
623TBC	2"	Burgundy	Heavy Duty Medium	83987	100/PK	10/BX
624TB	2"	Blue	Fine	N/A	25/PK	200/BX
626TB	2"	Grey	Ultra Fine	N/A	25/PK	200/BX
630TB	3"	Brown	Coarse	07485	25/PK	200/BX
630TBC	3"	Brown	Coarse	07485	100/PK	10/BX
631TB	3"	Brown	X-Tra Coarse	92695	25/PK	200/BX
631TBC	3"	Brown	X-Tra Coarse	92695	100/PK	10/BX
632TB	3"	Burgundy	Medium	07486	25/PK	200/BX
632TBC	3"	Burgundy	Medium	07486	100/PK	10/BX
633TB	3"	Burgundy	Heavy Duty Medium	83995	25/PK	200/BX
633TBC	3"	Burgundy	Heavy Duty Medium	83995	100/PK	10/BX
634TB	3"	BLUE	FINE	N/A	25/PK	200/BX
636TB	3"	GREY	Ultra Fine	N/A	25/PK	200/BX
640TB	4"	Brown	Coarse	07482	25/PK	200/BX
640TBC	4"	Brown	Coarse	07482	100/PK	10/BX
641TB	4"	Brown	X-Tra Coarse	92513	25/PK	200/BX
641TBC	4"	Brown	X-Tra Coarse	92513	100/PK	10/BX
642TB	4"	Burgundy	Medium	07484	25/PK	200/BX
642TBC	4"	Burgundy	Medium	07484	100/PK	10/BX
643TB	4"	Burgundy	Heavy Duty Medium	N/A	25/PK	200/BX
643TBC	4"	Burgundy	Heavy Duty Medium	N/A	100/PK	10/BX
64520TB	4.5"	Brown	Coarse	21274	10/PK	25/BX
64522TB	4.5"	Burgundy	Medium	23668	10/PK	25/BX
64524TB	4.5"	BLUE	FINE	N/A	10/PK	25/BX
64526TB	4.5"	GREY	Ultra Fine	N/A	10/PK	25/BX
6520TB	5"	Brown	Coarse	21282	10/PK	25/BX
6522TB	5"	Burgundy	Medium	34053	10/PK	25/BX
6524TB	5"	BLUE	FINE	N/A	10/PK	25/BX
6526TB	5"	GREY	Ultra Fine	N/A	10/PK	25/BX

NEW 2" 3" 4" 6" & 7" SUPERIOR LIFE SURFACE CONDITIONING DISCS FOR STEEL and ALUMINUM



Star-Brite Super Life EXTRA Discs - 6" & 7"

Part#	Dia.	Color	Grit#	3M#	Pkg.Qty	Case
6620TB	6"	Brown	Coarse	35408	10/PK	25/BX
6622TB	6"	Burgundy	Medium	45869	10/PK	25/BX
6624TB	6"	BLUE	FINE	N/A	10/PK	25/BX
6720TB	7"	Brown	Coarse	07943	10/PK	25/BX
6722TB	7"	Burgundy	Medium	23312	10/PK	25/BX
6724TB	7"	BLUE	FINE	53384	10/PK	25/BX
6726TB	7"	GREY	Ultra Fine	N/A	10/PK	25/BX

Star-Brite Super Life EXTRA Discs - Premium for use on Aluminum

Part#	Dia.	Color	Grit	3M#	Pkg.Qty	Case
624TB	2"	Blue	Fine	07515	25/PK	200/BX
626TB	2"	Gray	X-Fine	07516	25/PK	200/BX
634TB	3"	Blue	Fine	07513	25/PK	200/BX
636TB	3"	Gray	X-Fine	07514	25/PK	200/BX
644TB	4"	Blue	Fine	07511	10/PK	100/BX
646TB	4"	Gray	X-Fine	07512	10/PK	100/BX

TYPE 27 STAR-BRITE POLISHING DISCS

The must-have pad for Stainless Steel polishing and cleaning surfaces without damaging the metal.

For use in:

- Paint and Rust Removal
- Surface Prep Applications
- Cleaning Surfaces without Distorting Metal

Part#	Description	Size	Pkg.Qty	Case
14601	Coarse/Maroon	4" x 5/8" Hole	1/EA.	10/BX
14602	Coarse/Maroon	4.5" x 7/8" Hole	1/EA.	10/BX
14603	Medium/Grey	4" x 5/8" Hole	1/EA.	10/BX
14604	Medium/Grey	4.5" x 7/8" Hole	1/EA.	10/BX



14601

14604

STAR-BRITE SANDING PADS

Star-Brite Surface Conditioning Hand Pads

For use in:

- Paint and Rust Removal
- Surface Prep Applications

Part#	3M#	Description	Size	Pkg.Qty	Case
13017	07448	Medium/Maroon	6" x 9"	10/PADS	6 PK/BX
13016	07447	Fine/Grey	6" x 9"	10/PADS	6 PK/BX
13015	07448	Cleaning/White	6" x 9"	10/PADS	6 PK/BX



14606

TYPE 27 STRIP-BRITE 4 1/2" DISCS

For use in:

- Coating & Paint / Rust Removal
- Weld Cleaning

Part#	Description	Pkg. Qty.
14605	Red 4.5" Stripper Pad on Depressed Center Backing	1
14606	Black 4.5" Stripper Pad on Depressed Center Backing	1

SHARK

STRIP-BRITE 2" & 3" PADS

Ideal for Aggressive Cleaning & Stripping Applications

- Rust Removal
- Weld Cleaning
- Coating or paint removal
- Rol-lock Backing Button



Part#	Description	3M#	Pkg.Qty.
6202	2" Strip-Brite Pad/Black	19484	2
6205	2" Strip-Brite Pad/Black	19484	5
6302	3" Strip-Brite Pad/Black	19344	2
6305	3" Strip-Brite Pad/Black	19344	5

Part#	Description	Pkg. Qty.
16202	2" Red Stripper Pad with Rol-lock Backing	5
16203	3" Red Stripper Pad with Rol-lock Backing	2

NEW CLOTH BACKED ALUMINUM OXIDE AND ZIRCONIA MINI GRINDING DISCS



FEATURES AND BENEFITS:

- Tough Aluminum Oxide & Zirconia Grains
- Longer Life than PSA Discs
- Cloth Backing for Greater Flexibility
- Works with all brand Holders
- USA Made

CLOTH BACKED ALUMINUM OXIDE Grinding Discs

Part#	Dia.	Grit	3M#	Norton#	Pkg. Qty	Case
43220	2"	24	01398	38672	25/PK	200/BX
43221	2"	36	01397	38671	25/PK	200/BX
43222	2"	50	01396	38670	25/PK	200/BX
43223	2"	80	N/A	N/A	25/PK	200/BX
43224	2"	120	N/A	N/A	25/PK	200/BX
43225	3"	24	01408	38674	25/PK	100/BX
43226	3"	36	01406	38674	25/PK	100/BX
43227	3"	50	N/A	38673	25/PK	100/BX
43228	3"	80	N/A	N/A	25/PK	100/BX
43229	3"	120	N/A	N/A	25/PK	100/BX

CLOTH BACKED ZIRCONIA Grinding Discs

Part#	Dia.	Grit	3M#	Norton#	Pkg. Qty	Case
44220	2"	24	01398	38672	25/PK	200/BX
44221	2"	36	01397	38671	25/PK	200/BX
44222	2"	50	01396	38670	25/PK	200/BX
44223	2"	80	N/A	N/A	25/PK	200/BX
44224	2"	120	N/A	N/A	25/PK	200/BX
44225	3"	24	01408	38674	25/PK	100/BX
44226	3"	36	01406	38674	25/PK	100/BX
44227	3"	50	N/A	38673	25/PK	100/BX
44228	3"	80	N/A	N/A	25/PK	100/BX
44229	3"	120	N/A	N/A	25/PK	100/BX

ALUMINUM OXIDE & ZIRCONIA MINI GRINDING DISCS



3330GT



3280GT

Shark Aluminum Oxide Preparation Grinding Discs are great for a multitude of general purpose uses for many applications. For use in:

- *Light Welds*
- *Blending Surfaces*
- *Pre-Paint Surface Preparation*
- *Sanding & Breaking Edge Applications*

FEATURES AND BENEFITS:

- Tough Aluminum Oxide Grain
- Laminated, tough backing for extra longevity
 - Eliminates shredding or snagging of Pressure Sensitive Discs
- Heavy duty Resin Fibre construction has an Epoxy backing for extra stiffness
 - Works on all Brand Holders

RESIN BACKED ALUMINUM OXIDE Grinding Discs

Part#	Dia.	Grit	3M#	Norton#	Pkg.Qty	Case
3220GT	2"	24	01398	38672	25/PK	200/BX
3230GT	2"	36	01397	38671	25/PK	200/BX
3250GT	2"	50	01396	38670	25/PK	200/BX
3280GT	2"	80	N/A	N/A	25/PK	200/BX
32120GT	2"	120	N/A	N/A	25/PK	200/BX
3320GT	3"	24	01408	38674	25/PK	100/BX
3330GT	3"	36	01406	38674	25/PK	100/BX
3350GT	3"	50	N/A	38673	25/PK	100/BX
3380GT	3"	80	N/A	N/A	25/PK	100/BX
33120GT	3"	120	N/A	N/A	25/PK	100/BX
3420GT	4"	24	N/A	N/A	25/PK	100/BX
3430GT	4"	36	N/A	N/A	25/PK	100/BX
3450GT	4"	50	N/A	N/A	25/PK	100/BX
3480GT	4"	80	N/A	N/A	25/PK	100/BX

FEATURES AND BENEFITS:

- Long-Life resharpener Zirconia Grain
- Eliminates shredding or snagging of PSA DISCS
- Laminated Heavy duty Resin Fibre construction has an Epoxy backing for extra stiffness
 - Works on all Brand Holders



Disc Back

3330ZGT



3280ZGT

RESIN BACKED ZIRCONIA Grinding Discs

Part#	Dia.	Grit	Pkg.Qty	Case
3220ZGT	2"	24	25/PK	200/BX
3230ZGT	2"	36	25/PK	200/BX
3250ZGT	2"	50	25/PK	200/BX
3280ZGT	2"	80	25/PK	200/BX
32120ZGT	2"	120	25/PK	200/BX
3320ZGT	3"	24	25/PK	100/BX
3330ZGT	3"	36	25/PK	100/BX
3350ZGT	3"	50	25/PK	100/BX
3380ZGT	3"	80	25/PK	100/BX
33120ZGT	3"	120	25/PK	100/BX



CERAMIC MINI GRINDING DISCS


Shark Red Ceramic Mini Grinding Discs are longer life than Zirconia, Cubitron or Aluminum Oxide and are great for a multitude of uses where a heavy duty abrasive is required.

Works excellent on extra hard metals and for manufacturing.

- *The Hardest Grain for Stainless and Hard Steels*
- *Self-Sharpening Grain improves Live*
- *Disperses Heat Better than Other Grains*
- *Sanding, Grinding & Breaking Edge Applications*

FEATURES AND BENEFITS:

- Laminated, tough backing for extra longevity
 - Eliminates shredding or snagging of Pressure Sensitive Discs
- Heavy duty Resin Fibre construction has an Epoxy backing for extra stiffness
 - Compatible with all 3M Holders



Part# Dia. Grit Pkg. Qty Case

12621	2"	24	25/PK	200/BX
12622	2"	36	25/PK	200/BX
12623	2"	40	25/PK	200/BX
12624	2"	50	25/PK	200/BX
12625	2"	60	25/PK	200/BX
12626	2"	80	25/PK	200/BX

Part# Dia. Grit Pkg. Qty Case

12627	3"	24	25/PK	100/BX
12628	3"	36	25/PK	100/BX
12629	3"	40	25/PK	100/BX
12630	3"	50	25/PK	100/BX
12631	3"	60	25/PK	100/BX
12632	3"	80	25/PK	100/BX

2" & 3" CUBITRON MINI GRINDING DISCS

These Cubitron Mini Grinding Discs are longer life than Zirconia or Aluminum Oxide and are great for a multitude of uses where a heavy duty abrasive is required. Works excellent on extra hard metals

- *The Hardest Grain for Stainless and Hard Steels*
- *Self-Sharpening Grain improves Live*
- *Disperses Heat Better than Other Grains*
- *Sanding, Grinding & Breaking Edge Applications*

CUBITRON Grinding Discs

Part#	Dia.	Grit	Pkg. Qty	Case
12613	2"	36	25/PK	200/BX
12614	2"	50	25/PK	200/BX
12615	2"	80	25/PK	200/BX
12617	3"	36	25/PK	200/BX
12618	3"	50	25/PK	200/BX
12619	3"	80	25/PK	200/BX

12613



12618

PURE SHEEPSKIN AND WOOL MINI BUFFING BONNETS

These unique pads are velcro backed and made of pure wool and sheepskin for all your finishing jobs.

Easily attaches to your angle grinder with a 1/4" mandrel backed velcro pad.



FT450

SK450

Part#	Description	Packaging	Case
SK450	2" Sheepskin Bonnet	2/PK	25/PKS
SK475	3" Sheepskin Bonnet	2/PK	25/PKS
FT450	2" Wool Felt Pad for Compounding	2/PK	25/PKS

FLAP WHEEL ASSORTMENTS

PART# 7000 INTRODUCTORY ASSORTMENT OF FLAP WHEELS.

A handy assortment of sizes and grits in an attractive clam shell package!



7000

Part# 7000 - 8 Piece Flap Wheel Kit

Made from Aluminum Oxide sandpaper. This wheel assortment will be a great starter kit for the person using a variety of sizes and grits!

■ All on 1/4" shanks!

Part #	Old#	Qty	Dia.	Height	Grit
13103	(F11120)	1	1"	1/2"	120
13115	(F1560)	1	1 1/2"	1"	60
13116	(F1580)	1	1 1/2"	1"	80
13104	(F1340)	1	1"	1"	40
13106	(F1380)	1	1"	1"	80
13120	(F1180)	2	2"	1"	60
13121	(F11120)	1	2"	1"	80

GRINDING FLAP WHEELS

THESE MINI GRINDING FLAP DISCS REPLACE MANY WIRE BRUSH, CARTRIDGE AND MOUNTED POINT TYPE APPLICATIONS.

Made of Aluminum Oxide abrasive grain for excellent performance, they are resin bonded to a cloth back. Excellent for polishing, contouring, dry sanding and grinding applications. Also used in rust removal, scaling and deburring.

Grinding Flap Wheels

Part#	(Old#)	Marquette	Dia.	Height	Grit	Pkg.
13100	(F1160)	N/A	1"	1/2"	60	5
13101	(F1180)	N/A	1"	1/2"	80	5
13102	(F11100)	N/A	1"	1/2"	100	5
13103	(F11200)	N/A	1"	1/2"	120	5
13104	(F1340)	N/A	1"	1"	40	5
13105	(F1360)	M57209	1"	1"	60	5
13106	(F1380)	M57210	1"	1"	80	5
13107	(F13100)	M57211	1"	1"	100	5
13108	(F13120)	N/A	1"	1"	120	5
13109	(F1440)	N/A	1 1/2"	1/2"	40	5
13110	(F1460)	M47206	1 1/2"	1/2"	60	5
13111	(F1480)	M57207	1 1/2"	1/2"	80	5
13112	(F14100)	M57208	1 1/2"	1/2"	100	5
13113	(F14120)	N/A	1 1/2"	1/2"	120	5
13114	(F1540)	N/A	1 1/2"	1"	40	5
13115	(F1560)	N/A	1 1/2"	1"	60	5
13116	(F1580)	N/A	1 1/2"	1"	80	5
13117	(F15100)	N/A	1 1/2"	1"	100	5
13118	(F15120)	N/A	1 1/2"	1"	120	5
13119	(F240)	N/A	2"	1"	40	5
13120	(F260)	M57203	2"	1"	60	5
13121	(F280)	M57204	2"	1"	80	5
13122	(F2100)	M57205	2"	1"	100	5
13123	(F2120)	N/A	2"	1"	120	5
13124	(F2140)	N/A	2 1/2"	1"	40	5
13125	(F2160)	N/A	2 1/2"	1"	60	5
13126	(F2180)	N/A	2 1/2"	1"	80	5
13127	(F21100)	N/A	2 1/2"	1"	100	5
13128	(F21200)	N/A	2 1/2"	1"	120	5
13129	(F3140)	N/A	3"	1"	40	5
13130	(F3160)	M57200	3"	1"	60	5
13131	(F3180)	M57201	3"	1"	80	5
13132	(F31100)	M57202	3"	1"	100	5
13133	(F31120)	M57202	3"	1"	120	5



13109



13104



13130



13121



13114

SHARK



F4560

F4560Z

ABRASIVE FLAP DISCS

- Non-Loading
- Heavy Duty Back-Up Pad
- Works on all High Speed Grinders
- Angled Face for Maximum Efficiency

TYPE 27 FLAT SHAPE

Unique design offers you a new cutting surface again and again!



Available in long Life:
Zirconia and Aluminum Oxide

4" - 7" Zirconia Flap Discs - Type 27

Part#	Diameter	Grit
F436Z	4" x 5/8"	36
F460Z	4" x 5/8"	60
F480Z	4" x 5/8"	80
F4120Z	4" x 5/8"	120
F4536Z	4 1/2" x 7/8"	36
F4536ZH	4 1/2" x 5/8-11NC	36
F4560Z	4 1/2" x 7/8"	60
F4560ZH	4 1/2" x 5/8-11NC	60
F4580Z	4 1/2" x 7/8"	80
F4580ZH	4 1/2" x 5/8-11NC	80
F45120Z	4 1/2" x 7/8"	120
F45120ZH	4 1/2" x 5/8-11NC	120
F736Z	7" x 7/8"	36
F736ZH	7" x 5/8-11NC	36
F760Z	7" x 7/8"	60
F760ZH	7" x 5/8-11NC	60
F780Z	7" x 7/8"	80
F780ZH	7" x 5/8-11NC	80
F7120Z	7" x 7/8"	120
F7120ZH	7" x 5/8-11NC	120

4" - 7" Aluminum Oxide Flap Discs - Type 27

Part#	Makita#	Diameter	Grit
F436	742039-0A	4"	36
F460	7412038-0B	4"	60
F480	74208-0C	4"	80
F4120	N/A	4"	120
F4536	794332-2A	4 1/2"	36
F4560	794332-2B	4 1/2"	60
F4580	794332-2C	4 1/2"	80
F45120	794332-2D	4 1/2"	120
F736	N/A	7"	36
F760	N/A	7"	60
F780	N/A	7"	80
F7120	N/A	7"	120

Disc Assortment Pack

Shark #	Description	Dia.	RPM
F4000	F4560 - 1 each	4 1/2"	13,300
	F4580Z - 1 each	4 1/2"	8,500



F4000

4-1/2" Dish Shaped Flap Discs - Type 29

NEW Beveled Flap Discs

- Non-Loading
- Heavy Duty Back-Up Pad
- Works on all High Speed Grinders
- Angled Up for Full Surface Contact
- Maximum Efficiency

Part#	Diameter	Grit	Description
45736	4 1/2" x 7/8"	36	Aluminum Oxide
45737	4 1/2" x 5/8-11 NC	36	Aluminum Oxide
45738	4 1/2" x 7/8"	60	Aluminum Oxide
45739	4 1/2" x 5/8-11 NC	60	Aluminum Oxide
45740	4 1/2" x 7/8"	80	Aluminum Oxide
45741	4 1/2" x 5/8-11 NC	80	Aluminum Oxide
45742	4 1/2" x 7/8"	120	Aluminum Oxide
45743	4 1/2" x 5/8-11 NC	120	Aluminum Oxide
45836	4 1/2" x 7/8"	36	Zirconia
45837	4 1/2" x 5/8-11 NC	36	Zirconia
45838	4 1/2" x 7/8"	60	Zirconia
45839	4 1/2" x 5/8-11 NC	60	Zirconia
45840	4 1/2" x 7/8"	80	Zirconia
45841	4 1/2" x 5/8-11 NC	80	Zirconia
45842	4 1/2" x 7/8"	120	Zirconia
45843	4 1/2" x 5/8-11 NC	120	Zirconia

TYPE 29 BEVELED SHAPE

For better surface contact
and use of the wheel



45737

NEW 2" & 3" MINI FLAP DISCS

These Mini Flap Discs are perfect for small grinding needs in tight spots. They replace Mini Grinding Discs, giving you improved longevity and a continual new surface! Available in 2" and 3" in either Aluminum Oxide or Zirconia. They come with a Twist-to-lock backing button (Type R) that will work on any competitors holders made for Type R buttons.



- Non-Loading/Never Curls
- Heavy Duty Built In Backing Pad
- Works on all High Speed Grinders
- Flat Face for Maximum Aggressiveness
- Outlasts Mini Grinding Discs by 4-6 Times
- Available in Aluminum Oxide or Zirconia

2" & 3" Aluminum Oxide - Type 27

Part #	Diameter	Grit	Pkg. Qty.
73752	2"	40	5
73753	2"	60	5
73754	2"	80	5
73755	2"	120	5
73757	3"	40	5
73758	3"	60	5
73759	3"	80	5
73760	3"	120	5

2" & 3" Zirconia - Type 27

Part #	Diameter	Grit	Pkg. Qty.
73762	2"	40	5
73763	2"	60	5
73764	2"	80	5
73765	2"	120	5
73767	3"	40	5
73768	3"	60	5
73769	3"	80	5
73770	3"	120	5



NEW 2" & 3" MINI CUP FLAP DISCS

- Non-Loading
- Heavy Duty Built In Backing Pad
- Works on all High Speed Grinders
- Beveled Face for Maximum Contact
- Perfect for Rounded and Curved Surfaces

2" & 3" Zirconia Cup Style Flap Discs

Part #	Diameter	Grit	Description	Pkg. Qty.
82751	2"	40	Zirconia	2
82752	2"	60	Zirconia	2
82753	2"	80	Zirconia	2
82754	2"	120	Zirconia	2
83751	3"	40	Zirconia	2
83752	3"	60	Zirconia	2
83753	3"	80	Zirconia	2
83754	3"	120	Zirconia	2

SHARK

HOLDERS FOR MINI 2" GRINDERS

NEW IDEAL PAD FOR ALL



13025

13026

2" & 3" Twist-to-lock Holders for Mini Grinders

Add Instant Versatility to your 2" Grinder!
For Use on Snap-on, Mac, Matco and Sunex
2" Mini Grinders

- *Sized to fit most manufacturer's tools!*
- *3/8-24 thread to use on all mini 2" grinders*

Part#	Description	Pkg. Qty.
13025	2" Twist-to-lock 3/8-24 Pad	1
13026	3" Twist-to-lock 3/8-24 Pad	1

NOTE: Requires guard to be removed to use the 3" holder.

SURFACE PREP STAR-BRITE ASSORTMENTS

S6600 Air Tool Star-Brite Surface Prep Assortment



S6600

Includes:

Part#	Qty.	Description
6666T	1	Angle Head Air Tool (Taiwan)
620TB-1	3	Coarse 2" Star-Brite Pads
622TB-1	3	Medium 2" Star-Brite Pads
630TB-1	3	Coarse 3" Star-Brite Pads
632TB-1	3	Medium 3" Star-Brite Pads
323T	1	2" Twist Lock Holder
333T	1	3" Twist Lock Holder
A25S	1	Mounted Point
W178S	1	Mounted Point
W236S	1	Mounted Point
13110-1	1	Flap Wheel 1 1/2" x 1/2" - 60 Grit
13109-1	1	Flap Wheel 1 1/2" x 1" 40 Grit

This set is perfect for sanding jobs in the paint shops.
 This kit will accommodate a full range of customer needs.

**For use when preparing a car body
 prior to painting.**

SANDING & SURFACE PREP STAR-BRITE ASSORTMENTS

S6650 Air Tool, Sanding Discs and Star-Brite Surface Prep Assortment



S6650

Includes:

Part#	Qty.	Description
6666T	1	Angle Head Air Tool (Taiwan)
3230GT-1	2	Coarse 36 grit 2" Aluminum Oxide Pads
3280GT-1	1	Medium 80 grit 2" Aluminum Oxide Pads
3330GT-1	2	Coarse 35 grit 3" Aluminum Oxide Pads
3380GT-1	1	Coarse 80 grit 3" Aluminum Oxide Pads
620TB-1	2	Coarse Surface Prep 2"
622TB-1	1	Medium Surface Prep 2"
630TB-1	2	Coarse Surface Prep 3"
632TB-1	1	Medium Surface Prep 3"
323T	1	2" Twist Lock Holder
333T	1	3" Twist Lock Holder
A25S	1	Mounted Point
W178S	1	Mounted Point
W236S	1	Mounted Point
13110-1	1	Flap Wheel 1 1/2" x 1/2" - 60 Grit
13109-1	1	Flap Wheel 1 1/2" x 1" 40 Grit

**For sanding and surface prep before
 painting cars in body shops.**

9" x 11" GENERAL PURPOSE DRY SANDING PAPER

For all your basic sanding needs.

Aluminum Oxide grit designed to prevent loading when sanding.
A great general purpose sheet for dry sanding applications on plastic, metal or fiberglass automotive surfaces. Use for feather-edging, sanding scratches, finishing plastic fillers and paint removal.

SHARK FACT:

- Full sheets
- Block or Hand Sanding
- Cut-to-fit Power Sanders
- A Full Range of Grits for All Jobs
- Resealable Package



00036

9" x 11" Aluminum Oxide Sanding Sheets

Part#	Grit	Norton#	Mikra#	Packaging	Case
00036	36	00335		100 / PER SLEEVE	20 SLEEVES
00040	40	00330		100 / PER SLEEVE	20 SLEEVES
00060	60	00320		100 / PER SLEEVE	20 SLEEVES
00080	80	00315	63-001	100 / PER SLEEVE	20 SLEEVES
00100	100	00295	N/A	100 / PER SLEEVE	20 SLEEVES
00120	120	00290	36-300-120	100 / PER SLEEVE	20 SLEEVES
00150	150	00250	63-300-60	100 / PER SLEEVE	20 SLEEVES
00180	180	00245	63-300-36	100 / PER SLEEVE	20 SLEEVES
00220	220	00240	N/A	100 / PER SLEEVE	20 SLEEVES

9" x 11" SILICON CARBIDE WET/DRY PAPER

For all your basic sanding needs.

Silicon Carbide grit designed to prevent loading when sanding.
A great general purpose sheet for dry sanding applications on plastic, metal or fiberglass automotive surfaces. Use for feather-edging, sanding scratches, finishing plastic fillers and paint removal.

SHARK FACT:

- Full sheets
- Block or Hand Sanding
- Cut-to-fit Power Sanders
- A Full Range of Grits for All Jobs



9" x 11" Silicon Carbide Wet/Dry Paper


Part#	Grit	Packaging	Case	Part#	Grit	Packaging	Case
15000	60	50 / PER SLEEVE	10 SLEEVES	15009	320	50 / PER SLEEVE	10 SLEEVES
15001	80	50 / PER SLEEVE	10 SLEEVES	15010	360	50 / PER SLEEVE	10 SLEEVES
15002	100	50 / PER SLEEVE	10 SLEEVES	15011	400	50 / PER SLEEVE	10 SLEEVES
15003	120	50 / PER SLEEVE	10 SLEEVES	15012	500	50 / PER SLEEVE	10 SLEEVES
15004	150	50 / PER SLEEVE	10 SLEEVES	15013	600	50 / PER SLEEVE	10 SLEEVES
15005	180	50 / PER SLEEVE	10 SLEEVES	15014	800	50 / PER SLEEVE	10 SLEEVES
15006	220	50 / PER SLEEVE	10 SLEEVES	15015	1000	50 / PER SLEEVE	10 SLEEVES
15007	240	50 / PER SLEEVE	10 SLEEVES	15016	1200	50 / PER SLEEVE	10 SLEEVES
15008	280	50 / PER SLEEVE	10 SLEEVES	15017	1500	50 / PER SLEEVE	10 SLEEVES
				15018	2000	50 / PER SLEEVE	10 SLEEVES

SHARK FACT:

- Prevents Loading
- Open-coat Screen
- Silicon Carbide Grain
- Resin on Resin Bone
- Long Lasting/Fast Cutting

4 1/2" x 11" SANDSCREEN SHEETS

Part#	Grit	Packaging	Case
88000	120	50 / PER SLEEVE	10 SLEEVES
88001	100	50 / PER SLEEVE	10 SLEEVES
88002	80	50 / PER SLEEVE	10 SLEEVES
88003	60	50 / PER SLEEVE	10 SLEEVES



SHARK



236180



23636

SHARK PSA SUPER GOLD DISC ROLLS

AVAILABLE IN 5" & 6" DIAMETERS.
TOUGH FOR ALL JOBS, THIS PAPER
HAS A DURABLE #4 WEIGHT BACKING.

- Effective on rough Feather-Edging
- Long Lasting Aluminum Oxide
- Easy 100 Sheet Rolls
- Paint Stripping or Dry Sanding

5" Aluminum Oxide PSA /Velcro Discs					6" Aluminum Oxide PSA /Velcro Discs					
100 Per Box 10 Per Case	Shark Part # ALUMINUM OXIDE PSA	Mirka #	Norton #	Shark # VELCRO DISCS	100 Per Box 10 Per Case	Shark Part # ALUMINUM OXIDE PSA	Mirka #	Norton #	Shark # VELCRO DISCS	
5" 36	23536*	23-232-36	N/A	23536V	6" 36	23636*	23-241-36	N/A	23636V	
5" 40	23540*	23-232-40	N/A	23540V	6" 40	23640*	23-241-40	N/A	23640V	
5" 80	23580	23-232-80	49830	23580V	6" 80	23680	23-232-80	49842	23680V	
5" 100	235100	23-232-100	49829	235100V	6" 100	236100	23-232-100	49841	236100V	
5" 120	235120	23-232-120	49828	235120V	6" 120	236120	23-232-120	49840	236120V	
5" 150	235150	23-232-150	49827	235150V	6" 150	236150	23-232-150	49839	236150V	
5" 180	235180	23-232-180	49826	235180V	6" 180	236180	23-232-180	49838	236180V	
5" 220	235220	23-232-220	49825	235220V	6" 220	236220	23-232-220	49837	236220V	
5" 240	235240	23-232-240	49824	235240V	6" 240	236240	23-232-240	49836	236240V	
5" 280	235280	23-232-250	49823	235280V	6" 280	236280	23-232-250	49835	236280V	
5" 320	235320	23-232-320	49822	235320V	6" 320	236320	23-232-320	49834	236320V	
5" 400	235400	23-232-400	49821	235400V	6" 400	236400	23-232-400	49833	236400V	
5" 500	235500	23-232-500	49820	235500V	6" 500	236500	23-232-500	49832	236500V	

* Not Linked Rolls

PSA BACKING PADS FOR SANDERS

Quality sanding pad fits on all 5-7" sanders.

- Excellent Medium Foam Cushioning

Foam D.A. Backing Pads for Sanders

Part #	Size
5550	5" Sanding Pad / No Holes
5556	6" Sanding Pad / No Holes
5557	7" Sanding Pad / No Holes

RESIN FIBRE BACK-UP SANDING PADS

Quality backing pad fits on all 4-7" grinders.

- Turbo pad with vents affords users a cooler disc with longer life.
- Available in a large selection of sizes.

Rubber Backing Pads for Sanders


Part #	Size	Nut	Pkg.
13201	4"	M10-1.25	1
13202	4"	M10-1.50	1
13203	4"	No Nut	1
13204	4.5"	5/8-11 NC	1
13205	5"	5/8-11 NC	1
13206	7"	5/8-11 NC	1
13207	7"	No Nut	1

EMERY CLOTH SHEETS

Strong Cloth Backed Sheets - From Fine to X-tra Coarse

Part #	Size	Grit	Pkg.
80000	9" x 11"	Fine	50
80001	9" x 11"	Medium	50
80002	9" x 11"	Coarse	50
80002	9" x 11"	X-tra Coarse	50

5556



13206



13201



80000

SHARK VELCRO MINI PAD HOLDERS & FILE SHEETS

NEW - Velcro Backing Pad

For Use on Snap-on, Mac, Matco Mini Sanders

- Sized to fit all manufacturer's!

Part#	Dia.	Description	Pkg. Qty.
333SP	3"	Velcro Pad 5/16"-24 Thread	1
333P	3"	Velcro Pad 1/4"-20 Female Thread	1
13334	3"	PSA Pad 5/16"-24 Thread	1
13335	3"	PSA Pad 1/4"-20 Male Thread	1



SMALL DIAMETER SANDING DISCS



1300

These discs are perfect for blending and painting preparations.
Used on Mini sanders for contoured areas.

NEW -Velcro Sanding Discs

Part#	Dia.	Grit	Description	Pkg. Qty.
1300	3"	80	Sanding Disc / Velcro	25
1301	3"	100	Sanding Disc / Velcro	25
1302	3"	180	Sanding Disc / Velcro	25
1303	3"	220	Sanding Disc / Velcro	25
1304	3"	320	Sanding Disc / Velcro	25

NEW - PSA Backed Sanding Discs

Part#	Dia.	Grit	Description	Pkg. Qty.
1305	3"	80	Sanding Disc / PSA	25
1306	3"	100	Sanding Disc / PSA	25
1307	3"	180	Sanding Disc / PSA	25
1308	3"	220	Sanding Disc / PSA	25
1309	3"	320	Sanding Disc / PSA	25

ABRASIVE FILE SHEETS



24036

New Shark Skin extra durable Aluminum Oxide

- Long Lasting Aluminum Oxide
- Pressure Sensitive Backing
- Plain Backing Long Board Sheets
- Velcro Backed Sheets

Plain Backing 2 3/4" x 17 1/2" sheets/50 per box

Shark#	Grit	Mirka#	3M#	Case
27036	36	23-663-36	30543	5
27040	40	23-663-40	30542	5
27060	60	23-663-80	30539	5
27080	80	23-663-80	30539	5
27120	120	23-663-80	30539	5

PSA Backing 2 3/4" x 16 1/2" sheets/50 per box

Shark#	Grit	Mirka#	3M#	Case
24036	36	23-364-36	32232	5
24040	40	23-364-40	32231	5
24060	60	23-364-60	N/A	5
24080	80	23-364-80	32230	5
24120	120	23-364-120	N/A	5

Velcro Backing 2 3/4" x 16 1/2" sheets/50 per box

Shark#	Grit	Mirka#	3M#	Case
24036V	36	N/A	N/A	5
24040V	40	N/A	N/A	5
24060V	60	N/A	N/A	5
24080V	80	N/A	N/A	5
24120V	120	N/A	N/A	5

3" x 8" ABRASIVE FILE PADS



13144

New Shark Skin extra durable Aluminum Oxide

- Long Lasting Aluminum Oxide
- Plain Backing
- Multi-Purpose Sanding Sheets

3" x 8" Plain Backed Aluminum Oxide Sheets

Shark#	Grit	Qty.	3M#	Case
13142	36	100 Box	N/A	5
13143	40	100 Box	N/A	5
13144	80	100 Box	N/A	5
13145	120	100 Box	N/A	5
13146	150	100 Box	N/A	5
13147	180	100 Box	N/A	5



GENERAL PURPOSE EMERY CLOTH SHOP ROLLS



12930

12928

GENERAL PURPOSE ROLLS

Abrasive emery cloth rolls
For most shop needs.

Available in 1" & 1 1/2" widths!

Aluminum Oxide Emery Cloth Shop Rolls

Part#	Old#	Description	Grit	M/C
12924	—	1" x 10 Yds.	80	5
12925	—	1" x 10 Yds.	120	5
12926	—	1" x 10 Yds.	180	5
12927	—	1" x 10 Yds.	320	5
12928	—	1" x 25 Yds.	80	5
12929	—	1" x 25 Yds.	120	5
12930	—	1" x 25 Yds.	180	5
12931	—	1" x 25 Yds.	320	5
12986	(SR0060)	1" x 50 Yds.	60	5
12987	(SR0080)	1" x 50 Yds.	80	5
12988	(SR0100)	1" x 50 Yds.	100	5
12989	(SR0120)	1" x 50 Yds.	120	5
12990	(SR0180)	1" x 50 Yds.	180	5
12991	(SR0320)	1" x 50 Yds.	320	5
12992	(SR1060)	1 1/2" x 50 Yds.	60	5
12993	(SR1080)	1 1/2" x 50 Yds.	80	5
12994	(SR1100)	1 1/2" x 50 Yds.	100	5
12995	(SR1120)	1 1/2" x 50 Yds.	120	5
12996	(SR1180)	1 1/2" x 50 Yds.	180	5

MOUNTED POINT DISPLAY BOX

PART #114

THIS 48 PIECE ASSORTMENT OF MOUNTED POINTS COMES IN A CONVENIENT DISPLAY PACK.

These professional points are the finest quality and shouldn't be confused with inexpensive mounted points usually offered in displays such as this.

The assortment includes 2-4 of our most popular mounted point part numbers

SET INCLUDES:

A1S, A3S, A4S, A11S, A12S, A13S, A21S, A23S, A25S, A31S, A36S, A37S, A38S, W178S, W188S, W206S, W225S, W236S



114
48 Piece
Assortment Set

Mounted Points 7-Piece Stone Set

Part# AW7

GENERAL PURPOSE SALMON STONE FOR PROFESSIONAL GENERAL USE.

Contains: 1 of the following:

A1S, A12S, A37S, A38S, W178S, W188S and W225S



AW7


Mounted Points 5-Piece Stone Set

Part# AW5

EXTRA HARD PINK STONE FOR MACHINE SHOP ENGINE REBUILDING USE


Contains: 1 of the following:

A1P A12P, A38P, W178 and W188P



AW5

MOUNTED POINTS



Shark multi-purpose mounted points are designed to suit all your body shop needs as well as hobby or home.

When ordering please specify one of the following suffixes to denote desired stone color.

"S"	Salmon	General Purpose
"P"	Pink	Engine
"W"	White	Tire
"SC"	Salmon	Coarse

All mounted points are sold separately or in various assortments. Consult price list for various shape prefixes.

Mounted Points

Part#	Dia.	Thickness	RPM	Part#	Dia.	Thickness	RPM
A1*	3/4"	2 1/2"	19800	A37	1 1/4"	1/4"	30560
A2	1"	1 1/4"	38000	A38	1"	1"	34500
A3	1"	2 3/4"	16100	A39	3/4"	3/4"	47250
A4	1 1/4"	1 1/4"	30560	W178	3/8"	1"	55200
A5	3/4"	1 1/8"	45000	W179	3/8"	1 1/4"	45750
A11	7/8"	2"	19860	W187	1/2"	1"	40500
A12	1 1/16"	1 1/4"	48000	W188	1/2"	1 1/2"	30370
A13	1 1/8"	1 1/8"	33950	W196	5/8"	1"	35250
A15	1/4"	1/16"	72750	W204	3/4"	3/4"	42750
A15L	1/4"	1 1/16"	26250	W205	3/4"	1"	34500
A21	1"	1"	34500	W206	3/4"	1 1/4"	28720
A23	3/4"	1"	39370	W216	1"	1/4"	38200
A23L	3/4"	1"	19500	W217	1"	3/8"	38200
A24	1/4"	3/4"	76500	W218	1"	1/2"	38200
A25	1"	1"	35610	W220	1"	1"	25500
A26	5/8"	5/8"	61120	W225	1 1/4"	1/4"	30560
A31	1 3/8"	1"	27780	W229	1 1/4"	1"	24000
A32	1"	5/8"	38200	W235	1/2"	1/4"	25470
A34	1 1/2"	3/8"	25470	W236	1 1/2"	1/2"	25470
A36	1 5/8"	3/8"	23520				

SHARK IMPORTANT NOTICE:

USE CAUTION AT ALL TIMES!

Comply with ANSI B7-1 and OSHA Regulations

SHARK cannot be held liable for personal injury incurred when not complying with OSHA Regulations.



AW10 - 10 Piece Coarse Stone Set

For Extra Fast Stock Removal

Contains: A5SC, A12SC, A32SC, 3A8SC, W179SC, W196SC, W205SC, W217SC, W225C, W235SC

COARSE ABRASIVE MOUNTED POINTS

Coarse Mounted Points

Part#	Dia.	Thickness	RPM
A5SC	3/4"	1 1/8"	45000
A12SC	1 1/16"	1 1/4"	48000
A25SC	1"	1"	35610
A32SC	1"	5/8"	38200
A38SC	1"	1"	34500
W178SC	3/8"	1"	55200
W179SC	3/8"	1 1/4"	45750
W196SC	5/8"	1"	35250
W204SC	3/4"	3/4"	42750
W205SC	3/4"	1"	34500
W217SC	1"	3/8"	38200
W225SC	1 1/4"	1/4"	30560
W235SC	1 1/2"	1/4"	25470


GENERAL PURPOSE MINI-MOUNTED GRINDING WHEELS

Aluminum Oxide Mini-Mounted Grinding Wheels

Made from vitrified aluminum oxide. These wheels use a 1/4" diameter mandrel and work with any electric drill. (Mandrel included)

- Great for use on carbon, steel, wrought iron and bronze.

Part#	Desc.	Grit	RPM	Qty.
12787	1" x 1"	60	3,450	1
12788	1 1/2" x 1"	60	3,450	1
12789	2" x 1/4"	60	3,450	1
12790	2" x 1/2"	60	3,450	1
12791	2 1/2" x 1/4"	60	3,450	1
12792	2 1/2" x 1/2"	60	3,450	1
12936	1/4" Arbor	N/A	N/A	1



Aluminum Oxide Mounted Points

Made from vitrified aluminum oxide. These wheels use a 1/4" diameter mandrel and work with any air tool.

GREAT FOR USE ON CARBON, STEEL OR TO CLEAN UP WELDS.

Part#	Desc.	Shape	RPM	Qty.
12800	1-1/4" x 1"	A-2	38,200	1
12801	1" x 1"	A-25	35,620	1
12802	1" x 1"	A-38	34,500	1
12803	1/2" x 1"	W-218	38,200	1
12804	1" x 1"	W-220	25,500	1
12793	1-1/4" x 1-1/4"	A-4	30,560	1
12794	1-1/8" x 3/4"	A-5	45,000	1
12795	2" x 7/8"	A-11	19,860	1
12796	1-1/4" x 3/4"	A-12	48,000	1
12797	1-1/16" x 1/4"	A-15	72,750	1
12798	1" x 3/4"	A-23	39,370	1
12799	3/4" x 1/4"	A-24	76,500	1



Dressing Tool & Dressing Stone

Shark#	Description	Qty.
12932	Heavy Cast Iron Dressing Tool for up to 10" Wheels - 1" Diameter	1
12933	Set of 4 Carbon Steel replacement cutters for 12932	4
12934	Dressing Stone-24 Grit Green Stone 6"x1"x1"	1



12932



12934

Depressed Center Wheel Adaptor

Shark#	Description	Qty.
13213	Adaptor readily adjusts any depressed center wheel with a 7/8" Hole to a 5/8-11 NCRH spindle for use with a standard right angle grinder. Wrench included.	1

GRINDING WHEEL DRESSERS

SHARK NOW OFFERS 2 CHOICES OF DRESSING OPTIONS FOR RESURFACING YOUR BENCH SEAT GRINDING WHEEL WHEN THEY BECOME DULL:

- Long Lasting Aluminum Oxide Dressing Stick
- Dressing Tool with Replaceable Cutters



12933

13213

BENCH SEAT GRINDING WHEELS

Part# 2200 Clam Shell Bench Seat Wheels Display

All Aluminum Oxide Bench Wheels are furnished with reducing bushings as specified below to eliminate costly inventory duplication.

■ Clamshell Packaged Bench Wheel Display

Part#	Description	Qty
2016	6" x 3/4" x 1"	2
2017	6" x 3/4" x 1"	2
2018	6" x 3/4" x 1"	2
2020	6" x 1" x 1"	2
2021	6" x 1" x 1"	2
2022	6" x 1" x 1"	2



2018



Type 1 Bench Seat Grinder Wheels

Part#	Carborundum#	Diameter	Width	Grit	Arbor Hole	Insert	RPM
2012G	Silicon Carbide Green Wheel	6"	1/2"	120	1"	1/2-5/8-3/4"	3850
2016G	Silicon Carbide Green Wheel	6"	3/4"	120	1"	1/2-5/8-3/4"	3850
2004	00162	4"	1/2"	46	1/2"	No Insert	6500
2009	00213	5"	1/2"	36	1/2"	No Insert	4900
2010	00212	5"	1/2"	46	1/2"	No Insert	4900
2011	00211	5"	1/2"	60	1/2"	No Insert	4900
2006	00222	5"	3/4"	46	1/2"	No Insert	4900
2007	00243	5"	1"	24	1/2"	No Insert	4900
2008	00242	5"	1"	36	1/2"	No Insert	4900
2012	00283	6"	1/2"	36	1"	1/2-5/8-3/4"	3850
2013	00282	6"	1/2"	46	1"	1/2-5/8-3/4"	3850
2014	00281	6"	1/2"	60	1"	1/2-5/8-3/4"	3850
2015	N/A	6"	1/2"	80	1"	1/2-5/8-3/4"	3850
2016	00303	6"	3/4"	36	1"	1/2-5/8-3/4"	3850
2017	00302	6"	3/4"	46	1"	1/2-5/8-3/4"	3850
2018	00301	6"	3/4"	60	1"	1/2-5/8-3/4"	3850
2019	N/A	6"	3/4"	80	1"	1/2-5/8-3/4"	3850
2019-10	N/A	6"	3/4"	100	1"	1/2-5/8-3/4"	3850
2020	00283	6"	1"	36	1"	1/2-5/8-3/4"	3850
2021	00282	6"	1"	46	1"	1/2-5/8-3/4"	3850
2022	00281	6"	1"	60	1"	1/2-5/8-3/4"	3850
2022-10	N/A	6"	1"	100	1"	1/2-5/8-3/4"	3850
2023	N/A	7"	3/4"	36	1"	1/2-5/8-3/4"	3600
2024	N/A	7"	3/4"	46	1"	1/2-5/8-3/4"	3600
2025	00363	7"	1"	24	1"	1/2-5/8-3/4"	3600
2026	00362	7"	1"	36	1"	1/2-5/8-3/4"	3600
2027	00361	7"	1"	46	1"	1/2-5/8-3/4"	3600
2028	N/A	7"	1"	60	1"	1/2-5/8-3/4"	3600
2028-80	N/A	7"	1"	80	1"	1/2-5/8-3/4"	3600
2029	N/A	8"	3/4"	36	1"	1/2-5/8-3/4"	3450
2030	N/A	8"	3/4"	46	1"	1/2-5/8-3/4"	3450
2031	N/A	8"	3/4"	60	1"	1/2-5/8-3/4"	3450
2032-24	00423	8"	1"	24	1"	1/2-5/8-3/4"	3450
2032	00422	8"	1"	36	1"	1/2-5/8-3/4"	3450
2033	00421	8"	1"	46	1"	1/2-5/8-3/4"	3450
2034	N/A	8"	1"	60	1"	1/2-5/8-3/4"	3450
2035-24	00523	10"	1 1/4"	24	1"	1-1 1/4"	2483
2035	00522	10"	1 1/4"	36	1"	1-1 1/4"	2483
2035-46	00521	10"	1 1/4"	46	1"	1-1 1/4"	2483
2036	N/A	10"	1 1/4"	36	1 1/4"	1-1 1/4"	2483
2037	00563	10"	1 1/2"	36	1 1/4"	1-1 1/4"	2483
2038	00683	12"	2"	24	1 1/4"	1-1 1/4"	2069
2039	00682	12"	2"	36	1 1/4"	1-1 1/4"	2069
2040	00682	12"	2"	46	1 1/4"	1-1 1/4"	2069

BENCH GRINDER ADAPTORS

These adaptors are designed to nest or telescope to fit the various needs of your arbor. They are available in 3 thicknesses. Made from heavy duty plastic, they are designed to adapt wheels with 1" or 1-1/4" arbors to fit 1/2", 5/8", 3/4" or 1" shafts. **3 THICKNESS OPTIONS!**

Arbor Adaptors for Grinding Wheels

Part#	Description / Arbor Size	Pkg.Qty
12783	1", 3/4", 5/8", 1/2" O.D. x 1/2" Thick	1 unit of 3
12784	1", 3/4", 5/8", 1/2" O.D. x 3/4" Thick	1 unit of 3
12785	1", 3/4", 5/8", 1/2" O.D. x 1" Thick	1 unit of 3
12786	1 1/4" O.D. x 1 ID.	1
12793	1-1/4", 1", 3/4", 5/8", 1/2" O.D. x 1" Thick	1 unit of 4



12793



12785


ERASERS, SCRAPERS, DUST MASKS & RAZOR BLADES

PART #18061 - Auto Body Pin Stripe Eraser

- Quickly and Effectively removes Pin striping without paint damage!
- Effective Spoke design

AVAILABLE WITH MANDREL AND ERASER ONLY FOR ADDED COST SAVINGS.

Dimensions: 4" Diameter x 11/16" thick.



Part#	Description
-------	-------------

18060	Eraser Only
18061	Eraser AND Mandrel with threaded adaptor.
18062	Mandrel Only

PART #60 -All Purpose Scraper

- 3- Position Multi-Use Scraper is ideal for Sticker and Decal removal.



PART #61 - Retractable Scraper

- Retractable Blade for ease and portability.



PART #65 - Razor Blades-

- A must for every Body Shop!
- A box of 100 American Made Razor Blades for all your needs.



PART #66 - Plastic Razor Blades

- For use on GM cars with plastic coated windows.
- Also for oversprays and wherever any painted surface needs to be cleaned.


Part#	Description
66	10 pack of plastic blades.
66-100	100 box of plastic blades.



PART #66H - Retractable Scraper with 3 Plastic Blades

- The above blades combined with our most popular scraper.

66H is scraper with 3 plastic blades.



SAFETY DUST MASK

PART #80 - Safety Dust Mask

For added comfort, these Molded Dust Masks use no metal nose clip.

- Masks fit all faces comfortably and securely.
- Made of fine fiber, they protect against dust and polluted air.

NOT FOR USE IN TOXIC GAS WORK OR WHERE HARMFUL DUST IS PRESENT.

Part#	Quantity
80	Box of 50 Masks
80-10	10 PACK



BODY SHOP TOOLS

Universal Molding Release Tool - PART #51

- Used in cemented and rear windshield.



51

Trim Pad Removing Tool - PART #52

- Facilitates removal of plastic trim pad fasteners without damaging the fastener or backboard.



52

Door Handle Clip Tool - PART #53

- For door handles and window regulator clips.
- Eliminates upholstery damage.



53

Door and Window Handle Clip Tools - PART #54

- Reversible tool handles all GM Cars, as well as most foreign.



54

STUBBY BODY PANEL 1/8" DRILL BITS

1/8" Double End Drill Bits - PART #76

High Speed Steel drill bits for use on sheet metal.

- 135 degree split point for fast drilling without center punching.

Part#	Description
76	Tube of 12

76



RUBBER SANDING BLOCKS

Rubber Sanding Blocks

Firmly grip sandpaper to reduce slipping

- Palm size-Easy to grip
- Soft material for hand comfort

Part#	Size
5523	5" x 2 3/4"
5923	9" x 2 3/4"



5523

WOODEN HAND SANDERS

Hand Sanders - In Three Convenient Sizes

Using standard abrasive paper, these sanders have a rust proof aluminum base with cushioned bottoms.

Part#	Size
3004	2 3/4" x 17-1/2" Hand Sander
3005	2 3/4" x 11" Hand Sander
3006	2 3/4" x 8" Hand Sander



3004

SHARK

SHARK PISTOL VAC

Turns ANY Shop Air into a Powerful Vacuum Cleaner or Air Cleaning Gun!

Designed for high powered industrial vacuum cleaning with air pressure, the Pistol Vac connects to your air line and can be used in many applications in the vacuum mode OR blow mode.

Vacuum Cleaning Power with Shop-Air!

- *Out performs inexpensive imports*
- *Dust bag and Crevice Tool included*
- *No electrical connection needed*
- *Fits many PBE applications*
- *Easy and Convenient to use*
- *Simple construction is maintenance free*
- *Inexpensive and quiet*

Picks up:

- **Glass**
- **Sawdust**
- **Metal Chips**
- **Dust Spills**



64000

Shark Pistol Vac

Part#	Description
64000	Pistol Vac w/ Bag and Crevice Tool
64001	Crevice Tool
64002	Vacuum Bag
64003	3' Hose Section
64004	8' Hose Section
64005	Brush
64006	20" Extension Tube
64007	2" Diameter Fitting for Steel Drum

The simple tip can transform most gun type blow guns into a convenient sprayer. It snaps easily and quickly on to the tip of the gun.

Available with or without vinyl hose.

Use when Spraying a variety of liquids!

- *Cleaning solution*
- *Undercoating*
- *Brake cleaners*
- *Solvents / Gunk*

Shark Quick Spray Tip

Shark#	Description
S3660	Tip with 6' Vinyl Hose (Pictured)
S3665	Tip Alone
S3670	6' Vinyl Hose (Also Sold Separately)

The New Mini Spot Blaster for Touch-Ups and Small Dings!

This economical spot blaster comes complete with four nozzles for doing corners, edges as well as small spots. Includes a small template.

- *Removes rust and old paint in seconds*
- *Quick and easy to use for touch-ups*
- *Reduces messy, noisy touch-ups*
- *Uses shop air to recycle media*

Mini Spot Blaster

Shark#	Description
S2020	Spot Blaster includes the Inside and Outside Corner Nozzle, Round and Panel Edge Nozzles, plus Template.

OPERATING INSTRUCTIONS:

1. Operate in vacuum mode only with factory dust bag securely attached by hose clamp.
2. Operate with regulated air at a maximum of 90 PSI and with 3/8" air supply line.
3. Operate only with Safety Glasses
4. OSHA regulations to require a maximum of 30 PSI when operating venture in blow gun model.

SHARK QUICK SPRAY TIP



(S3665)

(S3670)

S3660

SHARK FACT:

Works in all Vacula, Snap-on, Mac, Matco, Shark and NAPA Type Blow Guns!

MINI SPOT BLASTER



S2020 (Kit)

MINI SPOT BLASTER SPECIFICATIONS:

Air Connection = 1/4" Female Pipe Thread
Working Pressure = 60-175 PSI (4-12 BAR)
Max Air Consumption = 12 CFM at 90 PSI (340./Min. at 6 BAR)

THE FULL CONTROL BLOW GUN ERGONOMICALLY DESIGNED

Insulated Grip with Comfortable Design

- An assortment of sizes in outlet tubes
- A wide variety of safety conscious interchangeable nozzles
- Infinite variable flow control
- Multi-use as well as fluid dispensing



S1050



A1050B



S-1250

S-1150

Part# With Tip

Part#

Description

S4010

Rubber Tip

S4020

w/ OSHA By-Pass

S4030A

w/ OSHA By-Pass



S4010



S4020



S4030A

TECHNICAL DATA:

Max Working Pressure:
Full Flow = 230 (16 BAR)
Regulated = 175 PSI (12 BAR)

Max Outlet Pressure With By-Pass
installed and Blocked Outlet:
30 PSI (2 BAR)

Minimum Burst Pressure
925 PSI (64 BAR)

Temperature Range
- 40°F to 175°F
- 40°C to 80°C

STANDARD BLOW GUNS

Description	Part # (w/o Tip)	Description	w/Tip Regulated
All Full-Flow	S1050 S1050A	Black Black / USA	S1060 S1060A
Type (unregulated)	S1060A	Black / USA w/ Rubber Tip	S1060A
Full Flow Gun	S1150 S1150A	Black 12" Tube Black/American 12" Tube	S1160 —
All Full-Flow Type (unregulated)	S1250 S1250A	Black 20" Tube Black/American 20" Tube	— —

WARNING: Only the regulated blow guns and assemblies with by-pass tip S4020 comply with the Occupational Safety and Health (OSHA) requirements when used for cleaning purposes with compressed air over 30 PSI inlet pressure. Chip shield or safety glasses may also be required.


STUR-D-WELDING SCREEN

The sturdy structure of the welding screen is provided by the square steel tubing. The special welding spectra orange heavy duty vinyl provides 100% of far U.V. radiation and 100% of blue light protection. The portability of these screens make them very versatile in your shop.

- Provides necessary protection for welding and spray booths
- Super strength tubing provides neat appearance
- Interchangeable parts
- Easy to assemble
- Free standing

Stur-D-Screen Welding Screens

Part#	Description
14443	Includes square 6' high x 4' wide Stur-D Screen, steel frame brackets, platform "T" legs, lacing ties and safety curtain. Shipped disassembled as a complete package.
14866	6' x 6' Stur-D-Screen (Shipped as above.)
14868	6' x 8' Stur-D-Screen (Shipped as above.)



WELDING BLANKETS

Shark Welding Blankets are an insurance policy against potential, costly mistakes! Don't wait to ruin your first Seat, Paint job, Windshield or other costly product ...invest in the Shark Insurance Policy!

Our economy blanket has a special coated fiberglass that is drapeable and provides the needed protection from the sparks and spray normally associated with welding, cutting and grinding.

All blankets are sewn and hemmed on all four sides. Actual finished sizes may vary 3" in height and/or width.

Weld-Stop 906 Series Single Layered 24 Oz. Fiberglass Economy Blanket

Part#	Size
906-46	4' x 6'
906-66	6' x 6'
907	Magnetic Bag for anchoring blanket



Weld-Stop 640 Series Double Layered 48 Oz. Fiberglass Blanket

Part#	Size
640-46	4' x 6'
640-66	6' x 6'

Silicon Economy Welding Blanket

Made of Fiberglass & Silicon, this blanket comes with a bottom pocket for catching slag.

Part#	Size	Description
12255	38" x 24"	Offers Spark & Molten Metal Protection Fiberglass & Silicon.



Black Carbon Reinforced Welding Blanket Good up to 3000 degrees!

The Softie Weld-Felt Extra Soft Blanket made of all non-conductive carbon fiber! Excellent slag and spatter protection.

Part#	Size	Description
12259	60" x 80"	Easy-to-clean, you can blow out or vacuum particles.



ELECTRONIC TOOLS

Computer Program Saver - PART #5040

Saves car computers, clocks, radios and other electronic components when car batteries have to be disconnected!

- Quick and Easy hook-up
- Uses a 12 volt power source on a 12 volt system
- Will save any computer settings even if the doors are opened by accident
- Works with any 12 volt wet or dry cell battery such as car, motorcycle or lantern terminal
- Indicator Light lets you know if you have connected Compu-Save to the wrong battery terminal
- Indicates if the lighter connection is good
- Eliminates poor initial engine performance and lost digital settings after vehicle service

OPERATING INSTRUCTIONS:

1. Hook the red clamp to the positive and the black to the negative poles of the spare, 12 volt battery.
2. Check the LED's to see that the green light is lit up. The red light indicates an incorrect hook-up. Push the button and hold. Plug the Compu-Save into the cigarette lighter. Checking for a green light indicating a good hook-up.
3. Release the button. Check for final time that the green light is on. Your connection is good and you are ready to disconnect your battery.



5040

SPARK SUPPRESSOR - PART #5241

12 Volt Surge Protector System.

**Protects car computers from possible damage caused by voltage spikes while working on the vehicle!
Eliminates transient spikes while welding.**

Every time you strike a welding arc, you could blow the electronics of the vehicle you are fixing.

The Spark Suppressor is designed to eliminate:

Electronic transient spikes which may be created in automobiles during routine and auto body repairs or other incidences such as:

- Sparks caused by disconnecting batteries
- Short circuits caused by mechanics tools
- Sparks caused by checking batteries

Saves thousands of dollars in ruined or blown computers.

- Inexpensive Simple Design
- Requires no other tools



5241

SHARK FACT:

It's an easy to use, low cost device that connects across the battery cables-regardless of whether or not the battery is connected!



SHARK

Standard Auto Bay Colors are White Top, Clear See-thru Center and Blue Rip-Stop Bottom

All Curtains come with the Rip-Stop at the top and bottom with a clear vinyl see-thru center of the color of your choice! Solids are also available for undercoating applications.

Easy to install rolling track system is available with steel or nylon rollers and gives your custom design flexibility. Free standing partitions complete our full package!


Shark Mix-n-Match Curtain Systems Offer Many Benefits!

- *Manufactured from Sturdier Material than Competition (13 oz.)*
- *Di-Electric Heat Sealed (not sewn) for extra strength*
- *Includes Track, Curves and additional Drape for proper hanging*
- *Choose from 2 Fabrication Types
Rip-Stop Top and Bottom w/
Clear Center
Solid in a Variety of Colors*
- *Unlimited Different Heights
8', 9', 10', 11', 12' or higher*
- *Two Roller Styles
Nylon
Steel*
- *Curtains Only*
- *Stand Alone Systems*
- *Many Color Options!*

Auto Bay Curtains Provide:

- *Complete Flexibility*
- *Optimum use of Available Space*
- *Moves more Cars at a Faster Pace through your Shop*
- *Maximizes you investment on Soft-Wall Departmentalization*
- *Provides Dust-Free Environment for Detailing and New Car Prep*
- *Excellent Environmental Control allows for Varying Operations side by side*

SHARK AUTO BAY CURTAINS



SHARK FACT:

Approved by
California Fire Marshall-
the toughest standards
in the world!



SHARK AUTO BAY CURTAINS

See the drawing for clarification and be sure to specify:

- "Flush" or "Suspension" mounting brackets.

All curtains ship as kits with all hardware for hanging included; unless sold as curtains only.

IMPORTANT: When ordering...

The letter following the part number indicates:

"N" Nylon Rollers - "S" Steel Rollers

ORDERING MOUNTING: When ordering specify if you need a **Suspended** or **Flush mounted option**. (For Ceiling or Wall Mount request Flush Mount).

Or, just call us if you need help!



FREIGHT:

FOB Factory on orders under \$1000.

Straight Run- Curtains By-the-Foot

CURTAIN SPECIFICATIONS:

Our Rip-Stop Curtain line features a white top, blue bottom curtain with a clear center.

The White Rip-Top is 13 ounce material and 18" width. The clear vinyl is 24 ounce material and 36" width.

WARRANTY:

All Product is warranted against manufacturer's defect for up to three years.

Nylon Roller Hardware			TO ORDER BY FOOT:	Steel Roller Hardware			Curtains Only	
Hgt.	Part#	Feet		Hgt.	Part#	Feet	Part#	Feet
8'	81800N	_____	1. Write the number of feet next to the part number to order the desired curtain	11'	111800S	_____	No Hardware for Rip-Stop	
9'	91800N	_____		12'	121800S	_____		
10'	101800N	_____		13'	131800S	_____	1800RC	_____
11'	111800N	_____	2. Multiply that number by the price per foot on the list price.	14'	141800S	_____	Multiply the number of feet across the top by the height of the desired curtain.	
12'	121800N	_____		15'	151800S	_____		
13'	131800N	_____		16'	161800S	_____		
14'	141800N	_____	PRICE PER SQUARE FOOT ONLY!					
15'	151800N	_____						
16'	161800N	_____						
			3. List "F" for Flush or "S" for Suspension.					

FREE STANDING PARTITIONS

- Sturdy platform legs
- Interchangeable parts
- Easy to assemble

- Super strength square tubing provide neat appearance
- No gapping between posts with multi-panel screens



Auto Bay Stur-D-Screens

Part#	Panels
6166	1 - 6'
6266	2 - 6'
6366	3 - 6'
6168	1 - 8'
6268	2 - 8'
6368	3 - 8'

FREE STANDING PARTITIONS:

The Free Standing Partitions comes with 1-6' x 6' or 1-6' x 8' or 2-6' x 8' panels.

The curtain is standard colors of White Rip-Stop, Clear Vinyl with Blue Rip-Stop bottom. Other colors are available.

Stur-D-Screens are shipped disassembled as a complete package including 1" wide square steel frame, connecting brackets, platform "T" legs, lacing, ties and curtain.

Shark offers a complete line of U.S. made Carbide Burs

- Expanded Coverage of MINI Burs
- Mini Carbide Bur Kits
- Cross References to other Brands
- New Attractive Boxes for Kits

Aluma-Cut

Application:

Sometimes described as "Non-Ferrous" this bur is typically used on aluminum, plastics, brass, magnesium or lead

Features:

Large flutes prevent loading of material or clogging up the flutes with the material your are removing.



Aluma-Cut



BT14 in New Shark Packaging

Double Cut

Application:

Sometimes described as "Super Cut" use this bur for general purpose stock removal or deburring of cast iron, steel or other ferrous materials.

Features:

The cross-cut look to the bur acts like rows of teeth producing a fast stock removal as well as offering better control of the work. Excellent in most applications.



Double

Diamond Cut

Application:

Typical applications include steel, cast iron where extremely aggressive cutting action is required.

Features:

Deep cross-cut pattern is excellent in tire applications as well as many other uses when cutting extremely hard metals, etc.



Diamond

NEW - MINI CARBIDE BURS

Part# Set BTM - All with 1/8" Shanks - 9 Piece Mini Bur Kit (Also sold separately)

Part#	IR#	Shape	Dia. Head	Flute Length	Overall Lgth.	Cut
BTM-1	SA51	Cylinder	1/4"	1/2"	2"	Double
BTM-2	SB51	End Cut Cylinder	1/4"	3/16"	1-11/16"	Double
BTM-3	SN51	Inverted Cone	1/4"	1/4"	1-3/4"	Double
BTM-4	SC51	Round Nose Cylinder	1/4"	1/2"	2"	Double
BTM-5	SD51	Ball	1/4"	7/32"	1-11/16"	Double
BTM-6	SE51	Oval	1/4"	3/8"	1-7/8"	Double
BTM-7	SF51	Tree Radius	1/4"	1/2"	2"	Double
BTM-8	SG51	Tree Pointed	1/4"	1/2"	2"	Double
BTM-9	SM51	Cone	1/4"	1/2"	2"	Double



BTM

CARBIDE BURS



BT9 BT10 BT24 BT48 BT68

Tree-Shaped Pointed Carbide Burs - 1/4" Shank

Part#	IR#	Diameter	Flute Length	Overall Length	Cut
BT9	IRSG-42	1/8"	5/16"	1 1/2"	Double
BT10	IRSG-1	1/4"	5/8"	2"	Double
BT24	IRSG-3	3/8"	3/4"	2 1/2"	Double
BT48	IRSG-5	1/2"	1"	2 3/4"	Double
BT68	IRSG-7	3/4"	1"	2 3/4"	Double



BT50 BT22 BT23 BT40 BT41

Tree-Shaped Radius Carbide Burs - 1/4" Shank

Part#	IR#	Diameter	Flute Length	Overall Length	Cut
BT50	IRSF-1	1/4"	5/8"	2"	Double
BT22	IRSF-3	3/8"	3/4"	2 1/2"	Double
BT23	IRSF-5	1/2"	1"	2 3/4"	Double
BT49	IRSF-1NF	1/4"	5/8"	2"	Aluma-Cut
BT40	IRSF-3NF	3/8"	3/4"	2 1/2"	Aluma-Cut
BT41	IRSF-5NF	1/2"	1"	2 3/4"	Aluma-Cut



BT52

BT25

Cone Carbide Burs - 1/4" Shank

Part#	IR#	Diameter	Flute Length	Overall Length	Cut
BT52	IRSM-4	3/8" - 28 deg.	5/8"	2 1/2"	Double
BT25	IRSM-5	1/2" - 35 deg.	7/8"	2 3/4"	Double



BT26

BT27

BT28

BT54

BT55

Ball Nosed Cone (FLAME) Carbide Burs - 1/4" Shank

Part#	IR#	Diameter	Flute Length	Overall Length	Cut
BT26	IRSL-2	3/8"	7/8"	2 3/4"	Double
BT27	IRSL-4	1/2"	1 1/8"	3"	Double
BT28	IRSL-6	5/8"	1 5/16"	3 3/16"	Double
BT54	IRSH-2NF	3/8"	3/4"	2 1/2"	Aluma-Cut
BT55	IRSH-5NF	1/2"	1 1/4"	3"	Aluma-Cut

Cylinder-Router Carbide Bur - 1/4" Shank

Part#	IR#	Diameter	Flute Length	Overall Length	Cut
BT12	IRSG-33	1/4"	1"	2 1/2"	Diamond



BT12

Cylinder Shaped Carbide Burs - 1/4" Shank

Part#	IR#	Diameter	Flute Length	Overall Length	Cut
BT11	IRSA-1LEC	1/4"	5/8"	2"	Dble/End Cut
BT13	IRSA-1LDia.	1/4"	3/4"	2"	Diamond
BT14	IRSA-1L	1/4"	3/4"	2"	Double
BT15	IRSA-1LD	1/4"	1"	2"	Double
BT16	IRSA-3	3/8"	3/4"	2"	Double
BT17	IRSA-5	1/2"	1"	3"	Double
BT18	IRSA-6	5/8"	1"	3"	Double
BT58	IRSA-1NF	1/4"	5/8"	2"	Aluma-Cut
BT38	IRSA-3NF	3/8"	3/4"	2 3/4"	Aluma-Cut
BT35	IRSA-5NF	1/2"	1"	3"	Aluma-Cut
BT37	IRSA-6NF	5/8"	1"	3"	Aluma-Cut



BT11

BT13

BT14

BT15

BT16

Ball-Nosed Cylinder Carbide Burs - 1/4" Shank

Part#	IR#	Diameter	Flute Length	Overall Length	Cut
BT19	IRSC-1	1/4"	5/8"	2 1/2"	Double
BT20	IRSC-3	3/8"	3/4"	2 1/2"	Double
BT21	IRSC-5	1/2"	3/4"	2 3/4"	Double
BT57	IRSC-1NF	1/4"	5/8"	1 3/4"	Aluma-Cut
BT42	IRSC-3NF	3/8"	3/4"	2 1/2"	Aluma-Cut
BT56	IRSC-5NF	1/2"	1"	2 3/4"	Aluma-Cut



BT19

BT20

BT21

BT57

BT42

BT56

Ball Carbide Burs - 1/4" Shank

Part#	IR#	Diameter	Flute Length	Overall Length	Cut
BT64	IRSD-1	1/4"	7/32"	2"	Double
BT31	IRSD-2	5/16"	1/4"	2 1/32"	Double
BT45	IRSD-3	3/8"	5/16"	2 5/64"	Double
BT32	IRSD-5	1/2"	7/16"	2 13/64"	Double
BT53	IRSD-3NF	3/8"	5/16"	2 5/16"	Aluma-Cut
BT33	IRSD-5NF	1/2"	7/16"	2 1/4"	Aluma-Cut



BT64

BT31

BT45

BT32

BT53

BT33

Oval Shaped Carbide Burs - 1/4" Shank

Part#	IR#	Diameter	Flute Length	Overall Length	Cut
BT59	IRSE-3	3/8"	5/8"	2 3/8"	Double
BT29	IRSE-5	1/2"	7/8"	2 5/8"	Double
BT63	IRSE-3 NF	3/8"	5/8"	2-3/8"	Aluma-Cut
BT36	IRSE-5 NF	1/2"	7/8"	2-5/8"	Aluma-Cut



BT59

BT29

BT36

BT63

CARBIDE BUR SETS

All Carbide Burs in Sets Carry our same Warranty against Manufacturer's Defect.

Defected Carbide Burs should be returned to Shark to check for customer abuse before crediting.



5 Piece Carbide Bur Assortment - PART# BT5

Set includes ONE each:

**BT10
BT14
BT20
BT27
BT40**



BT5

8 Piece Carbide Bur Assortment - PART# BT8

Set includes ONE each:

**BT10
BT14
BT20
BT21
BT24
BT27
BT33
BT40**



BT8

5 Piece Aluminum Bur Set - PART# BT5A

Set includes ONE each:

**BT13
BT33
BT35
BT36
BT40**



BT5A

Bur Display Rack Refill - PART #3702R

Part# **Description**
3702R Replacement Stock for Bur Rack
Includes one of each of the items burs
listed on the right.

Overall Size: 24" x 15" - Shipping Weight 6 lbs.

10 Piece Carbide Bur Display - PART #3702

Part#	Description	Qty.
BT10	1/4" x 5/8" Tree Shaped	1
BT15	1/4" x 7/8" Cylinder	1
BT16	3/8" x 3/4" Cylinder	1
BT17	1/2" x 1" Cylinder	1
BT22	3/8" x 3/4" Tree Shaped	1
BT24	3/8" x 3/4" Tree Shaped Pointed	1
BT31	5/16" x 5/16" Ball	1
BT33	1/2" x 1/2" Ball-Aluma-Cut	1
BT36	1/2" x 7/8" Oval Aluma-Cut	1
BT40	3/8" x 3/4" Tree Shaped Aluma-Cut	1

**NOTE: DISPLAY RACK INCLUDED
(NOT PICTURED)**



EXTENDED CARBIDE BURS

EXTENDED CARBIDE BUR KITS

Perfect for many applications, these bur kits come with extended 6" carbide burs in popular 4 piece, 6 piece or 4 piece all aluminum cutting bur kits!

PERFECT FOR MANY APPLICATIONS, THESE BURS COME IN ALUMINUM CUT OR REGULAR CUT.



BTE4



Extended Carbide Bur Kits

Part#	Quantity	Description	Kit Includes
BTE4	4 pieces	Extended Bur Kit	BT20E, BT22E, BT23E, BT32E
BTE6	6 pieces	Extended Bur Kit	BT20E, BT22E, BT23E, BT32E, BT24E, BT21E
BTA4	4 pieces	Aluminum Extended Bur Kit	BT33E, BT40E, BT41E, BT42E

Extended Carbide Burs


Part#	Dia.	Shape	Description
BT20E	3/8"	Cylinder/Radius End	Double Cut - 6"
BT21E	1/2"	Cylinder/Radius End	Double Cut - 6"
BT22E	3/8"	Tree Shaped	Double Cut - 6"
BT23E	1/2"	Tree Shaped Radius	Double Cut - 6"
BT32E	1/2"	Ball End	Double Cut - 6"
BT33E	1/2"	Ball End	Aluma-Cut - 6"
BT40E	3/8"	Tree Shaped	Aluma-Cut - 6 3/4"
BT41E	1/2"	Tree Shaped	Aluma-Cut - 7"
BT42E	3/8"	Cylinder/Radius End	Aluma-Cut - 6 3/4"
BT43E	3/8"	Ball End	Double Cut - 6"

HIGH SPEED STEEL FILES / GENERAL PURPOSE FILES



Multi-purpose files can be used for many different applications.

Consisting of the most useful sizes, these are display packaged for ease of retail sale.



Part #	Description	Pkg. Qty.
16050	6" Mill Bastard	1
16051	6" Half Round Bastard	1
16052	6" Round Bastard	1
16053	6" Slim Taper	1
16054	6" Extra Slim Taper	1
16055	8" Mill Bastard	1
16056	8" Half Round Bastard	1
16057	8" Round Bastard	1
16058	8" Slim Taper	1
16059	8" All Purpose File	1
16060	8" x 7/32 Round Chain Saw File	1
16061	8" x 3/16" Round Chain Saw File	1
16062	10" Mill Bastard	1
16063	12" Mill Bastard	1
16064	Plastic Handle	1
16065	Plastic Handle/Chain Saws	1

Multi - Purpose Rotary File Set

High quality steel tool set includes :

5 most popular shapes and sizes: Cylindrical, Round Tree, Ball, Cylindrical Ball Nose and 14 Degree Included Angle.
Set includes a plastic reusable case.

Can be used in drill presses, lathes and electrically or air-operated hand or flexible shaft equipment.

Part #	Description	Pkg. Qty.
12950	multi-purpose rotary file set	5

Rotary Files

Mounted on 1/4" shanks, these files are made from high-speed steel, for tough jobs. All files are 1/2" diameter.

Can be used on bronze, mild steel, plastic and fiberglass.




Part #	Shape	RPM	Pkg. Qty.
12951	1/4" Cylindrical *	2,500	1
12952	Round Tree	2,500	1
12953	Ball	2,500	1
12954	Cylindrical Ball Nose	2,500	1
12955	14 Degree Angle	2,500	1
12956	Flame Rounded *	2,500	1
12957	1/2" Cylindrical	2,500	1

*NOT PICTURED

Rotary Wood Rasps

1/4" shank wood rasps are perfect for hard to reach areas. Used for material removal.



Part #	Shape	RPM	Pkg. Qty.
12959	3/8" Cylinder	2,500	1
12960	1/4" Cylinder	2,500	1
12961	Round Nose Cylindrical	2,500	1
12962	Ball	2,500	1
12963	14 Degree Taper	2,500	1

SHARK



57

FLYWHEEL GRINDING WHEELS

For Use on DCM Tech, Kwik-Way,
Peterson, Tobin Arp and Winona Machines

Flywheel Grinding Wheels


Part#	Goodson#	Winona DMC#	Description
56	FGW-56	56	For Steel and Cast Iron Aluminum Oxide for Small Flywheels such as imports Volkswagons, 4" diameter.
57	FGW-57	57	For general Purpose 6" x 4 5/8" x 2 5/8". 1 1/4" center hole, requires little or no dressing in most instances

VALVE SEAT GRINDING WHEELS

Shark offers a full assortment of replacement
wheels for all manufacturer's equipment.

STONE TYPE:

General Purpose-recommended for Hard or Soft
Seats, Roughing or Finishing.



Valve Seat Grinding Wheel

Sioux Stone 30° PART #	Sioux Stone 45° PART #	Size (mm)	Angle	Sioux Stone 30° PART #	Sioux Stone 45° PART #	Size (mm)	Angle
SX330	SX345	1 1/4" (31mm)	30/45°	SX2030	SX2045	2 1/8" (54mm)	30/45°
SX430	SX445	1 3/8" (33mm)	30/45°	SX3030	SX3045	2 1/4" (57mm)	30/45°
SX530	SX545	1 1/2" (38mm)	30/45°	SX4030	SX4045	2 3/8" (60mm)	30/45°
SX630	SX645	1 5/8" (41mm)	30/45°	SX5030	SX5045	2 1/2" (63mm)	30/45°
SX730	SX745	1 3/4" (44mm)	30/45°	SX6030	SX6045	2 5/8" (66mm)	30/45°
SX830	SX845	1 7/8" (47mm)	30/45°	SX7030	SX7045	2 3/4" (69mm)	30/45°
SX1030	SX1045	2" (50mm)	30/45°	SX8030	SX8045	2 7/8" (73mm)	30/45°

PLEASE NOTE: We reserve the right to ship 90 degree angle stones when others are not available.

VALVE & STEM END WHEELS



SVR111



SVE50



SVE90

Valve End Wheels

Part#	OEM #	Diameter	Thickness	Arbor	Application
SVR-111	KO. Lee 0V56H80S	6"	3/4"	5/8"	Fits K.O. Lee K103A, 303, 403 and 500

Stem End Wheels

SVE50	Sioux 81	4"	1"	5/8"	Fits Sioux All Models (Cup)
SVE90	Sioux 83 Stellite	4"	1"	5/8"	Fits Sioux 645 & 645L Offset Wheel
SVE100	Kwik-Way 010-0610-08	6"	1 1/4"	3/4"	Fits Kwik-Way VL models

ENGINE CYLINDER HONING STONES

SHARK REPLACEMENT STONES FOR AMMCO HONES

For Model 3800 Hone - Range 2" to 7"

Part#	Ammco#	Finish	Grit	Dimensions
38100	3810	Fine	280	4" x 5/8"
40400	4040	Standard	100	4" x 5/8"
38400	3840	Medium	180	4" x 5/8"
38330	3833	Finishing	400	4" x 5/8"

Contains 3 Stones



38400

For Model 8275 Hone - Range 1 3/8" to 2"

Part#	Ammco#	Finish	Grit	Dimensions
82880	82888	N/A	220	2 1/2" x 3/8"

Contains 3 Stones



82880

ENGINE HONES

SHARK HONES

are manufactured to specifications that guarantee a long-life product.

115



85900



39510

BRAKE CYLINDER HONES

110

111

112

REPLACEMENT STONES



100

17410 / 37600

Engine Hone - PART # 115

Spring tension adjusting nut for positive cutting action at any speed. Comes supplied with 4" stones/Medium grit.

Part#	Description	Dimensions
115	Engine Hone 3 Stones Model	4" Long
115F	Fine Stones and Wipers (2 each)	
115M	Medium Stones and Wipers (2 each)	
115C	Coarse Stones and Wipers (2 each)	

Range: 2" to 7"

For Model 8550 Hone - Range 1 3/8" to 2 5/8"

Part#	Ammco#	Finish	Grit	Range	Dimensions
85880	8588	Roughing	60	1 3/8" x 2"	2 1/2" x 3/8"
85600	8560	Finishing	220	1 3/8" x 2"	2 1/2" x 3/8"
85890	8589	Roughing	60	2" x 5/8"	2 1/2" x 3/8"
85900	8590	Finishing	220	2" x 5/8"	2 1/2" x 3/8"

Contains 2 Stones and 2 wipers. Felt must be Oiled.

For Model 3950 Hone - Range 1 7/8" to 3 5/8"

Part#	Ammco#	Finish	Grit	Range	Dimensions
39510	3951	Roughing	60	1 7/8" x 2 3/4"	3 1/2" x 1/2"
39520	3952	Finishing	220	1 7/8" x 2 3/4"	3 1/2" x 1/2"
39530	3953	Roughing	60	2 3/4" x 3 5/8"	3 1/2" x 1/2"
39540	3954	Finishing	220	2 3/4" x 3 5/8"	3 1/2" x 1/2"
39550	3955	Aluminum	320	1 7/8" x 2 3/4"	3 1/2" x 1/2"
39560	3956	Aluminum	320	2 3/4" x 3 5/8"	3 1/2" x 1/2"

Contains 2 Stones and 2 wipers. Felt must be Oiled.

SHARK HONES ARE MANUFACTURED TO SPECIFICATIONS THAT GUARANTEE A LONG-LIFE PRODUCT.

Par# 110 - Brake Cylinder Hone

Part#	Length	Range	Model
110	1"	3/4" - 2 1/2" Diameter	3 Stone

Use Replacement Stone #100

Knurled nut controls tension adjustment for honing and deglazing throughout the full range. Flexible Shaft - simplifies use on car.

Part# 111/112 - Small/Disc Car Brake Cylinder Hone

Part#	Length	Range	Model
111	1"	1/2" - 2 1/4" Diameter	2 Stone
		Use Replacement Stone #100	
112	1/2"	1/2" - 2 1/4" Diameter	2 Stone
		Use Replacement Stone #113	

Knurled nut controls tension adjustment. Flexible Shaft-simplifies use on car.

Replacement Stones

Part#	OEM#	Qty.	Length	Range	Model
100	Below	6/PK	1"	1 1/2" - 3 1/2"	2 Stone
113	N/A	3 Replacement Stones			3 Stone

Cal-Van Hone 360-#362, K-D Hone 265, Lisle Hone 10000, Snap-on Brake Hones, Ammco 9576

Replacement Stones for Ammco Hone Model 1650

Part#	OEM#	Qty.	Length	Range	Model
17410	1741	6/PK	1"	3/4" - 1 1/2"	3 Stone

Replacement Stones for Ammco Hone Model 3760

Part#	OEM#	Qty.	Length	Range	Model
37600	3760	8/PK	1"	9/16" - 2 1/4"	2 Stone



Shark's Carbide Burs are an important piece for proper tire repair. Manufactured in the U.S.A., use these burs to remove damaged steel cables and loose wires in radial tires and for cleaning holes before patching.

Tire Repair Burs

Part#	Tech.#	Flute	Dia.	Injury Size	Cut	Shank	Overall Length
BT9	280	1/2"	1/8"	1/8" - 3 mm	Notched	Round	1 1/4" - 30 mm
BT10	282	5/8"	1/4"	1/4" - 6 mm	Notched	Round	2" - 50 mm
BT15	284	3/4"	1/4"	1/4" - 6 mm	Diamond	Round	2 1/2" - 65 mm
BT30	271	2"	5/16"	1/4" - 6 mm	Notched	3 Flats	4" - 100 mm
BT34	271P	3"	1/4"	1/4" - 6 mm	Notched	Round	3" - 75 mm
BT34S	N/A	3"	3/16"	3/16" - 8 mm	Notched	Round	3" - 75 mm
BT34L	271P	3"	1/4"	3/8" - 9 mm	Notched	3 Flats	6" - 120 mm

TIRE REPAIR BURS




TIRE REPAIR MOUNTED POINTS

White Aluminum Oxide Tire Repair Stones
60 Grit Wheels - 1/4" Shank

Most Popular Stone Shapes for Tire Repair

Part#	Description
A1W	3/4" x 2 1/2" - White
A4W	1 1/4" x 1 1/4" - White
A12W	11-16" x 1 1/4" - White Pointed
A15W	1/4" x 1 1/16" - White Pencil
A15LW	1/4" x 1 1/16" - White Extended Pencil
A36W	1 5/8" x 3/8" - White Large Mushroom
A37W	1 1/4" x 1/4" - White Small Mushroom



TIRE CHANGER ACCESSORIES

Tire Changer Tool Tray

For Use with all Swing Arm Style Rim Tire Changers with the Round Rear Post Characteristic.

FITS: Coats RC15A, 5030 & 5060
Hofmann 1510, 1610 and 1550
FMC 8700, 8955 & 8965

Part#	Description
PT401	Tool Tray for Tire Changers



PT401

Ergonomic Stem Removing Tool

Part#	OEM#	Description
22985	T165	USA Made TV-2 Screwdriver Valve Core Tool for inserting and removing Valve Cores.



22985

Wheel Weight Scraper

Part#	OEM#	Description
22986	N/A	Wheel Weight Scraper Tool For scraping sticky weights off Aluminum Rims Durable Hard Plastic Tool!



22986

Lug Nut Removing Tool

Part#	Description
72	Our Lug Nut tool is designed to safely remove chrome lug nuts. It safely fits ALL sizes of chrome lug nut covers on motor homes to over-the-road trucks!



72

TIRE REPAIR ACCESSORIES



80767



80765



80766



80768



C108397



C108398



33700

AIR LINE ACCESSORIES - WHEEL WEIGHT TOOL



1471C



SLP9



SLP7



SLP4

Bead Lifting Tool & Sock

**Bead Lifting tool has a sock cover
Sold in 10 packs**

Part#	Manufacturer	OEM#
80767	Ammco	0001418 - 1 Tool
	Coats	8181354
	Corgi	444238
	FMC/John Bean	87111
	Hunter	RP6-0322
80765	Kwik-Way	580-2991-11
	Sice	3009516
	Snap-on	EAA0247G02A
	Long Sock/4 Pack	Corgi 246241
	Hunter	RP11-8-11400098
80766	Sice	2201655
	Short Sock/10 Pack	Coats 8183605
	Hunter	RP6-0326

Combo Tool

**Specifically designed to Mount and Demount Tires
Use with Mount and Demount booties.**

Part#	OEM#	Description
80768	Coats	8000768 - 1 Tool
	Hunter	RP6-1828
	TMR	CT768

Demount & Mount Booties for Tire Changers

**Attaches to the Tire Changer Bar to prevent
scratching Aluminum Rims**

Part#	OEM#	Description
C108397	8108397	Short Mount Bootie
C108398	8108398	Long Mount Bootie

Bead Depressing Tool

Bead Depressor Drop Center Tool for Tire Changers

Part#	Qty.	Manufacturer	OEM #
33700	1 Pack	TMR	TC435685
		Accu-turn	SM103261
		Coats	8435685
		Corgi	435685A
		Hofmann	6410190
		Hunter	RP6-70210E
		Kwik-Way	580008413
		Snap-on	EAA0247G70A
		SICE	2018505

Protective Wheel Weight Tool/Air Line Accessories

**Unique replaceable "Soft Head" is designed to
easily install or remove coated wheel weight with-
out damaging the wheel or coating.**

Part#	Description
1471C	Wheel Weight Tool - 1
SLP4	Straight Tire Chuck
SLP7	Tire Inflator with Gauge
SLP9	Tire Inflator with Gauge

WHEEL SERVICE ACCESSORIES

Shark's Inflator Hose Assemblies are an important replacement part for tire repair machines. Manufactured to precise standards to perform as good as all OEM hoses.

INFLATOR HOSE ASSEMBLIES

	Part#	Qty.	OEM #	
	C106871	1 Pk	8106871	TMR HA106871
	Coats Inflator Hose 60" Long 1/4" ID -19 BSP with Euro Chuck-1/4 MPT			
	C71410	1 Pk	714100	TMR HA714100
	Corgi 714100/Hofmann 2407055 Corgi/Hofmann Open End Barbed Style Euro Chuck 1/4" Hose - 1/8" MPT x 60" with Euro Coupling			
	C71411	1 Pk	200132	TMR HA200132
	Corgi X-Tra Long for Safety Hofmann for Exploding Tire Precautions Open End Barbed style Euro chuck 1/4"x 11 Foot Hose - Euro Chuck WITH Blank END.			
	C67715	1 Pk	67715	TMR HA67715
	FMC/John Bean 67715 Open End Barbed style Euro chuck 52"x1/4" Female Swivel w/Spring Guard 1/4" ID-19 BSP			
	C24083	1 Pk	2408318	TMR HA2408318
	Hofmann 2408318 Open End Barbed style Euro chuck 60" x 1/4" Hose/Metric PT x Euro End			
	C13786	1 Pk	137-86-2	TMR HA137862
	Hunter Open End female style 60" x 1/4" Hose - 1/4 MPT both ends.			

Air Hose & Chuck Assemblies for Tire Changers

REPLACEMENT AIR HOSE ASSEMBLIES AND CHUCKS FOR FMC AND COATS TIRE CHANGERS.

Part#		OEM Part#	Description
C410419	Coats	8410419	For many brand 1/4" Hose Open End Type
	Hunter	145-341-2	Euro-Chuck for Tire Changers.
	Snap-on	ST006993	
C410420	Hunter	145-341-2	Female - Open End Type
			Euro Coupling for Tire Changers
			(NOT PICTURED)



C410419

MOUNT/DEMOUNT HEADS

Part#		OEM Part#	Qty.	Description
35034	Hunter	221-675-2	1 Pk	Nylon Mount/Demount Head ONLY
	TMR	TCR343		
	Hunter	TC250 TC300 TC325		
NOTE: WASHERS & NUT NOT INCLUDED FOR HUNTER TIRE CHANGERS				



35034

TIRE CHANGER ACCESSORIES

MOUNT / DEMOUNT HEADS



Description

Part#

Qty.

OEM Part#

Accu-turn / Hunter Nylon Mount/Demount Head
Accu-turn Models 220A. (other models
requires a 102765 Adaptor.)

Hunter Models TC250 TC300 TC325
 TC3000 Series (Require Adapter.)

33431

6 Pk

Accu-turn SM102529
 HUNTER RP6 0343B
 TMR TC0343-6



Coats Stainless Steel Mount/Demount Tapered
Hole Head Covers.

Coats Tire Changer Models 5030 5040 5050 5060
 5065 6050 6060 6065 7050 7055 7060 7065 7655
 7660 & 7665. (Does not work with 9010 & 9024)

33788

1 Pk

Coats 8182788
 TMR TC182788



Coats/Corgi Stainless Steel Mount/Demount
with Round Hole

Coats Tire Changer Models RC 1 5 10 15 20
 & Early 5060
 Corgi All Models

38305

1 Pk

Coats 8183429
 Corgi 258459
 TMR TC183429



Nylon Mount/Demount Tapered Hole Head
Kit with Hardware. For use on Tapered Shaft

182767/182812. Coats Tire Changer Models 5030 5040
 5050 5060 5065 6050 6060 6065 7050 7055 7060
 7065 7655 7660 7665

38306

1 Pk

Coats 8183061
 TMR TC183061



Hardware Included

Nylon Mount/Demount Kit with Round Hole
Washers & Bracket Included.

NOT FOR USE on Hofmann 1550 1620 1625.

All Tool - All Models

Coats - RC1 5 10 15 20 Early 5060 9010 9024 APX90

Corgi - All Rim Clamp (Optional Accessory)

Hofmann All Earlier Models except 1550 1620 1625

SICE M39 S40 S41 S42 S43 S45 S408MAXI S435 S436 S436TOP

35030

1 Pk

All Tool G2008401
 Coats 82008402
 Corgi 250390
 Hofmann 2200981
 Sice 2200981
 TMR TC250309



Includes Bracket & Washers

Nylon Mount/Demount Only with Round Hole
(Washers & Nut NOT Included)

NOT FOR USE on Hofmann 1550 1620 1625

All Tool - All Models

Coats - RC1 5 10 15 20 Early 5060 9010 9024 APX90

Corgi - All Rim Clamp (Optional Accessory)

Hofmann All Earlier Models except 1550 1620 1625

Hunter TCX C Series (**Adapter Info.)

SICE M39 S40 S41 S42 S43 S45 S408MAXI S435 S436 S436TOP

35031

1 Pk

All Tool G2008403
 Coats 83008403
 Corgi 450310
 Guiliano 3008403
 Hofmann 8314813
 Hunter RP11-8314813
 Sice 8314813
 TMR TC450310



Nylon Mount/Demount Kit w/Hardware

Accu-turn 14024784

Accu-turn - 4260 4560MR 4602 5602HP 3602 3602HP

Hofmann - 1520 1565 1620 1625

1625EM 3300 3300EM

Monty 1270 2300 3000 3000GP

John Bean- EHP System IVE IV III IIE

Snap-On All Models

Part# 35035 Separate Hardware for 35032

35032

1 Pk

Hofmann 4024784
 John Bean EAA 0247G20A
 Snap-on EAA 0247G20A
 TMR TC14024784



**REQUIRES RP11-S-400-100 ADAPTER.

TIRE CHANGER ACCESSORIES

MOUNT/DEMOUNT HEADS

Part#	Qty.	OEM Part#	Description
35033	1 Pk	Accu-turn 20024335 Hofmann 24335 John Bean 24335 Snap-on 24335 TMR TC20024335	Nylon Mount / Demount Only / Washers & Nut NOT Included. Accu-turn 3602 3602HP 4260 4560MR 4602 5602 5602HP Hofmann 1520 1565 1620 1625 1625EM 3300 3300EM John Bean EHP System IVE IV III II Monty 1270 2300 3000 3000GP All Models NOTE: WASHERS & NUT NOT INCLUDED.

35038	1 Pk	Coats 8184432 TMR TC184432	GREY Nylon Mount / Demount w/ Washers & Nut For Low Profile Tires For Use on Wheels with a Larger Lip. Also use on Tapered Shaft 182767/182812 Coats Tire Changer Models 5030 5040 5050 5060 5065 6050 6060 6065 7050 7055 7060 7065 7655 7660 7665 All Models. NOTE: HARDWARE INCLUDED.
--------------	------	-------------------------------	--

Time-Saving Portable Tire Spreader

Designed to spread Tire Beads quickly and in Mobile Service Applications.

Part#	OEM#	Description
51678	TC630	Tire Spreader

Note: Use with 1/2" Impact Gun with 1 1/4" Socket.



Adjustable Tire Spreader

For use on Coats Model 4040; 40 FMC 600; 8800


Part#	OEM#	Description
C108028	8108028	Tire Spreader
C108029	8181329	Tire Spreader STAND



Tire Swabs for Coats or Other Tire Changers

Used for Lubricating Tire Beads when removing or Mounting Tires on Rims

Part#	OEM#	Description
C000491	491	Short Swab - 11 1/2"
C120366	120366	Long Swab - 14 1/2"



Replacement Lube Buckets for Coats Tire Changers

Part#	OEM#	Description
C106259	8106259	Coats Rim Clamp Style Straight Lube Bucket RC15,RC20,5060,5070
C106572	8106572	Coats 4040 Tire Changer Angled Lube Bucket 4040,4040SA,4050
C106576	0014466 66006 116-35-2	Straight Bucket/Accu-turn FMC/John Bean Hunter



TIRE CHANGER ACCESSORIES

Pressure Gauges for FMC & Coats Tire Changers

REPLACEMENT AIR GAUGES FOR TIRE CHANGERS

Part#	OEM#	Description
90588	107518	Ammco Old Style, Bolt on back Air Gauge for Coats 1010, 2020, 2020a
90589	107985	4040 Newer Style Flange Mounting 4040, 4040a, 4040SA & 4040A
90590	66170	FMC Air Gauge for Tire Changers
C107517	1107517	Lens Cover for Air Gauge (NOT PICTURED)



Part# 51675, 51676, 51677 Beadkeepers

BEADKEEPERS LOCK ON TO THE FLANGE OF THE WHEEL & HOLD THE TIRE BEAD IN PLACE. ELIMINATES STANDING ON THE TIRES OR CHASE THE BEAD AROUND THE WHEEL



Part#	Description
51675	Beadkeeper - Drop Forged Steel
51676	Beadkeeper - Rubber Head to Protect Aluminum Wheels
51677	Beadkeeper - Pair Connected by Nylon Rope of Drop Forged Steel

Part# 15637 Kit with 4-X-Out clamps, 4 Push Buttons & 10 Quilted Clamp Socks

JAWS CLAMPING KITS

X-OUT CLAMP KIT FOR CLAMPING 23" & 24" ALLOY WHEELS ON COATS TIRE CHANGERS.

13"-24" Range.
2 Position Clamps.
Outside Clamping Only



Part#	Coats #	Description	Tire Changer	Applications
51637	N/A	Kit of 14 pieces including:	4 X-Out Clamps, 4 push buttons & 10 Quilted Clamp Socks	
51638	8182250	Position Push Buttons (4 PIECES)	50X - 60X - 70X	
51639	8183604	Quilted Clamp Socks (10 PIECES)	50X - 60X - 70X	All Coats Tire Changers except 9010 & 9024E

Part# 51641 & 51642 Coats Extension Jaw- Externally Clamp Wheels


UP TO AND INCLUDING 28" WHEELS WITHOUT DAMAGING THE WHEEL 16"-28" WHEELS



Part#	Coats #	Description / Applications
51641	8184958	28" Extension Jaw, Externally Clamp up to and Including 28" Wheels (16" - 28") 50X 60X 70X
51642	8113125C	3 Position X-Tended X-Clamp Kit for Coats X-Models w/Adjustable Carriers. External(outside/in) Wheel Clamping 6"-22". Kit Includes
51643		4 - Position Push Buttons (Not Pictured)
51644		4 - 3 Position X-Clamps (Not Pictured)

TIRE CHANGER ACCESSORIES

Replacement Pedal Switch & Cooling Fan Motor



C305001

FOR COATS WHEEL BALANCERS AND TIRE CHANGERS

Part#	OEM#	Description
C109873	TMRSW182958	Forward/Reverse Switch 40 Amp For Corgi, Coats RC1, 5, 10, 15, 20, 5000, 6000, 7000 Series, 9010 & 9024 (Modifications required on RC Machines RC15 Rim Clamp Tire Changer)
C305001	305001	Cooling Fan Motor for Coats Old Style Wheel Balancers

Plastic Inserts for Heads - Coats/Corgi



Part#	Coats/Corgi #	Description	Tire Changer
51640	89209611	10 Pack w/wrench	Coats For RC1 5 10 20 9010 9024
	254341A	10 Pack w/wrench	Corgi 2024 9220 9824



51640 Includes Wrench

Plastic Inserts for Heads - Accu-turn

Part#	Accu turn#	Pkg. Qty.	Tire Changer
51645	24016079	4 PACK	3402, 3450, 3602, 4602, 5802HP, 5850HP, 5602
51646	20011064	Bulk/EA	3402, 3450, 3602, 4602, 5802HP, 5850HP, 5602
51647	20011064	10 PACKK	3402, 3450, 3602, 4602, 5802HP, 5850HP, 5602



51645/46/47

Plastic Longer Inserts for Heads - Snap-on/Hofmann



51648

FOR STAINLESS MOUNT AND DEMOUNT HEADS.

Part#	OEM #	Pkg. Qty.	Tire Changer
51648	ST4024181	10 Pk	Hofmann all Models
	EAA0247G15A	10 Pk	Snap-on All Models

Part# 51649/50 Jaw/Clamp Covers & Plastic Inserts for Snap-on Clamps



51649



51650

Part#	Snap-on #	Description	Models
51649	EAA0304G21A	Jaw Clamp Covers (1)	Fits All Models
51650	EAA0304G21A	Jaw Clamp Covers (4)	Fits All Models
51651	ST4027591	Plastic Inserts (1)	Fits All Models

Part# 51659 Rim Clamp Jaw (Angled)



Part#	Coats #	Description
51659	8181677	Rim Clamp Angled Jaw for Coats Tire Changers SET OF 4

51659 (4 PIECES)

TIRE CHANGER & ACCESSORIES

PLASTIC INSERTS FOR COATS STAINLESS STEEL HEAD #8182788 & 8183429

PLASTIC RIM PROTECTORS FOR COATS 182788 MOUND/DEMOUNT HEAD



Part# A18277/A18278 Stainless Steel Head Inserts For Tire Changers

THESE REPLACEMENT PLASTIC INSERTS WILL PROTECT THE RIMS.

Part#	Coats #	Quantity	Tire Changer Models
A18277	8182961	2 Pack	For RC1 5 10 15 20 Early 5060
A18278	8182963	12 Pack	5030, 5040, 5050, 5060 5065, 5070, 6050, 6060 6065, 7050, 7055, 7060 7065, 7655, 7660, 7665



A18277

TIRE CHANGER PADS

Coats Tire Changer Pads

Part#	Coats #	TMR#	Description
51654	8181065	T1181065	Center Rubber Pad for Coats Tire Changers
51655	8181855	T1181855	Large Center Rubber Pad for Coats Tire Changers
51657	8181173	T1181173	Small Bead Loosener Nylon Front Pad for Coats
51658	8181851	T1181851	Large Bead Loosener Nylon Front Pad for Coats



51658



51654



51657



51655

Hunter Tire Changer Pads

Part#	Hunter #	TMR#	Description
51656	RP60066	TC0066	Hunter Rubber Pad for Tire Changers



51656

Part#	TMR#	Models	Description
51660	LP600	Ammco/Ben Pearson/Challenger/Weaver	Molded Rubber Pad
51661	LP602	Challenger/VBM	Lift Pad - Round Heavy Die Cut Material
51662	LP601	Benwil/Bishamon	Lift Pad - Molded Rubber Pad
51663	LP603	Forward	Lift Pad - Rough Heavy Die Cut Material
51664	LP605	Nussbaum/Phoenix/Force(old)	Lift Pad - Molded Rubber
51665	LP607	Western/American	Lift Pad - Slip On Molded Rubber
51666	LP608	Bend Pak	Lift Pad - Square Slip-on Rubber/Heavy Molded Rubber
51667	LP609	Rotary SPO12	Lift Pad - Rubber Pad Kit/Heavy Duty Cut Material
51668	LP606	N/A	Lift Pad - Heavy Die Cut/Flip up Height Extensions
51669	LP610	Snap-on/Ammco/Wheeltronics	Lift Pad - Molded Rubber
51670	LP612	Globe	Heavy Duty Die Cut
51671	LP613	N/A	Lift Pad - Rubber Block/ Molded/Tall (6"x 4-3/4"x6")
51672	LP615	N/A	Solid Molded Rubber Block (6" x 4-3/4" x 1")



51660
Ammco/Ben Pearson/Chall.
3-3/4" x 5-3/4" x 3/4"



51661
Challenger/VBM
5-7/8" x 5-7/8" x 1/4"



51662
Benwil/Bishamon
4-1/2" x 3-5/8" x 3/4"



51663
Eagle/Forward/Gemini/Worth/
American
5" x 5" x 1/4"



51664
Nussbaum/Phoenix
Force (Old)
5" x 1"



51665
Western/American Slip-on
4-1/2" x 4" x 1"



51666
Bend Pak
5-1/2" x 5-1/2" x 1"



51667
Rotary SPO 12
4" x 3-1/4" x 1/4"



51668
3" x 6" for Flip Up Height
5-1/2" x 3" x 1-1/4"



51669
Ammco/Snap-on/Wheeltronics
5-1/4" x 4-1/2" x 1"



51670
Globe
4-1/2" x 1"



51671
Molded Rubber Block
6" x 4-3/4" x 6"



51672
Molded Rubber Block
6" x 4-3/4" x 1"

WHEEL BALANCER ACCESSORIES

NEW HUNTER STYLE WHEEL BALANCER LOW PROFILE CONE SET

SIMILAR TO HUNTER #20-1626-1 IN-BETWEEN CONE & SPACER KIT

WHEN MANUFACTURER RECOMMENDS NOT TO USE STANDARD CONES.

Works on ANY 40mm Diameter Shaft Balancer - For Passenger Cars & Light Trucks-
Up to 3/4 Ton Capacity - Range 1.69" - 5.18"



Part# 51626 Kit with 5 Car Cones and 2 Light Truck Cones



Part#40mm	28mm	Hunter#	Description	Size #	mm	Weight
51626	52626	20-1626-1	Kit of 5 passenger car and 2 light truck cones			
51630	52630	192-51-2	Cone	1.69" - 2.23"	43mm - 57mm	1.1 lbs.
51631	52631	192-52-2	Cone	2.15" - 2.58"	55mm - 66mm	1.8 lbs.
51632	52632	192-53-2	Cone	2.50" - 2.94"	64mm - 75mm	2.6 lbs.
51633	52633	192-54-2	Cone	2.85" - 3.28"	72mm - 83mm	3.4 lbs.
51634	52634	192-55-2	Cone	3.20" - 3.63"	81mm - 92mm	4.3 lbs.
51635	52635	192-56-2	Cone	3.45" - 4.36"	88mm - 111mm	5.2 lbs.
51636	52636	192-57-2	Cone	4.24" - 5.18"	108mm - 132mm	8.5 lbs.

Part# 51328 Kit with 4 Standard Taper Cones and 1 Spacer Ring

NEW HUNTER STYLE WHEEL BALANCER BASIC LOW PROFILE CONE SET

SIMILAR TO HUNTER #20-1328-1 IN BETWEEN CONE & SPACER KIT

This basic kit works on any balancers with a 40mm shaft (FMC, Hofmann) and fits the majority of passenger cars and light truck wheels.

APPLICATION:

Part# 51331- Cone for Late
Model Cadillac Seville, Chrysler LHS Chevrolet Venture, Olds
Silhouette, Pontiac Grand Prix & Transport. Other Chryslers
Part# 51332- Nissan Pathfinders
Part# 51333 - Toyota Tacoma Lexus LX470



Similar to Hunter #20-1328-1 In Between Cone & Spacer Kit

Part#	Hunter #	Description	Size #	mm
51328	20-1328-1	Full Kit	Kit of 4 taper Cones and 1 Spacer Ring	55mm - 177.8mm
51330	192-96-2	Cone	2.15" - 2.83"	55mm - 72mm
51331	192-97-2	Cone	2.68" - 3.36"	68mm - 85mm
51332	192-98-2	Cone	3.21" - 3.89"	68mm - 85mm
51333	192-99-2	Cone	3.74" - 4.64"	95mm - 118mm
18077	46-433-2	Aluminum Spacer	7"	177.8 mm

WHEEL BALANCER CONES AND SPACERS

18046



18077



28 mm Fits These OEM's

Accu-turn 5223 5500 5100 & 5600
Series #51-0001 thru 51-0622
Coats All Models (Excluding 6401)
Mondolfo Ferro All Models Except Trucks
Norton All Models

Snap-On All Models
Sun 1742 1762

36 mm Fits These OEM's

Accu-turn 1060 6100 6600 6700 6800
Ammco 1030
CEMB All Models Except Trucks
Focus All Models Except Trucks
Phoenix CB-114
RAV All Models

38 mm Fits These OEM's

Corghi All Models Except Trucks
Faip All Models Except Trucks

Werther All Models
Except Trucks

40 mm Fits These OEM's

Balancer Shaft Accu-turn 1200 1250
1400 1500 1550
1650 1850 5100 5600
(Serial#51-0623-51-1457)
Bear 80-100, 80-303
Beissbarth All Models
CEMB Truck Balancers Since June 2000
Coats With Optional 40mm Shaft
RAV All Models
All Models FMC, Hofmann, Hunger, John
Bean, Kwik-Way, Performance, Phoenix
CB-113

Part#	Range	28 mm
18040	1.70 - 2.25	28mm
18041	1.75 - 2.58	28mm
18042	2.25 - 2.62	28mm
18043	2.44 - 3.06	28mm
18044	2.62 - 3.00	28mm
18045	3.00 - 3.25	28mm
18046	2.95 - 3.63	28mm
18047	3.375 - 5.25	28mm
18048	3.375 - 5.88	28mm
18049	5.03 - 6.88	28mm
18051	5.875 - 7.315	28mm
18052	28 mm WB Spacer/Backing Plate	

Part#	Range	36 mm
18053	1.75 - 2.58	36mm
18054	2.44 - 3.06	36mm
18055	2.95 - 3.63	36mm
18056	3.375 - 5.25	36mm
18057	3.375 - 5.88	36mm
18058	5.03 - 6.88	36mm
18059	5.875 - 7.315	36mm
18063	36 mm WB Spacer/Backing Plate	

Part#	Range	38 mm
18064	1.75 - 2.58	38mm
18065	2.44 - 3.06	38mm
18066	2.95 - 3.63	38mm
18067	3.375 - 5.25	38mm
18068	3.375 - 5.88	38mm
18069	5.03 - 6.88	38mm
18070	38 mm WB Spacer/Backing Plate	

Part#	Range	40 mm
18071	1.75 - 2.58	40mm
18072	2.44 - 3.06	40mm
18073	2.95 - 3.63	40mm
18074	3.375 - 5.25	40mm
18075	5.03 - 6.88	40mm
18076	5.875 - 7.315	40mm
18077	40 mm WB Spacer/Backing Plate	

Basic Wheel Balancer Adaptor Kits for Basic Vehicle Coverage



Part# 18028

Fits 28 mm Shafts - Includes:

- 18040 Wheel Balancer Cone 1.70 - 2.25
- 18043 Wheel Balancer Cone 2.44 - 3.06
- 18046 Wheel Balancer Cone 2.95 - 3.63
- 18047 Wheel Balancer Cone 3.375 - 5.25
- 15148 Wheel Caliper Tool
- 15144 Manual Hub Nut
- 10058 Small Pressure Cup for Hub Nut-5 1/4"
- 18079 Wheel Balancer Spring
- 18050 Wheel Balancer Stub Shaft
- 1471C Wheel Weight Tool

Part# 18029

Kit Fits 36 mm Shafts

Includes above items for 36mm shafts.

Part# 18030

Kit Fits 40 mm Shafts

Includes above items for 40mm shafts.

CONVERSION WHEEL BALANCER SHAFT

Converts COATS 28 mm to 40 mm

Part# 13080 Complete Kit

Includes:

- 18078** Conversion Shaft w/Coupler
- 15146** Hub Nut - 40mm
- 18071** 1.75 - 2.58 Range - 40mm
- 18072** 2.44 - 3.06 Range - 40mm
- 18073** 2.95 - 3.63 Range - 40mm
- 18074** 3.375 - 5.25 Range - 40mm
- 18079** Pressure Cup

Part# 13081 Shaft, Coupler & Hub Nut Kit

Includes:

- 18078** Conversion Shaft w/Coupler
- 15146** Hub Nut - 40mm
- 18079** Pressure Cup

Part# 18078 Conversion Shaft w/Coupler

- 18078** Conversion Shaft w/Coupler



WHEEL BALANCER TRUCK CONE SET

Wheel Balancer Truck Cone Sets and Quick Lock Nut Kits

Part# Description

- 15128** Set - 28mm fits COATS Applications (2 pieces)
- 15129** 28mm Cup - 8.5"
- 15130** 28mm Cone - 4.7" x 6.8"
- 15136** Set - 36mm fits RELS, CHEM, All Tool & Accu-turn Wheel Balancers
- 15137** 36mm Cup - 8.5"
- 15138** 36mm Cone - 4.7" x 6.8"
- 15140** Set - 40mm fits HUNGER, FMC, JBC, HOFMANN & Accu-turn
- 15131** 40mm Cup - 8.5"
- 15132** 40mm Cone - 4.7" x 6.8"

Truck Cone Set for ALL Wheel Balancers with a 1" Arbor

- Simple, Easy Set-Up
- Correctly Centers Wheels
- Works on All Center Holes from 4.7" to 6.8"
- 3 Part Numbers fit Most Manufacturers

15129



15130

15128
SET OF 2 PIECES
15129 Cup
15130 Cone



15141
4 PIECE KIT INCLUDES
Quick Lock Hub Nut, Pressure Cup
Large Rubber Ring &
Wheel Protector

WHEEL BALANCER QUICK LOCK HUB NUTS

Wheel Balancer Quick Lock Nut Kits

Part#

Description

- 15141** 4 PIECE SET - 28mm fits COATS Applications
- 15142** 4 PIECE SET - 36mm fits RELS, CHEM, All Tool & Accu-turn Wheel Balancers
- 15143** 4 PIECE SET - 40mm fits HUNTER, FMC, JBC, HOFMANN, Accu-turn

Wheel Balancer Non-Quick Lock Nut Standard Nut Kit

- 15195** 4 PIECE SET - 38mm Includes regular nut fits Corghi & Faip.



HUB NUTS FOR BALANCERS

Individual Part Numbers for Wheel Balancer Quick Lock/Manual Hub Nut Kits

Part#	Description	Part#	Description
15141	28mm Kit for Coats- 4 Pieces	15142	36 mm Kit for RELS, Launch, Ranger
15200	28mm Quick Lock Hub Nut	15204	36 mm Quick Lock Hub Nut
15201	Pressure Cup	15201	Pressure Cup
15202	Large Rubber Ring	15202	Large Rubber Ring
15203	Small Wheel Protector	15203	Small Wheel Protector
15143	40mm Kit for Coats-4 Pieces	15195	38 mm Kit for Corgi
15208	40mm Quick Lock Hub Nut	15145	38 mm Manual Hub Nut
15201	Pressure Cup	15201	Pressure Cup
15202	Large Rubber Ring	15202	Large Rubber Ring
15203	Small Wheel Protector	15203	Small Wheel Protector

Individual Parts / Wheel Balancer Springs and Shafts

Part#	Description
18079	Spring for 28mm & 36mm Shafts
18080	Spring for 38mm & 40mm Shafts
18050	Shaft for 28mm Balancers
18082	Shaft for 38mm Balancers
18083	Shaft for 40mm Balancers
18084	Shaft for 40mm HUNTER with Different Thread Pitch



18050

MANUAL HUB NUTS FOR WHEEL BALANCERS

Metal Replacement Hub Nuts for Balancers

Part#	Description
15144	28mm fits COATS Applications
15145	38mm fits Older Corgi
15146	40mm fits FMC, John Bean, HOFMANN,
15149	40mm fits FMC, John Bean, HOFMANN (NOT Hunter) (Different Thread Pitch than 15146)
15220	36mm fits RELS, Ranger, Launch and other Chinese made wheel balancers.



15144

CAR AND TRUCK CALIPERS

Car & Truck Calipers

Part#	Description
15147	Car Wheel Caliper
15148	Truck Wheel Caliper



15147



15148

WIRE BRUSHES



Stainless Steel Wire Brush

Part#	Description
14000	This compact style brush has a plastic 7 1/4" handle and is rustproof. Used for aggressive cleaning action (3 x 7 rows).
14001 (old #798)	This wooden handle brush has stainless steel bristles and a 7 3/4" handle. Used for aluminum welding clean-up. (3 x 7 rows).

Compact Brass Scratch Brushes

Brass bristled brushes for use where non-ferrous materials are used. 7 1/4" (3 x 7 rows). Great for general cleaning.

Part#	Description
14004 (old #799)	Brass/Wooden Handle/Aggressive
14005	Brass/Plastic Handle/Gentle

Stainless and Brass Tinning Brushes

These brushes have tempered stainless bristles, with a 3/8" x 2 1/2" bristle area, and a 8 3/4" handle (2 x 9 row). Great for general cleaning.

Part#	Description
14002	Stainless
14003	Brass

Stainless & Brass Scratch Brushes

These brushes have tempered steel or brass bristles with a 1/2" x 5" bristle area and a 4 1/2" plastic handle. 10 1/4" overall length. Great for general cleaning.

Part#	Description
14098	Blue Handle/Steel
14099	Red Handle/Steel
14141	Yellow Handle/Brass
14142	Green Handle/Stainless Steel
13999	NEW Plastic Handled Carbon Steel Scratch Brush

Long Handle Scratch Brushes

A 13 1/2" / 3 x 19/4 x 16 rows extremely heavy duty paint/rust removal brush with hundreds of strong bristles imbedded in wooden handles. Bristle options.

Part#	Description
14040	Long Hdl. Bow Shape Carbon Steel 4 x 19 1/8"
14006	Long Handled Carbon (Old#792) 3 x 19 rows
14007	Long Hdl. Carbon w/Scraper (795) 3 x 19 rows
14008	Long Handled Brass 3 x 19 rows
14009	Long Handled Stainless Steel (800) 3 x 19 rows
14010	Shoe Handled Carbon Steel (797) 3 x 19 rows
14011	Long Handled Brass 3 x 19 rows
14012	Shoe Handled Stainless Steel 3 x 19 rows

Long Handle Scratch Brushes

The NEW "V" Bristle shape of this 13 1/2" x 3 x 19/4 x 16 rows brush makes it perfect for corners and other areas after welding. Extremely heavy duty paint/rust removal brush with hundreds of strong bristles.

Part#	Description
17005	NEW Wooden Handled "V" Brush- For Channel Cleaning and Welding Applications in tight corners.



Tube Bristle Brushes

Firm bristle brush is 8-1/2" long with 1/2" and 3/4" Diameter x 3" nylon bristles. Used for cleaning carburetors, brake cylinders and bottles.

Part#	Description
14013	1/2" diameter
14014	3/4" diameter

Spray Gun Cleaning Brushes

Part#	Description
68	3 Piece Brush Assortment Includes:
68-1	External Cleaning Brush
68-2	Fluid Tube Brush
68-3	Spray Gun Body Brush

Wire Solvent Brushes

Part#	Description
14019	This brush is 5 1/2" long and 1 1/4" wide. Long, wire bristle brush is resistant to solvents where firm bristles are needed.
14021	Parts Cleaning Brush 10"
14022	Deluxe Cleaning Brush 11 1/2"

Chipping Hammer Brush

Part#	Description
14020	This Chipping Hammer Brush is of the highest quality with steel bristles in hardwood, used on chipping hammers.

Wire Parts Cleaning Brush

A Wire bristled premium parts cleaning brush with an aggressive cleaning action that helps to remove cleaning gasket material and varnish.

Part#	Description
14023	9" x 1" brush diameter

Acid Brushes

Available in two sizes, used for the application of solder flux to work area.

Part#	Description
14025	3/8"
14026	1/2"
14069	2- 14025 and 1-14026
13997	3/8" - 1 GROSS
13998	1/4" - 1 GROSS

Wire and Plastic Handled Fitting Brushes

For cleaning copper fittings or plumbing joints prior to soldering. Also effective on corrosive battery cable terminals.


Part#	Description
14017	Plastic Handle 1/2" x 4 3/4"
14018	Plastic Handle 3/4" x 4 3/4"

End Brushes

For use with a 1/4" diameter air and electric tool, these brushes can get into hard to reach locations. Use on rubber or plastic, rust, weld cleaning, scale removal etc. Wire size is .020.

Part#	Old#	Size	Wire	RPM
708E	708E	1/2"	Crimped (.020)	22,000
720E	720E	1/2"	Crimped (.006)	22,000
709E	709E	3/4"	Crimped (.006)	22,000
14070	713E	3/4"	Crimped	20,000
14071	710E	1"	Crimped	20,000
14024	711E	(STAINLESS STEEL) 1"	Crimped (.020)	20,000

WIRE BRUSHES



WIRE BRUSHES



14073



14034



14027

14028

14095



14033



14077



14043

Knotted End Brushes

For use with a 1/4" diameter air and electric tool, these brushes can get into hard to reach locations. Use on rubber or plastic, rust, weld cleaning, scale removal etc. Wire size is .020.

Part#	Old#	Size	Wire	RPM
14072	711F	3/4"	.020	20,000
718E	718E	1"	.020	20,000
719E	719E	1"	.014	20,000
13988	(STAINLESS STEEL)	1"	.020	20,000
14073	N/A	1 1/8"	.020	20,000
14074	714E (STAINLESS STEEL)	1 1/4"	.020	20,000

Circular Crimped Wheel

Choose between a 3" or 4" diameter with a 1/2" arbor-.008 Wire

Part#	Size	RPM
14034	3"	4,500
14035	4"	4,500

Circular/Cup Wire Brushes with 1/4" Shanks

Brushes have many applications around the shop and home environments. A general purpose brush used in electric drills. Coarse brushes are .020 wire Fine are .014.

Part#	Old#	Size	Wire	RPM
14027	715F	1 1/2"	Coarse	6,000
14028	720F	2"	Coarse	6,000
14029	725F	2 1/2"	Coarse	6,000
14030	730F	3"	Coarse	6,000
14031	730SF	3"	Fine	4,500
14032	740SF	4"	Fine	15,000
712E	712E	1"(.012)	Cup/Fine	13,000
14095	750C	1 1/2"	Coarse/Cup	13,000
14096	721E	2 1/2"	Coarse/Cup	4,500
14097	722E	2 1/2"	Fine/Cup	4,500

Crimped Wire Tire Brush

Heavy Duty 3" Diameter Hex Mandrel Cup Brush for Rim/Hub Cleaning. .016 Brass Coated Wire

Part#	Size	RPM
14033	3"	10,000

Crimped Wire Cup Brushes

For used in cleaning metal parts and hard surfaces in hard to reach places. Use with angle grinders-follow correct speed.

Part#	Old#	Size	Wire	RPM
14075	735C	3" x 1/2" -13	.014	12,500
14076	730C	3" x 5/8" -11NC	.014	12,500
14077	723C	3" x M10 x 1.25	.020	12,500
14078	725C	3" x M10 x 1.50	.014	12,500
14079	—	3" x M14" -2.0	.014	12,500
14080	740C	4" x 5/8" -11NC	.014	9,000
14081	750C	5" x 5/8" -11NC	.020	6,500
14082	760C	6" x 5/8" -11NC	.020	6,500

Single Row Knotted Cup Brushes

Available with standard or metric arbor sizes in various diameters. Use for general cleaning, weld and removing paint and rust. Use with angle grinders.

Part#	Old#	Size	Wire	Arbor	RPM
14041	723K	3"	.014	1/2" -13	12,500
14042	730K	3"	.014	5/8" - 11NC	12,500
14043	730K (STAINLESS STEEL)	3"	.020	5/8" - 11NC	12,500
14044	724K	3"	.014	M10 x 1.25	12,500
14045	725K	3"	.014	M10 x 1.50	12,500
14046	—	3"	.014	M14" - 2.0	12,500
14047	740K	4"	.020	5/8" - 11NC	9,000
13989	(STAINLESS STEEL)	4"	.020	5/8" - 11NC	9,000
14048	760K	6"	.020	5/8" - 11NC	6,500
13990	(STAINLESS STEEL)	6"	.020	5/8" - 11NC	6,500



These brushes are available with standard or metric arbor sizes with a width of 1/2" and .014 wire. Use for general purpose cleaning or finishing and polishing of metals.

Double Row Knotted Wire Cup Brushes

Extremely durable and aggressive.
Use with a 7" angle grinder.

Part#	Size	Wire	RPM
14049	4" x 5/8 -11NC	.014	9,000
14050	5" x 5/8 -11NC	.014	7,000
14051	6" x 5/8 -11NC	.014	6,500

Crimped Wire Brushes

Varying diameters from 4" to 10".
Wire is .008.

Part#	Old#	Size	Arbor	RPM
14052	—	4"	5/8 -11NC	12,500
14053	—	4"	M10-1.25	12,500
14054	—	4"	M10-1.50	12,500
14055	—	4"	3/8" / 1/2"	12,500
14056	—	4"	M14-2.0	12,500
14057	762S	6"	1/2 - 5/8"	6,000
14058	762S	6" Narrow	1/2 - 5/8"	6,000
767S	767S	6" Medium	1/2 - 5/8"	6,000
777S	777S	7"	1/2 - 5/8"	6,000
14059	780S	8"	1/2 - 5/8"	4,500
14140	—	10"	1-1/4"	3,600

Knotted Wire Wheel Brushes with Adaptors

These brushes are available with standard or metric center thread sizes with a width of 5/16" and .014 wire. Use on hard materials for general purpose cleaning and polishing.

Part#	Old#	Size	Arbor	RPM
14060	748S	4"	1/2"-13	20,000
14061	—	4"	M10-1.25	20,000
14062	—	4"	M10-1.50	20,000
14063	—	4"	M14-2.0	20,000
14068	—	6"	5/8" - 1/2"	9,000
760S	760S	6" Full Cable	1/2, 5/8"	6,000
761T	761T	6"	1/2, 5/8"	9,000
787S	787S	8"	1/2, 5/8"	9,000

Knotted Wire Wheel Brushes

These brushes are available with standard or metric center thread sizes with a width of 5/16" and .020 wire. Use on hard materials for general purpose cleaning and polishing.

Part#	Old#	Size	Wire	Arbor	RPM
14064	743S	4"	.020	5/8 - 11NC	20,000
14065	(STAINLESS STEEL)	4"	.020	5/8 - 11NC	20,000
13980	—	4-1/2"	.020	5/8 - 11NC	12,500
13981	(STAINLESS STEEL)	4-1/2"	.020	5/8 - 11NC	12,500
14130	—	5"	.020	5/8 - 11NC	12,500
14134	(STAINLESS STEEL)	5"	.020	5/8 - 11NC	12,500
14066	—	6"	.020	5/8 - 11NC	9,000
14067	(STAINLESS STEEL)	6"	.020	5/8 - 11NC	9,000
13982	—	7"	.020	5/8 - 11NC	9,000
13983	(STAINLESS STEEL)	7"	.020	5/8 - 11NC	9,000

POWER BRUSHES

14049



14058



14068



14064



POWER BRUSHES

Stringer Bead Twist Wire Wheel Brushes



These brushes are available with standard or metric arbor sizes with a heavy duty .020 wire. Used for aggressive cleaning.



14083

Part#	Old#	Size	Wire	Arbor	RPM
14083	—	4"	.020	1/2"-13	20,000
14084	744S	4"	.020	5/8 - 11NC	20,000
14085	(STAINLESS STEEL)	4"	.020	5/8 - 11NC	20,000
13984	(STEEL)	4 -1/2"	.020	5/8 - 11NC	12,500
13985	(STAINLESS STEEL)	4 -1/2"	.020	5/8 - 11NC	12,500
14086	—	4"	.020	M10-1.25	20,000
14087	—	4"	.020	M10-1.50	20,000
14088	—	4"	.020	M14-2.0	20,000
14089	—	5"	.020	5/8" - 11NC	12,000
14138	(STAINLESS STEEL)	5"	.020	5/8" - 11NC	12,000
14128	745S	6"	.020	5/8" - 11NC	9,000
14139	(STAINLESS STEEL)	6"	.020	5/8" - 11NC	9,000
13986	(STEEL)	7"	.020	5/8" - 11NC	9,000
13987	(STAINLESS STEEL)	7"	.020	5/8" - 11NC	9,000

Cable/Lug Cleaning Brush



14155

This brush will clean an I.D. of 1/2", 5/8" and 7/8" fittings. It will also do an O.D. of 1/2", 5/8" and 7/8" tubing. Also great for cleaning battery terminals of rust. Use it to ream and debur the ID of tubing in plumbing and building applications.

Part#	Size
14155	4"



14090

Arbor Adaptors

These adaptors are available with various arbor sizes and a 2" diameter. Plain hole centers. Use for mounting wire wheels to bench grinders.

Part#	Size
14090	1/2"
14091	5/8"
14092	3/4"



14136

Adaptor Kit

This adaptor kit will start with a 2" hole on your wire wheel and adapt it from 1/2"-5/8"-3/4"-1". Kit includes center telescoping adaptor and 2 arbor rings.

Part#	Description	Size
14136	For 3/4" thick wheels	M10 - 1.25



14093

Adaptor Nuts

Nuts adapt 5/8 -11NC arbor brushes to fit M10-1.25 and 1.50 H.S. grinder spindles.

Part#	ID Size	to	ID Size
14093	5/8 - 11 NC		M10 - 1.25
14094	5/8 - 11 NC		M10 - 1.50
14129	5/8 - 11 NC		3/8-24 NF

SHARK



407-10

CARBIDE BITS FOR BENCH AND ON-THE-CAR LATHES

Shark is the leader in Automotive Brake Lathe Bits since 1987.

Being one of the first Aftermarket Companies to promote bits for all brand brake lathes in the market, Shark has offered Aftermarket bits for many brake lathe manufacturers since 1985.

All Shark bits are guaranteed to perform as good as any OEM products bits. Most bits come with dots in the corners for easy identification of the used corner on your bit.

Shark also offers their bits in a large variety of quantity packages so as to meet the needs of every mechanic from larger shops to very small users in service stations.

Accu-Turn

	Part#	Qty.	OEM #	Description
060	 060-5	5 Pk	433795	Accu-Turn Style Positive Rake Bit for Disc/Drum Lathes Use on models: 8911, 8922, 8944, 8989, 8991 or 8993. Cutting Edges: 3
	060-6	6 Pk	N/A	
	060-10	10 Pk	433796	
	060-100	10 - 10 Pk	433797	
408	 408-5	5 Pk	N/A	Accu-Turn Style Positive Rake Bit with larger Radius for more aggressive action-longer life for Disc/Drum Lathes. Use on models: 8911, 8922, 8944, 8989, 8991 or 8993. Cutting Edges: 3
	408-6	6 Pk	N/A	
	408-10	10 Pk	N/A	
	408-100	10 - 10 Pk	N/A	
409	 409-6	6 Pk	N/A	Accu-Turn Style Positive Rake Bit with .048 Radius and TiAlN coating for aggressive action-longer life for Lathes. Use on models: 8911, 8922, 8944, 8989, 8991 or 8993. Cutting Edges: 6 by cross-indexing. (HOLDERS 422 / 423-424 set)
	409-10	10 Pk	N/A	
	409-12	12 Pk	N/A	
068	 068-4	5 Pk	878051	Accu-turn On-The-Car 1/8" thick Negative Rake Bits. Use on models: Accu-turn 8700 or 8750 On-The-Car lathes. Cutting Edges: 12
	068-6	6 Pk	N/A	
	068-10	10 Pk	N/A	
	068-100	10 - 10 Pk	N/A	

All Tool

	Part#	Qty.	OEM #	Description
064	 064-4	4 Pk	3330	All Tool Type Negative Bits for Disc/Drum Lathes Use on models: 747. Cutting Edges: 12
	064-24	24 Pk	3331	
	064-100	10 - 10 Pk	N/A	
065	 065-3	3 Pk	N/A	All Tool Type Negative Bits for Disc/Drum Lathes Use on models: 747 Cutting Edges: 3
	065-6	6 Pk	8731	
	065-10	10 Pk	N/A	

Ammco - Negative Rake

	Part#	Qty.	OEM #	Description
062	 062-2	2 Pk	6914-2	Most Popular - Ammco Style Negative Rake Bits for Disc/Drum Lathes. Use on models: 1000, 1001, 3000, 4000, 4100, 7000, 7700 On-the-Car brake lathe Models 700, 705 & 710. Drum Side on 3850 lathes. Cutting Edges: 12.
	062-6	6 Pk	6914-6	
	062-10	10 Pk	6914-10	
	062-12	12 Pk	6914-12	
	062-48	48 Pcs.	6914-48	
	062-100	10 - 10 Pk	N/A	

CARBIDE BITS FOR BENCH AND ON-THE-CAR LATHES

SHARK

Ammco - Negative Rake

Description	Part#	Qty.	OEM #	
Extra Life - Super Ammco Type Negative Rake Bits.	062S-6	6 Pk	6914-6	 062S
Precision Ground all over. Use in place of all 6914 bits. Use on all 062 applications!	062S-10	10 Pk	6914-10	
	062S-100	10 - 10 Pks	6914-100	
Coated Ammco Type Negative Rake Bits.	062C-6	6 Pk	6914	 062C
Use in place of all 6914 bits.	062C-10	10 Pk	6914-10	
Use on all above mentioned lathes!	062C-100	10 - 10 Pks	6914-100	
Economy Ammco Type Negative Rake Bits.	063-6	6 Pk	6914	 063
Use in place of all 6914 bits.	063-10	10 Pk	6914-10	
Use on all above mentioned lathes!	063-100	10 - 10 Pks	6914-100	
Thicker - 1/8" Ammco Type Negative Rake Bits.	068-6	6 Pk	6914	 068
Use in place of all 6914 bits.	068-10	10 Pk	6914-10	
Use on all above mentioned lathes!	068-100	10 - 10 Pks	6914-100	

Ammco - Positive Rake

Most Popular Ammco Style Positive Rake Bits for Disc Drum Lathes	103-2	2 Pk	7681-2	 103
	103-6	6 Pk	7681-6	
Use on models: 3850, 4000, 7000, 7500, 6900/6950 Twin Cutter & 9381 Facing Set. Cutting Edges: 3	103-10	10 Pk	7681-10	
COATED Ammco Type Positive Rake Bits.	104-2	2 Pk	6918-2	 104
Use in place of 6918 Ammco bits.	104-6	6 Pk	6918-6	
Use on all above mentioned lathes!	104-10	10 Pk	6918-10	
Heavy Duty Ammco Type Positive Rake Bits.	A5677-2	2 Pk	5677-2	 A5677
Use on Drum Models in toolholder 9695 (not actual size).				
Cutting Edges: 3				
Shark Style for Ammco Positive Rake Bits for Disc/ Drum Lathes .048 Radius. Use on models: 3850, 4000, 7000, 7500. Must change to Toolholder 422 & 423. Cutting Edges: 3	408-6	6 Pk	N/A	 408
	408-10	10 Pk	N/A	
Shark Style for Ammco Positive Rake Bits for Disc/ Drum Lathes. Use on models: 3850, 4000, 7000, 7500 Must change to Toolholder 426 & 427. Cutting Edges: 15-20	066-6	6 Pk	N/A	 066
	066-10	10 Pk	6406-10	

Bear - Negative Rake

Bear Style Negative Rake Bits for Disc Drum Lathes.	383-4	4 Pk	722-83-4	 383
Use on models: 478 Disc or 1410, 1467, 1468, 1469 Drum Lathes. Cutting Edges: 12	383-10	10 Pk	N/A	

FMC Negative Rake

Most Popular FMC/John Bean/Barrett/Snap-on Style Positive Rake Bits for Disc/Drum Lathes-.020 Radius.	407-4	4 Pk	90487	 407
	407-6	6 Pk	N/A	
Use on models: 67BSD, 67DLX, 67GSA, 69DLX, 701 ECF, 601PF. FMC/Barrett 400, 500, 600 or 700 Lathes.	407-10	10 Pk	90488	
Cutting Edges: 3	407-100	10 - 10 Pks.	N/A	
Superior Grade FMC/John Bean/Barrett/Snap-on Style Positive Rake Bits for Disc/Drum Lathes.	407S-6	6 Pk	N/A	 407S
.020 Radius. Use on same models listed above.	407S-10	10 Pk	N/A	
	407S-100	10-10 Pks.	N/A	
Cutting Edges: 6 IF CROSS-INDEXED.				
Superior Grade .048 Radius FMC/John Bean/ Barrett/Snap-on Style. Positive Rake Bits for Disc/ Drum Lathes. Extra Life. Use on same models as listed above. Cutting Edges: 6 IF CROSS-INDEXED.	408-6	6 Pk	N/A	 408
	408-10	10 Pk	N/A	
	408-48	48 Pcs.	N/A	
Superior Grade TiAlN Coated .048 Radius FMC/John Bean/Barrett/Snap-on Style. Positive Rake Bits for Disc/Drum Lathes. Extra Life. Use on same models as listed above.	409-6	6 Pk	N/A	 409
	409-10	10 Pk	N/A	
Cutting Edges: 6 IF CROSS-INDEXED.				

CARBIDE BITS FOR BENCH AND ON-THE-CAR LATHES

FMC (Continued)

	Part#	Qty.	OEM #	Description
103	 103-6	6 Pk	N/A	On-the Car Lathe FMC/John Bean/Barrett/Snap-on Style Positive Rake Bits. Use on all 500 Series On-the Car RTI Style lathes using positive rake bits. Cutting Edges: 3
	103-10	10 Pk	91212	
062	 062-6	6 Pk	N/A	On-the Car Lathe FMC/John Bean/Barrett/Snap-on Style Positive Rake Bits. Use on all 500 Series On-the Car RTI Style lathes using positive rake bits. Cutting Edges: 3
	062-10	10 Pk	90817	

Hofmann Bits/ RJ West Bits

407	 407-4	4 Pk	W139	Most Popular Hofmann 400/401 True Cut-RJ WEST Style Bits for Disc Rotor Lathes. Use on models: 400/401 True Cut/RJ West Rotor & Drum Lathes Cutting Edges: 3
	407-6	6 Pk	722-83-4	
	407-10	10 Pk		
	407-100	10 - 10 Pks		
409	 409-6	6 Pk	N/A	Shark TiaLN Coated .048 Radius Long-Life Bit for Hofmann 400/401 True Cut-RJ WEST Style Bits for Disc Rotor Lathes. Use on same models as above. Cutting Edges: 3
	409-10	10 Pk	N/A	
503	 503-6	6 Pk	W136-1	Hofmann -RJ WEST Style Bits Negative Rake Bits for Drum Cutting. Use on model 715. Cutting Edges: 12
	503-10	10 Pk		
502	 502-6	6 Pk	DRL90	Hofmann -RJ WEST Style Bits Negative Rake Bits for Disc Cutting. Use on model 715. Cutting Edges: 12
	502-10	10 Pk		

HUNTER

064	 064-6	6 Pk	221-580-2	Drum Hunter Type Negative Rake Bit. Use on Hunter BL500, 501 & 505 Combination Lathe. Cutting Edges: 12
	064-10	10 Pk	N/A	
	064-24	4- 6 Pks	221-617-2	
065	 065-6	6 Pk	221-583-3	Hunter Type Positive Rake Bits. Use on Rotor Models BL500, 501 & 505 Hunter Lathes. Cutting Edges: 3.
	065-10	10 Pk	221-639-3	
			221-640-3	
709	 709-6	6 Pk	221-538-3	Hunter Style Positive Rake Micro-Round Inserts. For OCL-400 lathes. No Screws Included- Sold Separately. Screw. Sold Separately. Cutting Edges: 15 - 20
	709-10	10 Pk		
	709S	1 Pk		
067	 067-6	6 Pk	221-651-2	Hunter Type Round Positive Rake Bits. Use on Rotor Models BL500 Lathes in Foreign Car Angled Toolholders. Use on models: BL500, 501, 505 Combo Lathes w/Toolholders RP8-8568 & RP8-8569/221-615-2, 221-616-2. Cutting Edges: 3
	067-10	10 Pk		
409	 409-6	6 Pk	221-678-3	Shark positive rake bits for Hunter BL500 Rotor Lathes Requires a toolholder change Shark 422 & 423. .060 Radius. Cutting Edges: 6
	409-10	10 Pk		
702	 702-6	6 Pk	V302-07-167	Most Popular Hunter Style Negative Rake Bits for Disc Rotors. Use on models: 201, 205 Disc Lathes. Cutting Edges: 12
	702-10	10 Pk		
703	 703-6	6 Pk	221-538-3	Hunter Style On-the-Car Negative Bits. For BL300 On-Car Lathes. Cutting Edges: 12
	703-10	10 Pk	221-580-2	

KWIK-WAY/ SNAP-ON

802	 802-6	6 Pk	N/A	Most Popular Kwik-Way/Snap-on Positive Rake Bits for Disc Rotors. Use on models: SDL, DL, 850 Disc Lathes, ROTUNDA, Snap-on On-the-car YA180, YA281 Bench Lathes. Kwik-Way NCL, BDL, CBL108 & Kwik-Lathe On-the Car 108-005-04 w/000-0171-91 Screws. Cutting Edges: 3
	802-10	10 Pk	109-1092-23 109-1092-45 BTK10A Snap-On	
803	 803-10	10 Pk	109-1092-32	New Kwik-Way Style Formula I Type Positive Rake Bits for Lightning Lathe .032 Radius Use on models: 104 Cutting Edges: 3

CARBIDE BITS FOR BENCH AND ON-THE-CAR LATHES



KWIK-WAY

Description	Part#	Qty.	OEM #		
New Kwik-Way Style Formula I type Positive Rake Bits for Lightning Lathe. .045 Radius Use on models: 104 Cutting Edges: 3	809-10	10 Pk	109-1092-45		809

PRO-CUT

Pro-Cut Positive Rake Bit. Use on Models: 610 Pro-Cut On Car Lathes. Toolholder: 29005. Cutting Edges: 3	061-6 061-10	6 Pk 10 Pk	N/A 50-701		061
Pro-Cut Positive Rake Bit. For Ford and on all above lathes. 610 Pro-Cut On Car Lathes. Toolholder: 29005. Cutting Edges: 3	069-6 069-10	6 Pk 10 Pk	50-741 50-742(8)		069

PERFECT EQUIPMENT

Most Popular Perfect Hofmann Positive Rake Bit for Twin Turn 400/P450 Lathes. For use on Models: 400 & 450 Twin Turn Comb. Lathes. Cutting Edges: 3	407-6 407-10 407-48	6 Pk 10 Pk 48 Pk	D139		407
Perfect Hofmann Equipment Negative Rake Bit for Rotor Cutting. For use on P300 Disc, P350 Combination & P450 Twin Turn Lathes. Cutting Edges: 12	502-6 502-10	6 Pk 10 Pk	DR L90		502
Perfect Hofmann Equipment Negative Bits for Disc/Drum Cutting. Use on: P300 Disc, P350 Combination & P450 Twin Turn Lathes. Cutting Edges: 3	503-6 503-10	6 Pk 10 Pk	W136		503

PERFORMANCE

Most Popular Performance Negative Rake Bit for Drum & Rotor Lathes. Use on models: 6600, 7100 7200 & 7600 lathes. Cutting Edges: 12	064-6 064-10 064-24	6 Pk 10 Pk 24 Pk	3336 3340 3354		064
Most Popular Performance Positive Rake Bit for Drum & Rotor Lathes. For use on all above mentioned lathes. Cutting Edges: 3	065-6 065-10	6 Pk 10 Pk	8711		065
Most Popular Performance Positive Rake Bit for Foreign Car Rotor Cutting. Toolholders: 8587 & 9599. Cutting Edges: 3	067-6 067-10	6 Pk 10 Pk	8712 8712		067

RJ West - See Hofmann

RELS/VAN NORMAN

Swing-Arm Rels Positive Rake 15 degree Bit for Rotor & Drums. Use on models: SW504 Swing Arm Brake Lathe. Cutting Edges: 3	802-5 802-6 802-10	5 Pk 6 Pk 10 Pk	SW4336-13		802
Rels/Van Norman Parallelogram Left Hand Positive Rake Bit for 204 Lathes. For Flywheel/Drum Cutting. Use on: 204S Old Style, 205DR, 301, 303, 304, 305, 310, 404/405 Rels & Van Norman Lathes & Flywheel Cutting Machines. Cutting Edges: 2	902L-4 902L-6 902L-10	4 Pk 6 Pk 10 Pk	24209V 302167		902L
Rels/Van Norman Parallelogram Right Hand Positive Rake Bit for 204 Lathes. For Rotor Cutting. Use on: 204 New Style, 204C, 204S, 205DR, 300, 302 Lathes & Flywheel Machines. Cutting Edges: 2	902R-4 902R-6 902R-10	4 Pk 6 Pk 10 Pk	24176V 977572 129005		902R
Rels/Van Norman Positive Rake Rotor Cutting Bit. Use on models: 204C, 204D, 204S, 205DC & 415 Disc Cutting Lathes. Van Norman 243XV new Drum/Rotor Lathes & Some Snap-on. Cutting Edges: 3	903-4 903-6 903-10	4 Pk 6 Pk 10 Pk	29687V 866561		903

CARBIDE BITS FOR BENCH AND ON-THE-CAR LATHES

CONTINUED FROM PREVIOUS PAGE

	Part#	Qty.	OEM #	Description
904	 904-4 904-6 904-10	4 Pk 6 Pk 10 Pk	808406	Rels/Van Norman Positive Rake Rotor Cutting Bit. Use on Models: 30473802 Flywheel Cutter/Toolholder 40822 Cutting Edges: 12
505	 505-4 505-6 505-10	4 Pk 6 Pk 10 Pk	29005	Rels/Van Norman Negative Rake Flywheel Cutting Bit. Use on Models: 30473802 Flywheel Cutter/Toolholder 40822 Cutting Edges: 12
RELS				
062	 062-6 062-10	6 Pk 10 Pk	45001	Rels Negative Rake Rotor Cutting Bit. Use on models: 2000 Disc/Drum Lathes. Toolholder 45014 / 45015. Cutting Edges if Indexed: 12
408	 408-6 408-10	6 Pk 10 Pk	45001 N/A	Rels .048 Radius Positive Rake Rotor Cutting Bit. Use on models: 2000 Disc/Drum Lathes. Cutting Edges: 3
409	 409-6 409-10	6 Pk 10 Pk	45001 N/A	Rels .048 Radius TialN Coated Positive Rake Rotor Cutting Bit. Use on models: 2000 Disc/Drum Lathes. Use on same models as above. Cutting Edges: 3
RTI				
068	 068-6 068-10	6 Pk 10 Pk	080-80000-68 91212	On-The-Car RTI Negative Rake Bits. Use on models: BRC35 on-the-car lathes. Toolholder: 480-8001-00 (Black Color) OEM# Cutting Edges: 12
103	 103-6 103-10	6 Pk 10 Pk	080-80102-00	On-The-Car Or Bench Lathes- RTI Positive Rake Bits. Use on models: BTC500, BRC550 Bench Lathes and BRC35 on-the-car lathes. Toolholder: (Silver) OEM# 450-80001-00 or 450-80002-00. Cutting Edges: 3
SHARK				
409	 409-6 409-10 409-100	6 Pk 10 Pk 10-10 Pks	409	SHARK Design .048 Radius TialN Coated Positive Rake Bits for Extra Long Life. Use on the following brake lathes after changing to toolholder #422/423. Ammco where 062's are used, FMC in place of 407, Accu-Turn in place of 060 RELS 2000 and Performance / All Tool Lathes. Cutting Edges: 6
066	 066-6 066-10	6 Pk 10 Pk	066	SHARK Design Round Positive Rake Bits Use on: Ammco lathes where 6914 tips are used. You must change to Toolholder 426 & 427 to use these bits. Also used with Snap- on Brake Lathes, All Tool, Rels and Performance. Cutting Edges: 12 -16
STAR Bits				
808	 808-6 808-10	6 Pk 10 Pk	CD60	Star Type Negative Rake Carbide Bits. Use on models: 1776 Disc Lathes. Cutting Edges: 12-18
SNAP-ON Bits (See Kwik-Way)				
SUN ELECTRIC				
061	 061-6 061-10	6 Pk 10 Pk	PC50701	Most Popular Sun Positive Rake Carbide Bit. Use on models: EEBR105A Deluxe On-The Car Pro-Cut Rotor Cutting System. Cutting Edges: 3
VAN NORMAN (See RELS)				
VBG				
908	 908-6	6 Pk	50-701 50-742	Most Popular VBG Positive Rake Carbide Bit. Use on models: Models 600 & 610 On-The-Car Lathes. Cutting Edges: 3

CARBIDE BITS FOR BENCH AND ON-THE-CAR LATHES



OEM NUMERIC CROSSOVERS!

OEM#	Shark#	OEM#	Shark#	OEM#	Shark#
3330	064-4	433796	060-10	6918-2	104-2
3331	064-24	433797	060-100	6918-6	104-6
3334	064-4	808406	904-4	6819-6	104-6
3336	064-6	866561	903-10	722-83-4	383-4
3340	064-10	866562	802R-2	722-83-4	407-4
3354	064-24	878051	068-4	722-83-4	407-10
50-741	069-6	221-538-3	065-6	7681-10	103-10
50-742	069-10	221-538-3	703-6	7681-6	103-6
5677	A5677	221-580-2	064-4	5677-2	A5677-2
8711	065-3	221-626-3	066-10	91212	068-6
8711	065-10	221-640-3	065-10	080-800000-68	068-6
8712	067-4	221-678-3	067-10	080-80102-00	103-6
8712	067-10	24176V	902R-4	109-1092-23	802-10
29005	505-4	24209V	902L-4	109-1092-45	802-6
45001	062-10	29687V	903-4	BTk10A	802-6
45016	408-10	50-701	061-10	CD60	808-6
90327	408-10	50-741	069-6	DRL90	502-6
90487	407-4	50-742	069-10	DRL90	503-6
90488	407-10	6914-10	062-10	PC50701	061-6
90817	062-10	6914-10	063-10	RP8-3331	064-24
91212	103-10	6914-12	062-10	SW4236-15	802-5
129005	902R-4	6914-2	062-2	V302-07-167	702-6
129687	903-4	6914-48	062-48	W136	502-6
302167	902L-4	6914-6	062-6	W136-1	503-6
433795	060-5	6914-6	063-6	W139	407-6

QUICK REFERENCE CHART OF BITS AND MANUFACTURERS

PART NUMBERS																								MANUFACTURERS		
060	061	062	063	064	065	066	066C	067	068	103	104	383	407	408	409	502	503	702	703	802	808	902R	902L	903	904	
*														*	*											Accu-turn
				*						*																All Tool
		*	*			*	*		*	*	*															Ammco
												*														Bear
		*								*			*	*	*											FMC
				*									*	*	*	*	*									Hofmann
				*	*			*						*	*	*	*		*	*						Hunter
		*								*			*	*	*											John Bean
													*	*	*						*					Kwik-Way
				*	*			*		*			*	*	*	*	*									Performance
													*		*											Perfect Equipment
		*													*						*	*	*	*	*	RELS
													*			*	*									RJ West
		*								*				*	*											RTI
													*	*	*						*					Snap-on
																					*					Star
*								*														*				VBG/ Pro-Cut
																						*	*	*	*	Van Norman

CARBIDE TOOLHOLDERS FOR BENCH AND ON-THE-CAR LATHES

**Shark Toolholders are guaranteed to perform as good as any OEM Toolholder.
Made to exacting standards, we offer an alternative to OEM without the excessive cost.**

ACCU-TURN/FMC/HUNTER TOOLHOLDERS

Part#		OEM #	Description
190		Accu 434286 FMC 8027134	Positive Rake Zero Angle Toolholder Use on brake lathes when cutting rotors with hubs that prevent standard toolholders from reaching into the squared shoulders. Uses 407, 408, 409 or 060 Bit.
404		Accu 433763 FMC 90494 FMC 90490	Positive Rake Right Hand Toolholder Use on Rotors, Flywheels & Heavy Duty Drum 8910, 8911, 8922, 8944, 8989 Combination Disc & Drum Lathes. Uses 407 408, 409 or 060 Bit..
405		Accu 433764 FMC 90494 FMC 90490	Positive Rake Left Hand Toolholder Use on Rotors and Flywheels 8911, 8922, 8944, 8989 Combination Disc & Drum Lathes. Uses 407 408, 409 or 060 Bit.
406		Accu 433779	Positive Rake Right Hand Short Toolholder Use on Passenger Car Drums. Lathe Models 8910. 8922, & 8944. Uses 407, 408, 409 or 060 Bit.
444		Accu 433763 FMC 90494 FMC 90490	Positive Rake Round Right Hand Toolholder Use on Rotors, Flywheels & Heavy Duty Drum 8910, 8911, 8922, 8944, 8989 Combination Disc & Drum Lathes. Uses 066 Bit.
445		Accu 433764 FMC 90494 FMC 90490	Positive Rake Round Left Hand Toolholder Use on Rotors and Flywheels 8911, 8922, 8944, 8989 Combination Disc & Drum Lathes. Uses 066 Bit.
446 SET		Accu / FMC	SET - Positive Rake Round Right & Left Hand Toolholder set Use on All above mentioned models. Uses 066 Bit.
464		Accu 434056 FMC 8027164 Hunter RP8-8568	Positive Rake Right Hand Offset Toolholder Use for rotors with mounting flanges such as Trooper, Isuzu, Toyota Tercel & Mazda Pick-ups. Use on all above lathe models when using 404 or 405. Uses 407, 408, 409 or 060 Bit.
465		Accu 434057 FMC 8027165 Hunter RP8-8568	Positive Rake Left Hand Offset Toolholder For use on above mentioned lathes. Uses 407, 408, 409 or 060 Bit.
466 SET		Accu 90489	Positive Rake Right & Left Hand Offset Toolholder SET OF 2 (464 / 465) Use on above mentioned lathes. Uses 407, 408, 409 or 060 Bit.

CARBIDE TOOLHOLDERS FOR BENCH AND ON-THE-CAR LATHES

AMMCO / ALL TOOL / HUNTER / PERFORMANCE / RELS TOOLHOLDERS



Description	OEM #		Part #
Positive Rake Stubby Toolholders. Use on disc cutting brake lathes and combination lathes when cutting rotors. Use 103 Bits.	All Tool 8710 Performance 8710 Hunter RP8 8710		180
Negative Rake Right Hand Toolholders. Use on disc cutting brake lathes and combination lathes when cutting rotors. Use with Ammco Models 3000, 4000, 4100 & 7000 Lathes. Rels 2000. Uses 062 Bits	All Tool 8588 Performance 8588 Hunter RP8 8588 Ammco 10701 RELS 45005		191
Negative Rake Left Hand Toolholders. Use on disc cutting brake lathes and combination lathes when cutting rotors. Use with Ammco Models 3000, 4000, 4100 & 7000 Lathes. Rels 2000. Uses 062 Bits	All Tool 8586 Performance 8586 Hunter RP8 8586 Ammco 10702 RELS 45006		192
Negative Rake Right & Left Hand Toolholders. One 191 & 1 192 For use on above mentioned models Uses 062 Bits	All Tool 8586 Performance 8586 Hunter RP8 8586 Ammco 6999 RELS 45701		193 SET
Positive Rake Right Hand Toolholders. Use on disc cutting brake lathes and combination lathes when cutting rotors. Use with Ammco Models 3850, 4000 & 7000 Lathes, Rels Swing-Arm. Uses 104 Bits. Rels uses 802.	All Tool 8708 Performance 8708 Hunter RP8-8708 Ammco 25968 RELS 45012		198 / 968
Positive Rake Left Hand Toolholders. Use on disc cutting brake lathes and combination lathes when cutting rotors. Use with Ammco Models 3850, 4000 & 7000 Lathes, Rels Swing-Arm. Uses 104 Bits. Rels uses 802.	All Tool 8709 Performance 8709 Hunter RP8-8709 Ammco 25969 RELS 45013		199 / 969
Positive Rake Right Hand Toolholders for Ammco Use on disc cutting Ammco Model lathes & RELS 45702 lathe.	Ammco 7999		799H
Positive Rake Right Hand Toolholders. Use on disc cutting Ammco Model 3850 rotor cutting lathe. Uses 104 Bits.	Ammco 5390		390
Positive Rake Right Hand Small Drum Toolholder Use on Ammco Model 3000,4000,41000 & 7700 drum cutting lathe. Uses 103 Bits.	Ammco 5392		392B
Negative Rake Toolholders Use on drum cutting brake lathes and combination lathes when cutting rotors. Use with Ammco Models 3000, 4000 & 7000 Lathes. Uses 062 Bits.	Ammco 9872 RELS 45007		782

CARBIDE TOOLHOLDERS FOR BENCH AND ON-THE-CAR LATHES

AMMCO / ALL TOOL / HUNTER / PERFORMANCE / RELS TOOLHOLDERS - CONTINUED

Part#		OEM #	Description
421 SET		Shark 421 RELS 45700 FMC	Positive Rake Right & Left Hand Toolholder SET Use on Rels 2000. Ammco Model 3000, 4000, 4100 & 7000. Accu 8911, 8922, 8944, 8989, 8991, 8993, and many other cutting lathes. Uses 408 / 409 Bits.
422		Shark 422 RELS 45015	Positive Rake Right Hand Toolholder. Use on all above mentioned lathes. Uses 408 / 409 Bits.
423		Shark 423 RELS 45014	Positive Rake Left Hand Toolholder. Use on all above mentioned lathes. Uses 408 / 409 Bits.
426		Shark 426 Ammco 40608 RELS 45009 Hunter	Positive Rake Right Hand Round Toolholder. (Rotors Only) Use on Rels 2000. Ammco Model 3000, 4000, 4100 & 7000. Accu 8911, 8922, 8944 8989, 8991, 8993, and many other lathes. Uses 066 Bits.
427		Shark 427 Ammco 40609 RELS 45008 Hunter	Positive Rake Left Hand Round Toolholder. (Rotors Only). Use on all above mentioned lathes Uses 066 Bits.
428 SET		Shark 428 Ammco 40630 RELS 48010 Hunter	Positive Rake Right Hand & Left Hand Round Toolholder SET. (Rotors Only) Use on all above mentioned lathes. Uses 066 Bits
467		Hunter 57-499-2	Positive Rake Right Hand Hunter On-Car Toolholders. Uses 103 Bits.
468		Hunter 57-500-2	Positive Rake Left Hand Hunter On-Car Toolholders. Uses 103 Bits.
783		RELS 45035	Positive Rake Drum Toolholder. Use on RELS 2000 Drum Side. Uses bit #408-10 (45016 RELS)
784		All Tool 8584 Performance 8584 Hunter RP8-8584	Negative Rake Toolholders. Use on drum cutting brake lathes and combination lathes when cutting rotors. Uses 062 Bits

BEAR/FMC Toolholders

Part#		OEM #	Description
424B		N/A	Negative Rake Right Hand Toolholder For all FMC/Bear to convert to Negative Rake Bits. Uses 062 Bits.
425B		N/A	Negative Rake Left Hand Toolholder For all FMC/Bear to convert to Negative Rake Bits. Uses 062 Bits.

SHARK TOOLHOLDERS / BRAZED TOOLHOLDERS

CONTINUED FROM PREVIOUS PAGE



KWIK-WAY / SNAP-ON Toolholders

Description	OEM #	Part #
Positive Rake Right Hand Toolholder For Models SDL,DL,850 Disc Kwik-Way and Snap-On Models YA277,YA279,YA281 Disc Lathes. 1/2" Square. Uses 802 Bits.	Kwik-Way / Snap-on 109-1090-02	804
Positive Rake Left Hand Toolholder For use on all above mentioned models. 1/2" Square. Uses 802 Bits.	Kwik-Way / Snap-on 109-1091-00	805
Positive Rake Right Hand Stubby Toolholder For use on Kwik-Lathe On-the-car Lathes, Snap-on On-Car YA180 Models. 1/2" Square. Uses 802 Bits.	Kwik-Way / Snap-on 109-1009-15	806
Positive Rake Left Hand Stubby Toolholder For use on Kwik-Lathe On-the-car Lathes, Snap-on On-Car YA180 Models. 1/2" Square. Uses 802 Bits.	Kwik-Way / Snap-on 109-1009-16	807

AMMCO / ALLTOOL / FMC / HUNTER / PERFORMANCE / RELS / VAN NORMAN Brazed Toolholders

Description	OEM #	Part #
Positive Rake Left Hand Brazed Tools Use on Model 6000,6002 Heavy Duty Truck Lathes Van Norman Heavy Duty Lathes.-5/8" Square.	Ammco 4724 RELS 45023 Van Norman	573
Positive Rake Right or Left Hand Brazed Tools Use on Ammco Model 5000 & 6000 Drum Lathes, Van Norman 310,404 & 405 Models. 5/8" Square.	Ammco 5725 RELS 45027 Van Norman	720
Positive Rake Right Hand Brazed Tools Use on Star Fleet-Master Model 1960. 5/8" Square.	Star CB35	982
Positive Rake Brazed Right Hand Toolholder Use on Van Norman/RELS DBR204, 204H, 205, 300, 302, 302H, 303, 333, 333H Drum Lathes. 3/8" x 1/2" Shank.	Van Norman 2042	K41
Positive Rake Brazed Left Hand Toolholder For use on above mentioned lathes. 3/8" x 1/2" Shank.	Van Norman 2043	K42
Positive Rake Brazed Right Hand Toolholder Use on Accu-Turn, FMC, John Bean, Bear Disc Lathes. FMC, Barrett B-400 Rotor Drum, Flywheel & Heavy Duty Disc / Drum Lathes. 3/8" Square Shank.	Accu 434763 FMC	41B
Positive Rake Brazed Left Hand Toolholder For use on above mentioned lathes. 3/8" Square Shank.	Accu 434764 FMC	42B



SILENCER BANDS FOR BRAKE LATHES

QUALITY SHARK SMALL DISC AND FOREIGN CAR ROTOR SILENCER BANDS

Clam Shell packaged for easy display with competitive cross references on the back! All American made and guaranteed against premature wear or breakage!

- *Increased Durability and Tensile Strength*
- *Long-life Rubber with Special Compound*
- *Made in the U.S.A.*



69 in package



Disc Style Black Neoprene Rubber Silencer

Part#	OEM #	Description
68 B	Ammco FMC	For small and large rotors. Adjustable band neoprene rubber for longer life, additional durability. Use with all vented rotors. 9" Diameter.

NOTE: NOT FOR SALE IN CALIFORNIA

THIS PRODUCT CONTAINS LEAD KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM. WASH HANDS THOROUGHLY AFTER HANDLING.



68B

Disc Style Natural Rubber Silencer

Part#	OEM #	Description
69	Ammco 6920 FMC 90984 Van Norman 111485	For small and large rotors. Adjustable band has material finish on natural rubber for gripping power. Use with all vented rotors. 9" Diameter.

NOTE: NOT FOR SALE IN CALIFORNIA


THIS PRODUCT CONTAINS LEAD KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM. WASH HANDS THOROUGHLY AFTER HANDLING.



69

Chatter Depressing, Chip Deflecting Clamping Silencer

Part#	OEM #	Description
70B	Andrews M-3 Accu-turn 434296 FMC 90198 Performance 8572	NEW Heavy Duty Pads Use this with any rotor on or off the car! Any Brand.
71B	Andrews M-3 Accu-turn 434296 FMC 90198 Performance 8572 Pro-Cut 50-754	NEW IMPROVED Heavy Duty Pads For use with On-The-Car RTI Brake Lathes.
73B	Andrews M-3 Accu-turn 434296 FMC 90198 Performance 8572	Improved heavy duty clamping silencer with strap. Use with all On-The-Car or bench brake lathes.



70B



71B



73B

DISC ROTOR SILENCER BANDS

QUALITY SHARK SMALL DISC AND FOREIGN CAR ROTOR SILENCER BANDS.

Clam Shell packaged for easy display with competitive cross references on the back!


All American made and guaranteed against premature wear or breakage!



90888



83B




94
9" Diameter

96
6 1/2" Diameter



95

95S



99



930

See ALL NEW BRAKE LUBRICANT on Page 98!

Part#	Description
90888	Ceramlub Brake Lubricant Further information on page 98.

Ammco Type Replacement Silencer Pads

Part#	OEM #	Description
83B	Ammco 9183 2 / Pk	Used on: Ammco #7075 Silencer Assembly or Shark #63 A or B.
83B-2	4 / Pk	

Large & Small Neoprene Rubber Gasket Silencer

Part#	OEM #	Description
94	Ammco 6922	For Solid Foreign Car Rotors
94-2	Accu-turn 434061 FMC 90194, Performance 6922, Rels 11488	9" Diameter - 2 Pack
96	Ammco 6921	For Solid Foreign Car Rotors
96-2	Accu-turn 433789 FMC 90196, Performance 6921, RELS 11482	6 1/2" Diameter - 2 Pack

FMC Style Latex Tubing Silencer Band

Part#	OEM #	Description
95	FMC 90195	Steel Tubes surround the rubber for maximum vibration dampening. 9" Diameter
95S	FMC	Steel Tubes surround the rubber for maximum vibration dampening. 7" Diameter

Neon Latex Silencer for Small Rotors

Part#	OEM #	Description
99	Shark 99 Performance 8578 All Tool 8578, FMC 90986	Hollow latex tube with noise reducing capabilities. 6" Diameter

Ammco Type Wider Natural Rubber Band

Part#	OEM #	Description
930	Ammco 6930	Lead weights for larger wider rotors. 9" Diameter - 1 1/4" Wide.


NOTE: NOT FOR SALE IN CALIFORNIA

THIS PRODUCT CONTAINS LEAD KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM. WASH HANDS THOROUGHLY AFTER HANDLING.

DISC ROTOR & DRUM SILENCER BANDS

Shark Latex Tubing Silencer Band

Part#	OEM #	Description
935	Shark	Latex tubing with internal weights inside the band for effective vibration dampening. 9" Diameter.
936	Shark	Latex tubing with internal weights inside the band for effective vibration dampening. 7" Diameter.



Ammco Type Silencer

Part#	OEM #	Description
980	Ammco 9800	Rubber inserts in a long-life spring for excellent vibration and noise reduction. 9" Diameter.



DRUM SILENCER BANDS FOR CARS AND TRUCKS

Drum Silencer Band for Passenger Cars

Part#	OEM #	Description
80B	Ammco 5280 FMC 90988 Performance 8574 Van Norman 866542	Natural Rubber With riveted buckle. 6' x 1 3/4" x 1/8"

80B



Drum Silencer Band for Large Truck Drums

Part#	OEM #	Description
81B	Accu-turn 433782 FMC 90988 RELS 11486 Performance 8575	Band features pressed in buckle for extra strength. Natural Rubber 6' 1/2 x 2 7/8" x 1/8"

81B



82B	Shark Accu-turn 434650 FMC 90983	Band features pressed in buckle for extra strength. Natural Rubber 5' x 2 7/8" x 1/8"
-----	--	---

82B



Drum Truck Silencer Band

Part#	OEM #	Description
A5290	Ammco 5290	Made of natural rubber this is our largest band, for use on large truck drums. Natural Rubber 7' x 2 3/4" x 1/8"

A5290





9989

ABRASIVE PAD SWIRL GRINDER KIT

Swirl Finish Rotors after cutting for a non-directional finish!

Kit includes 9-3" 120 grit pads and backing pad.

- Can be used on or off the car
- Helps eliminate brake squeal
- Improves braking power

Abrasive Pad Swirl Grinder Kit

Part#	3M#	Description
9989	01410	Kit with (9) 3" pads and one 333T Backing Pad
9989-12	01411	12 PACK of 120 Grit 3" Pads
9989-20	N/A	20 PACK of 120 Grit 3" Pads

ABRASIVE PADS FOR NON-DIRECTIONAL FINISH

Replaces Ammco #8756 Pressure Sensitive Pads for the Ammco Swirl Grinding Tool
4" Diameter



989

Ammco Type Swirl Grinder

Part#	Ammco#	Quantity	Grit
989	87566	PACK of 6 Pads	80
989-10	8756	PACK of 10 Pads	80
989-12	875612	PACK of 12 Pads	80
989-20	875620	PACK of 20 Pads	80
989-24	875624	PACK of 24 Pads	80
989C-20	N/A	PACK of 20 Pads	36
989F-20	N/A	PACK of 20 Pads	120



ROTOR & HUB CLEANING TOOL FOR BRAKE & ROTOR WORK

Brake and Rotor Hub Cleaning Tool

Part#	Description
77000	Hub Tool A necessary tool for brake and rotor installation. Uses electric drill to clean hubs for flush mounting area. Easily removes clamp marks. Comes with 4 abrasive pads.
77100	Replacement Pads - 10 PACK





ABRASIVE PADS AND TOOLS FOR NON-DIRECTIONAL FINISHES

Shark Swirl Tool and Velcro Sticky Backed Abrasive Pads for applying Non-Directional Finishes to Rotors after cutting.

This hand held swirl finish tool will put the required finish on your rotors to prevent comebacks on your brake jobs. The aluminum handle is knurled for easy grip. It is half the price of competitive tools. The pads are velcro-backed or pressure sensitive abrasive discs and come in coarse as well as fine.

- Half the price of competitive products
- Lightweight aluminum handle
- Velcro-backed pads
- Easy to use



Shark Swirl Tool and Velcro Sticky Backed Abrasive Pads

Part#	OEM #	Description	Pkg. Qty.
998	908740	Swirl Tool Kit with Sticky Backed Discs (80 grit)	(6)
999		Swirl Tool Kit with Velcro Backed Discs	(6/3-999F & 3-999C)
989		Ammco Style 80 Grit Pressure Sensitive Pads	(6)
989-20		Ammco Style 80 Grit Pressure Sensitive Pads	(20)
989F		Ammco Style 120 Grit Pressure Sensitive Pads	(6)
989F-20		Ammco Style 120 Grit Pressure Sensitive Pads	(20)
999C		60 Grit / Coarse Pad Velcro Backed	(10)
999C-20		60 Grit / Coarse Pad Velcro Backed	(20)
999F		80 Grit / Fine Pad Velcro Backed	(10)
999F-20		80 Grit / Fine Pad Velcro Backed	(20)
999H		Handle	
999P		Backing Pad	
999S		Connecting Shaft	



SEE OUR ALL NEW PATENTED BRAKE LUBRICANT ON PAGE 98!

PATENTED SWIRL FINISH TOOL

Flex-Hone Rotor Finishing Tool uses
Patented Technology for Brake Rotor finishing!

Produces an ideal surface finish on disc brake rotors and flywheels.

- More rotors per Hone-Lasts much longer than pad style products
- Ideal on new or resurfaced rotors and flywheels
- Produces a non-directional pattern on surface
- Lowers harmonic vibrations



Swirl Finish Rotor Tool

Part#	OEM #	Description
R60Z	RMFH60Z25	Rotor Hone / Coarse
R120Z	RMFH120Z25	Rotor Hone / Medium
R240Z	RMFH240Z25	Rotor Hone / Fine

SILENCER ASSEMBLY

Ammco Style Silencer Assembly for Brake Lathes

This unit comes with 2 long arms and non-asbestos pads for effective vibration dampening on solid rotors. Direct replacements for Ammco #7075. Also works on Performance 6600 and 7200, Hoffman Bulldog 660, all Ammco and All Tool 747 Lathes.




Ammco Style Silencer Assembly

Part#	Description
63A	Complete Unit - Ammco # 7075

SPARE PARTS LISTING

63B - 1	Round Steel Pad Holders
63B - 2	Aluminum Castings / 3 ways
63B - 3	Steel Arm
63B - 5	Round Steel Shaft
63B - 6	Ball and Shaft
63B - 7	Metal Stamping
63B - 9	Snap Ring
63B - 11	Aluminum Casting w/ Arm
63B - 12	Square Headed Screw
63B - 13	Large Hex Head Socket Screw
63B - 14	Wrench
63B - 15	Small Hex Head Socket Screw
83B / 83B-2	Replacement pads / 2 or 4.



BRAKE LATHE ACCESSORIES



Clear Replacement Shield Assembly

Chip Shield with Brackets and Screws. Includes Bracket, bolt and screws to use on Ammco Twin Cutters #6900 and #7900. Easily bolts on for added protection for eyes from flying metal chips. Made of clear, durable plastic.

Part#	Ammco#	Description
A9481	9481	Complete Shield Assembly
A9481-1	9481-1	Replacement Shield for the above unit
A3084	3084	Knurled Locking Knob
A11150	11150	Screw, Machine for Safety Shield
A11166	11166	Shield Flange Hex Nut, Safety Shield
A29254	29254	Shield Bracket / SOLD SEPARATELY

Universal Chip Shield for Brake Lathes

Replacement Shield slips easily over light cover to prevent chips from entering eyes while cutting rotors or drums. Made of clear, durable plastic, it universally works on FMC, Ammco, Accu-turn, Performance, All Tool, Kwik-Way and RELS lathes.

Part#	OEM#	Description
A-11154	9481	Accu-turn 436056
	9481-1	Performance 8865

Brake Lathe Replacement Lights for Most Lathes

Part#	OEM#	Description
A43685	9481	Accu-turn type Replacement Light
A-07963	7-07963	Ammco Replacement Light (Models 3000 & 4000)
F101	2511339	FMC type Replacement Light
H101		Hoffman type Replacement Light
K101	000-1252-18	Kwik-Way type Replacement Light
P101		Performance type Replacement Light
R101		RELS 2000 type Replacement Light
V101		Van Norman type Replacement Light

Protective Spindle Boots

Part#	OEM #	Description
A3085	3085	Replaces Front and Rear Plastic Spindle Boots For Model 3000, 4000, 4100 and 7700 Lathes



A3085

Small Cloth Protective Boot for Feed Screw

Part#	OEM #	Description
A3086	3086	For Model 3000, 4000 and 7000 Lathes 1" Diameter



A3086

Large Cloth Protective Boot for Feed Screw

Part#	OEM #	Description
3087	3087	For Model 3000, 4000, 4100, 7000 & 7700 Lathes. 3" Diameter



A3087

Large & Small Cloth Protective Crossfeed Boot

Part#	OEM #	Description
A29190	29190	For Ammco 3850 Lathe
A29191	29191	For Ammco 3850 Lathe



A29190

Boot Securing Rings and Springs

Made of materials and guaranteed to perform as good as the OEM products, Shark Rings are used to secure replacement boots to Ammco Lathes.

Part#	OEM #	Description
87B	23682	Bronze Spindle Ring for use with Ammco 3085 Boot
A2045	2045	Wire Boot Ring for 3085 Spindle Boot
A3034R	3034	Steel Ring for use with old style Ammco rubber Boot
A3159	3159	Spindle Boot Snap Ring
A3595	3595	Small Spring for 85B rubber Boot
A4435	4435	Large Spring for 85B rubber Boot



A3034R



87B



A3159



A4435



A2045




A3595

NEW Accu-turn Way Cover for Accu-turn Lathes

Part#	OEM #	Description
43373	433 735	Way Cover with Wiper for Rotors & Drums on Model 944.
43363	433 635	Wiper Kit Replacement 4/Wipers



43363




43373

NEW EXTENDA-FEED

TO INCREASE THE CROSS-FEED TRAVEL OF YOUR AMMCO TWIN CUTTER

The best way to extend your Ammco Cross-feed to Maximum Capacity!

This easy to use adaptor will increase the Cross-Feed capacity.
Extenda-Feed works on all standard 4000 and 4100 Ammco brake lathes.



- Hole A** For rotors up to 15 1/4" Diameter
Hole B For rotors up to 16 1/4" Diameter
Hole C For rotors up to 17 15/32" Diameter

Extenda-Feed for Ammco Lathes - PART# A6936

Set Includes all

A11227, A11222, A11220, A25270, A25271 and A1447



AMMCO TYPE TWIN CUTTER ASSEMBLY

For Use on Ammco Model 3850, 4000, 7000 or as upgrade for Model 3000* as alternative to Ammco twin cutters. Guaranteed to perform as good as OEM Quality if not better in some cases. It features inch/millimeter micrometers to set the depth-of-cut for resurfacing inner and outer rotor surfaces simultaneously. (*Requires other Items to upgrade a 3000 lathe.)



Ammco Type Twin Cutter Assembly - PART# A6950

- Cast Iron Housing
- All Aluminum Dials

A6950 SET INCLUDES:

- (1) **Twin Cutter**
- (1) **A10650** Cutter Holder (LEFT)
- (1) **A10651** Cutter Holder (Right)
- (2) **A6854** Red Knobs

Spare Parts list of the Twin Cutter (Not all items listed are included)



Part#	Description
A6905	Spring for Twin Cutter
A6906	Threaded Plug for Twin Cutter
A6907	Dial for Twin Cutter
A6923	Dial Knob
A8584	Brass Toolholder Gib(internal)
A6929	Washer Spring for Twin Cutter
A6977	Plug Twin Cutter
A9879	Locating Screw for Twin Cutter
A11227	Locking Knob for Twin Cutter (NOT INCLUDED)





BRAKE LATHE ARBORS & NUTS

Replacement Brake Lathe Arbors

REPLACEMENT BRAKE LATHE ARBORS FOR MOST AMMCO MACHINES

Quality non OEM Replacement Arbors for Ammco Lathes

*1" Inside Diameter



PART# A9708 (Set)

Part#	OEM#	Description
A3101A	903101	Standard Arbor Fits 2002, 3000, 4000, 4100, 7000, 7500, 7700
A3102A	903102	Nut for 1" Arbor A3101
A9708	909708	11/16" Arbor Set w/nut, cones, washer set (A22138) and spacer.
A3118*	903118	Centering Cone - .750" x 1.375" - 19.05 x 34.93
A3119*	903119	Arbor Nut - 1" Long 25.4
A3120*	903120	Spacers (2) - 1/2" Long 12.7
A3121	903121	Spacer (1) - 1/16" 17.46
A3122	903122	11/16" Arbor only for 2002, 3000, 4000, 4100, 7000 & 7700 Ammco Brake Lathes
A22138*	922138	Spherical Washer Set (2)

REPLACEMENT ARBORS FOR OTHER OEM LATHES



Replacement Arbors and Nuts for Other OEM Lathes

Part#	OEM#	Manufacturer Brand	Size
85490	433701	Accu-turn Arbor	1" Arbor
A3101A	3101/8542 or 3	All Tool/Ammco/Performance	1" Arbor
8544	8544	LM American 8500 / Early Hunter BL500 / All Tool / Hunter 747	1" Arbor
8545	90043	FMC / John Bean 600 & 700 Series	1" Arbor
8546	CL538-1	Hoffman 201 Standard 300, 350, 400, 401, 450 & RJ West	1" Arbor
8547	N/A	1115 HD Lathes	1" Arbor / no Spacers & Nut
8548	97-422-2	Hunter BL 501 & BL505	1" Arbor
1012	SW1012	LS 504 Swing Arm	1" Arbor
40080	40080	RELS 2000	1" Arbor w/ Spacers & Nut
40162	40163A	RELS 2000	11/16" Arbor/no Spacers & Nut
40163	40163	RELS 2000	11/16" Arbor w/ Spacers & Nut
24741	24741	RELS 204	11/16" Arbor w/ Spacers & Nut
24826	24826	RELS 204/Van Norman 204 John Bean/FMC 800 Series	1" Arbor / no Spacers & Nut

Part#	OEM#	1" Arbor Nuts	Size
A3102A	903102	Ammco Style Nut for 1" Arbors	1" Arbor Nut
20442	N/A	For All other Manufacturer Arbors mentioned above	1" Arbor Nut
5389	N/A	Hofmann 5389 Only	1" Arbor Nut

BRAKE LATHE ADAPTORS SETS

Total Adaptor Set Required for Mounting Drums and Rotors on 1" Arbors

Part#	OEM #	Description
A4347	4347	Complete Basic Adaptor Set with Arbor & Nut
A4347N	N/A	A4347 Set without Arbor and Nut (3101 and 3102)



BRAKE LATHE ADAPTORS PIECES



Required for Mounting Drums and Rotors on 1" Arbors

Part#	Ammco #	Description	Size	mm	Weight
A3101A	903101	Standard Arbor	1"	25.4	6 lbs. (2.722 kg.)
A3102A	903102	Arbor Nut	1"	25.4	8 oz. (.22 kg.)
A3106	903106	Centering Cone	3.421" x 4.031"	86.89 x 102.39	2 lbs. 5 oz. (1.022 kg.)
A3107	903107	Centering Cone	2.89" x 3.5"	73.41 x 88.90	1 lbs. 13 oz. (.883 kg.)
A3108	903108	Centering Cone	2.328" x 2.968"	59.13 x 75.39	1.8 lbs.
A3109	903109	Hubless Drum Adaptor	5.650"	143.52 OD	1 lb. 5 oz. (.583 kg.)
A3110	903110	Spring	N/A	N/A	4 oz.
A3123	903123	Hubless Drum Adaptor	5.75"	146.05 OD	1 lb. 6 oz. (.615 kg.)
A3125	903125	Spacer	1/2"	12.70	4 oz.
A3178	903178	Centering Cone	2.65" x 3.224"	67.31 x 81.89	1 lb. 10 oz. (.481 kg.)
A3902	903902	Centering Cone	1.25" x 1.75"	31.75 x 44.45	7 oz. (.198 kg.)
A3903	903903	Centering Cone	1.18" x 2.25"	30.16 x 57.15	12 oz. (.340 kg.)
A3904	903904	Centering Cone	1.703" x 2.750"	43.26 x 69.85	1 lb. 7 oz. (.652 kg.)
A9232	909232	Double Taper Set	SEE PAGE 86	CHART ON 86	7 lbs. 1 oz.
A9489	909489	Hubless Adaptor	3.625" OD	92.08	4 lbs.
A9490	909490	Hubless Adaptor	4.5"	114.30	3 lbs. 7 oz. (1.65 kg)
A9492	909492	Self Aligning Spacer	1 5/8" x 1 5/8"	N/A	11 oz. (.312kg.)



NEW ECONOMICAL ADAPT-ALL ADAPTOR SYSTEM

ELIMINATES LOCATORS AND REPLACES THE ADAPTEK
AND 91C SYSTEM... ALL WITHOUT A LOCATOR

ADAPT-ALL SYSTEM - Many Options for Composite Rotors -Small & Large

NEW DESIGN ELIMINATES THE LOCATOR AND CAN BE USED RIGHT ON ANY
1" ARBOR- WORKS ON ALL BRAND BRAKE LATHES.

More economical than the Adaptek or 91 C Adaptor Kit

Part# 30000 Basic 7 Piece Set

CENTER HOLES FROM 1-1/8" UP TO 3.975"

Part#	Description
33001	5-1/4" Backing Plate
33002	5-1/4" Front Cup with Spring
33003	Cone 1.187" - 2.250"
33004	Cone 2.032" - 3.975"
A9492	Self Aligning Spacer
A3112	1" Spacer
A3114	2" Spacer



Part# 30020 Composite Rotor & Truck Kit

COVERING 1/2 THRU 2 TON-TRUCKS
WITH CENTER HOLES OVER 4"

Part#	Description
33005	7" Backing Plate
33006	7" Front Cup with Spring
33007	7.55" Backing Plate
35052	4-1/2" - 5-1/2" Cone
35053	3-5/8" - 5 1/8" Cone
35054	5" - 6 1/8" Cone
A3114	2" Spacer



Part# 30022 Truck Set

FOR 1 TON COMPOSITE ROTORS

Part#	Description
33005	7" Backing Plate (for use with any standard cone)
33006	7" Front Cup with Spring
33007	7.55" Backing Plate
35052	4-1/2" - 5-1/2" Cone (Sold Separately) (ADD 35052 TO DO 1/2 TON TRUCKS)



Part# 30023 Heavy Duty Truck Set -3 Pieces

Part#	Description
33014	5-7/8" to 7" Cone
33015	8-3/4" Backing Plate
33016	6-7/8" to 8 1/8" Cone



Part# 30024 Small Foreign Cars & Flywheel Kit

Part#	Description
33009	4" Front Cup w/ Spring
33019	4" Backing Plate



QUICK-CHUK HUBLESS ADAPTOR

THE QUICK AND EASY WAY TO CHUCK UP YOUR HUBLESS ROTORS AND DRUMS.
AN ALTERNATIVE TO... THE ADAPTOR PLUS SYSTEM.



THIS SYSTEM IS SIMPLE AND FAST ON COMPOSITE ROTORS, HUBLESS ROTORS AND DRUMS!

- Works on ANY 1" Arbor
- Works with any standard arbor, spacers or nuts
- Mounts almost all foreign and domestic hubless rotors, drums and flywheels
- Works on Hole Sizes 2 1/8" to 3 3/4"
- Versatile, simple and easy to use
- Optional Jaws & Truck Plate
- Optional Small Plate



880 Kit
Set Including Wrench (880W), Quick
Chuck (881)and Plate (882S)



881 - Includes Chuck and a Wrench (880W)
(No plates)



880W



887-Optional Truck Jaws

Quik-Chuck Adaptor	
Part#	Description
880	Quik-Chuck and Backing Plate (Includes Wrench)
880K	Quik-Chuck with Truck Jaws and Plate Complete Car & Truck Unit
880W	Wrench for Quik-Chuck
881	Quik-Chuck & Wrench Only (no plates).
882	Backing Plate/ 5 1/4"
882S	Backing Plate/Cars 4 3/4"
886T	Truck Backing Plate/ 7 1/4" (Sold separately.)
887	Truck Jaws Only




BRAKE LATHE TRUCK PLATES AND TRUCK ADAPTOR SETS

INDIVIDUAL PLATES FOR MOUNTING DRUMS AND ROTORS ON 1" ARBORS

A4781 - Ammco Style Cone - 1" Center Hole

Ammco type cone covers larger center holes.

Part#	Description	Size	mm
A4781	Centering Cone	4.891" x 5.500"	123.46 x 139.70



A4781

A4790 - Reducer Bushings Set/3

Reduces 1 7/8" center holes to 1".

Part#	OEM#	Description
A4790	4790	Reduces 2" Center Holes On Cups Set of Three Reduces from 1 7/8" to 1"



A4790

A9199 TRUCK ADAPTOR SET

6 Piece Combination Light Truck Adaptor Set.



APPLICATIONS FOR 3/4 TON AND 1 TON TRUCKS **GMC CHEVROLET, JEEP AND IH SCOUT AND FORD TRUCKS**

One set: Combining **A9399** and **A9499** but with an **A3579** plate which covers 2 previous plates!

PART # A9199 - 6 Piece Combination Light Truck Adaptor Kit

Same configuration as A9299 without an A4779 or A4732.

Uses A3579 centering cone that replaces two older numbers and covers everything with *one less part number.*

Part#	Ammco#	Description	Size	mm
A3577	3577	Alignment Cup-Small (2)	6.75" O.D. x 1" Bore	171.45 OD
A3578	3578	Alignment Cup (1)	7.813" O.D. x 1" Bore	198.45 OD
A3579	3579	Centering Cone (1)	4.625" x 5.250" O.D. x 1" Bore	N/A
A3590	3590	Spring (1)	2.2" Dia. x 4"	N/A
A4778	4778	Centering Cone (1)	3.828" x 4.421"	97.2 x 112.3

BRAKE LATHE TRUCK ADAPTOR SETS

PART# A9299 7 PIECE TRUCK ADAPTOR SET



A9299 - One complete set

COMBINING A9399 AND A9499

APPLICATIONS FOR 3/4 TON AND 1 TON GMC,
CHEVROLET, JEEP AND IH SCOUT
AND FORD TRUCKS

Part# A9299 -7 Piece Combination Light Truck Adaptor Set.

Part#	Ammco #	Description	Size	mm	Weight
A3577	3577	Alignment Cup-Small (2)	6.75" x 1" Bore	171.45 OD	7.1 lbs.
A3578	3578	Alignment Cup (1)	7.813" O.D.	198.45 OD	8.1 lbs.
A3590	3590	Spring (1)	2.2" Dia. x 4"	N/A	.2 lbs.
A4732	4732	Centering Cone (1)	4.5" x 5.50"	118.26 x 133.35	5.9 lbs.
A4778	4778	Centering Cone (1)	3.828" x 4.421"	97.2 x 112.3	4.9 lbs.
A4779	4779	Centering Cone (1)	4.359" x 4.968"	110.7 x 126.2	6.1 lbs.

PART# A9399 - 4 PIECE LIGHT TRUCK SET

FOR TURNING FORD ONLY LIGHT TRUCK DRUMS ON 1" ARBOR

- Fits Ford 3/4 Ton, 1 Ton.
- Also for Large Center Hole Hubless Drums.

A9399 Ford Light Truck Adapter Set

Part#	Description	Size	mm
A3578	Alignment Cups (2)	7.813"	198.45
A3590	Spring (1)	2 1/2" x 3.1/8"	N/A
A4732	Centering Cone (1)	4.656" x 5.250"	118.26 x 133.35



PART# A9499 - 5 PIECE LIGHT TRUCK SET

FOR TURNING MOST LIGHT TRUCK DRUMS ON 1" ARBOR

- Fits Ford 3/4 Ton, 1 Ton GMC, Chevrolet, Jeep and IH Scouts with up to 4.968 rotor holes.
- Also for Large Center Hole Hubless Drums.

A9499 Light Truck Adapter Set

Part#	Description	Hole	Size	mm
A3577	Alignment Cup/SMALL (2)	1"	6.75" OD	171.45
A3590	Spring (1)	3"	2.2"Dia. x 4"	N/A
A4778	Centering Cone	1"	3.828" x 4.421"	97.2 x 112.3
A4779	Centering Cone	1"	4.359" x 4.968"	110.7 x 126.2





TRUCK KIT FOR HUBBED or HUBLESS ROTORS & DRUMS

PART # A5069 Passenger Car to Small Light /Medium Truck Adaptor Set w/ 1" Hole



FOR TURNING HUBBED/HUBLESS ROTOR & DRUMS/LIGHT TO MEDIUM 3/4 TO 1 TON TRUCKS

COVERS MOST LIGHT TRUCK DRUMS ON 1"

Economical Set Made of Heavy Cast Iron - for use on CHEVROLET, JEEP AND IH SCOUT AND FORD TRUCKS

Part#	Description	Size/mm	Weight
A3577	Bell Clamp (2)	6.75" O.D. x 1" Bore	7.1 lbs
A4732	Centering Cone	4.5" x 5.50"	5.9 lbs.
A4779	Centering Cone	3.63" x 5.125"	6.1 lbs.
A3590	Spring	2.2" x 4"	.2 lbs.
A9195	Double Taper Adaptor	2.828" x 3.185" 71.83 x 80.90	3 lbs 11oz
A9196	Double Taper Adaptor	3.203" x 3.560" 81.36 x 90.42	4 lbs 12oz

ROTOR ADAPTOR FOR FORD F150, DODGE RAM 4x4 & PRESSED BEARINGS

PART #A5532 - Rotor Adaptor for Ford F150 2 W/D

A MUST WHEN DOING FORD F-150 TRUCKS!

THE ONLY WAY TO PROPERLY CHUCK UP THESE ROTORS!
ALLOWS YOU TO MACHINE FRONT ROTORS WITHOUT HAVING
TO REMOVE THE BEARINGS. A TIME SAVING MUST HAVE.

Part# APPLICATION

A5532 Ford F-150



PART # A436272 - Rotor Adaptor for Ford/Dodge Ram 4x4

ADAPTOR FOR DODGE RAM 4x4 & 99/2000 FORD EXPLORERS!


THE ONLY WAY TO PROPERLY CHUCK UP THESE ROTORS!

Part# OEM

A436272 Accu-Turn - RELS



A436272



Adaptor with Rotor



Adaptor On Rotor

Rotor and Drum Drive Assembly - PART # A436271

DRIVES THE ROTOR USING THE LUG BOLTS SO YOU DON'T HAVE TO REMOVE PRESSED BEARINGS
FROM **FORD PROBE, HONDA, MAZDA OR NISSANS.**

Rotor and Drum Assembly. For use on any type of sealed or pressed in bearings such as
Toyota Vans, Ford Probe, Renault Alliance and others. Controls the drum rotors with
sealed or pressed bearing to prevent spinning for ease of cutting.

Part# OEM#

A436271 Accu-turn 436271 - RELS 44180 - Goodtool GT 5021



A436271

BRAKE LATHE DOUBLE TAPER COLLETS



For Mounting Hubbed Drums and Rotors on 1" and 1 7/8" Arbors. Covers Passenger Cars and Light Trucks.



A9195



A9196



A9194



A9193



A9192



A9922



A9921

Individual Double Taper Adaptors

Part#	Size	mm	Weight
A9921	1.322" x 1.670"	33.58 x 42.42	10 oz / .283kg.
A9922	1.362" x 1.710"	34.59 x 43.43	11oz / .312kg.
A9192	1.711" x 2.073"	43.46 x 52.65	1 lbs 3oz / .539kg.
A9193	2.074" x 2.440"	52.68 x 61.98	1 lbs 15oz / .879kg.
A9194	2.441" x 2.897"	62.00 x 73.58	2 lbs 13oz / 1.286kg.
A9195	2.828" x 3.185"	71.83 x 80.90	3 lbs 11oz / 1.673kg.
A9196	3.203" x 3.560"	81.36 x 90.42	4 lbs 12oz / 2.155kg.
A9197	2.828" x 3.185"	1 7/8" 71.83 x 80.90	2 lbs 11oz / 1.205kg.
A9198	3.203" x 3.560"	1 7/8" 81.36 x 90.42	3 lbs 11oz / 1.687kg.
A9200	3.645" x 3.989"	92.583 x 101.32	
A9201	3.989" x 4.440"	101.32 x 112.776	



A9194



A9193



A9192



A9922



A9921

1" Arbor Double Taper Truck Set - PART# A9232

For Mounting Hubbed Drums and Rotors on 1" Arbors. Covers Passenger Cars and light Trucks (1" Hole)

Set includes 1 Each:

A9192, A9193, A9194, A9921 and A9922



A9195



A9196

1" Arbor Double Taper Truck Sets - PART# A9233

For Mounting Hubbed Drums and Rotors on 1" Arbors. Range: 2.841" x 3.552" (72.16 x 90.22mm)

Part#	Size	mm
A9195	2.828" x 3.185"	71.831 x 80.899
A9196	3.203" x 3.560"	81.356 x 90.424



A9202



A9203

1 7/8" Double Taper Adaptor Set

For Mounting Hubbed Drums and Rotors on 1 7/8" Arbors. Covers Passenger Cars and light Trucks

Part#	Size	mm	Weight
A9202	2.828" x 3.185"	71.831 x 80.899	2 lbs-11oz / 1.205
A9203	3.203" x 3.560"	81.356 x 90.424	3 lbs-11oz / 1.687
A9234	Set of (1) A9202 and (1) A9203		



A3114



A3113



A3112



A9492



A3125



A3165

Brake Lathe Spacers

Part#	Ammco#	Description	Size / Height
A3112	44100	Spacer - 1" Dia.	1"
A3113	44104	Spacer - 1" Dia.	1 1/2"
A3114	44102	Spacer - 1" Dia.	2"
A3125	903125	Spacer - 1" Dia.	1/2"
A3165	903165	Self Aligning Washer Set	
A9492	909492	Self aligning Spacer	1"



BRAKE LATHE ADAPTOR

Part# 91Z - Adaptor Plus Hubless & Composite Rotor System!

THE MOST SIMPLE TO USE AND COMPLETE SYSTEM YOU CAN BUY!

Adds right to any All Tool, FMC, Hofman, Hunter, Performance, RELS, Shark or Van Norman Hubless Adaptor

- Does almost all of your hubless drum and rotor work
- Eliminates need for cones and bell clamps
- Built in springs so you can't lose them
- Six easy-to-use pieces fit all 1" arbors
- Does most hubless rotors
- For Taurus / Sable
- For GM "W" Cars
- For All Continentals
- Works with ANY Bolt Pattern
- Reduces Comebacks
- Always cuts true

WORKS ON:

- **PASSENGER CAR HUBLESS DRUMS AND ROTORS**
2 5/32" to 4" Center Holes
- **ALL COMPOSITE ROTORS**
Trucks and cars including Jeeps, Taurus/Sable, GM "W" Body and Lincoln Continental
- **LIGHT TO MEDIUM TRUCK DRUMS**
4" to 5 7/8" Center Hole Size

SHARK FACT:

Simpler to use...
this kit does **EVERYTHING**
the complete *Ammco Adaptek System
(9310, 9311, 9312 and 9313)
does for less money!

*Ammco is a registered trademark
of Wheel Service Industries.
Shark has no affiliation with Hennessy Industries
or Wheel Service Industries



Composite Car and Truck Set

Part#	RELS#	Description
91Z	47315	TOTAL KIT PICTURED ABOVE WITH 12 PIECES - 62 lbs
91D	47381	Light & Medium Truck Set 4" - 5 7/8" Center Holes Includes 91-11, 91-15 & 91-16.

Separate System Pieces

Part#	RELS#	Description		
91-1	44301	Locator		
91-3A	44303A	Small Adaptor Centering Cone	2.125" x 3.25"	53.97 x 82.55 mm
91-3B	44303B	Large Adaptor Centering Cone	3.125" x 4.25"	97.37 x 107.95 mm
91-7	44309	Spacer/Nut Combo		
91-8	25110	Spanner Wrench		
91-11	1440A	Truck Cone / Sm	4.25" x 5.25"	104.77 x 133.35 mm
91-12	10435	Large Passenger Car Backing Plate	6.75" OD	171.45 mm
91-13	0439	Large Adaptor Cup w / Spring	6.75" OD	171.45 mm
91-14	10438	Small Adaptor Cup w / Spring	5.25" OD	133.35mm
91-15	10437	Truck Backing Plate	7.40" OD	187.96mm
91-16	10440B	Truck Cone / Lg.	5.125" x 6.25"	130.18 x 158.75 mm
91-18	10436	Small Backing Plate	5.25" OD	133.35 mm

ADAPT-RITE ADAPTOR SYSTEM

SIMILAR TO *AMMCO ADAPTEK SYSTEM



- Heavy Fabrication reduces Chatter
- Works on most 1" Arbor Lathes
- Easy, Quick and Efficient



40312 Kit



40314 Kit

Adapt-Rite Adaptor Kits

Part#	OEM#	Description
40310	9310	Combination Passenger & Truck Kit 1.84" - 3.85" Range Weight- 62 lbs
40311	9311	Passenger Car Set 1.84" - 3.30" Range Weight- 36lbs
40312	9312	Light Truck Set 3.20" - 3.85" Range
40313	9313	Light Truck Set 3.75" - 5.23" Range
40314	9314	Odd Configuration Rotor Set 2.05" - 3.98" Range



40310 Kit



40313 Kit

Adapt-Rite Separate Systems

Part#	Ammco#	Description
40601	29572	Hubless Rotor Hub Base
40602	29573	Double Sided Centering Cone
40603	29574	Arbor Spacer
40605	29575	Auto Composite Flange Plate
40606	29576	Light Truck Large Plate
40607	29577	Light Truck Large Plate
40608	29578	Light Truck Composite Flange Plate
40610	29579	Passenger Car Centering Cone
40611	29580	Passenger Car Centering Cone
40612	29581	Passenger Car Centering Cone
40613	29582	Passenger Car Centering Cone
40614	29583	Passenger Car Centering Cone
40615	29584	Light Truck Centering Cone
40616	29585	Light Truck Centering Cone
40617	29586	Large Light Truck Centering Cone
40618	29587	Large Light Truck Centering Cone
40619	29588	Large Light Truck Centering Cone
40620	29589	Large Light Truck Centering Cone
40621	29590	Large Light Truck Centering Cone
40622	29727	Largest Light Truck Centering Cone
40630	29591	Centering Cone Spring



40606



40630



40603



40601



40602

*Ammco is a registered trademark of Wheel Service Industries. Shark has no affiliation with Hennessy or Wheel Service Industries.

FULL ONE YEAR WARRANTY

- Increase Power, Productivity and Profitability
- Offers a better finish than most new lathes
- Retro fits in place of your old Gearbox
- Replaces your old pulleys to increase your arbor speed
- Dramatically reduces cutting time
- Uses it's own self-contained motor
- Requires no special tools
- Reduces Comebacks

If you have considered purchasing a new Lathe...
or if your old machine is very old, extremely worn or is being used to its capacity and your technicians are always waiting to use the lathe.. think again!



THE **POWERCUT VARIABLE SPEED GEARBOX** HAS LESS THAN 20 MOVING PARTS FOR EASE OF REPAIR AND LESS OPPORTUNITY FOR BREAK DOWN.

The innovative design turns the lead screw nut, not the shaft, reducing wear on the cross feed casting and lead screw shaft. This reduces friction and movement for a smoother cut and greater productivity.

Best of all, the PowerCut bolts to your existing lathe without permanent modification or costly, time consuming installation.

BRING YOUR LATHE INTO THE 21ST CENTURY WITH OUR IMPRESSIVE POWERCUT GEARBOX!

THE PULLEYS...

Offering twice the pulling power of the old *Ammco style pulley system, these pulleys run so smooth that they dramatically reduce shaking or movement in your lathe.

The easy-to-install pulleys and Poly-V Belt system increase your arbor speed from 150 RPMs to 200 RPMs for an increase in productivity. Normally used in 5 horsepower applications, it will not slip when adjusted properly from the beginning.

Poly-V Belts and Pulleys are sold separately and can be used effectively without the PowerCut to allow upgrade of Ammco 3000, 4000, 4100 and 7000 for a smoother, faster performance.

For optimum performance, we recommend the use of the PowerCut with the new pulleys.



6000

THE CONTROLLER...

The controller offers greater speed-from faster than *Ammco's fastest to as slow and fine a finish as you desire-with all the ranges in between.

Simply slow down the controller to reach true one-cut capability or increase the speed to raise productivity.

Vary the depth to accommodate speed changes.
Handle it all usually in less than 2 minutes.



*Ammco is a registered trademark of Wheel Service Industries.
Shark has no affiliation with Hennessy Industries or Wheel Service Industries.

5005 VARIABLE SPEED GEARBOX WITH TOOLBITS, PULLEYS, BELT AND LEADSCREW BUSHING

Designed to work on Ammco* 3000** and 4000 Lathes

Give your *Ammco Lathe the ability to take a one-cut pass!
By simply adding this Gearbox, you will finish cut a rotor in less than two minutes!

DOUBLES THE SPEED OF YOUR *AMMCO LATHE!



THE GEARBOX CAN FINISH CUT A ROTOR IN TWO MINUTES, FREEING UP THE MACHINE FOR OTHER TECHNICIANS OR SAVING YOU MONEY BY REDUCING CUTTING TIME.

Moreover, if you are considering a new lathe to get a variable speed function not currently on your old Ammco lathe, why not try our gearbox?

Upgrade it with this all new gearbox and bring it into the 21 century with our very impressive POWERCUT gearbox!

GEARBOX SPECIFICATIONS:

Motor		1HP
Voltage		110
Weight		18 lbs.
Height		10"
Width		5"
Depth		9"



Sets and Separate System Components

Part#	OEM #	Description
5000	—	Variable Speed Gearbox w/o Pulley Kit
5005	—	Gearbox with Pulley Kit (#6000)
5009	—	Gearbox with Pulley Kit and Leadscrew Bushing
6000	940175	Pulley Kit (Includes 2 pulleys and a belt)
6001	—	Large Pulley with Pin (Individual Part#)
6002	—	Small pulley with Pin (Individual Part#)
6003	—	Poly V-Belt (Individual Part #)

*Ammco is a registered trademark of Wheel Service Industries.
Shark has no affiliation with Hennessy Industries or Wheel Service Industries.

**3000 Model Lathes require an A9590 kit not offered in it's entirety by Shark.

BRAKE LATHE INTERNAL / EXTERNAL PARTS


Listing and Repair Parts

Part#	OEM#	Description
A209	209	Socket Hd. Cap Screw Rear Flange
A213	213	Set Screw, Lock Rod
A220	220	Set Screw, Pulley 5/16"-18 x 3/8"
A236	236	Hex Head Cap Screw/Bearing Cap
A237	237	Hex Head Cap Screw, Rotor Feed
A283	283	Lock Washer/Motor Mount
A306	306	Rivet for Decal
A311	311	Ball Drum Feed Leadscrew
A320	320	Knob, Red Round
A1185	1185	Plate Switch/On/off
A1574	1574	Washer, Motor Mount
A1603	1603	Motor Mount Cap Screw
A1680	1680	Set Screw Guide Bar
A1926	1926	Ground Wire Lock Washer
A2064	2064	Cross Feed Spring
A2364	2364	Motor Mount Wave Washer
A3015	3015	Belt Tension Lever
A3029	3029	Old Style Clamp Nut
A3032	3032	Rear Flange Shim
A3035	3035	Pin, Eccentric Belt Release
A3036	3036	Drum Feed Roller
A3039	3039	Drum Feed Stop Collar
A3079	3079	Strap-Electrical Panel
A3084	3084	Knurled Knob
A3088	3088	Handle/Belt Release
A3092	3092	Drum Feed Pin
A3176	3176	Woodruff Key Hndwh.Shifter Hdle/Rotor
A3180	3180	Set Screw, Belt Release
A3183	3183	Screw, Electrical Panel
A3184	3184	Hex Nut, Drum Feed Lead Screw
A3214	3214	Hand Wheel Washer
A3215	3215	Oil Filler Sleeve
A3224	3224	Set Screw, Spindle
A3338	3338	Set Screw Twin Cutter
A3324	3324	Drum Feed Lead Screw Oval Washer
A3372	3372	Oil Drain Pipe Plug
A3377	3372	Hex Nut/Motor Mount
A3528	3528	Hex Nut/Jam Twin Cutter
A4641	4641	Lead Screw Bone Washer/Drum Feed
A5646	5646	Cap Screw, Rotor Feed
A5689	5689	Set Screw, Square Head Drum Bar (10)
A6058	6058	Cord Grip, Electrical Panel
A6109	6109	Set Screw, Twin Cutter
A6486	6486	Socket Head Cap Screw/Spindle
A6766	6766	O Ring for Motor Mount
A6825	6825	Socket Head Cap Screw Spindle Lock
A6841	6841	Groove Pin, Twin Cutter
A6864	6864	Motor Mount Set Screw
A6929	6929	Spring Washer/Twin Cutter / 5 Pk.
A6934	6934	Square Head Screw/Twin Cutter
A9249	9249	Set Screw for Toolholder
A9879	9879	Locating Screw, Twin Cutter
A11221	11221	Locking Nut for Long Stud
A11224	11224	Washer for nut assembly 11227
A11225	11225	Rubber Retainer *Ammco Lathes
A11227	11227	Locking Nut Assembly
A11273	11273	Hex Nut/Belt Guard
A21972	21972	Screw, Tappet Ground Electrical Panel
A20463	20463	Caution Plate
A24446	24446	Woodruff Key for Small Pulley



*Ammco is a registered trademark of Wheel Service Industries. Shark has no affiliation with Hennessy or Wheel Service Industries.

ALPHABETICAL BRAKE LATHE INTERNAL / EXTERNAL PARTS LISTING



Bearings / Washers

Part#	OEM#	Description
A3391	3391	Drum Feed Bearing
A3393	3393	Drive Shaft Bearing
A6871	6871	Thrust Bearing, Rotor feed
A6873	6873	Thrust Bearing, Cross-feed
A6874	6874	Thrust Washer, Rotor feed

Bearing Retaining Ring/Seal Shims

Part#	OEM#	Description	Qty.
A3169	3169	Shim, .005"	5 Pck
A3170	3170	Shim, .007"	5 Pck
A3171	3171	Shim, .020"	5 Pck
A3172	3173	Bearing Drive Shaft Retaining Ring	

Brass Plugs

Part#	OEM#	Description	Qty.
7-03142-25	9-03142	Brass Plugs for *Ammco Lathes (FATTER PLUGS)	25 PCK
7-09836-25	9-09836	Brass Plugs for *Ammco Lathes (THINNER PLUGS)	25 PCK
A3141	9-03141	Brass Plugs for *Ammco Lathes (.125 x .25)	10 PCK
A3141-25	9-03141	Brass Plugs for *Ammco Lathes (.125 x .25)	25 PCK

Motor Shaft Bushings

Part#	OEM#	Description
A32223	3223	Bushing-Motor Shaft For use on Ammco 4000 and 4100 lathes.

Bushings-Insulated Electrical Panel

Part#	OEM#	Description
A6889	6889	Electrical Panel Insulated Bushing For use on Ammco 4000 and 4100 lathes.

Clamps/Upper & Lower

Part#	OEM#	Description
A3016	3016	Lower Boring Bar Clamp
A3017	3017	Upper Boring Bar Clamp

Clutch Handle / Shaft Assembly / Spring

Part#	OEM#	Description
A3042	3042	Clutch Handle shaft assembly for drum feed
A3058	3058	Clutch Shifter Assembly/Drum Feed
A3060	3060	Clutch Spring/Drum Feed
A7764	7764	Clutch Shaft/Rotor Feed

ALPHABETICAL BRAKE LATHE INTERNAL / EXTERNAL PARTS LISTING AND REPAIR PARTS

Cord

Part#	OEM#	Description
A7209	7209	Replacement Cord for *Ammco Lathes



Coupling/Pinion Assembly

Part#	OEM#	Description
A7757	7757	Coupling Assembly Rotor Feed
A9822	9822	Coupling & Pinion Assembly / Rotor Feed



Crossfeed/ Dial Spring

Part#	OEM#	Description
A9611	9611	Dial Spring for Crossfeed Handle



Dial Assembly

Part#	OEM#	Description
7-06901	9-06901	Dial Assembly for *Ammco Twin Cutters
A6907	906907	Dial
A6908	906908	Dial Rod
A6923	906923	Dial Knob
A8584	28584	Brass Toolholder Pressure Protector



Draw Bar

Part#	OEM#	Description
A7005	7005	Draw Bar with Nut for Ammco Lathes



Drive Rod / Rotor Feed

Part#	OEM#	Description
A7774	7774	Rotor Feed Drive Rod for Ammco Lathes




Driveshaft Race

Part#	OEM#	Description
A3172	3172	Drive Shaft Retaining Ring, Bearing
A3394	3394	Driveshaft Race



Drum Bar/Drum Feed Dial/Clutch Shifter/Drum

Part#	OEM#	Description
A3043	3043	Drum Feed Dial (NOT PICTURED / CALL FOR AVAILABILITY)
A3046	3046	Drum Feed Shut-off Rod
A5843	5843	Drum Bar for Drum Tools on Ammco Lathes




Drum Feed Miter Gear

Part#	OEM#	Description
A3069	5843	Drum Feed Miter Gear
A7338	5843	Drum Feed Pinion Bushing Assembly
A7343	5843	Drum Feed Control Lever & Shifter Assembly
A9443	5843	Drum Feed Lock Nut
A9444	5843	Drum Feed Washer
A9918	5843	Short Leadscrew & Miter Gear Assbly/4000 Drum
A9919	5843	Long Leadscrew & Miter Gear Assbly/4100 Drum



ALPHABETICAL BRAKE LATHE

INTERNAL / EXTERNAL PARTS LISTING AND REPAIR PARTS



*Ammco is a registered trademark of Wheel Service Industries. Shark has no affiliation with Hennessy or Wheel Service Industries.

Drum Sliding Friction Discs/Clutch

Part#	OEM#	Description
A3077	3077	Drum Feed Clutch
A3078	3078	Drum Feed Sliding Friction Disc
A3081	3081	Drum Feed Friction Disc Assembly

Flange/Rear

Part#	OEM#	Description
A7344	7344R	Rear Flange for 3000 & 4000

Freeze Plug

Part#	OEM#	Description
A3166	3166	Freeze Type Plug

Grease Fitting/Guide Bar

Part#	OEM#	Description
A6853	6953	Old Grease Fitting for *Ammco Lathes
A22006	22006	New Style Grease Fitting

Guide Bar

Part#	OEM#	Description
A7782	9-07782	Guide Bar (OLD MACHINES) (NOT PICTURED)
A9837	9837	Guide Bar

Hand Wheel Parts

Part#	OEM#	Description
A2309	2309	Handwheel Handle for Crossfeed & Drum Feed
A3026	3078	Handwheel Nut
A3090	3090	Handwheel/Drum Feed
A3214	3214	Handwheel Washer
A6839	6839	Thumb Screw for Hand Wheel
A9626	9626	Handwheel Assembly/Crossfeed
A9633	9633	Handwheel, Crossfeed
A9634	9634	Dial, Crossfeed Handwheel

Index Plate

Part#	OEM#	Description
7-07747	9-07747	Index Plate for *Ammco Lathes (OLDER STYLE) Located by Gear Shift Handle

Knobs

Part#	OEM#	Description
A6854	6854	Locking Knobs for Lathe - 1 EACH
A6854-2		2 PACK

Lamp Switch

Part#	OEM#	Description
A22763	22763	Lamp switch
A22764	22764	Lamp switch Rubber Boot
757		Lamp switch for Rotary Switches (NOT PICTURED)

Leadscrew & Leadscrew Bushings/Nuts

See Page 95

BRAKE LATHE INTERNAL / EXTERNAL PARTS LISTING AND REPAIR PARTS

Leadscrew & Leadscrew Bushings/Nuts

Part#	OEM#	Description
A4670	4670	Leadscrew Nut/Drum Feed
A4671	4671	Leadscrew Bushing Nut
A10868	10868	*Ammco Type OLD STYLE Leadscrew Bushing
A10868-O	N/A	*Ammco Type OLD STYLE Leadscrew Bushing (Impregnated with oil - Oil-Lite)
7-03211-1	3211-1	Leadscrew Assembly / Crossfeed
97	N/A	Extended Leadscrew Bushing FOR EXTRA TRAVEL



Motor and Mount/Shaft

Part#	OEM#	Description
A2165	2165	1 HP Motor Mount
A3009	3009	Mount for Motor A2165
A3023	3023	Motor Mount Shaft
A2561	2561	Combination A2165/A3009. Motor and Mount for Ammco 4000 and 4100 lathes



Oil Seals

Part#	OEM#	Description
A3089	3089	Oil Seal Adaptor Ring
A3163	3163	Oil Seal for *Ammco Lathes / Small
A3164	3164	Oil Seal for *Ammco Lathes / Large



Paint

Part#	OEM#	Description
A7980	7980	Blue Paint for *Ammco Lathes / CASE OF 6



Pulleys and Belt

Part#	OEM#	Description
7-3024	9-03024	Pulley Drive/SMALL *Ammco Model 3000 & 4000
7-07841	9-07841	Pulley Drive/LARGE *Ammco Model 3000 & 4000
A3161	3161	V Belt Replacement /SMALL *Ammco 3000 & 4000
A3162	N/A	Poly "V" Belt. (Larger)
6000	N/A	New Style Pulley Kit/Includes Belt
6001	40142	Serpentine Pulley/LARGE *Ammco 3000 & 4000
6002	40146	Serpentine Pulley/SMALL *Ammco 3000 & 4000
6003	40141	Poly V-Belt/Serpentine Belt



Shear Gear

Part#	OEM#	Description
93	7996	Shear Gear for *Ammco model 3000 & 4000




Shift Handle/Shift Shaft

Part#	OEM#	Description
7-07744	9-07744	Shift Handle for *Ammco Lathes
A7748	7748	Shift Shaft/Rotor Feed for *Ammco Lathes



BRAKE LATHE

INTERNAL / EXTERNAL PARTS LISTING AND REPAIR PARTS



Spindle / Spindle Extension Drum Feed

Part#	OEM#	Description
A3153	3153	Spindle

Spindle Lock

Part#	OEM#	Description
A9590	9590	DISCONTINUED Spindle Lock Kit
A213	213	Spindle Extension/Drum Feed
A6825	6825	Socket head cap screw
A9645	9645	Locking rod for model 4000
A9592	9592	Front Clamp
A9593	9593	Locking Rod for model 4100
A9998	9998	DISCONTINUED Rear lower clamp
A9999	9999	DISCONTINUED Rear upper clamp

Spindle / Thrust Washer & Key

Part#	OEM#	Description
A3033	3033	Spindle Thrust Washer
A9831	9831	Spindle Key Used with 3000, 4000, 4100, 7000 & 7100 Brake Lathes

Studs

Part#	OEM#	Description
7-3031/1	7-3031/1	Oversize Stud
7-03031	703031	Stud-Clip, Bar Boring
7-03031S	10347	Stud-Clip for *Ammco 7000
A11223	11223	Washer for Nut Assembly
A11224	11224	Locking Nut for Long Stud
A11227	11227	Locking Nut / No Washer

Toggle Switch

Part#	OEM#	Description
A6893	6893	Main Toggle Switch

Trap

Part#	OEM#	Description
A7775	7775	Rotor Feed Trap

Worm Gear

Part#	OEM#	Description
A9847	9847	Drive Shaft Worm Gear for *Ammco Lathes Models 3000, 4000, 4100, 7000, 7500, 7700
A9847-K		Kit with Bearings and Race

Wrench / Arbor Ammco Style

Part#	OEM#	Description
A3022	3022	Large Wrench for *Ammco Lathes Models 3000, 4000, 4100, 7000, 7500, 7700
A3218	3218	Small Wrench



VACUUM BRAKE BLEEDER

**AN AMERICAN MADE 2 QUART VACUUM BRAKE BLEEDER
FOR ABS AND NON-ABS BRAKE BLEEDING**

PART# S0061M - Vacuum Brake Bleeder

- *New gravity feed refiller system*
- *Simple air operated system for ease of use*
- *No spilling of corrosive brake fluid*
- *Large stable base so it won't tip easily*
- *Makes bleeding a 1-man job*
- *Requires no special adaptors*
- *Works on all ABS systems*
- *Will not damage seals*
- *Easy drain plug*

This very easy-to-use affordable brake bleeder is a must for every shop doing brake jobs. Just hook it up to a shop air line and away you go. Buy the unit with an automatic refiller, or top off the master cylinder yourself as you bleed the system down.

Clean and safe, you never have to worry about damaged seals. There is an easy to use drain plug on the unit so you never have to remove the lid.

Please remember, removing the lid damages the seal!

Great for brake flushes as well as bench top bleeding.



COMPLETE KIT OF BLEEDER, REFILLER AND (2) BLEEDER SCREW FITTINGS

Brake Bleeder Parts and Pieces

Part#	Description	Part#	Description
S0051A	Bleeder Unit without Refiller Kit	BB12100E	Trigger
S0061AP	Pro Unit with Adaptors (NOT PICTURED)	BB12100N	3/8" NPT Plug
S0061M	Complete Bleeder INCLUDING REFILLER KIT	BB12100O	Muffler for Bleeder
S0052	Automatic Gravity Refiller	BB12100R	Drain Plug for S0051A/S0061A
86262	Lid "O" Ring	BB12100T	Wire Bale to Depress Handle
BBA-18	18" Brake Hose Assembly	BB12100U	Small Bleeder Adaptor #1
BB12150	Update Kit-for "O" Rings INCLUDES (7) O-RINGS	BB12100V	Bleeder Adaptor #2
BB12156	Red Tee Knob - 1 1/4" Dia. (PRO GRADE)	BB12100W	3 Bleeder Adaptors/Screw Cover
BB12100A	2 1/4 Quart Container	BB12100X	Brass Bulk Head Fitting
BB12100B	Screw On Lid	BB12300	Round & Square Adaptors (OLD STYLE)
BB12100C	Handle Housing	BB12300O	Black Bungee Cord for Bleeder(OLD STYLE)
BB12100D	Handle	BB12300	Refiller System Bottle (OLD STYLE)
		BB12300CC	Refiller Bottle Assembly (OLD STYLE)

COMPARITOR BRAKE FLUID TESTER

**DETERMINE THE PRESENCE OF CORROSION CAUSING CONTAMINANTS
IN YOUR BRAKE FLUID.**



Comparator Brake Fluid Tester - PART# 901S

Works on Dot 3, Dot 4, and Dot 5 Brake Fluid

- *Detects water contamination in your brake system.*
- *Excellent for safety checks*
- *Critical on ABS systems*
- *Easy to use*

The brake fluid tester will leave no question as to the water contamination in your brake fluid. Water can dangerously effect the boiling point of your fluid, causing water vapor to form in the brake system. When it does this, it lowers the boiling point of the fluid to unsafe levels.

More than 3% water content is above factory safe specifications for water content.

You could eventually experience total brake loss when it reaches levels greater than 3-4%.



901S

CERAMLUB 2800 - The Brake Jobs Best Friend - Part# 90888

CERAMLUB 2800

**O.E.M. APPROVED EXTREME TEMPERATURE LUBRICANT
GUARANTEED TO STOP BRAKE NOISE!**

- *100% Real Synthetic Original Swiss Formula*
- *Extreme Pressure Solids-Over 35%*
- *Unbeatable in Extreme Temperatures (2800 Degree F Rating)*
- *Non Petroleum or Silicone based.*
- *OEM Approved by Pad & Venicle Manufacturers*
- *Stops Costly Service Comebacks on Brake Jobs*
- *The Final Step to a Perfect Brake Service*

This proprietary high solids ceramic formula leaves no doubts as to costly brake noise comebacks. It likewise properly lubricates all moving and mating parts for the entire life of the pads.

Approved by the biggest OEM brake parts manufacturers, Ceramlub 2800 is a brake jobs *best friend*.

Most importantly, it contains no Petroleums or Silicones to break down or get contaminated with dirt and water.



90888

Part#	Description		
90888	Ceramlub 2800	6 Jar Case	7 Ounces per Jar- 2.6 lbs.
90889	Ceramlub 2800	Case of 72 jars	31.2 lbs.

Part# to Page Numbers Crossover

PART#	PAGE#
00036	20
00040	20
00060	20
00080	20
00100	20
00120	20
00150	20
00180	20
00220	20
060-5	61
060-6	61
060-10	61
060-100	61
061-6	64/65
061-10	64/65
062-2	61
062-6	61/63/65
062-10	61/63/65
062-12	61
062-48	61
062-100	61
062C-6	62
062C-10	62
062C-100	62
062S-6	62
062S-10	62
062S-100	62
063-6	62
063-10	62
063-100	62
064-4	61
064-6	63/64
064-10	63/64
064-24	61/62-64
064-100	61
065-3	61
065-6	61/63/64
065-10	61/63/64
066-6	62/63/65
066-10	62/63/65
067-6	63/64
067-10	63/64
068-4	61
068-6	61-62/65
068-10	61-62/65
068-100	61-62
069-6	64
069-10	64
7-3024	95
7-3031/1	96
7-03031	96
7-03031S	96
7-03142	92
7-03142-25	92
7-03211-1	95
7-06901	93
7-07744	95
7-07747	94
7-07841	95
7-09836	92
19	1
20	1
21	1
22	1
23	1
24-10	1
24-50	1
24-100	1
25-10	1

PART#	PAGE#	PART#	PAGE#	PART#	PAGE#	PART#	PAGE#	PART#	PAGE#
25-25	1	65	27	25-25	1	620T	10	802-10	64
25-50	1	66	27	25-50	1	620TB	11	803-10	63
25-100	1	66-100	27	25-100	1	620TB-1	10/19	804	70
25-6M	1/2	66H	27	25-6M	1/2	620TBC	11	805	70
25SL	1/2	68	57	25SL	1/2	620TC	10	806	70
25SL-M	1/2	68-1	57	25SL-M	1/2	621TB	11	807	70
26-10	1	68-2	57	26-10	1	621TBC	11	808-6	65
26-25	1	68-3	57	26-25	1	622T	10	808-10	65
26-50	1	68B	71	26-50	1	622TB	11	809-10	64
26-100	1	69	71	26-100	1	622TB-1	10/19	880	82
26-6M	1/2	70B	71	26-6M	1/2	622TBC	11	880K	82
26SL	1/2	71B	71	26SL	1/2	622TC	10	880W	82
26SL-M	1/2	72	43	26SL-M	1/2	623TB	11	881	82
27-10	1	73B	71	27-10	1	623TBC	11	882	82
27-100	1	76	28	27-100	1	624T	10	882S	82
28-5	1	77-5	4	28-5	1	624TB	11/12	886T	82
28-50	1	80	27	28-50	1	624TB-1	10	887	82
29-5	1	80-10	27	29-5	1	626T	10	901S	98
29-50	1	80B	73	29-50	1	626TB	11/12	902L-4	64
30-10	1	81B	73	30-10	1	630T	10	902L-6	64
30-100	1	82B	73	30-100	1	630TB	11	902L-10	64
31	2	83B	72	31	2	630TB-1	10/19	902R-4	64
32	2	83B-2	72	32	2	630TBC	11	902R-6	64
33	2	87B	77	33	2	630TC	10	902R-10	64
34	2	88-5	4	34	2	631TB	11	903-4	64
37L	2	91-1	87	37L	2	631TBC	11	903-6	64
37S	2	91-3A	87	37S	2	632T	10	903-10	64
37-10	1	91-3B	87	37-10	1	632TB	11	904-4	65
37-100	1	91-7	87	37-100	1	632TB-1	19	904-6	65
38-5	1	91-8	87	38-5	1	632TBC	11	904-10	65
38-50	1	91-11	87	38-50	1	632TC	10	906-46	31
41	4	91-12	87	41	4	633TB	11	906-66	31
41-100	4	91-13	87	41-100	4	633TBC	11	907	31
41B	70	91-14	87	41B	70	634T	10	908-6	65
42	4	91-15	87	42	4	634TB	11/12	930	72
42-100	4	91-16	87	42-100	4	636T	10	935	73
42B	70	91-18	87	42B	70	636TB	11/12	936	73
43	4	91D	87	43	4	640T	10	968	68
43-100	4	91Z	87	43-100	4	640TB	11	969	68
44	4	93	95	44	4	640TBC	11	980	73
44-100	4	94	72	44-100	4	640TC	10	982	70
45	4	94-2	72	45	4	640-46	31	989	74/75
45-100	4	95	72	45-100	4	640-66	31	989-10	74
46	4	95S	72	46	4	641TB	11	989-12	74
46-100	4	96	72	46-100	4	641TBC	11	989-20	74/75
47	4	96-2	72	47	4	642T	10	989-24	74
47-100	4	97	95	47-100	4	642TB	11	989C-20	74
48	4	99	72	48	4	642TBC	11	989F	75
48-100	4	100	42	48-100	4	642TC	10	989F-20	74/75
49	4	103-2	62	49	4	643TB	11	998	75
49-100	4	103-6	62/63/65	49-100	4	643TBC	11	999	75
50	4	103-10	62/63/65	50	4	644T	10	999C	75
50-100	4	104-2	62	50-100	4	644TB	11/12	999C-20	75
51	28	104-6	62	51	28	646T	10	999F	75
52	28	104-10	62	52	28	646TB	11/12	999F-20	75
53	28	110	42	53	28	702-6	63	999H	75
54	28	111	42	54	28	702-10	63	999P	75
56	41	112	42	56	41	703-6	63	999S	75
57	41	113	42	57	41	703-10	63	1012	79
60	27	114	23	60	27	709-6	63	1300	22
61	27	115	42	61	27	709-10	63	1301	22
63A	76	115C	42	63A	76	720	70	1302	22
63B-1	76	115F	42	63B-1	76	757	94	1303	22
63B-2	76	115M	42	63B-2	76	760S	59	1304	22
63B-3	76	121-5	5	63B-3	76	761T	59	1305	22
63B-5	76	122-5	5	63B-5	76	767S	59	1306	22
63B-6	76	122M-5	5	63B-6	76	777S	59	1307	22
63B-7	76	123-5	5	63B-7	76	782	68	1308	22
63B-9	76	124-5	5	63B-9	76	783	69	1309	22
63B-11	76	141-5	5	63B-11	76	784	69	1471C	44/53
63B-12	76	142-5	5	63B-12	76	787S	59	1800RC	34
63B-13	76	142M-5	5	63B-13	76	799H	68	2004	26
63B-14	76	142MH-5	5	63B-14	76	802-5	64	2006	26
63B-15	76	143-5	5	63B-15	76	802-6	63/64	2007	26

Part# to Page Numbers Crossover



PART#	PAGE#	PART#	PAGE#	PART#	PAGE#	PART#	PAGE#	PART#	PAGE#	PART#	PAGE#
2008	26	3480GT	14	10058	53	12963	40	13119	16		
2009	26	3702	38	12255	31	12986	23	13120	16		
2010	26	3702R	38	12259	31	12987	23	13121	16		
2011	26	4536-3	8	12613	15	12988	23	13122	16		
2012	26	4536-10	8	12614	15	12989	23	13123	16		
2012G	26	4546-3	8	12615	15	12990	23	13124	16		
2013	26	4546-10	8	12617	15	12991	23	13125	16		
2014	26	4560-3	8	12618	15	12992	23	13126	16		
2015	26	4560-10	8	12619	15	12993	23	13127	16		
2016	26	4580-3	8	12621	15	12994	23	13128	16		
2016G	26	4580-10	8	12622	15	12995	23	13129	16		
2017	26	4582-3	8	12623	15	12996	23	13130	16		
2018	26	4582-10	8	12624	15	13021	3	13131	16		
2019	26	5000	90	12625	15	13022	3	13132	16		
2019-10	26	5005	90	12626	15	13023	3	13133	16		
2020	26	5009	90	12627	15	13024	3	13142	22		
2021	26	5040	32	12628	15	13025	8/19	13143	22		
2022	26	5241	32	12629	15	13026	8/19	13144	22		
2022-10	26	5389	79	12630	15	13027	6	13145	22		
2023	26	5523	28	12631	15	13028	3	13146	22		
2024	26	5550	21	12632	15	13029	3	13147	22		
2025	26	5556	21	12690	5	13030	3	13150	4		
2026	26	5557	21	12691	5	13031	3	13151	4		
2027	26	5923	28	12692	5	13032	3	13152	4		
2028	26	6000	89-90/95	12763	5	13033	3	13153	4		
2028-80	26	6001	90/95	12764	5	13034	3	13154	4		
2029	26	6002	90/95	12765	5	13035	3	13155	4		
2030	26	6003	90/95	12766	5	13036	3	13156	6		
2031	26	6166	34	12783	26	13037	3	13157	6		
2032	26	6168	34	12784	26	13038	3	13158	6		
2032-24	26	6200	10	12785	26	13039	3	13201	21		
2033	26	6202	13	12786	26	13040	3	13202	21		
2034	26	6205	13	12787	25	13041	3	13203	21		
2035	26	6266	34	12788	25	13042	3	13204	21		
2035-24	26	6268	34	12789	25	13043	3	13205	21		
2035-46	26	6302	13	12790	25	13044	3	13206	8/25		
2036	26	6305	13	12791	25	13045	3	13207	22		
2037	26	6366	34	12792	25	13046	3	13213	22		
2038	26	6368	34	12793	25	13047	3	13334	59		
2039	26	6400	10	12794	25	13048	3	13335	59		
2040	26	6520TB	11	12795	25	13049	4	13980	59		
3004	28	6522TB	11	12796	25	13050	4	13981	59		
3005	28	6524TB	11	12797	25	13051	4	13982	59		
3006	28	6526TB	11	12798	25	13052	4	13983	59		
3017C	28	6620TB	12	12799	25	13053	4	13984	60		
3220GT	14	6622TB	12	12800	25	13054	4	13985	60		
3220GT-1	10	6624TB	12	12801	25	13055	4	13986	58		
3220ZGT	14	6666T	19	12802	25	13056	4	13987	58		
3230GT	14	6720TB	12	12803	25	13057	4	13988	58		
3230GT-1	10/19	6722TB	12	12804	25	13058	5	13989	58		
3230ZGT	14	6724TB	12	12924	23	13059	5	13990	58		
3250GT	14	6726TB	12	12925	23	13060	5	13997	56		
3250GT-1	10	7000	16	12926	23	13061	5	13998	56		
3250ZGT	14	7036	8	12927	23	13063	5	13999	56		
3280GT	14	7036-10	8	12928	23	13064	5	14000	56		
3280GT-1	19	7036H-10	8	12929	23	13100	16	14001	56		
3280ZGT	14	7046	8	12930	23	13101	16	14002	56		
32120GT	14	7046-10	8	12931	23	13102	16	14003	56		
32120ZGT	14	7046H-10	8	12932	25	13103	16	14004	56		
3320GT	14	7060	8	12933	25	13104	16	14005	56		
3320ZGT	14	7060-10	8	12934	25	13105	16	14006	56		
3330GT	14	7060H-10	8	12936	25	13106	16	14007	57		
3330GT-1	19	7080	8	12950	40	13107	16	14008	57		
3330ZGT	14	7080-10	8	12951	40	13108	16	14009	57		
33120GT	14	7080H-10	8	12952	40	13109	16	14010	57		
33120ZGT	14	8544	79	12953	40	13110	16	14011	57		
3350GT	14	8545	79	12954	40	13111	16	14012	57		
3350ZGT	14	8546	79	12955	40	13112	16	14013	57		
3380GT	14	8547	79	12956	40	13113	16	14014	57		
3380GT-1	14	8548	79	12957	40	13114	16	14017	57		
3380ZGT	14	8549	79	12959	40	13115	16	14018	57		
3420GT	14	9989	74	12960	40	13116	16	14019	57		
3430GT	14	9989-12	74	12961	40	13117	16	14020	57		
3450GT	14	9989-20	74	12962	40	13118	16	14021	57		
										PART#	PAGE#
										14022	57
										14023	57
										14024	57
										14025	57
										14026	57
										14027	58
										14028	58
										14029	58
										14030	58
										14031	58
										14032	58
										14033	58
										14034	58
										14035	58
										14040	59
										14041	58
										14042	58
										14043	58
										14044	58
										14045	58
										14046	58
										14047	58
										14048	58
										14049	59
										14050	59
										14051	59
										14052	59
										14053	59
										14054	59
										14055	59
										14056	59
										14057	59
										14058	59
										14059	59
										14060	59
										14061	59
										14062	59
										14063	59
										14064	59
										14065	59
										14066	59
										14067	59
										14068	59
										14069	57
										14070	57
										14071	57
										14072	58
										14073	58
										14074	58
										14075	58
										14076	58
										14077	58
										14078	58
										14079	58
										14080	58
										14081	58
										14082	58
										14083	60
										14084	60
										14085	60
										14086	60
										14087	60
										14088	60
										14089	60
										14090	60
										14091	60
										14092	60
										14093	60

Part# to Page Numbers Crossover

PART# PAGE#

14094	60
14095	58
14096	58
14097	58
14098	56
14099	56
14128	60
14129	60
14130	59
14134	59
14136	60
14138	60
14139	60
14140	59
14141	56
14142	56
14155	60
14443	31
14601	12
14602	12
14603	12
14604	12
14605	12
14606	12
14866	31
14868	31
15000	20
15001	20
15002	20
15003	20
15004	20
15005	20
15006	20
15007	20
15008	20
15009	20
15010	20
15011	20
15012	20
15013	20
15014	20
15015	20
15016	20
15017	20
15128	54
15129	54
15130	54
15131	54
15132	54
15136	54
15137	54
15138	54
15140	54
15141	54/55
15142	54/55
15143	54/55
15144	53/55
15145	55
15146	54/55
15147	55
15148	53/55
15149	55
15195	54/55
15200	55
15201	55
15202	55
15203	55
15204	55
15220	55

PART#	PAGE#	PART#	PAGE#	PART#	PAGE#	PART#	PAGE#	PART#	PAGE#
15677	48	23540	21	40310	88	45240Z	9	51651	49
16050	40	23540V	21	40311	88	45240Z-3	9	51654	50
16051	40	23580	21	40312	88	45736	17	51655	50
16052	40	23632	15	40313	88	45737	17	51657	50
16053	40	23636	21	40314	88	45738	17	51658	50
16054	40	23640	21	40360	9	45739	17	51660	51
16055	40	23680	21	40360-3	9	45740	17	51661	51
16056	40	24036	22	40360Z	9	45741	17	51662	51
16057	40	24036V	22	40360Z-3	9	45742	17	51663	51
16058	40	24040	22	40400	41	45743	17	51664	51
16059	40	24040V	22	40500	9	45800	9	51665	51
16060	40	24060	22	40500-3	9	45800-3	9	51666	51
16061	40	24060V	22	40500Z	9	45800Z	9	51667	51
16062	40	24080	22	40500Z-3	9	45800Z-3	9	51668	51
16063	40	24080V	22	40601	88	45836	17	51669	51
16064	40	24120	22	40602	88	45837	17	51670	51
16065	40	24120V	22	40603	88	45838	17	51671	51
16202	13	24741	79	40605	88	45839	17	51672	51
16203	13	24826	79	40606	88	45840	17	51675	48
16401	10	27036	22	40607	88	45841	17	51676	48
17005	53	27040	22	40608	88	45842	17	51678	47
17410	53	27060	22	40610	88	45843	17	64000	29
18028	53	27080	22	40611	88	50100	9	64001	29
18029	53	27120	22	40612	88	50100-3	9	64002	29
18030	53	33001	81	40613	88	50100Z	9	64003	29
18040	53	33002	81	40614	88	50100Z-3	9	64004	29
18041	53	33003	81	40615	88	50160	9	64005	29
18042	53	33004	81	40616	88	50160-3	9	64006	29
18043	53	33005	81	40617	88	50160Z	9	64007	29
18044	53	33006	81	40618	88	50160Z-3	9	64520TB	11
18045	53	33007	81	40619	88	50240	9	64522TB	11
18046	53	33009	81	40620	88	50240-3	9	64524TB	11
18047	53	33014	81	40621	88	50240Z	9	64526TB	11
18048	53	33015	81	40622	88	50240Z-3	9	70100	9
18049	53	33016	81	40630	88	50360	9	70100-3	9
18050	53/55	33019	81	40800	9	50360-3	9	70100Z	9
18051	53	33431	46	40800-3	9	50360Z	9	70100Z-3	9
18052	53	33700	44	40800Z	9	50360Z-3	9	70160	9
18053	53	33788	46	40800Z-3	9	50500	9	70160-3	9
18054	53	35030	46	43220	13	50500-3	9	70160Z	9
18055	53	35031	46	43221	13	50500Z	9	70160Z-3	9
18056	53	35032	46	43222	13	50500Z-3	9	70240	9
18057	53	35033	47	43223	13	50800	9	70240-3	9
18058	53	35034	45	43224	13	50800-3	9	70240Z	9
18059	53	35038	47	43225	13	50800Z	9	70240Z-3	9
18060	27	35052	81	43226	13	50800Z-3	9	70360	9
18061	27	35053	81	43227	13	51328	52	70360-3	9
18062	27	35054	81	43228	13	51330	52	70360Z	9
18063	53	37600	42	43229	13	51331	52	70360Z-3	9
18064	53	38100	41	43363	77	51332	52	70500	9
18065	53/54	38305	46	43373	77	51333	52	70500-3	9
18066	53	38306	46	44220	13	51334	52	70500Z	9
18067	53	38330	41	44221	13	51626	52	70500Z-3	9
18068	53	38400	41	44222	13	51630	52	70800	9
18069	53	39510	42	44223	13	51631	52	70800-3	9
18070	53	39520	42	44224	13	51632	52	70800Z	9
18071	53/54	39530	42	44225	13	51633	52	70800Z-3	9
18072	53/54	39540	42	44226	13	51634	52	73752	18
18073	53/54	39550	42	44227	13	51635	52	73753	18
18074	51/53	39560	42	44228	13	51636	52	73754	18
18075	53	40080	79	44229	13	51637	48	73755	18
18076	53	40100	9	44320	8	51638	48	73757	18
18077	53	40100-3	9	44321	8	51639	48	73758	18
18078	54	40100Z	9	44322	8	51640	49	75759	18
18079	53/55	40100Z-3	9	45100	9	51641	48	73760	18
18080	55	40160	9	45100-3	9	51642	48	73762	18
18082	55	40160-3	9	45100Z	9	51643	48	73763	18
18083	55	40160Z	9	45100Z-3	9	51644	48	73764	18
18084	55	40160Z-3	9	45160	9	51645	49	73765	18
20442	79	40162	79	45160-3	9	51646	49	73767	18
22985	43	40163	79	45160Z	9	51647	49	73768	18
22986	43	40240	9	45160Z-3	9	51648	49	73769	18
23536	21	40240-3	9	45240	9	51649	49	73770	18
23536V	21	40240Z	9	45240-3	9	51650	49	77000	74

Part# to Page Numbers Crossover



PART#	PAGE#	PART#	PAGE#	PART#	PAGE#	PART#	PAGE#	PART#	PAGE#	PART#	PAGE#
77100	74	235220	21	A311	91	A3162	95	A6934	91		
80765	44	235220V	21	A320	91	A3163	95	A6936	78		
80766	44	235240	21	A1050	30	A3164	95	A6950	78		
80767	44	235240V	21	A1050A	30	A3165	86	A6977	78		
80768	44	235280	21	A1050B	30	A3166	94	A7005	93		
81800N	34	235280V	21	A1060	30	A3169	92	A7209	93		
82751	18	235320	21	A1060A	30	A3170	92	A7338	93		
82752	18	235320V	21	A1060B	30	A3171	92	A7343	93		
82753	18	235400	21	A1160	30	A3172	92/93	A7344	94		
82754	18	235400V	21	A1185	91	A3176	91	A7748	95		
82880	41	235500	21	A1447	78	A3178	80	A7750	90		
83751	18	235500V	21	A1574	91	A3180	91	A7757	93		
83752	18	236100	21	A1603	91	A3183	91	A7764	92		
83753	18	236100V	21	A1680	91	A3184	91	A7774	93		
83754	18	236120	21	A1926	91	A3214	91	A7775	96		
85600	42	236120V	21	A2034	77	A3215	91	A7782	94		
85880	42	236150	21	A2045	77	A3218	96	A7980	95		
85890	42	236150V	21	A2064	91	A3223	91	A8584	78/93		
85900	42	236180	21	A2165	95	A3224	91	A9192	86		
88000	20	236180V	21	A2309	94	A3338	91	A9193	86		
88001	20	236220	21	A2364	91	A3372	91	A9194	86		
88002	20	236220V	21	A2561	95	A3377	91	A9195	85/86		
88003	20	236240	21	A3009	95	A3391	92	A9196	85/86		
90100	9	236240V	21	A3015	91	A3393	92	A9198	86		
90100-3	9	236280	21	A3016	92	A3394	93	A9199	83		
90100Z	9	236280V	21	A3017	92	A3528	91	A9200	86		
90100Z-3	9	236320	21	A3022	96	A3577	83/84	A9201	86		
90160	9	236320V	21	A3023	95	A3578	83/84	A9202	86		
90160-3	9	236400	21	A3026	94	A3579	83	A9203	86		
90160Z	9	236400V	21	A3029	91	A3590	83/84	A9232	80		
90160Z-3	9	236500	21	A3032	91	A3595	77	A9233	86		
90240	9	236500V	21	A3033	96	A3902	80	A9249	91		
90240-3	9	A1S/P/W	23/24	A3035	91	A3903	80	A9299	84		
90240Z	9	A1W	43	A3036	91	A3904	80	A9399	84		
90240Z-3	9	A2S	23	A3039	91	A4347	80	A9443	93		
90360	9	A3S	23	A3042	92	A4347N	80	A9444	93		
90360-3	9	A4S	23	A3043	93	A4435	77	A9481	76		
90360Z	9	A4W	43	A3046	93	A4641	91	A9481-1	76		
90360Z-3	9	A5S	24	A3058	92	A4670	95	A9489	80		
90500	9	A5SC	24	A3060	92	A4671	95	A9490	80		
90500-3	9	A11S/P/W	23/24	A3069	93	A4732	84	A9492	80/81/86		
90500Z	9	A12S/P/W	23/24	A3077	94	A4778	83/84	A9499	84		
90500Z-3	9	A12SC	24	A3078	94	A4779	84	A9550	90		
90588	48	A12W	43	A3079	91	A4781	83	A9590	90/96		
90589	48	A13S/P/W	23	A3081	94	A4790	83	A9592	96		
90590	48	A15S/P/W	24	A3084	76/91	A5290	73	A9593	96		
90800	9	A15LS/P/W	24	A3085	77	A5532	85	A9611	93		
90800-3	9	A15LW	43	A3086	77	A5646	91	A9626	94		
90800Z	9	A15W	43	A3087	77	A5677-2	62	A9633	94		
90800Z-3	9	A21S/P/W	23/24	A3088	91	A5689	91	A9634	94		
908888	99	A23LS/P/W	24	A3089	95	A5843	93	A9645	96		
908889	99	A23S	23	A3090	94	A6058	91	A9708	79		
91800N	34	A24S/P/W	24	A3092	91	A6109	91	A9822	92		
101800N	34	A25S	19/23	A3101A	79/80	A6486	91	A9831	96		
101800S	34	A25S/P/W	24	A3102A	79/80	A6766	91	A9837	94		
111800N	34	A25SC	24	A3103	79	A6825	91/96	A9847	96		
111800S	34	A26S/P/W	24	A3106	79	A6839	94	A9847K	96		
121800N	34	A31S/P	23	A3107	79	A6841	91	A9879	78/91		
121800S	34	A32S/P	24	A3108	79	A6853	94	A9918	93		
131800N	34	A32SC	24	A3109	79	A6854	94	A9919	93		
141800N	34	A34S	24	A3110	79	A6854-2	94	A9921	86		
141800S	34	A36S	23	A3112	81/86	A6864	91	A9922	86		
151800N	21	A36W	43	A3113	86	A6871	92	A9998	96		
151800S	21	A37W	43	A3114	81/86	A6872	92	A9999	96		
161800N	21	A37S	23	A3118	79	A6873	92	A-07963	76		
161800S	21	A38SC	24	A3119	79	A6874	92	A10650	78		
235100	21	A39S	23	A3120	79	A6889	92	A10651	78		
235100V	21	A209	91	A3121	79	A6893	96	A10868	95		
235120	21	A213	91/96	A3122	79	A6905	78	A10868-O	95		
235120V	21	A220	91	A3123	80	A6906	78	A11150	76		
235150	21	A236	91	A3125	80/86	A6907	93	A11154	76		
235150V	21	A237	91	A3153	96	A6908	93	A11166	76		
235180	21	A283	91	A3159	77	A6923	78/93	A11220	78		
235180V	21	A306	91	A3161	95	A6929	78/91	A11221	91		

PART#	PAGE#
A11222	76
A11224	91/96
A11224	91/96
A11224	96
A11225	91
A11227	78/91/96
A11273	91
A18277	50
A18278	50
A20463	91
A21972	91
A22006	94
A22138	79
A22763	94
A22764	94
A24446	78
A25270	78
A25271	78
A29190	77
A29191	77
A29254	76
A43685	76
A436271	91
A436272	85
AW5	23
AW7	23
AW10	24
BB12100A	97
BB12100B	97
BB12100C	97
BB12100D	97
BB12100E	97
BB12100N	97
BB12100O	97
BB12100R	97
BB12100T	97
BB12100U	97
BB12100V	97
BB12100X	97
BB12150	97
BB12156	97
BB12300	97
BB12300CC	97
BB12300-U	97
BBA-18	97
BT5	38
BT5M	N/P
BT5A	38
BT8	38
BT9	36/43
BT10	38
BT11	37
BT12	37
BT13	37/38
BT14	37/38
BT15	37/38/43
BT16	37/38
BT17	37/38
BT18	37
BT19	37
BT20	37/38
BT20E	39
BT21	37/38
BT21E	39
BT22	36/38
BT22E	39
BT23	36
BT23E	39



Part# to Page Numbers Crossover

PART# PAGE#

BT24	36/38
BT25	36
BT26	36
BT27	36/38
BT28	36
BT29	60
BT30	43
BT31	37/38
BT32	37
BT32E	39
BT33	37/38
BT33E	39
BT34	43
BT34L	43
BT34S	43
BT35	37/38
BT36	37/38
BT37	37
BT38	37
BT40	36/38
BT40E	39
BT41	36
BT41E	39
BT42	37
BT42E	39
BT43E	39
BT45	37
BT48	36
BT49	36
BT50	36
BT52	36
BT53	37
BT54	36
BT55	36
BT56	37
BT57	37
BT58	37
BT59	37
BT5A	38
BT63	37
BT64	37
BT68	36
BTA4	39
BTE4	39
BTE6	39
BTM	35
BTM-1	35
BTM-2	35
BTM-3	35
BTM-4	35
BTM-5	35
BTM-6	35
BTM-7	35
BTM-8	35
BTM-9	35
C10751	48
C13786	45
C24083	45
C67715	45
C71410	45
C71411	45
C000491	47
C106259	47
C106572	47
C106576	47
C106871	45
C108028	47
C108029	44
C108397	44

PART#	PAGE#	PART#	PAGE#	PART#	PAGE#	PART#	PAGE#	PART#	PAGE#
C108398	44	DP220	6	SKA	15				
C109873	49	SDP260	6	SKP702	7				
C120366	47	SDP280	6	SKP702-10	7				
C305001	47	SDP301	6	SKP902	7				
C410419	45	SDP302	6	SKP902-10	7				
C410420	45	SDP401	6	SLP4	44				
F101	76	SDP401-5	6	SLP7	44				
F436	17	SDP401SC-25	6	SLP9	44				
F436Z	17	SDP402	6	SVE50	41				
F460	17	SDP403	6	SVE90	41				
F460Z	17	SDP403-3	6	SVE100	41				
F480	17	SDP403-5	6	SVR111	41				
F480Z	17	SDP403-25	6	SX330/45	41				
F736	17	SDP403SC-5	6	SX430/45	41				
F736Z	17	SDP403SC-25	7	SX530/45	41				
F736ZH	17	SDP404	6	SX630/45	41				
F760	17	SDP404-3	6	SX730/45	41				
F760Z	17	SDP404-5	6	SX830/45	41				
F760ZH	17	SDP404-25	6	SX1030/45	41				
F780	17	SDP405	6	SX2030/45	41				
F780Z	17	SDP424	6	SX3030/45	41				
F780ZH	17	SDP424-3	6	SX4030/45	41				
F1460	19	SDP424-5	6	SX5030/45	41				
F1540	19	SDP424-25	6	SX6030/45	41				
F4000	17	SDP434	6	SX7030/45	41				
F4120	17	SDP434-3	6	SX8030/45	41				
F4120Z	17	SDP434-5	6	V101	76				
F4536	17	SDP434-25	6	W178S	19/23				
F4536Z	17	SDP451	6	W178S/P/W	24				
F4536ZH	17	SDP451-3	6	W178SC	24				
F4560	17	SDP451-5	6	W179S/P/W	24				
F4560Z	17	SDP451-25	6	W179SC	24				
F4560ZH	17	SDP451SC-5	7	W187S/P/W	24				
F4580	17	SDP451SC-25	7	W188S	23				
F4580Z	17	SDP452	6	W196S/P/W	24				
F4580ZH	17	SDP452-3	6	W196SC	24				
F45120	17	SDP452-5	6	W204S/P/W	24				
F45120Z	17	SDP452-25	6	W204SC	24				
F45120ZH	17	SDP452H	6	W205	24				
F7120	17	SDP452SC-5	7	W205SC	24				
F7120Z	17	SDP452SC-25	7	W206S	23				
F7120ZH	17	SDP452Z	6	W206S/P/W	24				
FT450	15	SDP452Z-25	6	W216S/P/W	24				
FT475	15	SDP452ZH	N/P	W217/WS/P	24				
FTA	15	SDP453	6	W217SC	24				
H101	76	SDP453-3	6	W218S/P/W	24				
K101	76	SDP453-5	6	W220S/P/W	24				
K41	70	SDP454-5	6	W225S/P/W	23/24				
K42	70	SDP454-10	6	W225SC	24				
P101	76	SDP455-5	6	W229SP/W	24				
PT401	43	SDP501	6	W225SC	24				
R101	76	SDP502	6	W235S/P/W	24				
R60Z	75	SDP502N	6	W235SC	24				
R120Z	75	SDP502SC-25	7	W236S/P/W	19/23/24				
R240Z	75	SDP701	7						
S0051A	97	SDP701-10	7						
S0052	97	SDP701N	7						
S0061AP	97	SDP702	7						
S0061M	97	SDP702-10	7						
S1060A	30	SDP702N	7						
S1150	30	SDP702N-10	7						
S1150A	30	SDP702NZ-5	7						
S1160	30	SDP702SC-10	7						
S1160A	30	SDP702Z	7						
S1250	30	SDP702Z-10	7						
S1250A	30	SDP902	7						
S1260	30	SDP902-10	7						
S1260A	30	SDP902N	7						
S2020	29	SDP902N-10	7						
S3660	29	SDP902SC-10	7						
S3665	29	SDP902Z	7						
S3670	29	SDP902Z-10	7						
S6600	19	SK450	15						
S6650	19	SK475	15						

ASK ABOUT:
OUR WELDING CATALOGUE AND DISPLAYS

Our full line Welding Accessory Catalogue offers 61 pages of Abrasives, Wire, Rod, Wire Wheels, Protective Clothing and many more accessories.



2 Way and 4 Way Welding Displays




17003



17004

AND....SOON TO COME WELDING EQUIPMENT.

The background of the entire page is a close-up, artistic photograph of a shark's head. The shark's eye is visible on the right side, looking towards the left. The skin of the shark is a deep, mottled brown. The most prominent feature is the shark's mouth, which is wide open, revealing a dense, chaotic mass of long, thin, yellowish-white fibers or strands that appear to be caught in the teeth or hanging from the mouth. The lighting is dramatic, with highlights on the fibers and the shark's eye, and deep shadows in the mouth and surrounding skin.

SHARK

Division of Shark Industries Ltd.

6700 Bleck Drive, Rockford, MN 55373

(800) 537-4275 • (763) 565-1900 • (763) 565-1901 FAX

EMAIL: catalogue@sharkind.com • www.sharkind.com