

IMPACT SOCKETS

GUARANTEED TO PERFORM



Trusted by Professionals Since 1977

www.sunextools.com





SUNEX TOOLS® WARRANTY PROGRAM

TABLE OF CONTENTS

Sunex Tools’ Impact Sockets are warranted against defects in materials and workmanship for the life of the product. This warranty does not apply to items that have been misused, abused, altered in any way, or worn out from use. Some adapters, reducers, and extra thin wall impact sockets are sold without warranty.



Sets: Sunex Tools’ Lifetime Warranty on Sets applies to the individual parts within the set. If one part is deemed to be defective we will replace that part and not the complete set.

Super Reducers: Sunex Tools’ Super Reducers are covered under the Lifetime Warranty for impact sockets. This policy extends only to Super Reducer model numbers 2303, 3303, 4305, and 5305.

Chrome Vanadium Sockets: All Sunex Tools’ sockets are clearly marked with the material from which they are manufactured. Sockets intended for use with hand operated tools are made from Chrome-Vanadium steel. These sockets are not designed for use with impact tools of any kind. Doing so will void the warranty on these sockets.

SUNEX INTERNATIONAL, INC. WARRANTS TO ITS CUSTOMERS THAT THE COMPANY’S SUNEX TOOLS® BRANDED PRODUCTS ARE FREE FROM DEFECTS IN WORKMANSHIP AND MATERIALS. Sunex International, Inc. will repair or replace it’s Sunex Tools® branded products which fail to give satisfactory service due to defective workmanship or materials, based upon the terms and conditions of the following described warranty plans attributed to that specific product.

Sunex Tools Warranty Plans:

> Sunex Tools® Impact Sockets, Wrenches, Screwdrivers, Specialty Tools, and Vises

These products carry a LIFETIME warranty—effective for as long as you own the product. Sunex International, Inc. will repair or replace at our option any part or unit which proves to be defective in material or workmanship. Adapters and extra thin wall impact sockets are not covered by this warranty.

> Sunex Tools® Bottle Jacks, Long Ram Jacks, and Jack Stands

These products carry a ONE-YEAR warranty. During this warranty period, Sunex International, Inc. will replace any unit which proves to be defective in material or workmanship.

> **Sunex Tools® Air Tools, Other Lifting Equipment, Rivet Guns, Bench Grinders, Drill Presses, and Band Saws** These products carry a ONE-YEAR warranty. During this warranty period, Sunex International, Inc. will repair or replace at our option any part or unit which proves to be defective in material or workmanship. The SXC series air tools are excepted from this warranty. SXC series tool carry a 1 year replacement warranty.

> **Sunex Tools® Torque Wrenches, Spray Guns & Spray Gun Accessories** These products carry a 90-DAY warranty. During this warranty period, Sunex International, Inc. will repair or replace at our option any part or unit which proves to be defective in material or workmanship.

> **Sunex Tools® Creepers and Service Carts & Accessories** These products carry an “As Is” warranty. These products are warranted, at the time of sale only, against defects in materials or workmanship that prevent their use.

> **Sunex Tools® Consumables** A consumable product is warranted, at the time of sale only, against defects in materials or workmanship that prevent its use. Consumable products are goods reasonably expected to be used up or damaged during use, including but not limited to cutting wheels, blades and sanding pads.

SPECIAL NOTE FOR APPLYING WARRANTY PLANS TO PRODUCTS PURCHASED IN SETS:

If a product is purchased as a set, the warranty applies to the individual products within the set but not to the set as a whole. For example, if one item (e.g. impact sockets) in the set is found defective due to manufacturing workmanship, Sunex International, Inc. will replace that individual item (one socket) in the set, but not the entire set.

Other important warranty information...

- This warranty does not cover damage to equipment or tools arising from alteration, abuse, misuse, damage and does not cover any repairs or replacement made by anyone other than Sunex International, Inc. or its authorized warranty service centers. The foregoing obligation is Sunex International, Inc.’s sole liability under this or any implied warranty and under no circumstances shall we be liable for any incidental or consequential damages.
- *Note: Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.*
- To request a Return Goods Authorization (RGA), contact Sunex Tools® Service Department at 877.866.3939 or fax 864.834.6651 with the following information: *your name and address, evidence of the purchase date, and description of the suspected defect.* After receiving an RGA number, return equipment or parts to Sunex International, Inc., *transportation prepaid.* Be sure to reference the RGA Number on all paperwork and packaging.
- If you have any questions about warranty service, please write to Sunex International, Inc. This warranty gives you specific legal rights and you may also have other rights which vary from state to state.
- Repair kits and replacement parts are available for many Sunex Tools® products regardless of whether or not the product is still covered by a warranty plan.

1/4" DRIVE IMPACT SOCKETS	2
3/8" DRIVE IMPACT SOCKETS	8
1/2" DRIVE IMPACT SOCKETS	19
3/4" DRIVE IMPACT SOCKETS	38
1" DRIVE IMPACT SOCKETS	45
1 - 1/2" DRIVE IMPACT SOCKETS	50
#5 SPLINE DRIVE IMPACT SOCKETS	51
HEX DRIVERS	52
ADAPTERS, REDUCERS AND SUPER REDUCERS	58
EXTENSIONS	59
SPECIALTY SOCKETS	61
IMPACT SOCKET SPECIFICATIONS	79
PART NUMBER INDEX	129

1/4" DRIVE IMPACT SOCKETS



**1/4" DRIVE STANDARD
9 PIECE METRIC
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



1809		
INCLUDES:		
5.5mm (8055M)	6mm (806M)	7mm (807M)
8mm (808M)	9mm (809M)	10mm (810M)
11mm (811M)	12mm (812M)	13mm (813M)



**1/4" DRIVE STANDARD
10 PIECE SAE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



1810		
INCLUDES:		
3/16" (806)	7/32" (807)	1/4" (808)
9/32" (809)	5/16" (810)	11/32" (811)
3/8" (812)	7/16" (814)	1/2" (816)
9/16" (818)		



**1/4" DRIVE DEEP
10 PIECE SAE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



1811		
INCLUDES:		
3/16" (806D)	7/32" (807D)	1/4" (808D)
9/32" (809D)	5/16" (810D)	11/32" (811D)
3/8" (812D)	7/16" (814D)	1/2" (816D)
9/16" (818D)		



**1/4" DRIVE DEEP
9 PIECE METRIC
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



1812		
INCLUDES:		
5.5mm (8055MD)	6mm (806MD)	7mm (807MD)
8mm (808MD)	9mm (809MD)	10mm (810MD)
11mm (811MD)	12mm (812MD)	13mm (813MD)



**1/4" DRIVE UNIVERSAL
6 PIECE SAE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



1813		
INCLUDES:		
1/4" (808U)	5/16" (810U)	3/8" (812U)
7/16" (814U)	1/2" (816U)	9/16" (818U)



**1/4" DRIVE UNIVERSAL
12 PIECE METRIC
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



1814		
INCLUDES:		
5mm (805UM)	5.5mm (8055UM)	6mm (806UM)
7mm (807UM)	8mm (808UM)	9mm (809UM)
10mm (810UM)	11mm (811UM)	12mm (812UM)
13mm (813UM)	14mm (814UM)	15mm (815UM)

1/4" DRIVE IMPACT SOCKETS

1/4" DRIVE
48 PIECE SAE & METRIC
IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



1848		
INCLUDES:		
10 Standard SAE Sockets:		
3/16" (806)	7/32" (807)	1/4" (808)
9/32" (809)	5/16" (810)	11/32" (811)
3/8" (812)	7/16" (814)	1/2" (816)
9/16" (818)		
INCLUDES:		
10 Deep SAE Sockets:		
3/16" (806D)	7/32" (807D)	1/4" (808D)
9/32" (809D)	5/16" (810D)	11/32" (811D)
3/8" (812D)	7/16" (814D)	1/2" (816D)
9/16" (818D)		
14 Standard Metric Sockets:		
4mm (804M)	4.5mm (8045M)	5mm (805M)
5.5mm (8055M)	6mm (806M)	7mm (807M)
8mm (808M)	9mm (809M)	10mm (810M)
11mm (811M)	12mm (812M)	13mm (813M)
14mm (814M)	15mm (815M)	
14 Deep Metric Sockets:		
4mm (804MD)	4.5mm (8045MD)	5mm (805MD)
5.5mm (8055M)	6mm (806MD)	7mm (807MD)
8mm (808MD)	9mm (809MD)	10mm (810MD)
11mm (811MD)	12mm (812MD)	13mm (813MD)
14mm (814MD)	15mm (815MD)	



1/4" DRIVE
MASTER MAGNETIC
23 PIECE SAE & METRIC
IMPACT SOCKET SET

- > Magnetized to hold fasteners securely during installation and removal
- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



1818		
INCLUDES:		
9 SAE Sockets:		
3/16" (806MG)	7/32" (807MG)	1/4" (808MG)
9/32" (809MG)	5/16" (810MG)	11/32" (811MG)
3/8" (812MG)	7/16" (814MG)	1/2" (816MG)
12 Metric Sockets:		
5mm (805MMG)	5.5mm (8055MMG)	6mm (806MMG)
7mm (807MMG)	8mm (808MMG)	9mm (809MMG)
10mm (810MMG)	11mm (811MMG)	12mm (812MMG)
13mm (813MMG)	14mm (814MMG)	15mm (815MMG)
1/4" Universal Joint (1800)		
1/4" 2" Extension (1802)		

1/4" DRIVE IMPACT SOCKETS



1/4", 3/8" & 1/2" DRIVE
12 PIECE INTERNAL
STAR IMPACT
SOCKET SET

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case

1820S		
INCLUDES:		
1/4" Drive:		
T10 (1820S1)	T15 (1820S2)	T20 (1820S3)
T25 (1820S4)	T27 (1820S5)	T30 (1820S6)
3/8" Drive:		
T40 (3670S5)	T45 (3670S6)	T47 (3670S7)
T50 (3670S8)	T55 (3670S9)	
1/2" Drive:	T60 (2690S7)	



1/4" DRIVE 12 POINT
11 PIECE MAGNETIC
METRIC UNIVERSAL
IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Great for use in confined spaces
- > Magnetic sockets hold fastener securely in place
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 0.87



1825	
INCLUDES:	
5mm (805ZUMMG)	6mm (806ZUMMG)
7mm (807ZUMMG)	8mm (808ZUMMG)
9mm (809ZUMMG)	10mm (810ZUMMG)
11mm (811ZUMMG)	12mm (812ZUMMG)
13mm (813ZUMMG)	14mm (814ZUMMG)
15mm (815ZUMMG)	



1/4" DRIVE DEEP
10 PIECE MAGNETIC SAE
IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Sockets include a spring loaded magnet that retracts into the socket for extended bolt applications
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 0.87



1830		
INCLUDES:		
3/16" (806DMG)	7/32" (807DMG)	1/4" (808DMG)
9/32" (809DMG)	5/16" (810DMG)	11/32" (811DMG)
3/8" (812DMG)	7/16" (814DMG)	1/2" (816DMG)
9/16" (818DMG)		



1/4" DRIVE DEEP
14 PIECE MAGNETIC
METRIC IMPACT
SOCKET SET

- > CR-MO alloy steel for long life
- > Sockets include a spring loaded magnet that retracts into the socket for extended bolt applications
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 1.2



1831			
INCLUDES:			
4mm (804MDMG)	4.5mm (8045MDMG)		
5mm (805MDMG)	5.5mm (8055MDMG)		
6mm (806MDMG)	7mm (807MDMG)		
8mm (808MDMG)	9mm (809MDMG)		
10mm (810MDMG)	11mm (811MDMG)		
12mm (812MDMG)	13mm (813MDMG)		
14mm (814MDMG)	15mm (815MDMG)		

1/4" DRIVE IMPACT SOCKETS

1/4" DRIVE IMPACT SOCKETS


1/4" DRIVE MASTER
74 PIECE SAE & METRIC
IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case




1874			
INCLUDES:			
10 Standard Sockets:			
3/16" (806)	7/32" (807)	1/4" (808)	9/32" (809)
5/16" (810)	11/32" (811)	3/8" (812)	7/16" (814)
1/2" (816)	9/16" (818)		
10 Deep SAE Sockets:			
3/16" (806D)	7/32" (807D)	1/4" (808D)	
9/32" (809D)	5/16" (810D)	11/32" (811D)	
3/8" (812D)	7/16" (814D)	1/2" (816D)	
9/16" (818D)			
14 Standard Metric Sockets:			
4mm (804M)	4.5mm (8045M)	5mm (805M)	
5.5mm (8055M)	6mm (806M)	7mm (807M)	
8mm (808M)	9mm (809M)	10mm (810M)	
11mm (811M)	12mm (812M)	13mm (813M)	
14mm (814M)	15mm (815M)		
11 Deep Metric Sockets:			
5.5mm (8055MD)	6mm (806MD)	7mm (807MD)	
8mm (808MD)	9mm (809MD)	10mm (810MD)	
11mm (811MD)	12mm (812MD)	13mm (813MD)	
14mm (814MD)	15mm (815MD)		
6 Universal SAE Sockets:			
1/4" (808U)	5/16" (810U)	3/8" (812U)	
7/16" (814U)	1/2" (816U)	9/16" (818U)	
12 Universal Metric Sockets:			
5mm (805UM)	5.5mm (8055UM)	6mm (806UM)	
7mm (807UM)	8mm (808UM)	9mm (809UM)	
10mm (810UM)	11mm (811UM)	12mm (812UM)	
13mm (813UM)	14mm (814UM)	15mm (815UM)	
6 Internal Star Sockets:			
T10 (1820S1)	T15 (1820S2)	T20 (1820S3)	
T25 (1820S4)	T27 (1820S5)	T30 (1820S6)	
3 Extensions:			
2" (1802)	4" (1804)	6" (1806)	
Universal Joint (1800)			
3/8" Adapter (3301) (Adapters not under warranty)			

1/4" DRIVE INDIVIDUAL
INTERNAL STAR SOCKETS




Size	Model #
T10	1820S1
T15	1820S2
T20	1820S3
T25	1820S4
T27	1820S5
T30	1820S6

1/4" DRIVE INDIVIDUAL
SAE SOCKETS




Size	Standard	Deep	Universal	Magnetic	Deep Magnetic
SAE	Model#	Model#	Model#	Model#	Model#
3/16"	806	806D	806U	806MG	806DMG
7/32"	807	807D	807U	807MG	807DMG
1/4"	808	808D	808U	808MG	808DMG
9/32"	809	809D	809U	809MG	809DMG
5/16"	810	810D	810U	810MG	810DMG
11/32"	811	811D	811U	811MG	811DMG
3/8"	812	812D	812U	812MG	812DMG
7/16"	814	814D	814U	814MG	814DMG
1/2"	816	816D	816U	816MG	816DMG
9/16"	818	818D	818U	818MG	818DMG

1/4" DRIVE INDIVIDUAL
METRIC SOCKETS




Size	Standard	Deep	Universal	Magnetic	Deep Magnetic	12 Pt. Mag. Universal
Metrics	Model#	Model#	Model#	Model#	Model#	Model#
4mm	804M	804MD	804UM	804MMG	804MDMG	
4.5mm	8045M	8045MD	8045UM	8045MMG	8045MDMG	
5mm	805M	805MD	805UM	805MMG	805MDMG	805ZUMMG
5.5mm	8055M	8055MD	8055UM	8055MMG	8055MDMG	
6mm	806M	806MD	806UM	806MMG	806MDMG	806ZUMMG
7mm	807M	807MD	807UM	807MMG	807MDMG	807ZUMMG
8mm	808M	808MD	808UM	808MMG	808MDMG	808ZUMMG
9mm	809M	809MD	809UM	809MMG	809MDMG	809ZUMMG
10mm	810M	810MD	810UM	810MMG	810MDMG	810ZUMMG
11mm	811M	811MD	811UM	811MMG	811MDMG	811ZUMMG
12mm	812M	812MD	812UM	812MMG	812MDMG	812ZUMMG
13mm	813M	813MD	813UM	813MMG	813MDMG	813ZUMMG
14mm	814M	814MD	814UM	814MMG	814MDMG	814ZUMMG
15mm	815M	815MD	815UM	815MMG	815MDMG	815ZUMMG

1/4" DRIVE INDIVIDUAL
EXTENSIONS



Item	Model #
2" Extension	1802
4" Extension	1804
6" Extension	1806

1/4" DRIVE INDIVIDUAL
UNIVERSAL JOINT



Item	Model #
Universal Joint	1800

3/8" DRIVE IMPACT SOCKETS

3/8" DRIVE IMPACT SOCKETS

3/8" DRIVE MASTER
25 PIECE SAE
IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



3325			
INCLUDES:			
12 Standard Sockets:			
5/16" (310)	3/8" (312)	7/16" (314)	1/2" (316)
9/16" (318)	5/8" (320)	11/16" (322)	3/4" (324)
13/16" (326)	7/8" (328)	15/16" (330)	1" (332)
12 Deep Sockets:			
5/16" (310D)	3/8" (312D)	7/16" (314D)	
1/2" (316D)	9/16" (318D)	5/8" (320D)	
11/16" (322D)	3/4" (324D)	13/16" (326D)	
7/8" (328D)	15/16" (330D)	1" (332D)	
Universal Joint (3301)			

3/8" DRIVE
MASTER 29 PIECE
12 POINT SAE
IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > 12 Point sockets offer double the starting points as 6 point sockets
- > Heavy duty blow molded storage case



3/8" DRIVE SEMI-DEEP
13 PIECE SAE
IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



3326			
INCLUDES:			
12 Standard 12 Point Sockets:			
5/16" (310Z)	3/8" (312Z)	7/16" (314Z)	
1/2" (316Z)	9/16" (318Z)	5/8" (320Z)	
11/16" (322Z)	3/4" (324Z)	13/16" (326Z)	
7/8" (328Z)	15/16" (330Z)	1" (332Z)	
12 Deep 12 Point Sockets:			
5/16" (36801)	3/8" (36802)	7/16" (36803)	
1/2" (36804)	9/16" (36805)	5/8" (36806)	
11/16" (36807)	3/4" (36808)	13/16" (36809)	
7/8" (368010)	15/16" (368011)	1" (368012)	
Universal Joint (3301)			

3327			
INCLUDES:			
5/16" (310)	3/8" (312)	7/16" (314)	
1/2" (316)	9/16" (318)	5/8" (320)	
11/16" (322)	3/4" (324)	13/16" (326)	
7/8" (328)	15/16" (330)		
1" & 3/8" Dr. Universal Impact Joint (322)			



3/8" DRIVE MID-DEPTH
14 PIECE METRIC
IMPACT SOCKET SET

- > CR-MO alloy steel for long life



3328		
INCLUDES:		
8mm (308MD)	9mm (309MD)	10mm (310MD)
11mm (311MD)	12mm (312MD)	13mm (313MD)
14mm (314MD)	15mm (315MD)	16mm (316MD)
17mm (317MD)	18mm (318MD)	19mm (319MD)
21mm (321MD)	22mm (322M)	

3/8" DRIVE MASTER
29 PIECE METRIC
IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



3329		
INCLUDES:		
14 Standard Sockets:		
8mm (308M)	9mm (309M)	10mm (310M)
11mm (311M)	12mm (312M)	13mm (313M)
14mm (314M)	15mm (315M)	16mm (316M)
17mm (317M)	18mm (318M)	19mm (319M)
21mm (321M)	22mm (322M)	
14 Deep Sockets:		
8mm (308MD)	9mm (309MD)	10mm (310MD)
11mm (311MD)	12mm (312MD)	13mm (313MD)
14mm (314MD)	15mm (315MD)	16mm (316MD)
17mm (317MD)	18mm (318MD)	19mm (319MD)
21mm (321MD)	22mm (322MD)	
Universal Joint (3301)		

3/8" DRIVE
MASTER 29 PIECE
12 POINT METRIC
IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > 12 Point sockets offer double the starting points as 6 point sockets
- > Heavy duty blow molded storage case



3330		
INCLUDES:		
14 Deep 12 Point Sockets:		
8mm (308MZ)	9mm (309MZ)	10mm (310MZ)
11mm (311MZ)	12mm (312MZ)	13mm (313MZ)
14mm (314MZ)	15mm (315MZ)	16mm (316MZ)
17mm (317MZ)	18mm (318MZ)	19mm (319MZ)
21mm (321ZM)	22mm (322ZM)	
14 Deep 12 Point Sockets:		
8mm (368208)	9mm (368209)	10mm (368210)
11mm (368211)	12mm (368212)	13mm (368213)
14mm (368214)	15mm (368215)	16mm (368216)
17mm (368217)	18mm (368218)	19mm (368219)
21mm (321ZMD)	22mm (322ZMD)	
Universal Joint (3301)		

3/8" DRIVE IMPACT SOCKETS

3/8" DRIVE IMPACT SOCKETS

3/8" DRIVE MASTER
STANDARD AND
DEEP LENGTH
42 PIECE METRIC
IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



3342		
INCLUDES:		
8 Standard Sockets:		
5/16" (310)	3/8" (312)	7/16" (314)
1/2" (316)	9/16" (318)	5/8" (320)
11/16" (322)	3/4" (324)	
9 Deep Sockets:		
5/16" (310D)	3/8" (312D)	7/16" (314D)
1/2" (316D)	9/16" (318D)	5/8" (320D)
11/16" (322D)	3/4" (324D)	
12 Standard Metric Sockets:		
8mm (308M)	9mm (309M)	10mm (310M)
11mm (311M)	12mm (312M)	13mm (313M)
14mm (314M)	15mm (315M)	16mm (316M)
17mm (317M)	18mm (318M)	19mm (319M)
12 Deep Metric Sockets:		
8mm (308MD)	9mm (309MD)	10mm (310MD)
11mm (311MD)	12mm (312MD)	13mm (313MD)
14mm (314MD)	15mm (315MD)	16mm (316MD)
17mm (317MD)	18mm (318MD)	19mm (319MD)
Universal Joint	3" Extension	

3/8" DRIVE STANDARD
13 PIECE METRIC
IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



3358		
INCLUDES:		
7mm (307M)	8mm (308M)	9mm (309M)
10mm (310M)	11mm (311M)	12mm (312M)
13mm (313M)	14mm (314M)	15mm (315M)
16mm (316M)	17mm (317M)	18mm (318M)
19mm (319M)		

3/8" DRIVE DEEP
13 PIECE METRIC
IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



3359		
INCLUDES:		
7mm (307MD)	8mm (308MD)	9mm (309MD)
10mm (310MD)	11mm (311MD)	12mm (312MD)
13mm (313MD)	14mm (314MD)	15mm (315MD)
16mm (316MD)	17mm (317MD)	18mm (318MD)
19mm (319MD)		



3/8" DRIVE STANDARD
12 PIECE SAE
IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



3360			
INCLUDES:			
5/16" (310)	3/8" (312)	7/16" (314)	1/2" (316)
9/16" (318)	5/8" (320)	11/16" (322)	3/4" (324)
13/16" (326)	7/8" (328)	15/16" (330)	1" (332)

3/8" DRIVE MASTER
DEEP 28 PIECE
SAE & METRIC
IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Fully guaranteed (excluding adapter)
- > Heavy duty blow molded storage case

Replacement storage case - RS97201



3360DD			
INCLUDES:			
12 Deep SAE Sockets:			
5/16" (310D)	3/8" (312D)	7/16" (314D)	1/2" (316D)
9/16" (318D)	5/8" (320D)	11/16" (322D)	3/4" (324D)
13/16" (326D)	7/8" (328D)	15/16" (330D)	1" (332D)
14 Deep Metric Sockets:			
8mm (308MD)	9mm (309MD)	10mm (310MD)	
11mm (311MD)	12mm (312MD)	13mm (313MD)	
14mm (314MD)	15mm (315MD)	16mm (316MD)	
17mm (317MD)	18mm (318MD)	19mm (319MD)	
21mm (321MD)	22mm (322MD)		
1/2"(F) x 3/8"(M) Adapter (2301)			
3" Extension (3503)			

3/8" DRIVE DEEP
12 PIECE SAE
IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



3361		
INCLUDES:		
5/16" (310D)	3/8" (312D)	7/16" (314D)
1/2" (316D)	9/16" (318D)	5/8" (320D)
11/16" (322D)	3/4" (324D)	13/16" (326D)
7/8" (328D)	15/16" (330D)	1" (332D)

3/8" DRIVE STANDARD
8 PIECE SAE
IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



3650			
INCLUDES:			
5/16" (310)	3/8" (312)	7/16" (314)	1/2" (316)
9/16" (318)	5/8" (320)	11/16" (322)	3/4" (324)



3/8" DRIVE IMPACT SOCKETS

3/8" DRIVE IMPACT SOCKETS



3/8" DRIVE STANDARD
8 PIECE METRIC
IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



3651

INCLUDES:

9mm (309M)	10mm (310M)	11mm (311M)
13mm (313M)	14mm (314M)	15mm (315M)
17mm (317M)	18mm (318M)	19mm (319M)



3/8" DRIVE UNIVERSAL
7 PIECE METRIC
IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



3655

INCLUDES:

10mm (310UM)	13mm (313UM)	14mm (314UM)
15mm (315UM)	16mm (316UM)	17mm (317UM)
18mm (318UM)		



3/8" DRIVE DEEP
8 PIECE SAE
IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



3652

INCLUDES:

5/16" (310D)	3/8" (312D)	7/16" (314D)
1/2" (316D)	9/16" (318D)	5/8" (320D)
11/16" (322D)	3/4" (324D)	



3/8" DRIVE DEEP
UNIVERSAL
7 PIECE SAE
IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



3656

INCLUDES:

3/8" (312UD)	7/16" (314UD)	1/2" (316UD)
9/16" (318UD)	5/8" (320UD)	11/16" (322UD)
3/4" (324UD)		



3/8" DRIVE DEEP
8 PIECE METRIC
IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



3653

INCLUDES:

9mm (309MD)	10mm (310MD)	11mm (311MD)
13mm (313MD)	14mm (314MD)	15mm (315MD)
17mm (317MD)	19mm (319MD)	



3/8" DRIVE UNIVERSAL
10 PIECE METRIC
IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



3657

INCLUDES:

10mm (310UM)	11mm (311UM)	12mm (312UM)
13mm (313UM)	14mm (314UM)	15mm (315UM)
16mm (316UM)	17mm (317UM)	18mm (318UM)
19mm (319UM)		



3/8" DRIVE UNIVERSAL
7 PIECE SAE
IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



3654

INCLUDES:

3/8" (312U)	7/16" (314U)	1/2" (316U)
9/16" (318U)	5/8" (320U)	11/16" (322U)
3/4" (324U)		



3/8" DRIVE DEEP
UNIVERSAL 10 PIECE
METRIC IMPACT
SOCKET SET

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



3660

INCLUDES:

10mm (310UMD)	11mm (311UMD)	12mm (312UMD)
13mm (313UMD)	14mm (314UMD)	15mm (315UMD)
16mm (316UMD)	17mm (317UMD)	18mm (318UMD)
19mm (319UMD)		

3/8" DRIVE IMPACT SOCKETS

3/8" DRIVE IMPACT SOCKETS



**3/8" DRIVE INTERNAL
STAR 9 PIECE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case

3670S		
INCLUDES:		
T20 (3670S1)	T25 (3670S2)	T27 (3670S3)
T30 (3670S4)	T40 (3670S5)	T45 (3670S6)
T47 (3670S7)	T50 (3670S8)	T55 (3670S9)



**3/8" DRIVE EXTERNAL
STAR 9 PIECE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case

3670SE		
INCLUDES:		
E5 (3670SE1)	E6 (3670SE2)	E7 (3670SE3)
E8 (3670SE4)	E10 (3670SE5)	E11 (3670SE6)
E12 (3670SE7)	E14 (3670SE8)	E16 (3670SE9)



**3/8" DRIVE STANDARD
12 PIECE 12 POINT SAE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > 12 Point sockets offer double the starting points as 6 point sockets
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 2.2



3674		
INCLUDES:		
5/16" (310Z)	3/8" (312Z)	7/16" (314Z)
1/2" (316Z)	9/16" (318Z)	5/8" (320Z)
11/16" (322Z)	3/4" (324Z)	13/16" (326Z)
7/8" (328Z)	15/16" (330Z)	1" (332Z)



**3/8" DRIVE STANDARD
13 PIECE
12 POINT METRIC
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > 12 Point sockets offer double the starting points as 6 point sockets
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 1.8



3675		
INCLUDES:		
7mm (307MZ)	8mm (308MZ)	9mm (309MZ)
10mm (310MZ)	11mm (311MZ)	12mm (312MZ)
13mm (313MZ)	14mm (314MZ)	15mm (315MZ)
16mm (316MZ)	17mm (317MZ)	18mm (318MZ)
19mm (319MZ)		



**3/8" DRIVE DEEP
UNIVERSAL 12 PIECE
12 POINT SAE IMPACT
SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 4.9



3677		
INCLUDES:		
5/16" (310ZUD)	3/8" (312ZUD)	7/16" (314ZUD)
1/2" (316ZUD)	9/16" (318ZUD)	5/8" (320ZUD)
11/16" (322ZUD)	3/4" (324ZUD)	13/16" (326ZUD)
7/8" (328ZUD)	15/16" (330ZUD)	1" (332ZUD)



**3/8" DRIVE DEEP
UNIVERSAL 13 PIECE
12 POINT METRIC
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 4.6



3678	
INCLUDES:	
7mm (307MZUD)	8mm (308MZUD)
9mm (309MZUD)	10mm (310MZUD)
11mm (311MZUD)	12mm (312MZUD)
13mm (313MZUD)	14mm (314MZUD)
15mm (315MZUD)	16mm (316MZUD)
17mm (317MZUD)	18mm (318MZUD)
19mm (319MZUD)	



**3/8" DRIVE 12 POINT
DEEP 12 PIECE SAE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



3680		
INCLUDES:		
5/16" (36801)	3/8" (36802)	7/16" (36803)
1/2" (36804)	9/16" (36805)	5/8" (36806)
11/16" (36807)	3/4" (36808)	13/16" (36809)
7/8" (368010)	15/16" (368011)	1" (368012)



**3/8" DRIVE 12 POINT
DEEP 13 PIECE METRIC
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow case
- > Ideal for working in tight areas
- > Reduces wear on fasteners



3682	
INCLUDES:	
7mm (368207)	8mm (368208)
9mm (368209)	10mm (368210)
11mm (368211)	12mm (368212)
13mm (368213)	14mm (368214)
15mm (368215)	16mm (368216)
17mm (368217)	18mm (368218)
19mm (368219)	

3/8" DRIVE IMPACT SOCKETS

3/8" DRIVE IMPACT SOCKETS



3/8" DRIVE UNIVERSAL
12 PIECE 12 POINT SAE
IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > 12 Point sockets offer double the starting points as 6 point sockets
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 7.5



3690			
INCLUDES:			
5/16" (310UZ)	3/8" (312UZ)	7/16" (314UZ)	
1/2" (316UZ)	9/16" (318UZ)	5/8" (320UZ)	
11/16" (322UZ)	3/4" (324UZ)	13/16" (326UZ)	
7/8" (328UZ)	15/16" (330UZ)	1" (332UZ)	








3/8" DRIVE
UNIVERSAL 13 PIECE
12 POINT METRIC
IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > 12 Point sockets offer double the starting points as 6 point sockets
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 7.8








3691		
INCLUDES:		
7mm (307ZUM)	8mm (308ZUM)	9mm (309ZUM)
10mm (310ZUM)	11mm (311ZUM)	12mm (312ZUM)
13mm (313ZUM)	14mm (314ZUM)	15mm (315ZUM)
16mm (316ZUM)	17mm (317ZUM)	18mm (318ZUM)
19mm (319ZUM)		

3/8" DRIVE
INDIVIDUAL
SAE SOCKETS



Size	Standard	Deep	Universal	Deep Univ.	Magnetic	12 Point	12 Pt Univ.	12 Pt. Deep	12 Pt. Univ./ Deep
SAE	Model#	Model#	Model#	Model#	Model#	Model#	Model#	Model#	Model#
3/16"									
7/32"									
1/4"					308MG				
5/16"	310	310D	310U	310UD	310MG	310Z	310UZ	36801	310ZUD
3/8"	312	312D	312U	312UD	312MG	312Z	312UZ	36802	312ZUD
7/16"	314	314D	314U	314UD	314MG	314Z	314UZ	36803	314ZUD
1/2"	316	316D	316U	316UD	316MG	316Z	316UZ	36804	316ZUD
9/16"	318	318D	318U	318UD	318MG	318Z	318UZ	36805	318ZUD
5/8"	320	320D	320U	320UD	320MG	320Z	320UZ	36806	
11/16"	322	322D	322U	322UD	322MG	322Z	322UZ	36807	
3/4"	324	324D	324U	324UD	324MG	324Z	324UZ	36808	
13/16"	326	326D	326U	326UD		326Z	326UZ	36809	
7/8"	328	328D	328U	328UD		328Z	328UZ	368010	
15/16"	330	330D				330Z	330UZ	368011	
1"	332	332D				332Z	332UZ	368012	

3/8" DRIVE
INDIVIDUAL
METRIC SOCKETS



Size	Standard	Deep	Universal	Deep Univ.	Magnetic	12 Point	12 Pt. Univ.	12 Pt. Deep	12 Pt. Univ./ Deep
Metric	Model#	Model#	Model#	Model#	Model#	Model#	Model#	Model#	Model#
4mm									
5mm									
6mm									
7mm	307M	307MD			307MMG	307MZ	307ZUM	368207	307MZUD
8mm	308M	308MD			308MMG	308MZ	308ZUM	368208	308MZUD
9mm	309M	309MD			309MMG	309MZ	309ZUM	368209	309MZUD
10mm	310M	310MD	310UM	310UMD	310MMG	310MZ	310ZUM	368210	310MZUD
11mm	311M	311MD	311UM	311UMD	311MMG	311MZ	311ZUM	368211	
12mm	312M	312MD	312UM	312UMD	312MMG	312MZ	312ZUM	368212	312MZUD
13mm	313M	313MD	313UM	313UMD	313MMG	313MZ	313ZUM	368213	313MZUD
14mm	314M	314MD	314UM	314UMD	314MMG	314MZ	314ZUM	368214	314MZUD
15mm	315M	315MD	315UM	315UMD	315MMG	315MZ	315ZUM	368215	315MZUD
16mm	316M	316MD	316UM	316UMD	316MMG	316MZ	316ZUM	368216	316MZUD
17mm	317M	317MD	317UM	317UMD	317MMG	317MZ	317ZUM	368217	317MZUD
18mm	318M	318MD	318UM	318UMD	318MMG	318MZ	318ZUM	368218	318MZUD
19mm	319M	319MD	319UM	319UMD	319MMG	319MZ	319ZUM	368219	319MZUD
20mm	320M	320MD	320UM	320UMD					
21mm	321M	321MD	321UM	321UMD				321ZMD	
22mm	322M	322MD	322UM	322UMD				322ZMD	


3/8" DRIVE INDIVIDUAL
INTERNAL STAR SOCKETS



Size	Model #
T20	3670S1
T25	3670S2
T27	3670S3
T30	3670S4
T40	3670S5
T45	3670S6
T47	3670S7
T50	3670S8
T55	3670S9


3/8" DRIVE IMPACT SOCKETS

3/8" DRIVE INDIVIDUAL
EXTERNAL STAR SOCKETS



Size	Model #
E4	304SE
E5	3670SE1
E6	3670SE2
E7	3670SE3
E8	3670SE4
E10	3670SE5
E11	3670SE6
E12	3670SE7
E14	3670SE8
E16	3670SE9

3/8" DRIVE INDIVIDUAL
UNIVERSAL JOINT



Item	Model #
Universal Joint	3301

Radius corner design causes the socket to grab the sturdy wall, or flat, of the fastener instead of grabbing the corners, resulting in less corner wear on the fastener.

All sockets are also available individually



1/2" DRIVE IMPACT SOCKETS



1/2" DRIVE
EXTRA THIN WALL DEEP
11 PIECE SAE & METRIC
IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



2611			
INCLUDES:			
5 SAE Sockets:			
3/4" (2624)	13/16" (2626)	7/8" (2628)	
1" (2632)	1-1/16" (2634)		
5 Metric Sockets:			
17mm (2617)	19mm (2619)	21mm (2621)	
22mm (2622)	23mm (2623)		
3" Extension	(2503)		



1/2" DRIVE
19 PIECE SAE
IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



2640		
INCLUDES:		
3/8" (212)	7/16" (214)	1/2" (216)
9/16" (218)	5/8" (220)	11/16" (222)
3/4" (224)	13/16" (226)	7/8" (228)
15/16" (230)	1" (232)	1-1/16" (234)
1-1/8" (236)	1-3/16" (238)	1-1/4" (240)
1-5/16" (242)	1-3/8" (244)	1-7/16" (246)
1-1/2" (248)		



1/2" DRIVE DEEP
19 PIECE SAE
IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



2641		
INCLUDES:		
3/8" (212D)	7/16" (214D)	1/2" (216D)
9/16" (218D)	5/8" (220D)	11/16" (222D)
3/4" (224D)	13/16" (226D)	7/8" (228D)
15/16" (230D)	1" (232D)	1-1/16" (234D)
1-1/8" (236D)	1-3/16" (238D)	1-1/4" (240D)
1-5/16" (242D)	1-3/8" (244D)	1-7/16" (246D)
1-1/2" (248D)		



1/2" DRIVE UNIVERSAL
14 PIECE SAE
IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Radius corner design extends the life of fasteners
- > Heavy duty blow molded storage case



2644		
INCLUDES:		
7/16" (214U)	1/2" (216U)	9/16" (218U)
5/8" (220U)	11/16" (222U)	3/4" (224U)
13/16" (226U)	7/8" (228U)	15/16" (230U)
1" (232U)	1-1/16" (234U)	1-1/8" (236U)
1-3/16" (238U)	1-1/4" (240U)	



**1/2" DRIVE
26 PIECE METRIC
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



2645			
INCLUDES:			
10mm (210M)	11mm (211M)	12mm (212M)	13mm (213M)
14mm (214M)	15mm (215M)	16mm (216M)	17mm (217M)
18mm (218M)	19mm (219M)	20mm (220M)	21mm (221M)
22mm (222M)	23mm (223M)	24mm (224M)	25mm (225M)
26mm (226M)	27mm (227M)	28mm (228M)	29mm (229M)
30mm (230M)	32mm (232M)	33mm (233M)	34mm (234M)
35mm (235M)	36 mm (236M)		



**1/2" DRIVE DEEP
26 PIECE METRIC
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



2646		
INCLUDES:		
10mm (210MD)	11mm (211MD)	12mm (212MD)
13mm (213MD)	14mm (214MD)	15mm (215MD)
16mm (216MD)	17mm (217MD)	18mm (218MD)
19mm (219MD)	20mm (220MD)	21mm (221MD)
22mm (222MD)	23mm (223MD)	24mm (224MD)
25mm (225MD)	26mm (226MD)	27mm (227MD)
28mm (228MD)	29mm (229MD)	30mm (230MD)
32mm (232MD)	33mm (233MD)	34mm (234MD)
35mm (235MD)	36 mm (236MD)	



**1/2" DRIVE STANDARD
13 PIECE SAE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



2650			
INCLUDES:			
7/16" (214)	1/2" (216)	9/16" (218)	5/8" (220)
11/16" (222)	3/4" (224)	13/16" (226)	7/8" (228)
15/16" (230)	1" (232)	1-1/16" (234)	1-1/8" (236)
1-1/4" (240)			



**1/2" DRIVE STANDARD
16 PIECE SAE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case

(Add on set for: set #2650)



2690				
INCLUDES:				
1-5/16" (242)	1-3/8" (244)	1-7/16" (246)	1-1/2" (248)	
1-9/16" (250)	1-5/8" (252)	1-11/16" (254)	1-3/4" (256)	
1-13/16" (258)	1-7/8" (260)	1-15/16" (262)	2" (264)	
2-1/16" (266)	2-1/8" (268)	2-3/16" (270)	2-1/4" (272)	



**1/2" DRIVE DEEP
13 PIECE SAE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



2651		
INCLUDES:		
7/16" (214D)	1/2" (216D)	9/16" (218D)
5/8" (220D)	11/16" (222D)	3/4" (224D)
13/16" (226D)	7/8" (228D)	15/16" (230D)
1" (232D)	1-1/16" (234D)	1-1/8" (236D)
1-1/4" (240D)		



**1/2" DRIVE UNIVERSAL
9 PIECE SAE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



2657		
INCLUDES:		
7/16" (214U)	1/2" (216U)	9/16" (218U)
5/8" (220U)	11/16" (222U)	3/4" (224U)
13/16" (226U)	7/8" (228U)	15/16" (230U)



**1/2" DRIVE DEEP
16 PIECE SAE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case

(Add on set for: set# 2651)



2691		
INCLUDES:		
1-5/16" (242D)	1-3/8" (244D)	1-7/16" (246D)
1-1/2" (248D)	1-9/16" (250D)	1-5/8" (252D)
1-11/16" (254D)	1-3/4" (256D)	1-13/16" (258D)
1-7/8" (260D)	1-15/16" (262D)	2" (264D)
2-1/16" (266D)	2-1/8" (268D)	2-3/16" (270D)
2-1/4" (272D)		



**1/2" DRIVE STANDARD
14 PIECE METRIC
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



2652		
INCLUDES:		
10mm (210M)	11mm (211M)	12mm (212M)
13mm (213M)	14mm (214M)	15mm (215M)
16mm (216M)	17mm (217M)	18mm (218M)
19mm (219M)	21mm (221M)	22mm (222M)
26mm (226M)	27mm (227M)	



**1/2" DRIVE STANDARD
12 PIECE METRIC
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case

(Add on set for: set# 2652)



2692

INCLUDES:

23mm (223M)	24mm (224M)	25mm (225M)
26mm (226M)	27mm (227M)	28mm (228M)
29mm (229M)	30mm (230M)	31mm (231M)
32mm (232M)	34mm (234M)	36mm (236M)



**1/2" DRIVE DEEP
14 PIECE METRIC
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



2653

INCLUDES:

10mm (210MD)	11mm (211MD)	12mm (212MD)
13mm (213MD)	14mm (214MD)	15mm (215MD)
16mm (216MD)	17mm (217MD)	18mm (218MD)
19mm (219MD)	21mm (221MD)	22mm (222MD)
26mm (226MD)	27mm (227MD)	



**1/2" DRIVE DEEP
12 PIECE METRIC
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case

(Add on set for: set# 2653)



2693

INCLUDES:

23mm (223MD)	24mm (224MD)	25mm (225MD)
26mm (226MD)	27mm (227MD)	28mm (228MD)
29mm (229MD)	30mm (230MD)	31mm (231MD)
32mm (232MD)	34mm (234MD)	36mm (236MD)



**1/2" DRIVE UNIVERSAL
7 PIECE SAE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



2654

INCLUDES:

1/2" (216U)	9/16" (218U)	5/8" (220U)
11/16" (222U)	3/4" (224U)	13/16" (226U)
7/8" (228U)		



**1/2" DRIVE UNIVERSAL
7 PIECE METRIC
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



2655

INCLUDES:

13mm (213UM)	14mm (214UM)	15mm (215UM)
16mm (216UM)	17mm (217UM)	18mm (218UM)
19mm (219UM)		



**1/2" DRIVE DEEP
UNIVERSAL
10 PIECE METRIC
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



2658

INCLUDES:

10mm (210UMD)	11mm (211UMD)	12mm (212UMD)
13mm (213UMD)	14mm (214UMD)	15mm (215UMD)
16mm (216UMD)	17mm (217UMD)	18mm (218UMD)
19mm (219UMD)		



**1/2" DRIVE DEEP
UNIVERSAL
10 PIECE SAE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



2659

INCLUDES:

3/8" (212UD)	7/16" (214UD)	1/2" (216UD)
9/16" (218UD)	5/8" (220UD)	11/16" (222UD)
3/4" (224UD)	13/16" (226UD)	7/8" (228UD)
15/16" (230UD)		



**1/2" DRIVE DEEP
UNIVERSAL 15 PIECE
12 POINT SAE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 12.5



2661

INCLUDES:

3/8" (212ZUD)	7/16" (214ZUD)	1/2" (216ZUD)
9/16" (218ZUD)	5/8" (220ZUD)	11/16" (222ZUD)
3/4" (224ZUD)	13/16" (226ZUD)	7/8" (228ZUD)
15/16" (230ZUD)	1" (232ZUD)	1-1/16"
(234ZUD)	1-1/8" (236ZUD)	1-3/16"

1/2" DRIVE IMPACT SOCKETS

1/2" DRIVE IMPACT SOCKETS



**1/2" DRIVE DEEP
UNIVERSAL 15 PIECE
12 POINT METRIC
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > 12 Point sockets offer double the starting points as 6 point sockets
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 10.6



2662			
INCLUDES:			
10mm (210MZUD)	11mm (211MZUD)	12mm (212MZUD)	
13mm (213MZUD)	14mm (214MZUD)	15mm (215MZUD)	
16mm (216MZUD)	17mm (217MZUD)	18mm (218MZUD)	
19mm (219MZUD)	20mm (220MZUD)	21mm (221MZUD)	
22mm (222MZUD)	23mm (223MZUD)	24mm (224MZUD)	



**1/2" DRIVE UNIVERSAL
13 PIECE METRIC
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



2665		
INCLUDES:		
13 Universal Sockets:		
12mm (212UM)	13mm (213UM)	14mm (214UM)
15mm (215UM)	16mm (216UM)	17mm (217UM)
18mm (218UM)	19mm (219UM)	20mm (220UM)
21mm (221UM)	22mm (222UM)	23mm (223UM)
24mm (224UM)		



**1/2" DRIVE MASTER
39 PIECE SAE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



2668		
INCLUDES:		
19 Standard Sockets:		
3/8" (212)	7/16" (214)	1/2" (216)
9/16" (218)	5/8" (220)	11/16" (222)
3/4" (224)	13/16" (226)	7/8" (228)
15/16" (230)	1" (232)	1-1/16" (234)
1-1/8" (236)	1-3/16" (238)	1-1/4" (240)
1-5/16" (242)	1-3/8" (244)	
1-7/16" (246)	1-1/2" (248)	
19 Deep Sockets:		
3/8" (212D)	7/16" (214D)	1/2" (216D)
9/16" (218D)	5/8" (220D)	11/16" (222D)
3/4" (224D)	13/16" (226D)	7/8" (228D)
15/16" (230D)	1" (232D)	1-1/16" (234D)
1-1/8" (236D)	1-3/16" (238D)	1-1/4" (240D)
1-5/16" (242D)	1-3/8" (244D)	1-7/16" (246D)
1-1/2" (248D)		
Universal Joint (2300)		



**1/2" DRIVE MASTER
39 PIECE METRIC
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



2669		
INCLUDES:		
19 Standard Sockets:		
9mm (209M)	10mm (210M)	11mm (211M)
12mm (212M)	13mm (213M)	14mm (214M)
15mm (215M)	16mm (216M)	17mm (217M)
18mm (218M)	19mm (219M)	20mm (220M)
21mm (221M)	22mm (222M)	23mm (223M)
24mm (224M)	26mm (226M)	27mm (227M)
30mm (230M)		
19 Deep Sockets:		
9mm (209MD)	10mm (210MD)	11mm (211MD)
12mm (212MD)	13mm (213MD)	14mm (214MD)
15mm (215MD)	16mm (216MD)	17mm (217MD)
18mm (218MD)	19mm (219MD)	20mm (220MD)
21mm (221MD)	22mm (222MD)	23mm (223MD)
24mm (224MD)	26mm (226MD)	27mm (227MD)
30mm (230MD)		
Universal Joint (2300)		



**1/2" DRIVE 12 POINT
DEEP 15 PIECE SAE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



2670			
INCLUDES:			
3/8" (26701)	7/16" (26702)	1/2" (26703)	
9/16" (26704)	5/8" (26705)	11/16" (26706)	
3/4" (26707)	13/16" (26708)	7/8" (26709)	
15/16" (267010)	1" (267011)	1-1/16" (267012)	
1-1/8" (267013)	1-3/16" (267014)	1-1/4" (267015)	



**1/2" DRIVE 12 POINT
DEEP 15 PIECE METRIC
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



2672			
INCLUDES:			
10mm (267210)	11mm (267211)	12mm (267212)	
13mm (267213)	14mm (267214)	15mm (267215)	
16mm (267216)	17mm (267217)	18mm (267218)	
19mm (267219)	20mm (267220)	21mm (267221)	
22mm (267222)	23mm (267223)	24mm (267224)	

1/2" DRIVE IMPACT SOCKETS

1/2" DRIVE IMPACT SOCKETS



**1/2" DRIVE 12 POINT
14 PIECE SAE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > 12 Point sockets offer double the starting points as 6 point sockets
- > Heavy duty blow molded storage case



2678

INCLUDES:

7/16" (214Z)	1/2" (216Z)	9/16" (218Z)
5/8" (220Z)	11/16" (222Z)	3/4" (224Z)
13/16" (226Z)	7/8" (228Z)	15/16" (230Z)
1" (232Z)	1-1/16" (234Z)	1-1/8" (236Z)
1-3/16" (238Z)	1-1/4" (240Z)	



**1/2" DRIVE 12 POINT
7 PIECE SAE DRIVELINE
LIMITED CLEARANCE
SOCKET SET**

- > Great for most limited access fasteners
- > Includes driveline sockets for Chevrolet, Chrysler, Dodge, Ford, GMC and Jeep models
- > Remove and install:
 - Driveline bolts, torque converters, cylinder heads, 4x4 transmission casings
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 4.66



2696

INCLUDES:

5/16" (210ZUDL)	3/8" (212ZUDL)
7/16" (214ZUDL)	1/2" (216ZUDL)
9/16" (218ZUDL)	11/16" (222ZUDL)
3/4" (224ZUDL)	



**FORD DRIVE LINE
IMPACT SOCKET
12MM 12 PT - 1/2" DRIVE**

- > Specifically designed for drive line applications on Ford Mustang, Crown Victoria, Taurus, Explorer, Expedition, Excursion, Ranger, F150, and Mercury equivalents from 1980's to present
- > Shipping weight (Lbs.) - 0.4

212ZUMDL



**1/2" DRIVE
12 POINT 9 PIECE
METRIC DRIVELINE
LIMITED CLEARANCE
SOCKET SET**

- > Great for most limited access fasteners
- > Includes driveline sockets for Chevrolet, Chrysler, Dodge, Ford, GMC and Jeep models
- > Remove and install:
 - Driveline bolts, torque converters, cylinder heads, 4x4 transmission casings
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 5.65



2695

INCLUDES:

8mm (208ZUMDL)	10mm (210ZUMDL)
11mm (211ZUMDL)	12mm (212ZUMDL)
13mm (213ZUMDL)	14mm (214ZUMDL)
15mm (215ZUMDL)	16mm (216ZUMDL)
17mm (217ZUMDL)	



**1/2" DRIVE 12 POINT
13 PIECE METRIC
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



2679

INCLUDES:

10mm (210ZM)	11mm (211ZM)	12mm (212ZM)
13mm (213ZM)	14mm (214ZM)	15mm (215ZM)
16mm (216ZM)	17mm (217ZM)	18mm (218ZM)
19mm (219ZM)	21mm (221ZM)	22mm (222ZM)
24mm (224ZM)		



**1/2" DRIVE INTERNAL
STAR 8 PIECE IMPACT
SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case

2690S

INCLUDES:

T30 (2690S1)	T40 (2690S2)	T45 (2690S3)
T47 (2690S4)	T50 (2690S5)	T55 (2690S6)
T60 (2690S7)	T70 (2690S8)	



**1/2" DRIVE EXTERNAL
STAR 9 PIECE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case

2690SE

INCLUDES:

E10 (2690SE1)	E11 (2690SE2)	E12 (2690SE3)
E14 (2690SE4)	E16 (2690SE5)	E18 (2690SE6)
E20 (2690SE7)	E22 (2690SE8)	E24 (2690SE9)

**1/2" DRIVE 12 POINT
39 PIECE SAE MASTER
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Most complete 1/2" drive SAE 12 point set available
- > Heavy duty blow molded storage case



**1/2" DRIVE 12 POINT
39 PIECE
METRIC MASTER
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Most complete 1/2" drive metric 12 point set available
- > Heavy duty blow molded storage case



2698			
INCLUDES:			
19 Standard Sockets:			
3/8" (212Z)	7/16" (214Z)	1/2" (216Z)	
9/16" (218Z)	5/8" (220Z)	11/16" (222Z)	
3/4" (224Z)	13/16" (226Z)	7/8" (228Z)	
15/16" (230Z)	1" (232Z)	1-1/16" (234Z)	
1-1/8" (236Z)	1-3/16" (238Z)	1-1/4" (240Z)	
1-5/16" (242Z)	1-3/8" (244Z)	1-7/16" (246Z)	
1-1/2" (248Z)			
19 Deep Sockets:			
3/8" (26701)	7/16" (26702)	1/2" (26703)	
9/16" (26704)	5/8" (26705)	11/16" (26706)	
3/4" (26707)	13/16" (26708)	7/8" (26709)	
15/16" (267010)	1" (267011)	1-1/16" (267012)	
1-1/8" (267013)	1-3/16" (267014)	1-1/4" (267015)	
1-5/16" (242ZD)	1-3/8" (244ZD)	1-7/16" (246ZD)	
1-1/2" (248ZD)			
Universal Joint (2300)			

2699		
INCLUDES:		
19 Standard Sockets:		
9mm (209ZM)	10mm (210ZM)	11mm (211ZM)
12mm (212ZM)	13mm (213ZM)	14mm (214ZM)
15mm (215ZM)	16mm (216ZM)	17mm (217ZM)
18mm (218ZM)	19mm (219ZM)	20mm (220ZM)
21mm (221ZM)	22mm (222ZM)	23mm (223ZM)
24mm (224ZM)	26mm (226ZM)	27mm (227ZM)
30mm (230ZM)		
19 Deep Sockets:		
9mm (209ZMD)	10mm (267210)	11mm (267211)
12mm (267212)	13mm (267213)	14mm (267214)
15mm (267215)	16mm (267216)	17mm (267217)
18mm (267218)	19mm (267219)	20mm (267220)
21mm (267221)	22mm (267222)	23mm (267223)
24mm (267224)	26mm (226ZMD)	27mm (227ZMD)
30mm (230ZMD)		
Universal Joint (2300)		



**1/2" DRIVE 12 POINT
19 PIECE SAE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow mold storage case



**1/2" DRIVE 12 POINT
19 PIECE SAE DEEP
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow mold storage case



**1/2" DRIVE 12 POINT
26 PIECE METRIC
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow mold storage case



**1/2" DRIVE 12 POINT
26 PIECE METRIC DEEP
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow mold storage case



2819		
INCLUDES:		
3/8" (212Z)	7/16" (214Z)	1/2" (216Z)
9/16" (218Z)	5/8" (220Z)	11/16" (222Z)
3/4" (224Z)	13/16" (226Z)	7/8" (228Z)
15/16" (230Z)	1" (232Z)	1-1/16" (234Z)
1-1/8" (236Z)	1-3/16" (238Z)	1-1/4" (240Z)
1-5/16" (242Z)	1-3/8" (244Z)	1-7/16" (246Z)
1-1/2" (248Z)		

2820		
INCLUDES:		
3/8" (26701)	7/16" (26702)	1/2" (26703)
9/16" (26704)	5/8" (26705)	11/16" (26706)
3/4" (26707)	13/16" (26708)	7/8" (26709)
15/16" (267010)	1" (267011)	1-1/16" (267012)
1-1/8" (267013)	1-3/16" (267014)	1-1/4" (267015)
1-5/16" (242ZD)	1-3/8" (244ZD)	1-7/16" (246ZD)
1-1/2" (248ZD)		

2826			
INCLUDES:			
10mm (210ZM)	11mm (211ZM)	12mm (212ZM)	
13mm (213ZM)	14mm (214ZM)	15mm (215ZM)	
16mm (216ZM)	17mm (217ZM)	18mm (218ZM)	
19mm (219ZM)	20mm (220ZM)	21mm (221ZM)	
22mm (222ZM)	23mm (223ZM)	24mm (224ZM)	
25mm (225ZM)	26mm (226ZM)	27mm (227ZM)	
28mm (228ZM)	29mm (229ZM)	30mm (230ZM)	
32mm (232ZM)	33mm (233ZM)	34mm (234ZM)	
35mm (235ZM)	36mm (236ZM)		

2827			
INCLUDES:			
10mm (267210)	11mm (267211)	12mm (267212)	
13mm (267213)	14mm (267214)	15mm (267215)	
16mm (267216)	17mm (267217)	18mm (267218)	
19mm (267219)	20mm (267220)	21mm (267221)	
22mm (267222)	23mm (267223)	24mm (267224)	
25mm (225ZMD)	26mm (226ZMD)	27mm (227ZMD)	
28mm (228ZMD)	29mm (229ZMD)	30mm (230ZMD)	
32mm (232ZMD)	33mm (233ZMD)	34mm (234ZMD)	
35mm (235ZMD)	36mm (236ZMD)		



**1/2" DRIVE
DEEP / THIN WALL
4 PIECE SAE & METRIC
FLIP IMPACT
SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



2724	
INCLUDES:	
3/4" x 13/16" Thin Wall Flip Socket (2706)	
7/8" x 15/16" Thin Wall Flip Socket (2710)	
19mm x 21mm Deep Flip Socket (2708)	
3" Extension (2503)	



**1/2" DRIVE 12 POINT
METRIC 8 PIECE DEEP
SPINDLE NUT IMPACT
SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow mold case
- > 12 point design



2835	
INCLUDES:	
29mm (2801ZD)	30mm (2800ZD)
32mm (2804ZD)	34mm (2806ZD)
35mm (2803ZD)	36mm (2802ZD)
38mm (2805ZD)	39mm (2807ZD)



**1/2" DRIVE 30MM &
36MM 12 POINT
2 PIECE SPINDLE NUT
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow mold case
- > 12 point design
- > For use on 30mm and 36mm spindle nut applications



2836Z	
INCLUDES:	
30mm (2800ZD)	36mm (2802ZD)



**1/2" DRIVE 12 POINT
METRIC 4 PIECE
SPINDLE NUT
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow mold case
- > 12 point design
- > Set provides the most common size sockets used on today's spindle nut applications



2837	
INCLUDES:	
30mm (2800ZD)	32mm (2804ZD)
34mm (2806ZD)	36mm (2802ZD)



**1/2" DRIVE DEEP
SPINDLE NUT
4 PIECE METRIC
IMPACT SOCKET SET**

- > Deep design for GM & Chrysler spindle nut applications
- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case

Replacement storage case - RS97101



2838		
INCLUDES:		
30mm (2800)	32mm (2832)	34mm (2834)
36mm (2802)		



**1/2" DRIVE DEEP
SPINDLE NUT
7 PIECE METRIC
IMPACT SOCKET SET**

- > Deep design for GM & Chrysler spindle nut applications
- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



2839		
INCLUDES:		
29mm (2830)	30mm (2800)	32mm (2832)
34mm (2834)	35mm (2806)	36mm (2802)
38mm (2803)		



**1/2" DRIVE
EXTRA LONG
5 PIECE SAE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow mold storage case



2845		
INCLUDES:		
1" (232XD)	1-1/16" (234XD)	1-1/8" (236XD)
1-1/4" (240XD)	1-5/16" (242XD)	



**1/2" DRIVE
5" EXTRA LONG DEEP
8 PIECE SAE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case




2848		
INCLUDES:		
1/2" (216XD)	9/16" (218XD)	5/8" (220XD)
11/16" (222XD)	3/4" (224XD)	13/16" (226XD)
7/8" (228XD)	15/16" (230XD)	



**1/2" DRIVE
5" EXTRA LONG DEEP
12 PIECE METRIC
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 11.0



Standard vs. Deep vs. Extra Long Deep

2851


INCLUDES 1/2" DR. EXTRA DEEP:

13mm (213MXD)	14mm (214MXD)	15mm (215MXD)
16mm (216MXD)	17mm (217MXD)	18mm (218MXD)
19mm (219MXD)	20mm (220MXD)	21mm (221MXD)
22mm (222MXD)	23mm (223MXD)	24mm (224MXD)



**1/2" DRIVE
EXTRA LONG DEEP
9 PIECE METRIC
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 19.9



Standard vs. Deep vs. Extra Long Deep

2852

INCLUDES 1/2" DR. EXTRA DEEP:

26mm (226MXD)	27mm (227MXD)	28mm (228MXD)
29mm (229MXD)	30mm (230MXD)	31mm (231MXD)
32mm (232MXD)	33mm (233MXD)	34mm (234MXD)



**1/2" DRIVE
UNIVERSAL 15 PIECE
12 POINT METRIC
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 11.4



2855

INCLUDES 1/2" DR. UNIVERSAL:

10mm (210ZUM)	11mm (211ZUM)	12mm (212ZUM)
13mm (213ZUM)	14mm (214ZUM)	15mm (215ZUM)
16mm (216ZUM)	17mm (217ZUM)	18mm (218ZUM)
19mm (219ZUM)	20mm (220ZUM)	21mm (221ZUM)
22mm (222ZUM)	23mm (223ZUM)	24mm (224ZUM)



**1/2" DRIVE
UNIVERSAL 15 PIECE
12 POINT SAE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 11.4



2856

INCLUDES 1/2" DR. UNIVERSAL:

3/8" (212UZ)	7/16" (214UZ)	1/2" (216UZ)
9/16" (218UZ)	5/8" (220UZ)	11/16" (222UZ)
3/4" (224UZ)	13/16" (226UZ)	7/8" (228UZ)
15/16" (230UZ)	1" (232UZ)	1-1/16" (234UZ)
1-1/8" (236UZ)	1-3/16" (238UZ)	1-1/4" (240UZ)



**1/2" DRIVE DEEP
13 PIECE 8 POINT SAE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > 8 point design accommodates most railroad applications
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 13.9



**1/2" DRIVE DEEP
MASTER 29 PIECE
SAE & METRIC
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life


Replacement storage case - RS97301




**1/2" DRIVE INDIVIDUAL
INTERNAL STAR SOCKETS**



**1/2" DRIVE INDIVIDUAL
EXTERNAL STAR SOCKETS**



**1/2" DRIVE INDIVIDUAL
UNIVERSAL JOINT**



2858

INCLUDES 1/2" DR. DEEP:

3/8" (212QD)	7/16" (214QD)	1/2" (216QD)
9/16" (218QD)	5/8" (220QD)	11/16" (222QD)
3/4" (224QD)	13/16" (226QD)	7/8" (228QD)
15/16" (230QD)	1" (232QD)	1-1/16" (234QD)
1-1/8" (236QD)		

5153DD

INCLUDES:

13 Deep SAE Sockets:

7/16" (214D)	1/2" (216D)	9/16" (218D)
5/8" (220D)	11/16" (222D)	3/4" (224D)
13/16" (226D)	7/8" (228D)	15/16" (230D)
1" (232D)	1-1/16" (234D)	1-1/8" (236D)

1-1/4" (240D)

14 Deep Metric Sockets:

10mm (210MD)	11mm (211MD)	12mm (212MD)
13mm (213MD)	14mm (214MD)	15mm (215MD)
16mm (216MD)	17mm (217MD)	18mm (218MD)
19mm (219MD)	21mm (221MD)	22mm (222MD)
26mm (226MD)	27mm (227MD)	

2 Deep Flip Sockets:


3/4" x 13/16" (2701)	19mm x 21mm (2704)
----------------------	--------------------

Size	Model #	Size	Model #
T30	2690S1	T50	2690S5
T40	2690S2	T55	2690S6
T45	2690S3	T60	2690S7
T47	2690S4	T70	2690S8

Size	Model #	Size	Model #
E10	2690SE1	E18	2690SE6
E11	2690SE2	E20	2690SE7
E12	2690SE3	E22	2690SE8
E14	2690SE4	E24	2690SE9
E16	2690SE5		

Item	Model #
Universal Joint	2300


1/2" DRIVE INDIVIDUAL
TRUCK WHEEL SOCKETS
METRIC HEAVY DUTY



Heavy Duty Deep

Size	Heavy Duty Deep
In.	Model#
1-1/4"	240HDD


1/2" DRIVE INDIVIDUAL
SPECIALTY SOCKETS



Deep Spindle Nut




Tie Rod





Heavy Duty Deep

Size	Model #
29mm Deep Spindle Nut	2830
30mm Deep Spindle Nut	2800
32mm Deep Spindle Nut	2832
34mm Deep Spindle Nut	2834
35mm Deep Spindle Nut	2806
36mm Deep Spindle Nut	2802
38mm Deep Spindle Nut	2803
Tie Rod Socket	2801
1-1/4" Heavy Duty Deep	240HDD

1/2" DRIVE INDIVIDUAL
WHEEL LOCK REMOVAL



Hubcap Lock Removers




Lug Nut Remover



Extractor Punch


Size	Model #
Ford & Chrysler Hubcap Locks	28401
Ford Wheel Locks & 18mm Lug Nuts	28402
Corvette, GM "M" & "F" Hubcap Locks	28403
Oversize McGard Wheel Locks	28404
McGard Wheel Locks and GM Hubcap Locks	28405
Extractor Punch	28406
Chrysler Hubcap Locks	28407
GM Hubcap Locks	28408
GM Spline Hubcap Locks	28409

1/2" DRIVE INDIVIDUAL
FLIP SOCKETS




Size	Model #	Size	Model #
3/4" x 13/16"	2700	17mm x 21mm Deep	2705
3/4" x 13/16" Deep	2701	19mm x 21mm	2702
3/4" x 13/16" Thin Wall	2706	3/4" x 13/16" with 3" Extension Bar	2703
7/8" x 15/16" Thin Wall	2710	19mm x 21mm Deep	2704
1" x 1-1/16" Thin Wall	2712	19mm x 21mm Deep Thin Wall	2708
17mm x 19mm	2707	21mm x 22mm	2713

12 POINT DRIVE INDIVIDUAL
SAE & METRIC UNIVERSAL
LIMITED CLEARANCE SOCKETS



Size	Model #	Size	Model #
5/16"	210ZUDL	8mm	208ZUMDL
3/8"	212ZUDL	10mm	210ZUMDL
7/16"	214ZUDL	11mm	211ZUMDL
1/2"	216ZUDL	12mm	212ZUMDL
9/16"	218ZUDL	13mm	213ZUMDL
11/16"	222ZUDL	14mm	214ZUMDL
3/4"	224ZUDL	15mm	215ZUMDL
		16mm	216ZUMDL
		17mm	217ZUMDL


1/2" DRIVE
INDIVIDUAL SPINDLE NUT SOCKETS



Deep Spindle Nut


Size	12 Pt. Spindle Nut Deep	Size	Spindle Nut Deep
SAE	Model#	Metric	Model#
1/2"	2800ZD	29mm	2830
1/2"	2802ZD	30mm	2800
		32mm	2832
		34mm	2834
		35mm	2806
		36mm	2802
		38mm	2803

1/2" DRIVE
INDIVIDUAL SAE
SOCKETS



Size	Std.	Deep	Extra Long Deep	Univ.	Deep Univ.	12 Pt.	12 Pt. Deep	Extra Thin-Wall Deep	Magnetic	Wheel Protect.	8 Pt. Deep	12 Pt. Deep Univ.	12 Pt. Univ.
SAE	Model#	Model#	Model#	Model#	Model#	Model#	Model#	Model #	Model#	Model#	Model#	Model#	Model#
1/4"													
5/16"	210	210D	210XD										
3/8"	212	212D	212XD	212U	212UD	212Z	26701		212MG		212QD	212ZUD	212UZ
7/16"	214	214D	214XD	214U	214UD	214Z	26702		214MG		214QD	214ZUD	214UZ
1/2"	216	216D	216XD	216U	216UD	216Z	26703		216MG		216QD	216ZUD	216UZ
9/16"	218	218D	218XD	218U	218UD	218Z	26704		218MG		218QD	218ZUD	218UZ
5/8"	220	220D	220XD	220U	220UD	220Z	26705		220MG		220QD	220ZUD	220UZ
11/16"	222	222D	222XD	222U	222UD	222Z	26706		222MG		222QD	222ZUD	222UZ
3/4"	224	224D	224XD	224U	224UD	224Z	26707	2624	224MG	28492	224QD	224ZUD	224UZ
13/16"	226	226D	226XD	226U	226UD	226Z	26708	2626	226MG	28494	226QD	226ZUD	226UZ
7/8"	228	228D	228XD	228U	228UD	228Z	26709	2628	228MG	28496	228QD	228ZUD	228UZ
15/16"	230	230D	230XD	230U	230UD	230Z	267010		230MG	28498	230QD	230ZUD	230UZ
1"	232	232D	232XD	232U		232Z	267011	2632	232MG	284910	232QD	232ZUD	232UZ
1-1/16"	234	234D	234XD	234U		234Z	267012	2634		284912	234QD	234ZUD	234UZ
1-1/8"	236	236D	236XD	236U		236Z	267013				236QD	236ZUD	236UZ
1-3/16"	238	238D	238XD	238U		238Z	267014					238ZUD	238UZ
1-1/4"	240	240D	240XD	240U		240Z	267015					240ZUD	240UZ
1-5/16"	242	242D	242XD			242Z	242ZD						
1-3/8"	244	244D	244XD			244Z	244ZD						
1-7/16"	246	246D	246XD			246Z	246ZD						
1-1/2"	248	248D	248XD			248Z	248ZD						
1-9/16"	250	250D											
1-5/8"	252	252D											
1-11/16"	254	254D											
1-3/4"	256	256D											
1-13/16"	258	258D											
1-7/8"	260	260D											
1-15/16"	262	262D											
2"	264	264D											
2-1/16"	266	266D											
2-1/8"	268	268D											
2-3/16"	270	270D											
2-1/4"	272	272D											

1/2" DRIVE
INDIVIDUAL METRIC
SOCKETS



Size	Std.	Deep	Univ.	Deep Univ.	12 Pt.	12 Pt. Deep	Extra Thin-Wall Deep	Magnetic	Wheel Protect.	Extra Long Deep	12 Pt. Deep Univ.	12 Pt. Univ.
Metric	Model#	Model#	Model#	Model#	Model#	Model#	Model#	Model#	Model#	Model#	Model#	
6mm												
7mm												
8mm	208M	208MD								208MXD		
9mm	209M	209MD			209ZM	209ZMD				209MXD		
10mm	210M	210MD	210UM	210UMD	210ZM	267210		210MMG		210MXD	210MZUD	210ZUM
11mm	211M	211MD	211UM	211UMD	211ZM	267211		211MMG		211MXD	211MZUD	211ZUM
12mm	212M	212MD	212UM	212UMD	212ZM	267212		212MMG		212MXD	212MZUD	212ZUM
13mm	213M	213MD	213UM	213UMD	213ZM	267213		213MMG		213MXD	213MZUD	213ZUM
14mm	214M	214MD	214UM	214UMD	214ZM	267214		214MMG		214MXD	214MZUD	214ZUM
15mm	215M	215MD	215UM	215UMD	215ZM	267215		215MMG	284915	215MXD	215MZUD	215ZUM
16mm	216M	216MD	216UM	216UMD	216ZM	267216		216MMG		216MXD	216MZUD	216ZUM
17mm	217M	217MD	217UM	217UMD	217ZM	267217	2617	217MMG	284917	217MXD	217MZUD	217ZUM
18mm	218M	218MD	218UM	218UMD	218ZM	267218		218MMG		218MXD	218MZUD	218ZUM
19mm	219M	219MD	219UM	219UMD	219ZM	267219	2619	219MMG	284919	219MXD	219MZUD	219ZUM
20mm	220M	220MD	220UM	220UMD	220ZM	267220		220MMG		220MXD	220MZUD	220ZUM
21mm	221M	221MD	221UM	221UMD	221ZM	267221	2621	221MMG	284921	221MXD	221MZUD	221ZUM
22mm	222M	222MD	222UM	222UMD	222ZM	267222	2622			222MXD	222MZUD	222ZUM
23mm	223M	223MD	223UM	223UMD	223ZM	267223	2623			223MXD	223MZUD	223ZUM
24mm	224M	224MD	224UM	224UMD	224ZM	267224				224MXD	224MZUD	224ZUM
25mm	225M	225MD			225ZM	225ZMD				225MXD		
26mm	226M	226MD			226ZM	226ZMD				226MXD		
27mm	227M	227MD			227ZM	227ZMD				227MXD		
28mm	228M	228MD			228ZM	228ZMD				228MXD		
29mm	229M	229MD			229ZM	229ZMD				229MXD		
30mm	230M	230MD			230ZM	230ZMD				230MXD		
31mm	231M	231MD			231ZM	231ZMD				231MXD		
32mm	232M	232MD			232ZM	232ZMD				232MXD		
33mm	233M	233MD			233ZM	233ZMD				233MXD		
34mm	234M	234MD			234ZM	234ZMD				234MXD		
35mm	235M	235MD			235ZM	235ZMD				235MXD		
36mm	236M	236MD			236ZM	236ZMD				236MXD		
37mm										237MXD		
38mm										238MXD		

3/4" DRIVE IMPACT SOCKETS

3/4" DRIVE IMPACT SOCKETS



**3/4" DRIVE
TRUCK SERVICE
11 PIECE METRIC
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Industrial strength, double latch blow mold case

Replacement storage case - RS4011MBMC



4011M		
INCLUDES:		
8 Deep Sockets:		
27mm (427MD)	30mm (430MD)	32mm (432MD)
33mm (433MD)	35mm (435MD)	36mm (436MD)
38mm (438MD)	41mm (441MD)	
3 Square Sockets:		
17mm (417MSS)	20mm (420MS)	21mm (421MSS)



**3/4" DRIVE 4 PIECE
COMBINATION
BUDD WHEEL
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Industrial strength, double latch blow mold case

Replacement storage case - RS4626BMC



4626	
INCLUDES:	
3 Square Budd Wheel Sockets:	
1-1/2" x 13/16" (4826C)	
35mm x 17mm (43517B)	41mm x 21mm (4121C)
1 Deep Socket	
33mm (433MD)	



**3/4" DRIVE
WHEEL SERVICE
5 PIECE SAE & METRIC
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Industrial strength, double latch blow mold case

Replacement storage case - RS4050BMC



4050		
INCLUDES:		
4 Deep Sockets:		
1-1/16" (434D)	1-1/4" (440D)	1-1/2" (448D)
33mm(433MD)		
1 Square Socket:		
13/16" (426S)		



**3/4" DRIVE STANDARD
8 PIECE SAE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Industrial strength, double latch blow mold case

Replacement storage case - RS4680BMC



4680			
INCLUDES:			
e	1" (432)	1-1/16" (434)	1-1/8" (436)
	1-1/4" (440)	1-5/16" (442)	1-3/8" (444)
	1-7/16" (446)	1-1/2" (448)	



**3/4" DRIVE
WHEEL SERVICE
5 PIECE METRIC
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Industrial strength, double latch blow mold case

Replacement storage case - RS4050BMC



4050M	
INCLUDES:	
2 Standard Sockets:	
27mm (427M)	30mm (430M)
2 Deep Sockets:	
33mm (433MD)	35mm (435MD)
1 Square Socket:	
17mm (417MSS)	



**3/4" DRIVE DEEP
8 PIECE SAE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Industrial strength, double latch blow mold case

Replacement storage case - RS4681BMC



4681			
INCLUDES:			
e	1" (432D)	1-1/16" (434D)	1-1/8" (436D)
	1-1/4" (440D)	1-5/16" (442D)	1-3/8" (444D)
	1-7/16" (446D)	1-1/2" (448D)	



**3/4" DRIVE
TRUCK SERVICE
7 PIECE METRIC
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Industrial strength, double latch blow mold case

Replacement storage case - RS4050BMC



4070M		
INCLUDES:		
5 Deep Sockets:		
27mm (427MD)	30mm (430MD)	33mm (433MD)
35mm (435MD)	41mm (441MD)	
2 Square Sockets:		
17mm (417MSS)	21mm (421MSS)	



**3/4" DRIVE
TRUCK SERVICE
11 PIECE SAE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Industrial strength, double latch blow mold case

Replacement storage case - RS4682BMC



4682			
INCLUDES:			
10 Standard Sockets:			
3/4" (424)	13/16" (426)	7/8" (428)	
15/16" (430)	1" (432)	1-1/16" (434)	
1-1/8" (436)	1-3/16" (438)	1-1/4" (440)	
1-1/2" (448)			
1 Square Socket:			
13/16" (426S)			



**3/4" DRIVE HEAVY DUTY
17 PIECE SAE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Industrial strength, double latch blow mold case

Replacement storage case - RS4683BMC



4683			
INCLUDES:			
1" (432)	1-1/16" (434)	1-1/8" (436)	
1-3/16" (438)	1-1/4" (440)	1-5/16" (442)	
1-3/8" (444)	1-7/16" (446)	1-1/2" (448)	
1-9/16" (450)	1-5/8" (452)	1-11/16" (454)	
1-3/4" (456)	1-13/16" (458)	1-7/8" (460)	
1-15/16" (462)	2" (464)		



**3/4" DRIVE HEAVY DUTY
17 PIECE METRIC
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 26.0



4684			
INCLUDES:			
26mm (426M)	27mm (427M)	28mm (428M)	
29mm (429M)	30mm (430M)	32mm (432M)	
33mm (433M)	35mm (435M)	36mm (436M)	
38mm (438M)	40mm (440M)	41mm (441M)	
42mm (442M)	43mm (443M)	44mm (444M)	
45mm (445M)	46mm (446M)		



**3/4" DRIVE DEEP
17 PIECE SAE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 42.9



4685			
INCLUDES:			
1" (432D)	1-1/16" (434D)	1-1/8" (436D)	
1-3/16" (438D)	1-1/4" (440D)	1-5/16" (442D)	
1-3/8" (444D)	1-7/16" (446D)	1-1/2" (448D)	
1-9/16" (450D)	1-5/8" (452D)	1-11/16" (454D)	
1-3/4" (456D)	1-13/16" (458D)	1-7/8" (460D)	
1-15/16" (462D)	2" (464D)		



**3/4" DRIVE DEEP
17 PIECE METRIC
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 42.9



4686			
INCLUDES:			
26mm (426MD)	27mm (427MD)	28mm (428MD)	
29mm (429MD)	30mm (430MD)	31mm (431MD)	
32mm (432M)	33mm (433MD)	35mm (435MD)	
36mm (436MD)	38mm (438MD)	39mm (439MD)	
40mm (440MD)	41mm (441MD)	42mm (442MD)	
43mm (443MD)	44mm (444MD)		



**3/4" DRIVE 12 POINT
THIN WALL
9 PIECE SAE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Ideal for work in tight spaces
- > Reduces wear on fasteners
- > Industrial strength, double latch blow mold case

Replacement storage case - RS4687BMC



4687			
INCLUDES:			
3/4" (424ZT)	13/16" (426ZT)	7/8" (428ZT)	
15/16" (430ZT)	1" (432ZT)	1-1/16" (434ZT)	
1-1/8" (436ZT)	1-3/16" (438ZT)	1-1/4" (440ZT)	

OVER 30"

*in Height with Locking Case,
Handle and Wheel Kit*



**3/4" DRIVE DEEP
29 PIECE SAE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Wheel kit and grip handle for easy maneuvering
- > Heavy duty blow molded storage case - over 30" tall
- > Shipping weight (Lbs.) - 65.2



4695			
INCLUDES:			
3/4" (424D)	13/16" (426D)	7/8" (428D)	
15/16" (430D)	1" (432D)	1-1/16" (434D)	
1-1/8" (436D)	1-3/16" (438D)	1-1/4" (440D)	
1-5/16" (442D)	1-3/8" (444D)	1-7/16" (446D)	
1-1/2" (448D)	1-9/16" (450D)	1-5/8" (452D)	
1-11/16" (454D)	1-3/4" (456D)	1-13/16" (458D)	
1-7/8" (460D)	1-15/16" (462D)	2" (464D)	
2-1/16" (466D)	2-1/8" (468D)	2-3/16" (470D)	
2-1/4" (472D)	2-5/16" (474D)	2-3/8" (476D)	
2-7/16" (478D)	2-1/2" (480D)		

OVER 30"

*in Height with Locking Case,
Handle and Wheel Kit*




**3/4" DRIVE
29 PIECE SAE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Wheel kit and grip handle for easy maneuvering
- > Heavy duty blow molded storage case - over 30" tall
- > Shipping weight (Lbs.) - 51.0




4696			
INCLUDES:			
3/4" (424)	13/16" (426)	7/8" (428)	
15/16" (430)	1" (432)	1-1/16" (434)	
1-1/8" (436)	1-3/16" (438)	1-1/4" (440)	
1-5/16" (442)	1-3/8" (444)	1-7/16" (446)	
1-1/2" (448)	1-9/16" (450)	1-5/8" (452)	
1-11/16" (454)	1-3/4" (456)	1-13/16" (458)	
1-7/8" (460)	1-15/16" (462)	2" (464)	
2-1/16" (466)	2-1/8" (468)	2-3/16" (470)	
2-1/4" (472)	2-5/16" (474)	2-3/8" (476)	
2-7/16" (478)	2-1/2" (480)		

3/4" DRIVE INDIVIDUAL
TRUCK WHEEL SOCKETS
METRIC HEAVY DUTY




Size	Square	Double Square	Comb. Budd Wheel	Extra Long
Metric	Model#	Model#	Model#	Model#
17mm		417MSS		
19mm	419MS			
20mm	420MS			
21mm		421MSS		
33mm				433MXL
35 X 20mm			43517B	
41 X 21mm			4121C	

3/4" DRIVE INDIVIDUAL
TRUCK WHEEL SOCKETS
SAE HEAVY DUTY



Size	Square	Heavy Duty Square	Deep Thin Wall	Comb. Budd Wheel	Limited Depth Budd Wheel	Deep Hex Budd Wheel	Extra Long
SAE	Model#	Model#	Model#	Model#	Model#	Model#	Model#
13/16"	426S	426HDS					426XL
15/16"	430S						
1-1/16"			434DT				434XL
1-1/8"			436DT				436XL
1-1/4"			440DT				440XL
1-1/2"					448LD	448DH	448XL
1-1/2 x 13/16"				4826C			

3/4" DRIVE INDIVIDUAL
SAE SOCKETS



All sockets are also available individually



Radius corner design causes the socket to grab the sturdy wall, or flat, of the fastener instead of grabbing the corners, resulting in less corner wear on the fastener.




Size	Standard	Deep	12 Point Thin Wall
SAE	Model#	Model#	Model#
1/2"	416	416D	
9/16"	418	418D	
5/8"	420	420D	420ZT
11/16"	422	422D	422ZT
3/4"	424	424D	424ZT
13/16"	426	426D	426ZT
7/8"	428	428D	428ZT
15/16"	430	430D	430ZT
1"	432	432D	432ZT
1-1/16"	434	434D	434ZT
1-1/8"	436	436D	436ZT
1-3/16"	438	438D	438ZT
1-1/4"	440	440D	440ZT
1-5/16"	442	442D	
1-3/8"	444	444D	444ZT
1-7/16"	446	446D	
1-1/2"	448	448D	448ZT
1-9/16"	450	450D	
1-5/8"	452	452D	452ZT
1-11/16"	454	454D	
1-3/4"	456	456D	456ZT
1-13/16"	458	458D	
1-7/8"	460	460D	460ZT
1-15/16"	462	462D	
2"	464	464D	
2-1/16"	466	466D	
2-1/8"	468	468D	
2-3/16"	470	470D	
2-1/4"	472	472D	
2-5/16"	474	474D	
2-3/8"	476	476D	
2-7/16"	478	478D	
2-1/2"	480	480D	
2-9/16"	482	482D	
2-5/8"	484	484D	
2-11/16"	486	486D	
2-3/4"	488	488D	
2-13/16"	490	490D	
2-7/8"	492	492D	
2-15/16"	494	494D	
3"	496	496D	

3/4" DRIVE IMPACT SOCKETS

1" DRIVE IMPACT SOCKETS

3/4" DRIVE INDIVIDUAL METRIC SOCKETS




Standard

Deep



Universal




12 Point Thin Wall



Size	Standard	Deep	12 Point Thin Wall
Metric	Model#	Model#	Model#
15mm			415MZT
16mm			416MZT
17mm			417MZT
18mm			418MZT
19mm	419M	419MD	419MZT
20mm	420M	420MD	420MZT
21mm	421M	421MD	421MZT
22mm	422M	422MD	422MZT
23mm	423M	423MD	423MZT
24mm	424M	424MD	424MZT
25mm	425M	425MD	425MZT
26mm	426M	426MD	426MZT
27mm	427M	427MD	427MZT
28mm	428M	428MD	428MZT
29mm	429M	429MD	429MZT
30mm	430M	430MD	430MZT
31mm	431M	431MD	
32mm	432M	432MD	432MZT
33mm	433M	433MD	433MZT
34mm	434M	434MD	
35mm	435M	435MD	435MZT
36mm	436M	436MD	436MZT
37mm			
38mm	438M	438MD	438MZT
39mm		439MD	
40mm	440M	440MD	440MZT
41mm	441M	441MD	
42mm	442M	442MD	
43mm	443M	443MD	
44mm	444M	444MD	
45mm	445M		
46mm	446M	446MD	
47mm	447M	447MD	
48mm	448M	448MD	
49mm	449M	449MD	
50mm	450M	450MD	
52mm	452M	452MD	
54mm	454M		
55mm	455M	455MD	
56mm	456M		
60mm	460M	460MD	
63mm	463M		
65mm	465M	465MD	

3/4" DRIVE INDIVIDUAL UNIVERSAL JOINT



Item	Model #
Universal Joint	4304

3/4" DRIVE INDIVIDUAL RETAINING PIN & RING SET



Item	Model #
Pin & Ring Set	4303



1" DRIVE COMBINATION BUDD WHEEL 5 PIECE SAE & METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Industrial strength, double latch blow mold case

Replacement storage case - RS5626BMC



5626
INCLUDES:
4 Square Budd Wheel Sockets:
1-1/2" x 13/16" (5826C) 35mm x 17mm (53517)
38mm x 20mm (53820) 41mm x 21mm (54121)
1 Deep Socket:
33mm (533MD)



1" DRIVE DEEP 8 PIECE SAE IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Industrial strength, double latch blow mold case

Replacement storage case - RS5681BMC



5681
INCLUDES:
7/8" (528D) 15/16" (530D) 1" (532D)
1-1/16" (534D) 1-1/8" (536D) 1-3/16" (538D)
1-1/4" (540D) 1-1/2" (548D)



1" DRIVE WHEEL SERVICE 5 PIECE SAE & METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Industrial strength, double latch blow mold case

Replacement storage case - RS5685BMC



5685
INCLUDES:
2 Deep Sockets:
1-1/2" (548D) 33mm (533MD)
2 Deep Thin Wall Sockets:
1-1/8" (536DT) 1-1/4" (540DT)
1 Square Socket:
13/16" (526S)



1" DRIVE WHEEL SERVICE 8 PIECE SAE & METRIC IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Industrial strength, double latch blow mold case

Replacement storage case - RS5688BMC



5688
INCLUDES:
3 Standard Sockets:
7/8" (528) 1" (532) 33mm (533M)
3 Deep Thin Wall Sockets:
1-1/16" (534DT) 1-1/8" (536DT) 1-1/4" (540DT)
1 Square Socket:
13/16" (526S)
1 Controlled Depth Socket:
1-1/2" (548CDS)

1" DRIVE IMPACT SOCKETS


1" DRIVE IMPACT SOCKETS

OVER 30"

*in Height with Locking Case,
Handle and Wheel Kit*

1" DRIVE
21 PIECE SAE
IMPACT SOCKET SET


- > CR-MO alloy steel for long life
- > Wheel kit and grip handle for easy maneuvering
- > Heavy duty blow molded storage case - over 30" tall
- > Shipping weight (Lbs.) - 35.0



5692			
INCLUDES:			
3/4" (524)	13/16" (526)	7/8" (528)	
15/16" (530)	1" (532)	1-1/16" (534)	
1-1/8" (536)	1-3/16" (538)	1-1/4" (540)	
1-5/16" (542)	1-3/8" (544)	1-7/16" (546)	
1-1/2" (548)	1-9/16" (550)	1-5/8" (552)	
1-11/16" (554)	1-3/4" (556)	1-13/16" (558)	
1-7/8" (560)	1-15/16" (562)	2" (564)	

1" DRIVE DEEP
21 PIECE SAE
IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Wheel kit and grip handle for easy maneuvering
- > Heavy duty blow molded storage case - over 30" tall
- > Shipping weight (Lbs.) - 50.1



5693			
INCLUDES:			
3/4" (524D)	13/16" (526D)	7/8" (528D)	
15/16" (530D)	1" (532D)	1-1/16" (534D)	
1-1/8" (536D)	1-3/16" (538D)	1-1/4" (540D)	
1-5/16" (542D)	1-3/8" (544D)	1-7/16" (546D)	
1-1/2" (548D)	1-9/16" (550D)	1-5/8" (552D)	
1-11/16" (554D)	1-3/4" (556D)	1-13/16" (558D)	
1-7/8" (560D)	1-15/16" (562D)	2" (564D)	



1" DRIVE HEAVY DUTY
WHEEL 10 PIECE
SAE & METRIC
IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Industrial strength, double latch blow mold case

Replacement storage case - RS5690ABMC



5690A		
INCLUDES:		
4 Deep Sockets:		
1" (532D)	1-3/16" (538D)	1-3/4" (556D)
33mm (533MD)		
3 Deep Thin Wall Sockets:		
1-1/16" (534DT)	1-1/8" (536DT)	1-1/4" (540DT)
2 Square Sockets:		
13/16" (526S)	15/16" (530S)	
1 Controlled Depth Socket:		
1-1/2" (548CDS)		



1" DRIVE DEEP
7 PIECE METRIC
IMPACT SOCKET SET

- > CR-MO alloy steel for long life
- > Industrial strength, double latch blow mold case

Replacement storage case - RS5697BMC



5697M		
INCLUDES:		
5 Deep Sockets:		
27mm (527MD)	33mm (533MD)	35mm (535MD)
36mm (536MD)	41mm (541MD)	
2 Square Sockets:		
17mm (517MSS)	21mm (521MSS)	



1" DRIVE STANDARD
9 PIECE SAE
IMPACT SOCKET SET


- > CR-MO alloy steel for long life
- > Industrial strength, double latch blow mold case

Replacement storage case - RS5699BMC



5699			
INCLUDES:			
1" (532)	1-1/8" (536)	1-1/4" (540)	
1-3/8" (544)	1-1/2" (548)	1-5/8" (552)	
1-3/4" (556)	1-7/8" (560)	2" (564)	





1" DRIVE INDIVIDUAL
SAE SOCKETS



Size	Standard	Deep
SAE	Model#	Model#
3/4"	524	524D
13/16"	526	526D
7/8"	528	528D
15/16"	530	530D
1"	532	532D
1-1/16"	534	534D
1-1/8"	536	536D
1-3/16"	538	538D
1-1/4"	540	540D
1-5/16"	542	542D
1-3/8"	544	544D
1-7/16"	546	546D
1-1/2"	548	548D
1-9/16"	550	550D
1-5/8"	552	552D
1-11/16"	554	554D
1-3/4"	556	556D
1-13/16"	558	558D
1-7/8"	560	560D
1-15/16"	562	562D
2"	564	564D
2-1/16"	566	566D
2-1/8"	568	568D
2-3/16"	570	570D


Size	Standard	Deep
SAE	Model#	Model#
2-1/4"	572	572D
2-5/16"	574	574D
2-3/8"	576	576D
2-7/16"	578	578D
2-1/2"	580	580D
2-9/16"	582	582D
2-5/8"	584	584D
2-11/16"	586	586D
2-3/4"	588	588D
2-13/16"	590	590D
2-7/8"	592	592D
2-15/16"	594	594D
3"	596	596D
3-1/8"	5100	5100D
3-1/4"	5104	5104D
3-3/8"	5108	5108D
3-1/2"	5112	5112D
3-5/8"	5116	5116D
3-3/4"	5120	5120D
3-7/8"	5124	5124D
4"	5128	5128D
4-1/8"	5132	5132D
4-1/4"	5136	5136D
4-1/2"	5140	5140D

1" DRIVE INDIVIDUAL
TRUCK WHEEL SOCKETS
SAE HEAVY DUTY



Size	Square	Deep Thin Wall	Extra Long	Comb. Budd Wheel	Cont. Depth	Heavy Duty Square	Extra Deep
SAE	Model#	Model#	Model#	Model#	Model#	Model#	Model#
13/16"	526S					526HDS	
15/16"	530S						
		534DT					
1-1/8"		536DT					
1-1/4"		540DT	540EL				
		542DT					
1-1/2"		548DT			548CDS		
1-3/4"							556XD
1-1/2" x 13/16"				5826C			




1" DRIVE INDIVIDUAL
METRIC SOCKETS



Size	Standard	Deep
Metric	Model#	Model#
19mm	519M	519MD
21mm	521M	521MD
22mm	522M	522MD
23mm	523M	523MD
24mm	524M	524MD
25mm	525M	525MD
26mm	526M	526MD
27mm	527M	527MD
28mm	528M	
29mm	529M	529MD
30mm	530M	530MD
32mm	532M	532MD
33mm	533M	533MD
35mm	535M	535MD
36mm	536M	536MD


Size	Standard	Deep
Metric	Model#	Model#
38mm	538M	538MD
40mm	540M	540MD
41mm	541M	541MD
42mm	542M	542MD
46mm	546M	546MD
50mm	550M	550MD
52mm	552M	
54mm	554M	554MD
55mm	555M	555MD
56mm	556M	556MD
58mm	558M	558MD
60mm	560M	560MD
65mm	565M	565MD
70mm	570M	570MD

1" DRIVE INDIVIDUAL
TRUCK WHEEL SOCKETS
METRIC HEAVY DUTY



Size	Square	Double Square	Deep Thin Wall	Extra Long	Comb. Budd Wheel
Metric	Model#	Model#	Model#	Model#	Model#
17mm		517MSS			
19mm	519MS				
20mm	520MS				
21mm		521MSS			
33mm				533MEL	
41mm			541MDT		
35 x 17mm					53517
38mm					53820
41 x 21mm					54121

1" DRIVE INDIVIDUAL
UNIVERSAL JOINT



Item	Model #
Universal Joint	5304

1" DRIVE INDIVIDUAL
RETAINING PIN & RING SETS




Item	Model #
1-11/16" Pin & Ring Set	5301
1-3/4" Pin & 1-7/8" Ring	5302

1-1/2" DRIVE IMPACT SOCKETS

5 SPLINE DRIVE IMPACT SOCKETS


1-1/2" DRIVE INDIVIDUAL
SAE SOCKETS



Size	Standard	Metric Eqiv.	Deep	Metric Eqiv.
SAE	Model#	SAE to Metric	Model#	Deep
1-1/2"	648		648D	
1-5/8"	652	41mm	652D	41mm
1-11/16"	654		654D	
2"	664		664D	
2-1/8"	668		668D	54mm
2-3/16"	670	55mm	670D	55mm
2-5/16"	674	58mm	674D	58mm
2-3/8"	676		676D	60mm
2-9/16"	682	65mm	682D	65mm
2-3/4"	688	70mm	688D	70mm
2-15/16"	694	75mm	694D	75mm

Size	Standard	Metric Eqiv.	Deep	Metric Eqiv.
SAE	Model#	SAE to Metric	Model#	Deep
3-1/8"	6100		6100D	
3-5/16"	6106	85mm	6106D	85mm
3-1/2"	6112	90mm	6112D	90mm
3-3/4"	6120	95mm	6120D	95mm
3-7/8"	6124		6124D	
4"	6128		6128D	
4-1/4"	6136	110mm	6136D	110mm
4-1/2"	6140	115mm	6140D	115mm
4-5/8"	6144	120mm	6144D	120mm
4-3/4"			6148D	
5-1/8"	6160		6160D	


5 SPLINE DRIVE INDIVIDUAL
SAE SOCKETS



Size	Standard	Deep
SAE	Model#	Model#
7/8"	5500S	
15/16"	5525	
1-1/16"	5526	
1-1/8"	5502	
1-3/16"	5504	
1-1/4"	5503	
1-5/16"	5534	
1-3/8"	5533	
1-7/16"	5535	
1-1/2"	5505	5548D
1-5/8"	5506	5552D
1-3/4"	5507	5556D
1"	5501	

Size	Standard	Deep
SAE	Model#	Model#
1-13/16"	5536	
1-7/8"	5508	
1-15/16"	5537	
2"	5509	
2-1/8"	5568	
2-1/4"	5572	
2-3/8"	5576	
2-1/2"	5580	
2-5/8"	5584	
2-3/4"	5588	
3"	5596	
3-1/8"	5600	


5 SPLINE DRIVE INDIVIDUAL
METRIC SOCKETS



Size	Standard	Deep
Metric	Model#	Model#
22mm	5522M	
24mm	5524M	
25mm	5525M	
27mm	5527M	
29mm	5529M	
30mm	5530M	
32mm	5532M	

Size	Standard	Deep
Metric	Model#	Model#
33mm	5533M	5533MD
35mm	5535M	
36mm		5536MD
38mm	5538M	
40mm	5540M	
41mm	5541M	
46mm	5546M	

5 SPLINE DRIVE
INDIVIDUAL SAE & METRIC
SPECIALTY SOCKETS



Size	Square	Heavy Duty Square	Thin Wall	Deep Thin Wall	Cont. Depth	Extra Deep Hex
SAE/Metric	Model#	Model#	Model#	Model#	Model#	Model#
13/16"	5532	5532HDS				
7/8"	5500S					
15/16"	5510					
1-1/16"			5527			
1-1/8"			5528			
1-1/4"			5529			
1-5/16"				5542DT		
1-1/2"				5548DT		5548XDH
1-1/2" x 13/16"	5530					
17mm	5517MSS					
21mm	5521MSS					
35mm				5535MDT		
41mm				5541MDT		



**3/8" DRIVE HEX DRIVER
16 PIECE SAE & METRIC
STUBBY IMPACT
DRIVER SET**

- > CR-MO alloy steel for long life
- > Stubby one piece design fits into tight areas
- > Heavy duty blow molded storage case



3646		
INCLUDES:		
8 SAE SIZES		
1/4" (36460)	5/16" (364601)	3/8" (364602)
7/16" (364603)	1/2" (364604)	9/16" (364605)
5/8" (364609)	3/4" (364611)	
8 METRIC SIZES:		
6mm (364606)	7mm (364607)	8mm (364608)
10mm (364610)	12mm (364612)	14mm (364614)
17mm (364617)	19mm (364619)	



**3/8" DRIVE HEX DRIVER
7 PIECE SAE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



3647		
INCLUDES:		
3/16" (36471)	7/32" (36472)	1/4" (36473)
5/16" (36474)	3/8" (36475)	7/16" (36476)
1/2" (36477)		



**3/8" DRIVE HEX DRIVER
7 PIECE METRIC
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



3648		
INCLUDES:		
4mm (36481)	5mm (36482)	6mm (36483)
7mm (36484)	8mm (36485)	10mm (36487)
12mm (36488)		



**3/8" DRIVE HEX DRIVER
13 PIECE SAE & METRIC
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Includes most popular SAE and metric hex sizes
- > 5/16" (8mm) Included as 1 socket
- > Heavy duty blow molded storage case



3649		
INCLUDES:		
5 SAE SIZES		
3/16" (36471)	7/32" (36472)	1/4" (36473)
5/16" & 8mm (36474)		3/8" (36475)
7/16" (36476)	1/2" (36477)	
6 SAE SIZES		
4mm (36481)	5mm (36482)	6mm (36483)
7mm (36484)	10mm (36487)	12mm (36488)



**3/8" DRIVE UNIVERSAL
HEX DRIVER
7 PIECE SAE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



3658		
INCLUDES:		
3/16" (365802)	7/32" (365804)	1/4" (365806)
5/16" (365808)	3/8" (365810)	7/16" (365812)
1/2" (365814)		



**3/8" DRIVE UNIVERSAL
HEX DRIVER
7 PIECE METRIC
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



3659		
INCLUDES:		
4mm (365904)	5mm (365905)	6mm (365906)
7mm (365907)	8mm (365908)	10mm (365910)
12mm (365912)		



**1/2" DRIVE MASTER
20 PIECE METRIC & SAE
IMPACT HEX
DRIVER SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case
- > Includes most common metric and SAE hex sizes used for automotive repair



2637		
INCLUDES:		
10 SAE Sockets:		
1/4" (26481)	9/32" (264811)	5/16" (26482)
3/8" (26483)	7/16" (26484)	1/2" (26485)
9/16" (26486)	5/8" (26487)	11/16 (26488)
3/4" (26489)		
10 Metric Sockets:		
6mm (26491)	7mm (26492)	8mm (26493)
10mm (26495)	12mm (26496)	14mm (26497)
15mm (264912)	17mm (26499)	18mm (264913)
19mm (264910)		



**1/2" DRIVE HEX DRIVER
10 PIECE SAE IMPACT
HEX DRIVER SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case
- > Includes popular SAE hex sizes used for automotive repair



2638		
INCLUDES:		
1/4" (26481)	9/32" (264811)	5/16" (26482)
3/8" (26483)	7/16" (26484)	1/2" (26485)
9/16" (26486)	5/8" (26487)	11/16" (26488)
3/4" (26489)		



**1/2" DRIVE HEX DRIVER
10 PIECE METRIC
IMPACT SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case
- > Includes popular metric hex sizes used for automotive repair



2639		
INCLUDES:		
6mm (26491)	7mm (26492)	8mm (26493)
10mm (26495)	12mm (26496)	14mm (26497)
15mm (264912)	17mm (26499)	18mm (264913)
19mm (264910)		



**1/2" DRIVE UNIVERSAL
HEX DRIVER
8 PIECE SAE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



2748		
INCLUDES:		
1/4" (274806)	5/16" (274808)	3/8" (274810)
7/16" (274812)	1/2" (274814)	9/16" (274816)
5/8" (274818)	3/4" (274820)	



**1/2" DRIVE UNIVERSAL
HEX 8 PIECE METRIC
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case



2749		
INCLUDES:		
6mm (274906)	7mm (274907)	8mm (274908)
10mm (274910)	12mm (274912)	14mm (274914)
17mm (274917)	19mm (274919)	



**3/4" DRIVE HEX DRIVER
5 PIECE SAE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case

Replacement storage case - RS4506BMC



4506		
INCLUDES:		
3/4" (45061)	7/8" (45062)	1" (45063)
1-1/8" (45064)	1-1/4" (45065)	



**3/4" DRIVE HEX DRIVER
5 PIECE METRIC
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case

Replacement storage case - RS4507BMC



4507		
INCLUDES:		
14mm (450714)	17mm (450717)	19mm (450719)
22mm (450722)	24mm (450724)	



**1" DRIVE HEX DRIVER
6 PIECE SAE
IMPACT SOCKET SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 7.45



5606		
INCLUDES:		
3/4" (56061)	7/8" (56062)	1" (56063)
1-1/8" (56064)	1-1/4" (56065)	1-3/8" (56066)



**1" DRIVE HEX DRIVER
6 PIECE METRIC
IMPACT SOCKET SET**


- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 7.5



5607		
INCLUDES:		
14mm (560714)	17mm (560717)	19mm (560719)
22mm (560722)	24mm (560724)	27mm (560727)

HEX DRIVERS

3/8" DRIVE INDIVIDUAL
SAE & METRIC HEX DRIVER SOCKETS




Hex

Universal Hex

Size	Hex	Hex Univ.
SAE	Model#	Model#
3/16"	36471	365802
7/32"	36472	365804
1/4"	36473	365806
5/16"	36474	365808
3/8"	36475	365810
7/16"	36476	365812
1/2"	36477	365814
9/16"	36478	
5/8"	36479	

Size	Hex	Hex Univ.
Metric	Model#	Model#
4mm	36481	365904
5mm	36482	365905
6mm	36483	365906
7mm	36484	365907
8mm	36485	365908
9mm	36486	
10mm	36487	365910
12mm	36488	365912
14mm	36489	
16mm	364810	
17mm	364811	

1/2" DRIVE INDIVIDUAL
SAE & METRIC HEX DRIVER SOCKETS




Hex

Universal Hex

Size	Hex	Hex Univ.
SAE	Model#	Model#
1/4"	26481	274806
9/32"	264811	
5/16"	26482	274808
3/8"	26483	274810
7/16"	26484	274812
1/2"	26485	274814
9/16"	26486	274816
5/8"	26487	274818
11/16"	26488	
3/4"	26489	274820
13/16"	264810	

Size	Hex	Hex Univ.
Metric	Model#	Model#
6mm	26491	274906
7mm	26492	274907
8mm	26493	274908
9mm	26494	
10mm	26495	274910
11mm	264914	
12mm	26496	274912
13mm	264915	
14mm	26497	274914
15mm	264912	274915
16mm	26498	
17mm	26499	274917
18mm	264913	274918
19mm	264910	274919
21mm	264911	

3/4" DRIVE INDIVIDUAL
SAE & METRIC HEX DRIVER SOCKETS



Size	Hex
SAE	Model#
1/2"	416H
3/4"	45061
7/8"	45062
1"	45063
1-1/8"	45064
1-1/4"	45065

Size	Hex
Metric	Model#
12mm	412MH
14mm	450714
17mm	450717
19mm	450719
22mm	450722
24mm	450724

1" DRIVE INDIVIDUAL
SAE & METRIC HEX DRIVER SOCKETS



Size	Hex
Inches	Model#
3/4"	56061
7/8"	56062
1"	56063
1-1/8"	56064
1-1/4"	56065
1-3/8"	56066

Size	Hex
Metric	Model#
14mm	560714
17mm	560717
19mm	560719
22mm	560722
24mm	560724
27mm	560727

MAN OF STEEL

SAVE THE DAY WITH OUR VIRTUALLY UNBREAKABLE SUPER ADAPTERS

INDIVIDUAL SUPER REDUCERS

> Engineered to dramatically increase durability, these reducers outlast the competition

> Shipping weight (Lbs.) - from 0.2 - 0.8



2303 1/2"F x 3/8"M

3303 3/8"F x 1/4"M



4305 3/4"F x 1/2"M

5305 1"F x 3/4"M



3 PIECE SUNEX SUPER REDUCER SET

> Engineered to dramatically increase durability, these reducers outlast the competition
> Heavy duty blow molded storage case
> Shipping weight (lbs.) - 12.7

2343	
INCLUDES 3 DRIVE SIZES:	
MODEL:	DRIVE SIZE:
2303	1/2"F x 3/8"M
3303	3/8"F x 1/4"M
4305	3/4"F x 1/2"M



**3/8" & 1/2" DRIVE
ADAPTER & UNIVERSAL
JOINT 5 PIECE
IMPACT SET**

- > CR-MO alloy steel for long life
- > Fully guaranteed (except adapters)
- > Heavy duty blow molded storage case

3305

INCLUDES:

3/8" Dr. Universal Joint	(3301)
3/8"(F) x 1/2"(M) Adapter	(3300)
1/2" Universal Joint	(2300)
1/2"(F) x 3/8"(M) Adapter	(2301)
1/2"(F) x 3/4"(M) Adapter	(2302)



**3/4" & 1" DRIVE 5 PIECE
ADAPTER &
UNIVERSAL JOINT
IMPACT SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case

4405

INCLUDES:

3/4" Dr. Universal Joint (4304)
3/4"(F) X 1/2"(M) Reducer (4301)
3/4"(F) X 1"(M) Adapter (4300)
1"(F) X 3/4"(M) Reducer (5303)
1" Dr. Universal Joint (5304)



**3 PIECE
SUPER REDUCER SET**


- > Engineered to dramatically increase durability, these reducers outlast the competition
- > Heavy duty blow molded storage case
- > Shipping weight (lbs.) - 12.7

2343

INCLUDES:

MODEL:	DRIVE SIZE:	MODEL:	DRIVE SIZE:
2303	1/2"F x 3/8"M	3303	3/8"F x 1/4"M
4305	3/4"F x 1/2"M		

**INDIVIDUAL
ADAPTERS AND REDUCERS**



Size	Adapter Model #	Reducer Model #
3/8"(F) x 1/4"(M)	1805	3303
3/8"(F) x 1/2"(M)	3300	
1/4"(F) x 3/8"(M)	1801	
1/2"(F) x 3/8"(M)	2301	2303
1/2"(F) x 3/4"(M)	2302	
3/4"(F) x 1/2"(M)	4301	4305
3/4"(F) x 1"(M)	4300	
1"(F) x 3/4"(M) w/ ball ret.	5303	5305
1"(F) x 1-1/2"(M) w/ pin hole	5306	
1-1/2"(F) x 1"(M) w/ pin hole	6332	
#5(F) x 3/4"(M) w/ ball ret.	5524	
#5(F) x 1"(M) w/ pin hole	5531	



**3/8" DRIVE EXTENSIONS
4 PIECE IMPACT SET**

- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case

3500

INCLUDES:

3" (3503)	5" (3505)	10" (3510)	15" (3515)
-----------	-----------	------------	------------



**3/8" WOBBLE DRIVE
EXTENSIONS
4 PIECE IMPACT SET**

- > Steel ball retainer on male end
- > Wobble drive provides 15° offset in all directions
- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case

3504

INCLUDES:

3" (3503W)	5" (3505W)	10" (3510W)
15" (3515W)		



**1/2" DRIVE EXTENSIONS
4 PIECE IMPACT SET**

- > Steel ball retainer on male end
- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case

2500

INCLUDES:

3" (2503)	5" (2505)	10" (2510)	15" (2515)
-----------	-----------	------------	------------



**1/2" WOBBLE DRIVE
EXTENSIONS
4 PIECE IMPACT SET**


- > Steel ball retainer on male end
- > Wobble drive provides 15° offset in all directions
- > CR-MO alloy steel for long life
- > Heavy duty blow molded storage case

2504

INCLUDES:

3" (2503W)	5" (2505W)	10" (2510W)
15" (2515W)		

**INDIVIDUAL
EXTENSIONS**



Size	3/8"	1/2"	3/4"	1"	1/2" Wobble	3/8" Wobble	#5 Spline
SAE	Model#	Model#	Model#	Model#	Model#	Model#	Model#
3"	3503	2503			2503W	3503W	
5"	3505	2505			2505W	3505W	
6"			4302	5300			
8"							5608
10"	3510	2510	4310	5310	2510W	3510W	
13"			4313	5313			
15"	3515	2515			2515W	3515W	5615
24"		2524					
36"		2536					
36" for Transmissions 1/2" (F) x 3/8" (M)		2536T					

SPECIALTY SOCKETS

GUARANTEED TO PERFORM



SPECIALTY SOCKETS



**3/8" DRIVE
ABS PRESSURE SWITCH SOCKET**
DODGE, CHRYSLER, PLYMOUTH

10212

- > Forged from CR-V alloy steel for maximum strength
- > Designed for damage-free removal of ABS pressure switch. Removes and installs Bendix 10 ABS pressure switch on a 1990 or newer Dodge Monaco, Eagle Premier and 1991 and newer Chrysler, Plymouth and Dodge minivans

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND.
⚠ Caution: Use of this socket with an impact tool can cause serious injury.



**3/8" DRIVE
SWITCH SOCKET**
CHEVROLET

10007

- > Forged from CR-V alloy steel for maximum strength
- > Oil pressure switch socket Fits 1 and 1-1/16" on GM & Chrysler vehicles

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND.
⚠ Caution: Use of this socket with an impact tool can cause serious injury.



**1/2" DRIVE
SPANNER SOCKET**
FORD

10004

- > Forged from CR-V alloy steel for maximum strength
- > Designed for use with 1985 and later Ford F250/F350 trucks with floating rear axle

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND.
⚠ Caution: Use of this socket with an impact tool can cause serious injury.



**1/2" DRIVE
AXLE FLANGE NUT SOCKET**
MERCEDES BENZ

10203

- > Forged from CR-V alloy steel for maximum strength
- > Removes rear axle flange grooved nuts on Mercedes Benz models 107, 114, 115, 116, 126 axles with CV joints when replacing axle seals and axle bearings

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND.
⚠ Caution: Use of this socket with an impact tool can cause serious injury.

Trusted by Professionals Since 1977
www.sunextools.com





**3/4" DRIVE
AXLE NUT SPANNER SOCKET**
CHEVROLET, GMC

- > Forged from CR-V alloy steel for maximum strength
- > Six-lug, spanner-type wrench removes and installs rear wheel bearing locknuts. Services 1954-current Chevrolet and GMC 15,000 lb. axles; 1966-current 17,000 lb. 2 speed. axles; 1965-current 15,000 lb. trailing axles

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND.
⚠ Caution: Use of this socket with an impact tool can cause serious injury.

10205



**3/4" DRIVE
AXLE NUT SPANNER SOCKET**
CHEVROLET, GMC

- > Forged from CR-V alloy steel for maximum strength
- > Six-lug, spanner-type wrench removes and installs rear wheel bearing locknuts; services 1954-current Chevrolet and GMC 11,000 to 13,500 lb. axles

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND.
⚠ Caution: Use of this socket with an impact tool can cause serious injury.

10206



**3/4" DRIVE
AXLE NUT SPANNER SOCKET**
CHEVROLET, GMC

- > Forged from CR-V alloy steel for maximum strength
- > Six lug spanner type socket removes and installs rear wheel bearing locknuts on 1946-present Chevrolet and GMC 5200 and 7200 lb axles

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND.
⚠ Caution: Use of this socket with an impact tool can cause serious injury.

10207



**3/4" DRIVE
RATCHETING LOCKNUT TOOL**
FORD TRUCKS

- > Forged from CR-V alloy steel for maximum strength
- > Small end fits Ford 1986 to 1994 light trucks with Dana 44 front axle; large end fits 1985 and newer Ford F-150 and F-350 trucks with Dana full floating rear axle - this flip socket allows for dual application

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND.
⚠ Caution: Use of this socket with an impact tool can cause serious injury.

10636



**1/2" DRIVE
TRANSIT LOCK NUT TOOL**
FORD

- > Forged from CR-V alloy steel for maximum strength
- > For Ford locknuts fitted on pre-1998 Ford Transit 80, 100, 115, 120 models with type 34 axles

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND.
⚠ Caution: Use of this socket with an impact tool can cause serious injury.

10209



**3/4" DRIVE
BALL JOINT IMPACT SOCKET**
CHRYSLER CARS

- > CR-MO alloy steel for long life
- > Removes and installs the ball joints used on mid-size, rear-wheel drive Chrysler cars - fits 1-59/64" ball joints

10213



**3/4" DRIVE
BALL JOINT IMPACT SOCKET**
CHRYSLER LIGHT TRUCKS

- > CR-MO alloy steel for long life
- > Removes and installs the ball joints used on Chrysler/Dodge light trucks and vans - fits 2-9/64" ball joints

10214



**1/2" DRIVE 12.5MM
BRAKE CALIPER SOCKET**
CITROËN AND PEUGEOT

- > Forged from CR-V alloy steel for maximum strength
- > Pentagon shaped driver applicable for use on Citroën and Peugeot calipers

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND.
⚠ Caution: Use of this socket with an impact tool can cause serious injury.

10210



**3/4" DRIVE
DIFFERENTIAL SOCKET**
MERCEDES BENZ

- > Forged from CR-V alloy steel for maximum strength
- > Applicable for use on Mercedes Benz models 107, 114, 115, and 116 when removing the drive pinion shaft flange nut of the differential

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND.
⚠ Caution: Use of this socket with an impact tool can cause serious injury.

10204



**1/2" DRIVE INDIVIDUAL DRAIN/
PIPE PLUG SOCKETS**
MALE 7/16" - 5/8" / FEMALE 7/16" - 5/8"



**3/8" DRIVE INDIVIDUAL DRAIN/
PIPE PLUG SOCKETS**
MALE 3/16" - 3/8" / FEMALE 1/4" - 3/8"



**1/2" DRIVE 8 PIECE DRAIN/ PIPE PLUG
IMPACT SOCKET SET**
FOR USE ON MOST VEHICLES
MALE 7/16" - 5/8" / FEMALE 7/16" - 5/8"

- > CR-MO alloy steel for long life
- > Heavy duty blow mold case

Model #	Size	Type
214FP	1/2" Drive 7/16"	Female Pipe Plug Socket
214P	1/2" Drive 7/16"	Male Pipe Plug Socket
216FP	1/2" Drive 1/2"	Female Pipe Plug Socket
216P	1/2" Drive 1/2"	Male Pipe Plug Socket
218FP	1/2" Drive 9/16"	Female Pipe Plug Socket
218P	1/2" Drive 9/16"	Male Pipe Plug Socket
220FP	1/2" Drive 5/8"	Female Pipe Plug Socket
220P	1/2" Drive 5/8"	Male Pipe Plug Socket

**3/8" DRIVE 11 PIECE DRAIN/ PIPE PLUG
IMPACT SOCKET SET**
FOR USE ON MOST VEHICLES
MALE 3/16" - 3/8" / FEMALE 1/4" - 3/8"

- > CR-MO alloy steel for long life
- > Heavy duty blow mold case
- > Shipping weight (lbs) – 1.4

Model #	Size	Type
304PC	3/8" Drive 3/16"	Male Pipe Plug Socket
308PC	3/8" Drive 1/4"	Male Pipe Plug Socket
309PC	3/8" Drive 9/32"	Male Pipe Plug Socket
310PC	3/8" Drive 5/16"	Male Pipe Plug Socket
311PC	3/8" Drive 11/32"	Male Pipe Plug Socket
312PC	3/8" Drive 3/8"	Male Pipe Plug Socket
308EPC	3/8" Drive 1/4"	Female Pipe Plug Socket
309EPC	3/8" Drive 9/32"	Female Pipe Plug Socket
310EPC	3/8" Drive 5/16"	Female Pipe Plug Socket
311EPC	3/8" Drive 11/32"	Female Pipe Plug Socket
312EPC	3/8" Drive 3/8"	Female Pipe Plug Socket

1/2" DRIVE SPINDLE NUT SOCKET
FORD/ DODGE 4WD VEHICLES

- > Forged from CR-V alloy steel for maximum strength
- > Applicable for use on 1984-92 Ford Ranger and Bronco II with manual hubs; 1986-95 Ford F-Series 1/2 ton pickup trucks; full size Bronco with Dana 44 front axle; 1990-93 Dodge trucks with Dana 44 automatic hubs

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND.
⚠ Caution: Use of this socket with an impact tool can cause serious injury.

2841



1/2" DRIVE SPINDLE NUT SOCKET
ISUZU, HONDA, JEEP J20 PICKUPS

- > Forged from CR-V alloy steel for maximum strength
- > Services 1988-95 Isuzu Trooper, Rodeo, Amigo, and pickups; 1985-89 Honda Passport; Jeep J20 pickups with Dana 60 Axle

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND.
⚠ Caution: Use of this socket with an impact tool can cause serious injury.

10202



SPINDLE PULLER IMPACT SOCKET
FULL SIZE FORD, GM, INTERNATIONAL, JEEP

- > Forged from CR-V alloy steel for maximum strength
- > For use when removing the front spindle on light duty 4WD trucks. Applicable to full size Ford, GM, International, and Jeep pick-ups with Dana front Axles; also applicable to Ford Ranger and Bronco II - fits spindle thread sizes 2"-16, 1-5/8"-16, 38mm-1.5

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND.
⚠ Caution: Use of this socket with an impact tool can cause serious injury.

10208



1/2" DRIVE 2-1/4" LOCKNUT SOCKET
FORD, GM, INTERNATIONAL, DODGE

- > Forged from CR-V alloy steel for maximum strength
- > Services 1993 - Newer Ford Ranger and Bronco II and Explorer with manual hubs. 1995-1996 Ford F Series 1/2 Ton truck and Full Size Bronco with manual hubs. 1995-newer Ford F Series 3/4 Ton and 1 Ton Trucks and Full size Bronco. 1960-1990 GM 1/2 Ton truck and full size Jimmy/Blazer. 1969-1989 Dodge 1/2 Ton Truck with manual hubs. 1969-72 International 1/2 Ton Truck. 1/2" Square Drive. Weight 1.5 lbs.

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND.
⚠ Caution: Use of this socket with an impact tool can cause serious injury.

272LN



1/2" DRIVE 2-5/8" LOCKNUT SOCKET
FORD, GM

- > Forged from CR-V alloy steel for maximum strength
- > 6 lug socket for removal and installation of 4 slot front axle locknuts on 1978-1984 Ford F-Series and 4WD heavy duty 3/4 and 1 ton trucks; 1973-81 GM 4WD 3/4 and 1 Ton Trucks.

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND.
⚠ Caution: Use of this socket with an impact tool can cause serious injury.

284LN



TIE ROD SOCKET

- > CR-MO alloy steel for long life
- > Innovative, non-slip design
- > Capable of removing most bolts that have 75% of their corners stripped away

2801



1/2" DRIVE 5 PIECE TORQUE LIMITING EXTENSION SET FOR USE ON MOST VEHICLES

- > Made of flexible spring steel that stops turning when the required torque has been reached
- > Heavy duty blow mold case
- > This set contains the most popular sizes and torque ratings needed in the automotive service industry; torque limiting extensions often extend the life of thin wall impact sockets by limiting the torque to the required rating - available as a set or individually

2450

1/2" DRIVE INDIVIDUAL TORQUE LIMITING EXTENSIONS

Model #	Type
2465	65 ft. lbs. Extension / 90 Nm
2480	80 ft. lbs. Extension / 110 Nm
24100	100 ft. lbs. Extension / 135 Nm
24120	120 ft. lbs. Extension / 160 Nm
24140	140 ft. lbs. Extension / 190 Nm



1/2" DRIVE 10 PIECE TORQUE LIMITING SOCKET SET FOR USE ON MOST VEHICLES

- > Made of flexible spring steel that stops turning when the required torque has been reached
- > Heavy duty blow mold case
- > Torque limiting socket set will tighten wheel nuts to the correct torque on most makes and models of foreign and domestic cars, light trucks and vans; these tools are designed for use with a 1/2" impact wrench - available as a set or individually

2880

1/2" DRIVE INDIVIDUAL TORQUE LIMITING SOCKETS

Model #	Type
21755M	17mm / 55 ft. lbs. / 75 Nm
21780M	17mm / 80 ft. lbs. / 110 Nm
22180M	21mm / 80 ft. lbs. / 110 Nm
21910M	19mm (3/4") / 100 ft. lbs. / 135 Nm
21965M	19mm (3/4") / 65 ft. lbs. / 90 Nm
21980M	19mm (3/4") / 80 ft. lbs. / 110 Nm
22212M	22mm (7/8") / 120 ft. lbs. / 160 Nm
22214M	22mm (7/8") / 140 ft. lbs. / 190 Nm
22610	13/16" / 100 ft. lbs. / 135 Nm
23014	15/16" / 140 ft. lbs. / 190 Nm

3/4" & 1" DRIVE TRUCK TORQUE EXTENSIONS & SOCKETS

- > Provides the ability to torque inner and outer cap nuts and flange nuts on heavy duty trucks
- > Torque sockets and extensions allow user to ensure that lug nuts are tightened to the required torque specification
- > Designed to extend life of thin wall impact sockets
- > Each socket and extension is individually packaged



INCLUDES:

3/4" Drive truck torque extensions:

A	4315TE	175 Ft/Lbs Extension
B	4320TE	250 Ft/Lbs Extension
C	4325TE	350 Ft/Lbs Extension
D	4330TE	475 Ft/Lbs Extension

1" Drive truck torque extensions and sockets:

E	5315TE	175 Ft/Lbs Extension
F	5320TE	250 Ft/Lbs Extension
G	5325TE	350 Ft/Lbs Extension
H	5330TE	400 Ft/Lbs Extension
I	5335TE	475 Ft/Lbs Extension
J	5340TE	550 Ft/Lbs Extension
K	5345TE	650 Ft/Lbs Extension
L	533TS	33mm x 475 Ft/Lbs Socket
M	540TS	1-1/4" Socket
N	548TS	1-1/2" Socket

11mm top opening

11mm x 12mm
Flip Socket

12mm bottom opening

TPMS SENSOR KIT


- > For use in installation and removal of TPMS sensors
- > Includes chrome vanadium 11mm x 12mm flip socket and 2" extension
- > Shipping weight (Lbs.) - 0.2
- > Also available separately:
 - Flip Socket - part # 1819CS
 - 2" Extension - part # 1819CE

1819C

1819CS	11mm x 12mm Flip Socket
1819CE	2" Extension



Sunex Tools® TPMS Sensor Kit works great for installation and removal of wheel sensors for tire pressure monitoring.



Wheel sensor not included



**1/2" DRIVE 9 PIECE
WHEEL LOCK REMOVAL
IMPACT SOCKET SET**
MOST DOMESTIC AND IMPORT
PASSENGER VEHICLES AND
LIGHT TRUCKS

- > CR-MO alloy steel for long life
- > Heavy duty blow mold case
- > Easily removes most lug nuts and wheel locks on most domestic and import passenger vehicles and light trucks. Use with hand driver or impact wrench.

2840	
INCLUDES:	
28401	Ford & Chrysler Hubcap Lock Remover
28402	Ford Wheel Lock Remover
28403	GM "M" & "F" Body Wheel Lock Remover
28404	Oversized Wheel Lock Remover
28405	McGard Wheel Lock Remover
28406	Lug Nut Extractor Punch
28407	Chrysler Hubcap Lock Remover
28408	GM Hubcap Lock Remover
28409	GM Spline Hubcap Lock Remover



**1/2" DRIVE 3 PIECE
EXTRA THIN WALL METRIC
DEEP WHEEL PROTECTOR
IMPACT SOCKET SET**

- > Durable outer sleeve and insert protects high polished wheels and lug nuts from damage
- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Packaged on convenient storage rail



2842	
INCLUDES:	
	1/2" Drive Metric Deep
284317	Metric 17mm
284319	Metric 19mm
284321	Metric 21mm



**1/2" DRIVE 3 PIECE
EXTRA THIN WALL METRIC
DEEP WHEEL PROTECTOR
IMPACT SOCKET SET**

- > Durable outer sleeve and insert protects high polished wheels and lug nuts from damage
- > 150mm (5.9") length of these extra long thin wall sockets enable usage of a standard impact wrench, rather than one with a 2" anvil
- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



2843	
INCLUDES:	
	1/2" Drive Metric Deep
284317	Metric 17mm
284319	Metric 19mm
284321	Metric 21mm



**1/2" DRIVE 9 PIECE
EXTRA THIN WALL
SAE & METRIC DEEP
WHEEL PROTECTOR
IMPACT SOCKET SET**

- > Durable outer sleeve and insert protects high polished wheels and lug nuts from damage
- > CR-MO alloy steel for long life
- > Fully guaranteed
- > Heavy duty blow molded storage case



2849	
INCLUDES:	
6 SAE Sockets:	
3/4" [lt. green] (28492)	13/16" [purple] (28494)
7/8" [green] (28496)	15/16" [brown] (28498)
1" [silver] (284910)	1-1/16" [black] (284912)
3 Metric Sockets:	
17mm [blue] (284917)	19mm [yellow] (284919)
21mm [red] (284921)	



**1/2" DRIVE 7 PIECE
WHEEL BEARING
LOCKNUT SET**


- > For use with 1/2" ratchet or breaker bar
- > Heavy duty blow molded case for easy storage
- > Shipping weight (Lbs.) - 12.7

THIS SOCKET SET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND.
⚠ Caution: Use of this socket with an impact tool can cause serious injury.


2847	
INCLUDES:	
Rounded Hex:	6PT. Hex:
2-3/8" (28477)	2-3/8" (28472)
2-1/2" (28474)	2-1/2" (28473)
2-9/16" (28476)	55mm (28471)
2-3/4" (28475)	

**1/2" DRIVE INDIVIDUAL
WHEEL BEARING
LOCKNUT SOCKETS**

THESE INDIVIDUAL SOCKETS ARE NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND. ⚠ Caution: Use of this socket with an impact tool can cause serious injury.



6 and 8 point locknut sockets fit rounded hex nuts found on Dana axles and some Ford trucks.



Measure from flat to flat to determine the size of the locknut. Refer to the chart above to determine which socket is best for your project.

Model #	Size	Point	Model #	Size	Point
10600	2-3/32"	6	10617	4-7/8"	8
10601	2-3/8"	8	10618	2-1/4"	6
10602	2-9/16"	6	10619	2-5/8"	6
10603	2-9/16"	8	10620	2-3/4"	6
10604	3"	6	10629	2-3/4"	8
10605	3"	8	10621	3-3/8"	8
10606	3-1/4"	6	10622	3-3/4"	8
10607	3-1/4"	8	10623	3-3/4"	6
10608	3-1/2"	6	10624	3-13/16"	8
10609	3-1/2"	8	10625	2-7/8"	6
10610	3-7/8"	6	10626	2-7/8"	8
10611	3-7/8"	8	10627	3-1/8"	6
10612	4"	6	10628	3-1/8"	8
10613	4-1/8"	6	10630	4-1/2"	8
10614	4-3/8"	6	10631	5-1/4"	6
10615	4-3/8"	8	10632	4-1/8"	8
10616	4-7/8"	6	10633	4-13/16"	8



**3/4" DRIVE 7 PIECE
TRUCK PINION LOCKNUT
IMPACT SOCKET SET**

- > 7 extra thin wall deep impact sockets for removing or installing transmission and differential end yoke lock nuts on most trucks
- > Fully guaranteed
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 27.6

4667	
INCLUDES:	
2" (464AN)	2-1/8" (468AN)
2-1/4" (472AN)	2-3/8" (476AN)
2-1/2" (480AN)	2-5/8" (484AN)
2-3/4" (488AN)	



**1/2" DRIVE
CRANKSHAFT PULLEY SOCKET**
HONDA, ACURA

- > Forged from CR-V alloy steel for maximum strength
- > Designed for use on most Honda/Acura engines for the removal and installation of the crankshaft pulley bolt

10006



**1/2" DRIVE
CRANKSHAFT TURNING SOCKET**
SMALL BLOCK CHEVY V8, 90° V6

- > Aluminium metal construction
- > Designed for use on small block Chevy engines, this aluminum socket rotates the crankshaft when the harmonic balancer is off. Fits 2-9/64" ball joints

10000

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND.
⚠ Caution: Use of this socket with an impact tool can cause serious injury.



**1/2" DRIVE
CRANKSHAFT TURNING SOCKET**
BIG BLOCK CHEVY V8

- > Aluminium metal construction
- > Designed for use on big block Chevy engines, this aluminum socket rotates the crankshaft when the harmonic balancer is off

10001

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND.
⚠ Caution: Use of this socket with an impact tool can cause serious injury.



**1/2" DRIVE
CRANKSHAFT TURNING SOCKET**
FORD, BUICK, OLDSMOBILE, PONTIAC

- > Aluminium metal construction
- > Designed for use on Ford, Buick, Oldsmobile, or Pontiac with 3/16" or 1/4" keyway, this aluminum socket rotates the crankshaft when the harmonic balancer is off

10002

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND.
⚠ Caution: Use of this socket with an impact tool can cause serious injury.



**5.5MM DRIVE
DISTRIBUTOR MODULE SOCKET**
FORD

- > Forged from CR-V alloy steel for maximum strength
- > Designed for use on 7/32" hex retaining bolts on Ford distributor modules

10009

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND.
⚠ Caution: Use of this socket with an impact tool can cause serious injury.



**3/8" DRIVE
FUEL FILTER BANJO BOLT
IMPACT SOCKET**
HONDA, ACURA

- > CR-MO alloy steel for long life
- > Designed for use on most 1986 and later fuel injected Honda and Acura vehicles, this socket is designed to easily remove and install the uniquely designed banjo bolt used to attach the fuel line to the fuel filter

10005



**3/8" DRIVE 6 PIECE
OIL AND FUEL FILTER SOCKET SET**
FOR USE ON MOST VEHICLES

- > Forged from CR-V alloy steel for maximum strength
- > Heavy duty blow mold case

3671

THIS SOCKET SET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND.
⚠ Caution: Use of this socket with an impact tool can cause serious injury.

**3/8" DRIVE INDIVIDUAL
OIL & FUEL FILTER SOCKETS**

THESE INDIVIDUAL SOCKETS ARE NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND. ⚠ Caution: Use of this socket with an impact tool can cause serious injury.

Model #	Type
367124	24mm Oil Filter Socket: Applicable for use on Buick with WT-V6 engines, Rendezvous Ultra, Lacrosse CSX, Cadillac WT-V6 - CTS, STS, SRX and Saturn L3000
367129	29mm Oil Filter Socket: Applicable for use on Dodge Cummins fuel filter housing 14700
367132	32mm Oil Filter Socket: Applicable for use on GM EcoTec and Saab engines
367135	35/36mm Oil Filter Socket: Applicable for use on BMW M52, M60, M62, M70, M73, MB, OM604, OM605 and OM606 engines; also fits Audi and VW models
367127	27mm Oil Filter Socket: Applicable for use on Cadillac STS 3.2 liter V6 and Mercedes Benz 1.8 liter I4 engines
367138	38mm Oil Filter Socket: Vauxhaul Vectra 2.0 liter diesel engines



**1-3/16 X 1/2" DRIVE
OIL PRESSURE SENDING UNIT SOCKET
GM**

- > CR-MO alloy steel for long life
- > For use when removing or replacing oil pressure sending units on 1987 to curent GM engines including 2.0L, 2.5L, 2.8L, and 3.0L used in Chevy, Buick, Oldsmobile, Pontiac, and Cadillac; 1-3/16 hex - turn with 1/2" square drive tools or 15/16" wrench

10003



**1/2" DRIVE
OXYGEN SENSOR SOCKET
ALL FOREIGN AND DOMESTIC VEHICLES
WITH OXYGEN SENSORS**

- > Forged from CR-V alloy steel for maximum strength
- > Works on all domestic and imported vehicles with oxygen sensors; slot in socket's side allows wire clearance - 7/8" hex, 3-7/8" socket length

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND.
⚠ Caution: Use of this socket with an impact tool can cause serious injury.

10010



**1/2" DRIVE
DEEP OIL SWITCH SOCKET
GM**

- > Remove and replace oil pressure sending units on 1987 to current GM engines

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND.
⚠ Caution: Use of this socket with an impact tool can cause serious injury.

10011



**7 PIECE
OXYGEN SENSOR
SOCKET SET**

- > Easily removes vacuum switches, oil pressure sending units, brake light switches, and oxygen sensors on most car models
- > CR-MO alloy steel for long life
- > Heavy duty blow mold case
- > Shipping weight (Lbs.) - 5.5

2850

INCLUDES:

29mm pressure/ vacuum switch socket	28501
7/8" vacuum switch socket with 7.5mm gap	28502
27mm oil pressure sending unit socket	28503
7/8" vacuum switch socket with 20.6mm gap	28504
1-1/16" and 1" oil pressure sending unit socket	28505
7/8" short oxygen sensor socket	28506
7/8" hex, 1/2" double square driver	28507



**5/8", 3/8" DRIVE
SPARK PLUG EXTRA LONG SOCKET
MODERN FOREIGN AND DOMESTIC
VEHICLES WITH RECESSED SPARK PLUGS**

- > CR-MO alloy steel for long life
- > Length: 4.5"
- > Designed for easy removal and installation of recessed, hard to reach spark plugs that are often deep within a tube

THIS SOCKET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND.
⚠ Caution: Use of this socket with an impact tool can cause serious injury.

10008



**3/8" DRIVE 4 PIECE UNIVERSAL
SPARK PLUG SOCKET SET**

- > All four sized spark plug sockets in one convenient set
- > Fully polished chrome vanadium alloy steel for durability
- > Universal joint design for easy access in confined areas
- > Rubber buffer hold spark plug securely during installation and removal
- > Includes new 9/16" size
- > Convenient blow mold case

8844

INCLUDES:

Model:	Size:
8844-9/16	9/16"
8844-5/8	5/8"
8844-3/4	3/4"
8844-13/16	13/16"



**3/8" DRIVE 7 PIECE 2-1/2" & 6" LENGTHS
SPARK PLUG MASTER SOCKET SET
FOR USE ON MOST VEHICLES**

- > Forged from CR-V alloy steel for maximum strength
- > Heavy duty blow mold case
- > For easy removal and installation of spark plug sizes common to most vehicle the spark plug socket is a standard deep socket with a small rubber buffer inside of it intended to grab on to the terminal and hold the plug inside of the socket while it is maneuvered into position

(Includes three extra deep spark plugs sockets and one thin wall spark plug socket for hard to reach plugs - for use with 3/8" drive ratchets)

THIS SOCKET SET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND.
⚠ Caution: Use of this socket with an impact tool can cause serious injury.

8845

**3/8" DRIVE INDIVIDUAL
SPARK PLUG SOCKETS**

THESE INDIVIDUAL SOCKETS ARE NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND.
⚠ Caution: Use of this socket with an impact tool can cause serious injury.

Model #	Length	Type / Application
884501	2-1/2"	9/16" Spark Plug Socket - Various foreign and domestic models
884502	2-1/2"	5/8" Spark Plug Socket - Various foreign and domestic models
884503	2-1/2"	13/16" Spark Plug Socket - Various foreign and domestic models
884504	2-1/2"	16mm Thin Wall Spark Plug Socket - Honda/Acura and Toyota
884505	6"	9/16" Extra Deep Spark Plug Socket - Various foreign and domestic models
884506	6"	5/8" Extra Deep Spark Plug Socket - Various foreign and domestic models
884507	6"	13/16" Extra Deep Spark Plug Socket - Various foreign and domestic models



1/2" DRIVE 5 POINT 13/16" BUFFALO COVER IMPACT SOCKET

- > CR-MO alloy steel for long life
- > **Designed for use on tamper-proof buffalo covers used by water and gas utility companies**
- > Shipping weight (Lbs.) - 0.3

2265PT



FORD DRIVELINE IMPACT SOCKET
12MM 12 PT - 1/2" DRIVE

- > Specifically designed for driveline applications on Ford Mustang, Crown Victoria, Taurus, Explorer, Expedition, Excursion, Ranger, F150, and Mercury equivalents from 1980's to present
- > Shipping weight (Lbs.) - 0.4

212ZUMDL



TOYOTA TUNDRA HD DEEP THIN WALL IMPACT SOCKET
39MM 12 PT - 1/2" DRIVE

- > CR-MO alloy steel for long life
- > Designed to remove and install axle nuts for 2007 and newer Toyota 4WD vehicles
- > Shipping weight (Lbs.) - 3.19

239MZDT



1/2" DRIVE 12 POINT 9 PIECE METRIC DRIVELINE LIMITED CLEARANCE SOCKET SET

- > Great for most limited access fasteners
- > Includes driveline sockets for Chevrolet, Chrysler, Dodge, Ford, GMC and Jeep models
- > Remove and install:
 - Driveline bolts, torque converters, cylinder heads, 4x4 transmission casings
- > Heavy duty blow molded storage case
- > Patent Pending
- > Shipping weight (Lbs.) - 5.65

2695

INCLUDES:

8mm (208ZUMDL)	10mm (210ZUMDL)
11mm (211ZUMDL)	12mm (212ZUMDL)
13mm (213ZUMDL)	14mm (214ZUMDL)
15mm (215ZUMDL)	16mm (216ZUMDL)
17mm (217ZUMDL)	



1/2" DRIVE 12 POINT 7 PIECE SAE DRIVELINE LIMITED CLEARANCE SOCKET SET

- > Great for most limited access fasteners
- > Includes driveline sockets for Chevrolet, Chrysler, Dodge, Ford, GMC and Jeep models
- > Remove and install:
 - Driveline bolts, torque converters, cylinder heads, 4x4 transmission casings
- > Heavy duty blow molded storage case
- > Patent Pending
- > Shipping weight (Lbs.) - 4.66

2696

INCLUDES:

5/16" (210ZUDL)	3/8" (212ZUDL)
7/16" (214ZUDL)	1/2" (216ZUDL)
9/16" (218ZUDL)	11/16" (222ZUDL)
3/4 (224ZUDL)	



HONDA HEAD BOLT SOCKET

10MM 12 PT - 1/2" DRIVE

- > CR-MO alloy steel for long life
- > For use with 1976 to current Honda head bolts
- > Overall length of 4-1/2"
- > Shipping weight (Lbs.) - 0.5

210MZB



NISSAN HEAD BOLT SOCKET

12MM 12 PT - 1/2" DRIVE

- > CR-MO alloy steel for long life
- > For use with Nissan head bolts
- > Overall length of 4-1/2"
- > Shipping weight (Lbs.) - 0.5

212MZB



TOYOTA HEAD BOLT SOCKET

14MM 12 PT - 1/2" DRIVE

- > CR-MO alloy steel for long life
- > For use with Toyota head bolts
- > Overall length of 4-1/2"
- > Shipping weight (Lbs.) - 0.5

214MZB



LIMITED CLEARANCE?

NO PROBLEM!

1/2" DRIVE 12 POINT METRIC AND SAE LIMITED CLEARANCE SOCKET SETS

- > Great for most clearance fasteners.
- > Engineered to sit flush to reduce wear on the fastener and socket wall
- > Includes driveline sockets for Chevrolet, Chrysler, Dodge, Ford, GM, and Jeep models
- > Remove and install: Driveline bolts, Torque converters, Cylinder heads, 4x4 Transmission casings
- > 212ZUMDL Ford Driveline socket was a proud winner of the PTEN 2008 Innovation Award

2695		2696	
INCLUDES:		INCLUDES:	
8mm (208ZUMDL)	10mm (210ZUMDL)	5/16" (210ZUDL)	3/8" (212ZUDL)
11mm (211ZUMDL)	12mm (212ZUMDL)	7/16" (214ZUDL)	1/2" (216ZUDL)
13mm (213ZUMDL)	14mm (214ZUMDL)	9/16" (218ZUDL)	11/16" (222ZUDL)
15mm (215ZUMDL)	16mm (216ZUMDL)	3/4 (224ZUDL)	
17mm (217ZUMDL)			



FORD DRIVELINE IMPACT SOCKET
12MM 12 PT - 1/2" DRIVE

- > Specifically designed for driveline applications on Ford Mustang, Crown Victoria, Taurus, Explorer, Expedition, Excursion, Ranger, F150, and Mercury equivalents from 1980's to present
- > Fully guaranteed
- > Shipping weight (Lbs.) - 0.4

212ZUMDL

Applications For Driveline Sockets

Metric:	
208ZUMDL (8mm)	Jeep Cherokee Drive Shafts, Ford Super Duty Truck drivelines
210ZUMDL (10mm)	Pontiac Drive Shafts and Torque Converter removal /install
211ZUMDL (11mm)	Chevrolet Applications
212ZUMDL (12mm)	Ford Mustang, Taurus, Explorer, Fusion, 500, F-150, Bronco drivelines and Mercury equivalents
213ZUMDL (13mm)	For limited clearance applications
214 ZUMDL (14mm)	Removal of Torque converters
215ZUMDL (15mm)	Removal of 4x4 units of transmission casings on 4WD drive vehicles
217ZUMDL (17mm)	Ford F-350 Trucks
SAE:	
210ZUDL (5/16")	Chrysler/Dodge Exhaust manifolds
212ZUDL (3/8")	For limited clearance applications
214ZUDL (7/16")	For limited clearance applications
216ZUDL (1/2")	Heavy Duty starter applications
218ZUDL (9/16")	Pre 1980 Ford Drivelines
222ZUDL (11/16")	For limited clearance applications
224ZUDL (3/4")	For limited clearance applications

Go where no other socket has gone before.

Standard sockets do not allow you to grab the bolt head straight on.

Sunex limited clearance sockets bend and give you the extra length to grab the bolt head and remove or install with ease.



SPECIALTY SOCKETS

1/4", 3/8" & 1/2" DRIVE 8 PIECE ANTENNA AND MIRROR MAINTENANCE SOCKET SET

MERCEDES, BMW, VW, GM, AUDI, FORD, HONDA, SUBARU, MAZDA, NISSAN, MITSUBISHI, TOYOTA, LAND ROVER,

- > Forged from CR-V alloy steel for maximum strength
- > Heavy duty blow mold case

THIS SOCKET SET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND.
⚠ Caution: Use of this socket with an impact tool can cause serious injury.



1/4", 3/8" & 1/2" DRIVE INDIVIDUAL ANTENNA & MIRROR MAINTENANCE SOCKETS

THESE INDIVIDUAL SOCKETS ARE NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND.
⚠ Caution: Use of this socket with an impact tool can cause serious injury.

Model #	Type
392101	Remote Control Mirror Socket (Two-Prong) Hollow socket clears adjustment lever - 3/8" sq. dr. - services many Ford and VW vehicles
392102	Radio Trim Nut Socket (Two-Prong) Hollow socket clears adjustment lever - 1/4" sq. dr. - services some GM and Ford cars
392103	Antenna Nut Socket (Three-Prong) 11/16" external hex, 1-1/2" long - services 1987- current Chrysler vehicles
392104	Antenna Nut Socket (Two-Prong) 11/16" external hex - services 1989-90 Ford Probe, 1989-90 Mazda RX7 and 926 Nissan Stanza and Maxima
392105	Antenna Nut Socket (Four-Prong) 11/16" external hex - services 1985-1990 Ford Taurus and Mercury Sable, 1990 Lincoln Mark V
392106	Power Antenna Nut Socket (Four-Prong) 11/16" external hex, 44.5mm long - services 1977- current GM vehicles
392107	Antenna Nut Socket (Four-Prong) 11/16" external hex - services GMC 400 Pickups C and K, 1989 Lincoln Town Car and Continental, 1990 Toyota Camry and Celica, Chrysler, Mitsubishi Eclipse, Galant, and Sigma
392108	Ball Joint Socket (Four-Prong) 1/2" sq. dr. - for use on 4-5 B axles such as found on Dodge, Ford, Chevrolet, GMC and international four wheel drive trucks - adjusts the sleeve in the top of the yoke on the front suspension

SPECIALTY SOCKETS

IMPACT SOCKET SPECIFICATIONS

24 PIECE
RIBE BIT SET

- > Bits made from industrial S2 steel
- > M4 - M14 Bit sizes in both 30mm and 75mm lengths
- > 3/8" Dr. and 1/2" Dr. bit holders included
- > Ideal for late model German engineered vehicles for cylinder head, headlight, and transmission fill plug applications
- > Heavy duty blow molded storage case
- > Shipping weight (Lbs.) - 2.9

THIS SOCKET SET IS NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND.
⚠ Caution: Use of this socket with an impact tool can cause serious injury.



3/8" & 1/2" DRIVE
INDIVIDUAL RIBE BIT SOCKETS

THESE INDIVIDUAL SOCKETS ARE NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND. ⚠ Caution: Use of this socket with an impact tool can cause serious injury.

3/8" DRIVE
13 PIECE SAE
WEATHERHEAD SOCKET SET

- > Used to remove to install Weatherhead fittings
- > Used in 90° elbow joint applications
- > Ideal for hydraulic hose and fitting removal and installations
- > Packaged on plastic rail for tool box storage



9724

INCLUDES:

- 3/8" Dr. Bit Holder (972423)
- 1/2" Dr. Bit Holder (972424)
- M4 - M14: 30mm & 75mm lengths
- Model # (972401 to 972422)

Model #	Type	Model #	Type
972401	M4 Ribe Bit (30mm)	972413	M5 Ribe Bit (75mm)
972402	M5 Ribe Bit (30mm)	972414	M6 Ribe Bit (75mm)
972403	M6 Ribe Bit (30mm)	972415	M7 Ribe Bit (75mm)
972404	M7 Ribe Bit (30mm)	972416	M8 Ribe Bit (75mm)
972405	M8 Ribe Bit (30mm)	972417	M9 Ribe Bit (75mm)
972406	M9 Ribe Bit (30mm)	972418	M10 Ribe Bit (75mm)
972407	M10 Ribe Bit (30mm)	972419	M11 Ribe Bit (75mm)
972408	M11 Ribe Bit (30mm)	972420	M12 Ribe Bit (75mm)
972409	M12 Ribe Bit (30mm)	972421	M13 Ribe Bit (75mm)
972410	M13 Ribe Bit (30mm)	972422	M14 Ribe Bit (75mm)
972411	M14 Ribe Bit (30mm)	972423	3/8" Dr. Bit Holder Socket
972412	M4 Ribe Bit (75mm)	972424	1/2" Dr. Bit Holder Socket


9913

INCLUDES:

- 7/16" (991301) 15/32" (991302)
- 1/2" (991303) 17/32" (991304)
- 9/16" (991305) 19/32" (991306)
- 5/8" (991307) 11/16" (991308)
- 23/32" (991309) 3/4" (991310)
- 25/32" (991311) 27/32" (991314)
- 29/32" (991315)


THESE SOCKETS (AS A SET AND AS INDIVIDUALS) ARE NOT INTENDED FOR USE WITH AN IMPACT TOOL OF ANY KIND.
⚠ Caution: Use of this socket with an impact tool can cause serious injury.

IMPACT
ADAPTERS




Item	Size (F)	Size (M)	D	t1	t2	L1	L
1805	3/8"(F)	1/4"(M)	22	7.5	12	15	32
1801	1/4"(F)	3/8"(M)	13	10.8	10	15	26
2301	1/2"(F)	3/8"(M)	25	10.8	18	22	38
3300	3/8"(F)	1/2"(M)	22	15.5	12	14	32
4301	3/4"(F)	1/2"(M)	44	15.5	25	33	36
2302	1/2"(F)	3/4"(M)	30	22	18	22	48
5303	1"(F)	3/4"(M)	54	22	33	42	75
4300	3/4"(F)	1"(M)	44	27	26	30	63
6332	1-1/2"(F)	1"(M)	86	27	43	56	100
5306	1"(F)	1-1/2"(M)	54	40.5	33	40	90

IMPACT
EXTENSIONS




Item	Size	d	D	L1	L2	L
1802	1/4" DR. 2"	8	13	12	7	50.8
1804	1/4" DR. 4"	8	13	12	7	101.6
1806	1/4" DR. 6"	8	13	12	7	152
3503	3/8" DR. 3"	12	19	18	10	76.2
3505	3/8" DR. 5"	12	19	18	10	127
3510	3/8" DR. 10"	12	19	18	10	254
3515	3/8" DR. 15"	12	19	18	10	381
2503	1/2" DR. 3"	16.5	25	24	15.4	76.2
2505	1/2" DR. 5"	16.5	25	24	15.4	127
2510	1/2" DR. 10"	16.5	25	24	15.4	254
2515	1/2" DR. 15"	16.5	25	24	15.4	381
2524	1/2" DR. 24"	16.5	25	24	15.4	610
2536	1/2" DR. 36"	16.5	25	24	15.4	915
4302	3/4" DR. 6"	25	44	42	22	152
4310	3/4" DR. 10"	25	44	42	22	254
4313	3/4" DR. 13"	25	44	42	22	330.2
5300	1" DR. 6"	33	54	45	27	152
5310	1" DR. 10"	33	54	45	27	254
5313	1" DR. 13"	33	54	45	27	330.2

UNIVERSAL
JOINTS




Item	Size	X	d	D	L
1800	1/4" DR.	8.3	13	20	45
3301	3/8" DR.	12.6	22	27	51
2300	1/2" DR.	16.7	30	34	62
4304	3/4" DR.	25	44	50	90
5304	1" DR.	33	54	60	114

IMPACT
ADAPTERS




Item	Size (F)	Size (M)	D	t1	t2	L1	L
1805	3/8"(F)	1/4"(M)	22	7.5	12	15	32
1801	1/4"(F)	3/8"(M)	13	10.8	10	15	26
2301	1/2"(F)	3/8"(M)	25	10.8	18	22	38
3300	3/8"(F)	1/2"(M)	22	15.5	12	14	32
4301	3/4"(F)	1/2"(M)	44	15.5	25	33	36
2302	1/2"(F)	3/4"(M)	30	22	18	22	48
5303	1"(F)	3/4"(M)	54	22	33	42	75
4300	3/4"(F)	1"(M)	44	27	26	30	63
6332	1-1/2"(F)	1"(M)	86	27	43	56	100
5306	1"(F)	1-1/2"(M)	54	40.5	33	40	90

1/4" DR. STANDARD
6 POINT SAE




Item	Size	Shape	d	D	T1	T2	L1	L
806	3/16"	A	8.4	13	6	9.5	7	23
807	7/32"	A	9.4	13	6	9.5	7	23
808	1/4"	A	10.3	13	8	9.5	7	23
809	9/32"	A	11.3	13	8	9.5	7	23
810	5/16"	A	12.3	13	8	9.5	7	23
811	11/32"	B	13.4	13	13	9.5	8.5	23
812	3/8"	B	14.5	13	13	9.5	8.5	23
814	7/16"	B	16.3	13	13	9.5	9.5	23
816	1/2"	B	18.3	13	13	9.5	10.5	23
818	9/16"	B	19.6	13	13	9.5	10.5	23

IMPACT
EXTENSIONS




Item	Size	d	D	L1	L2	L
1802	1/4" DR. 2"	8	13	12	7	50.8
1804	1/4" DR. 4"	8	13	12	7	101.6
1806	1/4" DR. 6"	8	13	12	7	152
3503	3/8" DR. 3"	12	19	18	10	76.2
3505	3/8" DR. 5"	12	19	18	10	127
3510	3/8" DR. 10"	12	19	18	10	254
3515	3/8" DR. 15"	12	19	18	10	381
2503	1/2" DR. 3"	16.5	25	24	15.4	76.2
2505	1/2" DR. 5"	16.5	25	24	15.4	127
2510	1/2" DR. 10"	16.5	25	24	15.4	254
2515	1/2" DR. 15"	16.5	25	24	15.4	381
2524	1/2" DR. 24"	16.5	25	24	15.4	610
2536	1/2" DR. 36"	16.5	25	24	15.4	915
4302	3/4" DR. 6"	25	44	42	22	152
4310	3/4" DR. 10"	25	44	42	22	254
4313	3/4" DR. 13"	25	44	42	22	330.2
5300	1" DR. 6"	33	54	45	27	152
5310	1" DR. 10"	33	54	45	27	254
5313	1" DR. 13"	33	54	45	27	330.2

1/4" DR. MAGNETIC
6 POINT SAE




Item	Size	Shape	d	D	T1	T2	L1	L
806MG	3/16"	A	8.4	13	6	9.5	7	23
807MG	7/32"	A	9.4	13	6	9.5	7	23
808MG	1/4"	A	10.3	13	8	9.5	7	23
809MG	9/32"	A	11.3	13	8	9.5	7	23
810MG	5/16"	A	12.3	13	8	9.5	7	23
811MG	11/32"	B	13.4	13	13	9.5	8.5	23
812MG	3/8"	B	14.5	13	13	9.5	8.5	23
814MG	7/16"	B	16.3	13	13	9.5	9.5	23
816MG	1/2"	B	18.3	13	13	9.5	10.5	23
818MG	9/16"	C	19.6	13				23

1/4" DR. STANDARD
6 POINT METRIC



Item	Size	Shape	d	D	T1	T2	L1	L
804M	4mm	A	7.5	13	5	9.5	7	23
8045M	4.5mm	A	8.1	13	5	9.5	7	23
805M	5mm	A	8.7	13	6	9.5	7	23
8055M	5.5mm	A	9.3	13	6	9.5	7	23
806M	6mm	A	9.9	13	8	9.5	7	23
807M	7mm	A	11.1	13	8	9.5	7	23
808M	8mm	A	12.3	13	8	9.5	7	23
809M	9mm	B	13.8	13	8	9.5	8.5	23
810M	10mm	B	15	13	9	9.5	8.5	23
811M	11mm	B	16.3	13	9	9.5	9.5	23
812M	12mm	B	17	13	9	9.5	10.5	23
813M	13mm	B	18.8	13	9	9.5	10.5	23
814M	14mm	B	20	13	9	9.5	10.5	23
815M	15mm	B	21	13	9	9.5	10.5	23


UNIVERSAL
JOINTS



Item	Size	X	d	D	L
1800	1/4" DR.	8.3	13	20	45
3301	3/8" DR.	12.6	22	27	51
2300	1/2" DR.	16.7	30	34	62
4304	3/4" DR.	25	44	50	90
5304	1" DR.	33	54	60	114

IMPACT SOCKET SPECIFICATIONS


1/4" DR. DEEP
6 POINT METRIC



A

B


1/4" DR. MAGNETIC DEEP
6 POINT METRIC



A

B

1/4" DR. MAGNETIC
6 POINT METRIC



A

B


Item	Size	Shape	d	D	T1	T2	L1	L
804MD	4mm	A	7.5	13	9	13	25	50
8045MD	4.5mm	A	8.1	13	9	13	25	50
805MD	5mm	A	8.7	13	9	13	25	50
8055MD	5.5mm	A	9.3	13	9	13	23	50
806MD	6mm	A	9.9	13	11	13	23	50
807MD	7mm	A	11.1	13	11	13	23	50
808MD	8mm	A	12.3	13	13	13	23	50
809MD	9mm	A	13.8	13	13	13	8.5	50
810MD	10mm	A	15	13	13	13	8.5	50
811MD	11mm	B	16.3	13	13	13	9.5	50
812MD	12mm	B	17	13	13	13	10.5	50
813MD	13mm	B	18.8	13	13	13	10.5	50
814MD	14mm	B	20	13	13	13	10.5	50
815MD	15mm	B	21	13	13	13	10.5	50

Item	Size	Shape	d	D	T1	T2	L1	L
804MDMG	4mm	A	7.5	13	9	13	25	50
8045MDMG	4.5mm	A	8.1	13	9	13	25	50
805MDMG	5mm	A	8.7	13	9	13	25	50
8055MDMG	5.5mm	A	9.3	13	9	13	23	50
806MDMG	6mm	A	9.9	13	11	13	23	50
807MDMG	7mm	A	11.1	13	11	13	23	50
808MDMG	8mm	A	12.3	13	13	13	23	50
809MDMG	9mm	A	13.8	13	13	13	8.5	50
810MDMG	10mm	A	15	13	13	13	8.5	50
811MDMG	11mm	B	16.3	13	13	13	9.5	50
812MDMG	12mm	B	17	13	13	13	10.5	50
813MDMG	13mm	B	18.8	13	13	13	10.5	50
814MDMG	14mm	B	20	13	13	13	10.5	50
815MDMG	15mm	B	21	13	13	13	10.5	50

Item	Size	Shape	d	D	T1	T2	L1	L
804MMG	4mm	A	7.5	13				23
8045MMG	4.5mm	A	7.5	13				23
805MMG	5mm	A	8.7	13	6	9.5	7	23
8055MMG	5.5mm	A	9.3	13	6	9.5	7	23
806MMG	6mm	A	9.9	13	8	9.5	7	23
807MMG	7mm	A	11.1	13	8	9.5	7	23
808MMG	8mm	A	12.3	13	8	9.5	7	23
809MMG	9mm	B	13.8	13	8	9.5	8.5	23
810MMG	10mm	B	15	13	9	9.5	8.5	23
811MMG	11mm	B	16.3	13	9	9.5	9.5	23
812MMG	12mm	B	17	13	9	9.5	10.5	23
813MMG	13mm	B	18.8	13	9	9.5	10.5	23
814MMG	14mm	B	20	13	9	9.5	10.5	23
815MMG	15mm	B	21	13	10	9.5	10.5	23

IMPACT SOCKET SPECIFICATIONS


1/4" DR. DEEP
6 POINT SAE



A

B

1/4" DR. MAGNETIC DEEP
6 POINT SAE




A

B

Item	Size	Shape	d	D	T1	T2	L1	L
806D	3/16"	A	8.4	13	9	13	23	50
807D	7/32"	A	9.4	13	9	13	23	50
808D	1/4"	A	10.3	13	11	13	23	50
809D	9/32"	A	11.3	13	11	13	23	50
810D	5/16"	A	12.3	13	13	13	23	50
811D	11/32"	B	13.4	13	13	13	8.5	50
812D	3/8"	B	14.5	13	13	13	8.5	50
814D	7/16"	B	16.3	13	13	13	9.5	50
816D	1/2"	B	18.3	13	13	13	10.5	50
818D	9/16"	B	19.6	13	13	13	10.5	50

Item	Size	Shape	d	D	T1	T2	L1	L
806DMG	3/16"	A	8.4	13	9	13	23	50
807DMG	7/32"	A	9.4	13	9	13	23	50
808DMG	1/4"	A	10.3	13	11	13	23	50
809DMG	9/32"	A	11.3	13	11	13	23	50
810DMG	5/16"	A	12.3	13	13	13	23	50
811DMG	11/32"	B	13.4	13	13	13	8.5	50
812DMG	3/8"	B	14.5	13	13	13	8.5	50
814DMG	7/16"	B	16.3	13	13	13	9.5	50
816DMG	1/2"	B	18.3	13	13	13	10.5	50
818DMG	9/16"	B	19.6	13	13	13	10.5	50


1/4" DR. UNIVERSAL MAGNETIC
12 POINT METRIC



Item	Size	D	T	d1	d2	L
806ZUMMG	6mm	10.0	8	13	18.0	10.0
807ZUMMG	7mm	11.5	8	13	18.0	11.5
808ZUMMG	8mm	12.5	8	13	18.0	12.5
809ZUMMG	9mm	14.0	8	13	18.0	14.0
810ZUMMG	10mm	15.0	8	13	18.0	15.0
811ZUMMG	11mm	16.5	8	13	18.0	16.5
812ZUMMG	12mm	16.8	8	13	20.0	16.8
813ZUMMG	13mm	18.8	8	13	20.0	18.8
814ZUMMG	14mm	19.8	8	13	20.0	19.8
815ZUMMG	15mm	20.8	8	13	20.8	20.8


IMPACT SOCKET SPECIFICATIONS

1/4" DR. UNIVERSAL
6 POINT SAE




Item	Size	D	T	d1	d2	L
806U	3/16"	18	8	8.4	20	43
807U	7/32"	18	8	9.4	20	43
808U	1/4"	10.3	8	13	20	45
809U	9/32"	18	8	11.3	20	43
810U	5/16"	12.5	10	13	20	45
811U	11/32"	18	10	13.8	20	43
812U	3/8"	15	10	13	20	45
814U	7/16"	16.5	10	13	20	45
816U	1/2"	18.8	10	13	20	49
818U	9/16"	19.8	10	13	20	49

1/4" DR. UNIVERSAL
6 POINT METRIC




Item	Size	D	T	d1	d2	L
804UM	4mm	18.0	6	7.5	20	43
8045UM	4.5mm	18	8	8.1	20	43
805UM	5mm	8.8	8	13	20	45
8055UM	5.5mm	9.5	8	13	20	45
806UM	6mm	10	8	13	20	45
807UM	7mm	11.5	10	13	20	45
808UM	8mm	12.5	10	13	20	45
809UM	9mm	14	10	13	20	45
810UM	10mm	15	10	13	20	45
811UM	11mm	16.5	10	13	20	45
812UM	12mm	16.8	10	13	20	49
813UM	13mm	18.8	10	13	20	49
814UM	14mm	19.8	10	13	20	49
815UM	15mm	20.8	10	13	20	49

1/4" DR.
INTERNAL STAR



Item	Size	D	d	A	T	I	L
1820S1	T10	13	2.80	2.4	10	12	25
1820S2	T15	13	3.30	2.5	10	12	25
1820S3	T20	13	3.95	2.6	10	12	25
1820S4	T25	13	4.45	2.8	10	12	25
1820S5	T27	13	5	3.1	10	12	25
1820S6	T30	13	5.60	3.4	10	12	25

3/8" DR. STANDARD
6 POINT SAE




A

B

Item	Size	Shape	d	D	T1	T2	L1	L
310	5/16"	A	12.6	19	7	12	13	29.5
312	3/8"	A	14.6	19	8	12	13	29.5
314	7/16"	A	17.1	19	9	12	13	29.5
316	1/2"	B	/	19.7	9	12	/	29.5
318	9/16"	B	/	20.7	9	12	/	29.5
320	5/8"	B	/	23.5	11	12	/	29.5
322	11/16"	B	/	24	11	12	/	30
324	3/4"	B	/	26	13	15	/	30
326	13/16"	B	/	28	13	15	/	30
328	7/8"	B	/	30	13	15	/	30
330	15/16"	B	/	32	13	15	/	30
332	1"	B	/	34	13	15	/	30

3/8" DR. STANDARD
6 POINT METRIC




A

B

Item	Size	Shape	d	D	T1	T2	L1	L
307M	7mm	A	11.4	19	7	12	13	29.5
308M	8mm	A	12.7	19	7	12	13	29.5
309M	9mm	A	14	19	8	12	13	29.5
310M	10mm	A	15.2	19	8	12	13	29.5
311M	11mm	A	17	19	9	12	13	29.5
312M	12mm	B	/	19	9	12	/	29.5
313M	13mm	B	/	19.7	9	12	/	29.5
314M	14mm	B	/	20.7	9	12	/	29.5
315M	15mm	B	/	22.2	11	12	/	29.5
316M	16mm	B	/	23.5	11	12	/	30
317M	17mm	B	/	24	11	12	/	30
318M	18mm	B	/	25	11	12	/	30
319M	19mm	B	/	26	13	15	/	30
320M	20mm	B	/	28	13	15	/	30
321M	21mm	B	/	28	13	15	/	30
322M	22mm	B	/	32			/	30

IMPACT SOCKET SPECIFICATIONS

3/8" DR. DEEP
6 POINT SAE




A

B

Item	Size	Shape	d	D	T1	T2	L1	L
310D	5/16"	A	12.6	19	12	14	13	64
312D	3/8"	A	14.6	19	18	14	13	65
314D	7/16"	A	17.1	19	18	14	13	65
316D	1/2"	B	/	19.7	22	14	/	65
318D	9/16"	B	/	20.7	24	14	/	65
320D	5/8"	B	/	23.5	25	14	/	65
322D	11/16"	B	/	24	25	14	/	65
324D	3/4"	B	/	26	25	14	/	65
326D	13/16"	B	/	28	25	14	/	65
328D	7/8"	B	/	30	25	14	/	65
330D	15/16"	B	/	32	25	14	/	65
332D	1"	B	/	34	25	14	/	65

3/8" DR. DEEP
6 POINT METRIC




A

B

Item	Size	Shape	d	D	T1	T2	L1	L
307MD	7mm	A	11.4	19	12	14	13	63
308MD	8mm	A	12.7	19	12	14	13	64
309MD	9mm	A	14	19	12	14	13	65
310MD	10mm	A	15.2	19	18	14	13	65
311MD	11mm	A	17	19	18	14	13	65
312MD	12mm	B	/	19	20	14	/	65
313MD	13mm	B	/	19.7	22	14	/	65
314MD	14mm	B	/	20.7	24	14	/	65
315MD	15mm	B	/	22.2	25	14	/	65
316MD	16mm	B	/	24	25	14	/	65
317MD	17mm	B	/	24	25	14	/	65
318MD	18mm	B	/	25	25	14	/	65
319MD	19mm	B	/	26	25	14	/	65
321MD	21mm	B	/	28	25	14	/	65
320MD	20mm	B	28	28				63
322MD	22mm	B	/	30	25	14	/	65

3/8" DR. STANDARD
12 POINT SAE




A

B

Item	Size	Shape	d	D	T1	T2	L1	L
310Z	5/16"	A	12.6	19	7	12	13	29.5
312Z	3/8"	A	14.6	19	8	12	13	29.5
314Z	7/16"	A	17.1	19	9	12	13	29.5
316Z	1/2"	B	/	19.7	9	12	/	29.5
318Z	9/16"	B	/	20.7	9	12	/	29.5
320Z	5/8"	B	/	23.5	11	12	/	29.5
322Z	11/16"	B	/	24	11	12	/	30
324Z	3/4"	B	/	26	13	15	/	30
326Z	13/16"	B	/	28	13	15	/	30
328Z	7/8"	B	/	30	13	15	/	30
330Z	15/16"	B	/	32	13	15	/	30
332Z	1"	B	/	34	13	15	/	30

IMPACT SOCKET SPECIFICATIONS

3/8" DR. STANDARD
12 POINT METRIC




A

B

Item	Size	Shape	d	D	T1	T2	L1	L
307MZ	7mm	A	11.4	19	7	12	13	29.5
308MZ	8mm	A	12.7	19	7	12	13	29.5
309MZ	9mm	A	14	19	8	12	13	29.5
310MZ	10mm	A	15.2	19	8	12	13	29.5
311MZ	11mm	A	17	19	9	12	13	29.5
312MZ	12mm	B	/	19	9	12	/	29.5
313MZ	13mm	B	/	19.7	9	12	/	29.5
314MZ	14mm	B	/	20.7	9	12	/	29.5
315MZ	15mm	B	/	22.2	11	12	/	29.5
316MZ	16mm	B	/	23.5	11	12	/	30
317MZ	17mm	B	/	24	11	12	/	30
318MZ	18mm	B	/	25	11	12	/	30
319MZ	19mm	B	/	26	13	15	/	30
320ZM	20mm	B	/	28	13	15	/	30
321ZM	21mm	B	/	28	13	15	/	30
322ZM	22mm	B	/	32			/	30

3/8" DR. DEEP
12 POINT SAE




A

B

Item	Size	Shape	d	D	T1	T2	L1	L
36801	5/16"	A	12.6	19	12	14	13	63
36802	3/8"	A	14.6	19	18	14	13	63
36803	7/16"	A	17.1	19	18	14	13	63
36804	1/2"	B	/	20	22	14	/	63
36805	9/16"	B	/	21	24	14	/	63
36806	5/8"	B	/	23.5	25	14	/	63
36807	11/16"	B	/	25	25	14	/	63
36808	3/4"	B	/	27	25	14	/	63
36809	13/16"	B	/	30	25	14	/	63
368010	7/8"	B	/	32	25	14	/	63
368011	15/16"	B	/	34	25	14	/	63
368012	1"	B	/	36	25	14	/	63

3/8" DR. DEEP
12 POINT METRIC




A

B


Item	Size	Shape	d	D	T1	T2	L1	L
368207	7mm	A	11.6	19	12	14	13	63
368208	8mm	A	12.7	19	12	14	13	63
368209	9mm	A	14	19	12	14	13	63
368210	10mm	A	15.2	19	18	14	13	63
368211	11mm	A	17	19	18	14	13	63
368212	12mm	A	18	19	20	14	13	63
368213	13mm	B	/	20	22	14	/	63
368214	14mm	B	/	21	24	14	/	63
368215	15mm	B	/	22.2	25	14	/	63
368216	16mm	B	/	23.5	25	14	/	63
368217	17mm	B	/	25	25	14	/	63
368218	18mm	B	/	26	25	14	/	63
368219	19mm	B	/	27	25	14	/	63

3/8" DR. UNIVERSAL
6 POINT SAE




Item	Size	D	T	d1	d2	L
310U	5/16"	14	9	22	27	54.5
312U	3/8"	15	9	22	27	54.5
314U	7/16"	17	9	22	27	54.5
316U	1/2"	19	12	22	27	54.5
318U	9/16"	21	13	22	27	54.5
320U	5/8"	23	13	22	27	54.5
322U	11/16"	25	13	22	27	54.5
324U	3/4"	27	13	22	27	54.5
326U	13/16"	30	13	22	27	54.5
328U	7/8"	27	13	32	27	54.5

3/8" DR. UNIVERSAL
6 POINT METRIC




Item	Size	D	T	d1	d2	L
310UM	10mm	15	9	22	27	54.5
311UM	11mm	17	9	22	27	54.5
312UM	12mm	19	12	22	27	54.5
313UM	13mm	19	13	22	27	54.5
314UM	14mm	21	13	22	27	54.5
315UM	15mm	22	13	22	27	54.5
316UM	16mm	23	13	22	27	54.5
317UM	17mm	25	13	22	27	54.5
318UM	18mm	25	13	22	27	54.5
319UM	19mm	27	13	22	27	54.5
3206M	20mm	27	13	28	27	54.5
321UM	21mm	27	13	30	27	54.5
322UM	22mm	32	13	30	27	54.5

3/8" DR. DEEP UNIVERSAL
6 POINT SAE




3/8" DR. DEEP UNIVERSAL
6 POINT METRIC



Item	Size	D	T	d1	d2	L
310UD	5/16"	14	12	22	27	80
312UD	3/8"	15	20	22	27	80
314UD	7/16"	17	20	22	27	80
316UD	1/2"	19	20	22	27	80
318UD	9/16"	21	20	22	27	80
320UD	5/8"	23	20	22	27	80
322UD	11/16"	25	20	22	27	80
324UD	3/4"	27	25	22	27	80
326UD	13/16"	30	25	22	27	80
328UD	7/8"	27	25	32	27	80

Item	Size	D	T	d1	d2	L
310UMD	10mm	15	20	22	27	80
311UMD	11mm	17	20	22	27	80
312UMD	12mm	19	20	22	27	80
313UMD	13mm	19	20	22	27	80
314UMD	14mm	21	20	22	27	80
315UMD	15mm	22	20	22	27	80
316UMD	16mm	23	20	22	27	80
317UMD	17mm	25	20	22	27	80
318UMD	18mm	25	20	22	27	80
319UMD	19mm	27	25	22	27	80
320UMD	20mm	27	25	28	27	80
321UMD	21mm	27	25	30	27	80
322UMD	22mm	27	25	32	27	80


3/8" DR. UNIVERSAL
12 POINT SAE



Item	Size	D	T	d1	d2	L
310UZ	5/16"	14	12	22	27	80
312UZ	3/8"	15	20	22	27	80
314UZ	7/16"	17	20	22	27	80
316UZ	1/2"	19	20	22	27	80
318UZ	9/16"	21	20	22	27	80
320UZ	5/8"	23	20	22	27	80
322UZ	11/16"	25	20	22	27	80
324UZ	3/4"	27	25	22	27	80
326UZ	13/16"	30	25	22	27	80
328UZ	7/8"	27	25	32	27	80
330UZ	15/16"	27	25	34	27	80
332UZ	1"	27	25	36	27	80


IMPACT SOCKET SPECIFICATIONS

3/8" DR. UNIVERSAL
12 POINT METRIC




Item	Size	D	T	d1	d2	L
307ZUM	7mm	12	9	22	27	55
308ZUM	8mm	13	9	22	27	55
309ZUM	9mm	14	12	22	27	55
310ZUM	10mm	15	13	22	27	55
311ZUM	11mm	17	13	22	27	55
312ZUM	12mm	19	13	22	27	55
313ZUM	13mm	19	13	22	27	55
314ZUM	14mm	21	13	22	27	55
315ZUM	15mm	22	13	22	27	55
316ZUM	16mm	23	13	22	27	55
317ZUM	17mm	25	13	28	27	55
318ZUM	18mm	25	13	30	27	55
319ZUM	19mm	27	13	30	27	55

3/8" DR. DEEP UNIVERSAL
12 POINT SAE



Item	Size	D	T	d1	d2	L
310ZUD	5/16"	14	12	22	27	80
312ZUD	3/8"	15	20	22	27	80
314ZUD	7/16"	17	20	22	27	80
316ZUD	1/2"	19	20	22	27	80
318ZUD	9/16"	21	20	22	27	80
320ZUD	5/8"	23	20	22	27	80
322ZUD	11/16"	25	20	22	27	80
324ZUD	3/4"	27	25	22	27	80
326ZUD	13/16"	30	25	22	27	80
328ZUD	7/8"	27	25	32	27	80
330ZUD	15/16"	27	25	34	27	80
332ZUD	1"	27	25	36	27	80


3/8" DR. DEEP UNIVERSAL
12 POINT METRIC



Item	Size	D	T	d1	d2	L
307MZUD	7mm	12	20	12	27	80
308MZUD	8mm	13	20	13	27	80
309MZUD	9mm	14	20	14	27	80
310MZUD	10mm	15	20	22	27	80
311MZUD	11mm	17	20	22	27	80
312MZUD	12mm	19	20	22	27	80
313MZUD	13mm	19	20	22	27	80
314MZUD	14mm	21	20	22	27	80
315MZUD	15mm	22	20	22	27	80
316MZUD	16mm	23	20	22	27	80
317MZUD	17mm	25	20	22	27	80
318MZUD	18mm	25	20	22	27	80
319MZUD	19mm	27	25	22	27	80

IMPACT SOCKET SPECIFICATIONS

3/8" DR. MAGNETIC
6 POINT SAE




A

B

Item	Size	Shape	d	D	T1	T2	L2	L1
308MG	1/4"	A	10.6	19	7	12	12	29.5
310MG	5/16"	A	12.6	19	7	12	12	29.5
312MG	3/8"	A	14.6	19	8	12	12	29.5
314MG	7/16"	A	17.1	19	9	12	12	29.5
316MG	1/2"	B	/	19.7	9	12	/	29.5
318MG	9/16"	B	/	20.7	9	12	/	29.5
320MG	5/8"	B	/	23.5	11	12	/	29.5
322MG	11/16"	B	/	24	11	12	/	30
324MG	3/4"	B	/	26	13	15	/	30


3/8" DR. MAGNETIC
6 POINT METRIC



A


B

Item	Size	Shape	d	D	T1	T2	L2	L1
307MMG	7mm	A	11.4	19	7	12	12	29.5
308MMG	8mm	A	12.7	19	7	12	12	29.5
309MMG	9mm	A	14	19	8	12	12	29.5
310MMG	10mm	A	15.2	19	8	12	12	29.5
311MMG	11mm	A	17	19	9	12	12	29.5
312MMG	12mm	A	18	19	9	12	12	29.5
313MMG	13mm	A	19.3	22	9	12	12	29.5
314MMG	14mm	A	20.3	22	9	12	12	29.5
315MMG	15mm	B	/	22.2	11	12	/	29.5
316MMG	16mm	C	/	23.5	11	12	/	30
317MMG	17mm	C	/	24	11	12	/	30
318MMG	18mm	C	/	25	11	12	/	30
319MMG	19mm	C	/	26	13	15	/	30




C

3/8" DR.
INTERNAL STAR




Item	Size	D	d	t	T	L1	L
3670S1	T20	19	3.95	2.60	15	20	45
3670S2	T25	19	4.45	2.80	15	20	45
3670S3	T27	19	5	3.10	15	20	45
3670S4	T30	19	5.60	3.40	15	20	45
3670S5	T40	19	6.70	3.70	15	20	45
3670S6	T45	19	7.90	4	15	20	45
3670S7	T47	19	8.30	4.50	15	20	45
3670S8	T50	19	8.90	4.80	15	20	45
3670S9	T55	19	11.20	5.40	15	20	45

3/8" DR.
EXTERNAL STAR




Item	Size	D	d	T1	t	L1	L2	L
3045E	4mm	17	7.3	12	7.5	15	13	28
3670SE1	5mm	17	8.3	12	7.5	15	13	28
3670SE2	6mm	17	9.3	12	9.5	15	13	28
3670SE3	7mm	17	9.8	12	9.5	15	13	28
3670SE4	8mm	17	11.2	12	10.5	15	13	28
3670SE5	10mm	17	13.2	12	10.5	15	13	28
3670SE6	11mm	17	13.8	12	11.5	15	13	28
3670SE7	12mm	17	14.8	12	11.5	15	13	28
3670SE8	14mm	18	16.8	12	11.5	15	13	28
3670SE9	16mm	20	18.8	12	11.5	15	13	28

3/8" DR.
HEX SAE




Item	Size	d	D	T	L1	L
36471	3/16"	6.7	19	13	18.5	60
36472	7/32"	7.6	19	13	18.5	60
36473	1/4"	8.5	19	13	18.5	60
36474	5/16"	10.5	19	13	18.5	60
36475	3/8"	12.2	19	13	18.5	60
36476	7/16"	13.9	19	13	18.5	60
36477	1/2"	15.8	19	13	18.5	60
36478	9/16"	17.6	19	13	18.5	60
36479	5/8"	18	19	13	18.5	60

3/8" DR.
HEX METRIC




Item	Size	d	D	T	L1	L
36481	4mm	6	19	13	18.5	60
36482	5mm	7	19	13	18.5	60
36483	6mm	8	19	13	18.5	60
36484	7mm	9	19	13	18.5	60
36485	8mm	10.5	19	13	18.5	60
36486	9mm	11.5	19	13	18.5	60
364807	10mm	12.5	19	13	18.5	60
364808	12mm	15	19	13	18.5	60
364809	14mm	17.5	19	13	18.5	60
364810	16mm	18.1	19	13	18.5	60
364811	17mm	19	19	13	18.5	60

3/8" DR. UNIVERSAL
HEX SAE




Item	Size	D	T	L1	L
365802	3/16"	27	11	30	61
365804	7/32"	27	11	30	61
365806	1/4"	27	11	30	61
365808	5/16"	27	15	30	61
3658010	3/8"	27	15	30	61
3658012	7/16"	27	15	30	61
3658014	1/2"	27	15	30	61

3/8" DR. UNIVERSAL
HEX METRIC




Item	Size	D	T	L1	L
365904	4mm	27	10	30	61
365905	5mm	27	11	30	61
365906	6mm	27	11	30	61
365907	7mm	27	15	30	61
365908	8mm	27	15	30	61
365910	10mm	27	15	30	61
365912	12mm	27	15	30	61

1/2" DR. STANDARD
6 POINT SAE




Item	Size	Shape	d	D	T1	T2	L1	L
210	5/16"	A	14.5	22	7	17	10	38
212	3/8"	A	16	22	7	17	10	38
214	7/16"	A	18	22	8	17	10	38
216	1/2"	A	20	22	10	17	10	38
218	9/16"	A	22	24	10	17	10	38
220	5/8"	B	/	25	11	17	/	38
222	11/16"	B	/	26	12	17	/	38
224	3/4"	B	/	28	12	17	/	38
226	13/16"	B	/	30	13	17	/	38
228	7/8"	B	/	32	13	17	/	38
230	15/16"	B	/	34	15	17	/	38
232	1"	B	/	36	15	17	/	38
234	1-1/16"	B	/	38	17	17	/	40
236	1-1/8"	C	40	38	17	17	15	40
238	1-3/16"	C	42	38	17	17	15	40
240	1-1/4"	C	44	38	17	17	15	40
242	1-5/16"	C	45	38	20	17	15	43
244	1-3/8"	C	47	38	20	17	15	43
246	1-7/16"	C	48.5	38	20	17	15	43
248	1-1/2"	C	50.5	39	20	17	15	43
250	1-9/16"	C	54	43	20	17	15	44
252	1-5/8"	C	56	46	20	17	15	44
254	1-11/16"	C	61	60	20	17	15	44
256	1-3/4"	C	63	60	20	17	15	44
258	1-13/16"	C	65	70	25	17	15	44
260	1-7/8"	C	66	70	25	17	15	44
262	1-15/16"	C	68	70	25	17	15	44
264	2"	C	69	70	25	17	15	52
266	2-1/16"	C	72	70	25	17	15	52
268	2-1/8"	C	75	70	25	17	15	52
270	2-3/16"	C	75	70	25	17	15	52
272	2-1/4"	C	78	70	25	17	15	52

1/2" DR. STANDARD
6 POINT METRIC




Item	Size	Shape	d	D	T1	T2	L1	L
208M	8mm	A	14.1	22	7	17	10	38
209M	9mm	A	15.6	22	7	17	10	38
210M	10mm	A	16.7	22	7	17	10	38
211M	11mm	A	18	22	8	17	10	38
212M	12mm	A	19	22	9	17	10	38
213M	13mm	A	20.2	24	10	17	10	38
214M	14mm	A	21.5	24	10	17	10	38
215M	15mm	A	23	25	11	17	10	38
216M	16mm	B	/	25	11	17	/	38
217M	17mm	B	/	26	12	17	/	38
218M	18mm	B	/	26.5	12	17	/	38
219M	19mm	B	/	28	12	17	/	38
220M	20mm	B	/	30	12	17	/	38
221M	21mm	B	/	30	13	17	/	38
222M	22mm	B	/	32	13	17	/	38
223M	23mm	B	/	32	13	17	/	38
224M	24mm	B	/	34	15	17	/	38
225M	25mm	B	36	36	15	17	/	36
226M	26mm	B	36	36	15	17	/	38
227M	27mm	B	/	38	17	17	/	40
228M	28mm	B	40	38	17	17	15	40
230M	30mm	C	42	38	17	17	15	40
231M	31mm	C	44	38	19	17	15	40
232M	32mm	C	44	38	24	17	15	40
233M	33mm	C	44	38	24	17	15	50
234M	34mm	C	46	38	31	17	15	50
236M	36mm	C	48	38	31	17	15	50

1/2" DR. DEEP
6 POINT SAE



A


B



C


Item	Size	Shape	d	D	T1	T2	L1	L
210D	5/16"	A	14.5	22	14	18	17	78
212D	3/8"	A	16	22	14	18	17	78
214D	7/16"	A	18	22	14	18	17	78
216D	1/2"	A	20	22	14	18	17	78
218D	9/16"	A	22	24	17	18	17	78
220D	5/8"	B	/	25	17	18	/	78
222D	11/16"	B	/	26	17	18	/	78
224D	3/4"	B	/	28	17	18	/	78
226D	13/16"	B	/	30	24	18	/	78
228D	7/8"	B	/	32	24	18	/	78
230D	15/16"	B	/	34	24	18	/	78
232D	1"	B	/	36	24	18	/	78
234D	1-1/16"	B	/	38	24	18	/	78
236D	1-1/8"	C	40	38	24	18	15	78
238D	1-3/16"	C	42	38	24	18	15	78
240D	1-1/4"	C	44	38	24	18	15	78
242D	1-5/16"	C	45	38	34	24	18	78
244D	1-3/8"	C	47	38	34	24	18	78
246D	1-7/16"	C	48.5	38	34	24	18	78
248D	1-1/2"	C	50.5	39	34	24	18	78
250D	1-9/16"	C	54	44	39	29	23	78
252D	1-5/8"	C	56	44	39	29	23	78
254D	1-11/16"	C	61	44	39	29	23	93
256D	1-3/4"	C	63	44	39	29	23	93
258D	1-13/16"	C	65	44	39	29	23	93
260D	1-7/8"	C	66	44	39	29	23	93
262D	1-15/16"	C	68	44	39	29	23	93
264D	2"	C	69	52	48	38	32	93
266D	2-1/16"	C	72	52	48	38	32	93
268D	2-1/8"	C	75	52	48	38	32	93
270D	2-3/16"	C	75	52	48	38	32	93
272D	2-1/4"	C	78	52	48	38	32	93

1/2" DR. DEEP
6 POINT METRIC



A


B




C

Item	Size	Shape	d	D	T1	T2	L1	L
208MD	8mm	A	14.5	22	14	18	17	78
209MD	9mm	A	15.6	22	14	18	17	78
210MD	10mm	A	16.7	22	14	18	17	78
211MD	11mm	A	18	22	14	18	17	78
212MD	12mm	A	19	22	14	18	17	78
213MD	13mm	A	20.2	24	14	18	17	78
214MD	14mm	A	21.5	24	17	18	17	78
215MD	15mm	B	/	24	17	18	/	78
216MD	16mm	B	/	25	17	18	/	78
217MD	17mm	B	/	26	17	18	/	78
218MD	18mm	B	/	26	17	18	/	78
219MD	19mm	B	/	28	17	18	/	78
220MD	20mm	B	/	30	19	18	/	78
221MD	21mm	B	/	30	24	18	/	78
222MD	22mm	B	/	32	24	18	/	78
223MD	23mm	B	/	32	24	18	/	78
224MD	24mm	B	/	34	24	18	/	78
225MD	25mm	B	/	36	36	18	/	78
226MD	26mm	B	/	36	24	18	/	78
227MD	27mm	B	/	38	24	18	/	78
228MD	28mm	B	/	38	24	18	/	78
230MD	30mm	C	42	38	24	18	15	78
231MD	31mm	C	44	38	24	18	15	78
232MD	32mm	C	44	38	24	18	15	78
233MD	33mm	C	44	38	24	18	15	78
234MD	34mm	C	45	38	34	18	15	78
236MD	36mm	C	50	38	34	18	15	78


1/2" DR. EXTRA DEEP
6 POINT SAE



A




B




C

Item	Size	Shape	d	D	T1	T2	L1	L
210XD	5/16"	A	15	24	25	22	70	127
212XD	3/8"	A	16	24	25	22	70	127
214XD	7/16"	A	18	24	25	22	70	127
216XD	1/2"	A	20	24	25	22	70	127
218XD	9/16"	A	22	24	25	22	70	127
220XD	5/8"	B	/	24	25	20	/	127
222XD	11/16"	B	/	26	25	20	/	127
224XD	3/4"	B	/	28	25	20	/	127
226XD	13/16"	B	/	29.5	25	20	/	127
228XD	7/8"	B	/	32	25	20	/	127
230XD	15/16"	B	/	33.7	25	20	/	127
232XD	1"	B	/	36	25	20	/	127
234XD	1-1/16"	B	/	38	25	20	/	127
236XD	1-1/8"	C	40	38	25	20	/	127
238XD	1-3/16"	C	42	38	25	20	/	127
240XD	1-1/4"	C	44	38	25	20	/	127
242XD	1-5/16"	C	46	38	25	20	/	127
244XD	1-3/8"	C	48	38	25	20	/	127
246XD	1-7/16"	C	51	38	25	20	/	127
248XD	1-1/2"	C	53	38	25	20	/	127


1/2" DR. EXTRA DEEP
6 POINT METRIC



A




B



C

Item	Size	Shape	d	D	T1	T2	L1	L
208MXD	8mm	A	14.5	24	25	22	70	127
209MXD	9mm	A	15.6	24	25	22	70	127
210MXD	10mm	A	16.7	24	25	22	70	127
211MXD	11mm	A	18.0	24	25	22	70	127
212MXD	12mm	A	19.0	24	25	22	70	127
213MXD	13mm	A	20.2	24	25	22	70	127
214MXD	14mm	A	21.5	24	25	22	70	127
215MXD	15mm	B	/	24.0	25	20	/	127
216MXD	16mm	B	/	25.0	25	20	/	127
217MXD	17mm	B	/	26.0	25	20	/	127
218MXD	18mm	B	/	26.0	25	20	/	127
219MXD	19mm	B	/	28.0	25	20	/	127
220MXD	20mm	B	/	30.0	25	20	/	127
221MXD	21mm	B	/	30.0	25	20	/	127
222MXD	22mm	B	/	32.0	25	20	/	127
223MXD	23mm	B	/	32.0	25	20	/	127
224MXD	24mm	B	/	34.0	25	20	/	127
225MXD	25mm	B	/	36.0	25	20	/	127
226MXD	26mm	B	/	36.0	25	20	/	127
227MXD	27mm	B	/	38.0	25	20	/	127
228MXD	28mm	C	40.0	38.0	25	20	/	127
229MXD	29mm	C	40.0	38.0	25	20	/	127
230MXD	30mm	C	42.0	38.0	25	20	/	127
231MXD	31mm	C	44.0	38.0	25	20	/	127
232MXD	32mm	C	44.0	38.0	25	20	/	127
233MXD	33mm	C	47.0	38.0	25	20	/	127
234MXD	34mm	C	49.0	38.0	25	20	/	127
235MXD	35mm	C	50.0	38.0	25	20	/	127
236MXD	36mm	C	51.0	38.0	25	20	/	127
237MXD	37mm	C	52.0	38.0	25	20	/	127
238MXD	38mm	C	53.0	38	25	20	/	127


1/2" DR. EXTRA THIN-WALL DEEP
6 POINT SAE



Item	Size	D	T1	T2	L
2624	3/4"	26	19	18	78
2626	13/16"	28	24	18	78
2628	7/8"	30	24	18	78
2632	1"	34	24	18	78
2634	1-1/16"	36	24	18	78


IMPACT SOCKET SPECIFICATIONS

1/2" DR. EXTRA THIN-WALL DEEP
6 POINT METRIC




Item	Size	D	T1	T2	L
2617	17mm	24	17	18	78
2619	19mm	26	19	18	78
2621	21mm	28	24	18	78
2622	22mm	29.5	24	18	78
2623	23mm	30.5	24	18	78

1/2" DR. STANDARD
12 POINT SAE



A


B



C

Item	Size	Shape	d	D	T1	T2	L1	L
212Z	3/8"	A	14.5	20	8	17	16	38
214Z	7/16"	A	18	24	8	17	16	38
216Z	1/2"	A	20	24	10	17	16	38
218Z	9/16"	A	22	24	10	17	16	38
220Z	5/8"	B	/	24	11	17	/	38
222Z	11/16"	B	/	26	12	17	/	38
224Z	3/4"	B	/	28	12	17	/	38
226Z	13/16"	B	/	30	13	17	/	38
228Z	7/8"	B	/	32	13	17	/	38
230Z	15/16"	B	/	34	20	17	/	45
232Z	1"	B	/	36	20	17	/	45
234Z	1-1/16"	B	/	38	24	17	/	50
236Z	1-1/8"	C	40	38	24	17	15	50
238Z	1-3/16"	C	42	38	24	17	15	50
240Z	1-1/4"	C	44	38	24	17	15	50
242Z	1-5/16"	C	45	38	24	17	15	50
244Z	1-3/8"	C	47	38	24	17	15	50
246Z	1-7/16"	C	48.5	38	24	17	15	50
248Z	1-1/2"	C	51	38	24	17	15	50

1/2" DR. STANDARD
12 POINT METRIC




A

B

Item	Size	Shape	d	D	T1	T2	L1	L
209ZM	9mm	A	14.5	24	7	17	16	38
210ZM	10mm	A	16	24	7	17	16	38
211ZM	11mm	A	17.5	24	8	17	16	38
212ZM	12mm	A	19	24	9	17	16	38
213ZM	13mm	A	20	24	10	17	16	38
214ZM	14mm	A	22	24	10	17	16	38
215ZM	15mm	B	/	24	11	17	/	38
216ZM	16mm	B	/	24	11	17	/	38
217ZM	17mm	B	/	26	12	17	/	40
218ZM	18mm	B	/	27	12	17	/	40
219ZM	19mm	B	/	28	12	17	/	40
221ZM	21mm	B	/	30	13	17	/	40
222ZM	22mm	B	/	32	13	17	/	40
224ZM	24mm	B	/	34	15	17	/	42
225ZM	25mm	B	36	36	15	17	/	42
226ZM	26mm	B	36	36	15	17	/	50
227ZM	27mm	B	38	38	15	17	/	50
228ZM	28mm	B	40	40	15	17	/	50
230ZM	30mm	C	42.0	38.0	24	17	15	50
231ZM	31mm	C	44.0	38.0	24	17	15	50
232ZM	32mm	C	44.0	38.0	24	17	15	50
233ZM	33mm	C	46.0	38.0	24	17	15	50
234ZM	34mm	C	46.0	38.0	24	17	15	50
235ZM	35mm	C	46	38	24	17	15	50
236ZM	36mm	C	46	38	24	17	15	50


IMPACT SOCKET SPECIFICATIONS

1/2" DR. DEEP
12 POINT SAE




A

B



C

1/2" DR. DEEP
12 POINT METRIC




A

B


Item	Size	Shape	d	D	T1	T2	L1	L
26701	3/8"	A	16	25	14	18	17	82
26702	7/16"	A	18	25	14	18	17	82
26703	1/2"	A	20	25	14	18	17	82
26704	9/16"	A	22	25	17	18	17	82
26705	5/8"	B	/	25	17	18	/	82
26706	11/16"	B	/	26	17	18	/	82
26707	3/4"	B	/	28	17	18	/	82
26708	13/16"	B	/	30	24	18	/	82
26709	7/8"	B	/	32	24	18	/	82
267010	15/16"	B	/	34	24	18	/	82
267011	1"	B	/	36	24	18	/	82
267012	1-1/16"	B	/	38	24	18	/	82
267013	1-1/8"	C	40	38	24	18	15	82
267014	1-3/16"	C	42	38	24	18	15	82
267015	1-1/4"	C	44	38	24	18	15	82
242ZD	1-5/16"	C	45	38	24	18	15	90
244ZD	1-3/8"	C	47	38	24	18	15	90
246ZD	1-7/16"	C	48.5	38	24	18	15	90
248ZD	1-1/2"	C	51	38	24	18	15	90

Item	Size	Shape	d	D	T1	T2	L1	L
209ZMD	9mm	A	14.5	25	14	18	17	82
267210	10mm	A	16.7	25	14	18	17	82
267211	11mm	A	18	25	14	18	17	82
267212	12mm	A	19	25	14	18	17	82
267213	13mm	A	20.2	25	14	18	17	82
267214	14mm	A	21.5	25	17	18	17	82
267215	15mm	A	23	25	17	18	17	82
267216	16mm	B	/	25	17	18	/	82
267217	17mm	B	/	26	17	18	/	82
267218	18mm	B	/	27	17	18	/	82
267219	19mm	B	/	28	17	18	/	82
267220	20mm	B	/	30	19	18	/	82
267221	21mm	B	/	30	24	18	/	82
267222	22mm	B	/	32	24	18	/	82
267223	23mm	B	/	34	24	18	/	82
267224	24mm	B	/	34	24	18	/	82

1/2" DR. UNIVERSAL
6 POINT SAE




1/2" DR. UNIVERSAL
6 POINT METRIC



Item	Size	D	T	d1	d2	L
212U	3/8"	15	14	30	30	66
214U	7/16"	17	14	30	34	68
216U	1/2"	19	14	30	34	68
218U	9/16"	22	14	30	34	68
220U	5/8"	23	14	30	34	68
222U	11/16"	26	14	30	34	68
224U	3/4"	28	14	30	34	68
226U	13/16"	30	14	30	34	68
228U	7/8"	32	14	30	34	68
230U	15/16"	34	14	30	34	68
236U	1-1/16"	34	14	30	44	68

Item	Size	D	T	d1	d2	L
210UM	10mm	15	14	26	30	68
211UM	11mm	17	14	26	30	68
212UM	12mm	19	14	26	30	68
213UM	13mm	20	14	30	34	68
214UM	14mm	22	14	30	34	68
215UM	15mm	23	14	30	34	68
216UM	16mm	23	14	30	34	68
217UM	17mm	26	14	30	34	68
218UM	18mm	26	14	30	34	68
219UM	19mm	28	14	30	34	68
220UM	20mm	30	14	30	34	68
221UM	21mm	30	14	30	34	68
222UM	22mm	32	14	30	34	68
223UM	23mm	32	14	30	34	68
224UM	24mm	34	14	30	34	68


1/2" DR. DEEP UNIVERSAL
6 POINT SAE



Item	Size	D	T	d1	d2	L
212UD	3/8"	15	14	30	34	90
214UD	7/16"	17	14	30	34	90
216UD	1/2"	19	14	30	34	90
218UD	9/16"	22	14	30	34	90
220UD	5/8"	23	14	30	34	90
222UD	11/16"	26	14	30	34	90
224UD	3/4"	28	14	30	34	90
226UD	13/16"	30	14	30	34	90
228UD	7/8"	32	14	30	34	90
230UD	15/16"	34	14	30	34	90


IMPACT SOCKET SPECIFICATIONS

1/2" DR. DEEP UNIVERSAL
6 POINT METRIC




Item	Size	D	T	d1	d2	L
210UMD	10mm	15	17	30	34	90
211UMD	11mm	17	20	30	34	90
212UMD	12mm	19	20	30	34	90
213UMD	13mm	20	20	30	34	90
214UMD	14mm	22	20	30	34	90
215UMD	15mm	23	20	30	34	90
216UMD	16mm	23	20	30	34	90
217UMD	17mm	26	20	30	34	90
218UMD	18mm	26	20	30	34	90
219UMD	19mm	28	25	30	34	90
220UMD	20mm	30	25	30	34	90
221UMD	21mm	30	25	30	34	90
222UMD	22mm	32	25	30	34	90
223UMD	23mm	32	25	30	34	90
224UMD	24mm	34	25	30	34	90

1/2" DR. STANDARD UNIVERSAL
12 POINT SAE




Item	Size	D	T	d1	d2	L
212UZ	3/8"	15	17	30	34	66
214UZ	7/16"	17	20	30	34	66
216UZ	1/2"	19	20	30	34	66
218UZ	9/16"	20	20	30	34	66
220UZ	5/8"	22	20	30	34	66
222UZ	11/16"	23	20	30	34	66
224UZ	3/4"	23	20	30	34	66
226UZ	13/16"	26	20	30	34	66
228UZ	7/8"	26	20	30	34	66
230UZ	15/16"	28	25	30	34	66
232UZ	1"	30	25	30	34	79
234UZ	1-1/16"	30	25	30	34	79
236UZ	1-1/8"	32	25	30	34	79
238UZ	1-3/16"	32	25	30	34	79
240UZ	1-1/4"	34	25	30	34	79

1/2" DR. STANDARD UNIVERSAL
12 POINT METRIC




Item	Size	D	T	d1	d2	L
210ZUM	10mm	15	14	30	30	66
211ZUM	11mm	17	14	30	34	68
213ZUM	13mm	19	14	30	34	68
214ZUM	14mm	22	14	30	34	68
215ZUM	15mm	23	14	30	34	68
216ZUM	16mm	26	14	30	34	68
217ZUM	17mm	28	14	30	34	68
218ZUM	18mm	30	14	30	34	68
219ZUM	19mm	32	14	30	34	68
220ZUM	20mm	34	14	30	34	68
221ZUM	21mm	34	14	30	44	68
222ZUM	22mm	34	14	30	34	68
223ZUM	23mm	34	14	30	34	68
224ZUM	24mm	34	14	30	34	68

1/2" DR. DEEP UNIVERSAL
12 POINT SAE




Item	Size	D	T	d1	d2	L
212ZUD	3/8"	15	14	30	34	90
214ZUD	7/16"	17	14	30	34	90
216ZUD	1/2"	19	14	30	34	90
218ZUD	9/16"	22	14	30	34	90
220ZUD	5/8"	23	14	30	34	90
222ZUD	11/16"	26	14	30	34	90
224ZUD	3/4"	28	14	30	34	90
226ZUD	13/16"	30	14	30	34	90
228ZUD	7/8"	32	14	30	34	90
230ZUD	15/16"	34	14	30	34	90
232ZUD	1"	34	14	30	34	92
234ZUD	1-1/16"	34	14	30	34	92
236ZUD	1-1/8"	34	14	30	34	92
238ZUD	1-3/16"	34	14	30	34	92
240ZUD	1-1/4"	34	14	30	34	92

1/2" DR. DEEP UNIVERSAL
12 POINT METRIC




Item	Size	D	T	d1	d2	L
210MZUD	10mm	30	14	30	15	92
211MZUD	11mm	30	14	30	17	92
212MZUD	12mm	15	14	30	34	90
213MZUD	13mm	17	14	30	34	90
214MZUD	14mm	19	14	30	34	90
215MZUD	15mm	22	14	30	34	90
216MZUD	16mm	23	14	30	34	90
217MZUD	17mm	26	14	30	34	90
218MZUD	18mm	28	14	30	34	90
219MZUD	19mm	30	14	30	34	90
220MZUD	20mm	32	14	30	34	90
221MZUD	21mm	34	14	30	34	90
222MZUD	22mm	34	14	30	34	92
223MZUD	23mm	34	14	30	34	92
224MZUD	24mm	34	14	30	34	92

1/2" DR. DEEP
8 POINT




Item	Size	Shape	d	D	T1	T2	L
212QD	3/8"	A	18	24	14	18	83
214QD	7/16"	A	20.0	24.0	14	18	83
216QD	1/2"	B	24.0	24.0	14	18	83
218QD	9/16"	B	/	26.0	17	18	83
220QD	5/8"	B	/	28.0	17	18	83
222QD	11/16"	B	/	30.0	17	18	83
224QD	3/4"	B	/	34.0	17	18	83
226QD	13/16"	B	/	36.0	24	18	83
228QD	7/8"	B	/	38.0	24	18	90
230QD	15/16"	C	38.0	42.0	24	18	90
232QD	1"	C	38.0	44.0	24	18	90
234QD	1-1/16"	C	38.0	46.0	24	18	90
236QD	1-1/8"	C	39.0	49.0	24	18	90

1/2" DR. WHEEL PROTECTOR
EXTRA THIN-WALL SAE & METRIC




Item	Size	Shape	d	D	T1	T2	L1	L
28492	3/4"	A	26	30	24	18	58	85
28494	13/16"	A	28	30	24	18	58	85
28496	7/8"	B	29.5	32	26	18	58	85
28498	15/16"	B	31.5	34	28	18	58	85
284910	1"	B	33.5	36	28	18	58	85
284912	1-1/16"	B	35.5	38	30	18	58	85
284917	17mm	A	23.8	30	24	18	58	85
284919	19mm	A	26	30	24	18	58	85
284921	21mm	A	28	30	24	18	58	85

1/2" DR.
INTERNAL STAR




Item	Size	d	D	T	L1	L
2690S1	T30	6	25	8	22.5	78
2690S2	T40	7.5	25	8.5	22.5	78
2690S3	T45	7.9	25	9.5	22.5	78
2690S4	T47	8.3	25	10	22.5	78
2690S5	T50	8.9	25	10.5	22.5	78
2690S6	T55	11.5	25	11.5	22.5	78
2690S7	T60	14	25	13	22.5	78
2690S8	T70	16	25	14	22.5	78

1/2" DR.
EXTERNAL STAR




Item	Size	d	D	t1	t2	L
2690SE1	E10	17	22	16.5	11	38
2690SE2	E11	17	22	16.5	11	38
2690SE3	E12	17	22	16.5	11	38
2690SE4	E14	17	22	16.5	13	38
2690SE5	E16	17	22	16.5	13	38
2690SE6	E18	17	22	16.5	13	38
2690SE7	E20	17	22	16.5	15	38
2690SE8	E22	17	22	16.5	15	38
2690SE9	E24	18	22	16.5	16.2	38

1/2" DR.
HEX SAE




Item	Size	d	D	T	L1	L
26481	1/4"	8.5	25	11.5	22.5	68
26482	5/16"	10.5	25	12	22.5	68
26483	3/8"	12.2	25	12.5	22.5	68
26484	7/16"	13.9	25	13	22.5	68
26485	1/2"	15.8	25	13	22.5	68
26486	9/16"	17.6	25	14	22.5	68
26487	5/8"	19.8	25	15	22.5	68
26488	11/16"	21.5	25	15.5	22.5	68
26489	3/4"	23	25	16	22.5	68
264810	13/16"	23.5	25	17	22.5	68

1/2" DR.
HEX METRIC




Item	Size	d	D	T	L1	L
26491	6mm	8	25	13	22.5	68
26492	7mm	9	25	13.5	22.5	68
26493	8mm	10.5	25	14	22.5	68
26494	9mm	11.5	25	14.5	22.5	68
26495	10mm	12.5	25	15	22.5	68
26496	12mm	15	25	15.5	22.5	68
26497	14mm	17.5	25	16	22.5	68
264912	15mm	19	25	16.5	22.5	68
26498	16mm	20	25	17	22.5	68
26499	17mm	21	25	17	22.5	68
264913	18mm	22	25	18	22.5	68
264910	19mm	23	25	18	22.5	68
264911	21mm	23.82	25	19	22.5	68

1/2" DR. UNIVERSAL
HEX SAE




Item	Size	D	T	L1	L
274806	1/4"	30	13.5	36	76
274808	5/16"	30	20.5	36	76
274810	3/8"	30	20.5	36	76
274812	7/16"	30	20.5	36	76
274814	1/2"	30	20.5	36	76
274816	9/16"	30	20.5	36	76
274818	5/8"	30	20.5	36	76
274820	3/4"	30	20.5	36	76

1/2" DR. UNIVERSAL
HEX METRIC



Item	Size	D	T	L1	L
274906	6mm	30	13.5	36	76
274907	7mm	30	13.5	36	76
274908	8mm	30	20.5	36	76
274910	10mm	30	20.5	36	76
274912	12mm	30	20.5	36	76
274914	14mm	30	20.5	36	76
274915	15mm	30	20.5	36	76
274917	17mm	30	20.5	36	76
274918	18mm	30	20.5	36	76
274919	19mm	30	20.5	36	76


1/2" DR. DEEP
SPINDLE NUT METRIC



Item	Size	d	D	T1	T2	L1	L
2830	29mm	42	42	38	20	/	89
2800	30mm	42	42	38	20	/	89
2832	32mm	44	43	38	20	17	89
2834	34mm	46	43	38	20	17	89
2806	35mm	50	43	38	20	17	89
2802	36mm	51	43	38	20	17	89
2803	38mm	54	43	38	20	17	89


IMPACT SOCKET SPECIFICATIONS

1/2" DR. HEAVY DUTY DEEP
SAE




Item	Size	d	D	T1	L1	L
240HDD	1-1/4"	47	38	65	18	85

1/2" DR.
TIE ROD



Item	Size	D	d	r	t1	L1	L
2801	1/2"	38	57	19	37	39	57


1/2" DR. X 3/8" (M) 36" EXTENSION
FOR TRANSMISSIONS




Item	Size	d	D	L1	L
2536T	1/2"(F) x 3/8"(M)	16.5	25	24	915

IMPACT SOCKET SPECIFICATIONS

1/2" DR. FLIP
SAE & METRIC



A




B

Item	Size	Shape	d	D	t1	t2	t3	t4	L1	L2	L
2700	3/4" x 13/16"	A	28	30	17	20	13	20.5	34	22	58
2701	3/4" x 13/16"	A	28	30	27	29	23	29.5	31	44	76
2702	19mm x 21mm	A	28	30	17	20	13	20.5	38	19	58
2704	19mm x 21mm	A	28	30	27	29.5	23	29.5	31	43	76
2705	17mm x 21mm	A	26	30	27	29.5	23	29.5	31	43	76
2707	17mm x 19mm	A	26	28	17	20.5	13	20.5	22	34	58
2706	3/4" x 13/16"	A	26	28	27	29.5	23	29.5	31	43	76
2708	19mm x 21mm	B	26	28	27	29.5	23	29.5	48	26	76
2710	7/8" x 15/16"	A	32	34	30.5	33.5	23	33.5	35	46	83
2712	1" x 1-1/16"	A	36.6	38	30.5	33.5	23	33.5	35	46	83

1/2" DR. TORQUE
LIMITING EXTENSION


Item	d	D	Torque Ft. /Lbs.	Torque Nm	Color
2465	9	12.7	65	90	Yellow
2480	11	12.7	80	110	Blue
24100	12.2	12.7	100	135	Gray
24120	13.7	12.7	120	160	White
24140	15.1	12.7	140	190	Aqua

3/4" DR. STANDARD
6 POINT SAE



Item	Size	Shape	d	D	T1	T2	L1	L
416	1/2	A	22	38	16	25	28	50
418	9/16	A	26.5	38	16	25	28	50
420	5/8"	A	27.5	38	16	25	28	50
422	11/16"	A	29	38	16	25	28	50
424	3/4"	A	30	38	16	25	28	50
426	13/16"	A	32	38	18	25	28	52
428	7/8"	A	34	38	18	25	28	52
430	15/16"	A	36	38	18	25	28	52
432	1"	B	/	40	18	25	/	52
434	1-1/16"	B	/	40	18	25	/	52
436	1-1/8"	B	/	42	18	25	/	52
438	1-3/16"	B	/	44	18	25	/	52
440	1-1/4"	B	/	44	18	25	/	52
442	1-5/16"	C	47	44	22	25	23	56
444	1-3/8"	C	50	44	22	25	23	56
446	1-7/16"	C	51	44	22	25	23	56
448	1-1/2"	C	53	44	22	25	23	56
450	1-9/16"	C	56	44	26	31	25	62
452	1-5/8"	C	58	44	26	31	25	62
454	1-11/16"	C	63.5	44	26	31	25	62
456	1-3/4"	C	65	44	26	31	25	62
458	1-13/16"	C	67	44	32	31	25	68
460	1-7/8"	C	68	44	32	31	25	68
462	1-15/16"	C	70	44	34	31	25	70
464	2"	C	71	54	35	32	25	72
466	2-1/16"	C	74	54	35	32	25	72
468	2-1/8"	C	77	54	35	32	25	72
470	2-3/16"	C	77	54	35	34	25	74
472	2-1/4"	C	80	54	35	34	25	74
474	2-5/16"	C	82	54	35	35	27	75
476	2-3/8"	C	84	54	35	35	27	75
478	2-7/16"	C	85	54	35	35	27	75
480	2-1/2"	C	86	54	35	35	27	75
482	2-9/16"	C	89	62	36	28	30	78
484	2-5/8"	C	91	62	38	28	30	80
486	2-11/16"	C	93	62	38	28	30	80
488	2-3/4"	C	95	62	40	28	30	82
490	2-13/16"	C	98	62	40	28	30	82
492	2-7/8"	C	100	62	40	28	30	82
494	2-15/16"	C	102	62	42	28	30	85
496	3"	C	104	62	42	28	30	87


3/4" DR. STANDARD
6 POINT METRIC




Item	Size	Shape	d	D	T1	T2	L1	L
419M	19mm	A	30	38	16	25	28	50
420M	20mm	A	31	38	16	25	28	52
421M	21mm	A	32	38	18	25	28	52
422M	22mm	A	34	38	18	25	28	52
423M	23mm	A	35	38	18	25	28	52
424M	24mm	A	36	38	18	25	28	52
425M	25mm	B	/	38	18	25	/	52
426M	26mm	B	/	40	18	25	/	52
427M	27mm	B	/	40	18	25	/	52
428M	28mm	B	/	42	18	25	/	52
429M	29mm	B	/	42	18	25	/	52
430M	30mm	B	/	44	18	25	/	52
431M	31mm	B	44	44	18	25	/	52
432M	32mm	B	/	44	22	25	/	56
433M	33mm	C	47	44	22	25	23	56
434M	34mm	C	48	44	22	25	23	56
435M	35mm	C	50	44	22	25	23	56
436M	36mm	C	51	44	22	25	23	56
438M	38mm	C	53	44	22	25	23	56
440M	40mm	C	56	44	26	31	25	62
441M	41mm	C	58	44	26	31	25	62
442M	42mm	C	61	44	26	31	25	62
443M	43mm	C	63	44	27	31	25	63
444M	44mm	C	65	44	27	31	25	63
445M	45mm	C	66	44	27	31	25	63
446M	46mm	C	67	44	27	31	25	63
447M	47mm	C	68	44	32	31	25	68
448M	48mm	C	69	44	32	31	25	68
449M	49mm	C	70	44	34	31	25	70
450M	50mm	C	71	54	35	32	25	72
452M	52mm	C	74	54	35	32	25	72
454M	54mm	C	77	54	35	32	25	72
455M	55mm	C	77	54	35	34	25	74
456M	56mm	C	80	54	35	34	25	74
460M	60mm	C	84	54	35	35	25	75
465M	65mm	C	88	54	35	38	25	78

IMPACT SOCKET SPECIFICATIONS


3/4" DR. DEEP
6 POINT SAE



A




B




C

Item	Size	Shape	d	D	T1	T2	L1	L
416D	1/2"	A	22	38	20	26	33	85
418D	9/16"	A	26.5	38	20	26	33	85
420D	5/8"	A	27.5	38	20	26	33	85
422D	11/16"	A	29	38	20	26	33	85
424D	3/4"	A	30	38	20	26	33	85
426D	13/16"	A	32	38	25	26	33	85
428D	7/8"	A	34	38	25	26	33	85
430D	15/16"	A	36	38	25	26	33	85
432D	1"	B	/	40	35	26	/	85
434D	1-1/16"	B	/	40	35	26	/	85
436D	1-1/8"	B	/	42	35	26	/	85
438D	1-3/16"	B	/	44	35	26	/	85
440D	1-1/4"	B	/	44	35	26	/	85
442D	1-5/16"	C	47	44	35	26	23	85
444D	1-3/8"	C	50	44	40	26	23	85
446D	1-7/16"	C	51	44	40	26	23	85
448D	1-1/2"	C	53	44	40	26	23	85
450D	1-9/16"	C	56	44	40	26	25	85
452D	1-5/8"	C	58	44	45	26	25	85
454D	1-11/16"	C	63.5	44	45	26	25	85
456D	1-3/4"	C	65	44	45	26	25	85
458D	1-13/16"	C	67	44	45	30	25	85
460D	1-7/8"	C	68	44	45	30	25	85
462D	1-15/16"	C	70	44	45	30	25	85
464D	2"	C	71	54	45	30	25	85
466D	2-1/16"	C	74	54	55	35	27	95
476D	2-3/8"	C	84	54	55	35	27	95
480D	2-1/2"	C	86	54	55	35	27	95
482D	2-9/16"	C	89	62	46	35	30	100
484D	2-5/8"	C	91	62	50	35	30	100
486D	2-11/16"	C	93	62	56	35	30	105
488D	2-3/4"	C	95	62	56	35	30	105
490D	2-13/16"	C	98	62	67	35	30	110
492D	2-7/8"	C	100	62	67	35	30	110
494D	2-15/16"	C	102	62	80	35	30	120
496D	3"	C	104	62	80	35	30	120


3/4" DR. DEEP
6 POINT METRIC



A




B



C

Item	Size	Shape	d	D	T1	T2	L1	L
419MD	19mm	A	30	38	20	26	33	85
420MD	20mm	A	31	38	25	26	33	85
421MD	21mm	A	32	38	25	26	33	85
422MD	22mm	A	34	38	25	26	33	85
423MD	23mm	A	35	38	25	26	33	85
424MD	24mm	A	36	38	25	26	33	85
425MD	25mm	B	/	38	35	26	/	85
426MD	26mm	B	/	40	35	26	/	85
427MD	27mm	B	/	40	35	26	/	85
428MD	28mm	B	/	42	35	26	/	85
429MD	29mm	B	/	42	35	26	/	85
430MD	30mm	B	/	44	35	26	/	85
432MD	32mm	B	/	44	35	26	/	85
433MD	33mm	C	47	44	35	26	23	85
434MD	34mm	C	48	44	35	26	23	85
435MD	35mm	C	50	44	40	26	23	85
436MD	36mm	C	51	44	40	26	23	85
438MD	38mm	C	53	44	40	26	23	85
440MD	40mm	C	56	44	40	26	25	85
441MD	41mm	C	58	44	45	26	25	85
442MD	42mm	C	61	44	45	26	25	85
443MD	43mm	C	63	44	55	35	27	95
444MD	44mm	C	65	44	55	35	27	95
446MD	46mm	C	67	44	55	35	27	95
447MD	47mm	C	68	44	55	35	27	95
448MD	48mm	C	69	44	55	35	27	95
449MD	49mm	C	70	44	55	35	27	95
450MD	50mm	C	71	54	55	35	27	95
452MD	52mm	C	74	54	55	35	27	95
455MD	55mm	C	77	54	55	35	27	95
460MD	60mm	C	84	54	55	35	27	105
465MD	65mm	C	88	54	55	35	27	105

3/4" DR. DEEP THIN-WALL
6 POINT SAE




A

B


Item	Size	Shape	d	D	T1	T2	L1	L
434DT	1-1/16"	A	40	43	43	26	50	108
436DT	1-1/8"	A	42	43	43	26	50	108
440DT	1-1/4"	B	/	45	43	26	/	108

3/4" DR. THIN WALL
12 POINT SAE




Item	Size	Shape	d	D	T1	T2	L1	L
420ZT	5/8"	A	26	38	16	25	28	52
422ZT	11/16"	A	28	38	16	25	28	52
424ZT	3/4"	A	30	38	16	25	28	52
426ZT	13/16"	A	32	38	18	25	28	52
428ZT	7/8"	A	33.5	38	18	25	28	52
430ZT	15/16"	A	35.5	38	18	25	28	52
432ZT	1"	A	37.2	38	18	25	28	52
434ZT	1-1/16"	A	39.2	40	18	25	28	52
436ZT	1-1/8"	A	41.2	42	18	25	28	52
438ZT	1-3/16"	A	42	44	18	25	28	52
440ZT	1-1/4"	B	/	44	18	25	/	56
444ZT	1-3/8"	C	48	44	22	25	23	56
448ZT	1-1/2"	C	52	44	22	23	23	56
452ZT	1-5/8"	C	57	44	26	31	25	62
456ZT	1-3/4"	C	62	44	26	31	25	62
460ZT	1-7/8"	C	65	44	32	31	25	68

3/4" DR. THIN WALL
12 POINT METRIC




Item	Size	Shape	d	D	T1	T2	L1	L
415MZT	15mm	A	25	38	16	25	/	52
416MZT	16mm	A	26	38	16	25	/	52
417MZT	17mm	A	27	38	16	25	/	52
418MZT	18mm	A	28	38	16	25	/	52
419MZT	19mm	A	30	38	16	25	/	52
420MZT	20mm	A	31	38	16	25	/	52
421MZT	21mm	A	32	38	18	25	/	52
422MZT	22mm	A	33.5	38	18	25	/	52
423MZT	23mm	A	34.5	38	18	25	/	52
424MZT	24mm	A	35.5	38	18	25	/	52
425MZT	25mm	B	38	36.8	18	25	28	52
426MZT	26mm	B	40	37.8	18	25	28	52
427MZT	27mm	B	40	39.2	18	25	28	52
428MZT	28mm	B	42	40.5	18	25	28	52
429MZT	29mm	B	43	41.6	18	25	28	52
430MZT	30mm	B	44	42.7	18	25	28	52
432MZT	32mm	C	/	44	22	25	/	56
433MZT	33mm	C	45	44	22	25	23	56
435MZT	35mm	C	48	44	22	25	23	56
436MZT	36mm	C	49	44	22	25	23	56
438MZT	38mm	C	51	44	22	25	23	56
440MZT	40mm	C	54	44	26	31	25	62

3/4" DR. EXTRA LONG
6 POINT SAE & METRIC




Item	Size	d	D1	D2	T1	T2	L1	L2	L
426XL	13/16"sq.	25	44	43	40	74	39	74	230
434XL	1-1/16"	28	44	42	40	65	35	75	230
436XL	1-1/8"	28	44	43	40	65	35	75	230
440XL	1-1/4"	28	44	47	40	65	35	75	230
448XL	1-1/2"	28	44	54	40	65	35	75	230
433MXL	33mm	28	44	48	40	65	35	75	230

3/4" DR. SQUARE
SAE




Item	Size	D	T	L
426S	13/16"	42	26	52
430S	15/16"	44	26	52

3/4" DR. HEAVY DUTY
SQUARE SAE




Item	Size	d	D	T1	T2	L
426HDS	13/16"	42	51	32	26	62

3/4" DR. DOUBLE
SQUARE 88 METRIC



Item	Size	Shape	D	t	T1	L
417MSS	17mm	A	44	23	26	54
419MS	19mm	B	40	26	26	52
420MS	20mm	B	44	28	26	54
421MSS	21mm	B	44	28	26	54

3/4" DR. BUDD WHEEL
LIMITED DEPTH & DEEP HEX SAE




A

B

Item	Size	Shape	D	T1	T2	L
448LD	1-1/2"	A	57	14	26	97
448DH	1-1/2"	B	60	66	30	102

3/4" DR. COMBINATION
BUDD WHEEL
6 POINT SAE & METRIC




A

B


Item	Size	Shape	d	D	T	t1	t2	t3	L1	L
4826C	1-1/2" x 13/16"	A	/	57	14	38	20	26	/	95
43517B	35mm x 17mm	B	54	52	13	34	20	26	30	90
4121C	41mm x 21mm	B	58	54	14	38	22	26	30	99

3/4" DR. HEX
SAE




Item	Size	d	D	L2	L1	L
45061	3/4"	23	44	22	32	88
45062	7/8"	26.7	44	24	32	88
45063	1"	30.2	44	26	32	88
45064	1-1/8"	34.2	44	30	32	88
45065	1-1/4"	38.3	44	30	32	88

3/4" DR. HEX
METRIC



Item	Size	d	D	L2	L1	L
412MH	12mm	15	44	24	32	88
450714	14mm	17.5	44	18	32	88
450717	17mm	21	44	20	32	88
450719	19mm	23	44	22	32	88
450722	22mm	26.5	44	24	32	88
450724	24mm	28.7	44	24	32	88


3/4" DR. DEEP
TRUCK PINION LOCKNUT
6 POINT



Item	Size	d	D	T	t1	L
464AN	2"	60.0	67.3	18	32	104
468AN	2-1/8"	63.0	71.3	20	32	104
472AN	2-1/4"	66.0	76.0	22	32	104
476AN	2-3/8"	70.0	80.0	24	32	104
480AN	2-1/2"	73.0	83.0	24	32	104
484AN	2-5/8"	76.0	86.8	24	32	104
488AN	2-3/4"	78.0	91.4	24	32	104


IMPACT SOCKET SPECIFICATIONS

1" DR. STANDARD
6 POINT SAE



A


B



C


Item	Size	Shape	d	D	T1	T2	L1	L
526	13/16"	A	38	51				58
524	3/4"	A	36	51	17	31	33	58
528	7/8"	A	39	51	17	31	33	58
530	15/16"	A	40	51	17	31	33	58
532	1"	A	42	51	17	31	33	58
534	1-1/16"	A	44	51	17	31	33	58
536	1-1/8"	A	46	51	17	31	33	58
538	1-3/16"	A	48	51	19	31	33	60
540	1-1/4"	B	/	51	19	31	/	60
542	1-5/16"	C	53	52	21	31	30	62
544	1-3/8"	C	54	52	21	31	30	62
546	1-7/16"	C	56	52	21	31	30	62
548	1-1/2"	C	58	52	21	31	30	62
550	1-9/16"	C	60	52	21	31	30	62
552	1-5/8"	C	61.5	52	21	31	30	62
554	1-11/16"	C	65	52	23	31	30	64
556	1-3/4"	C	66	58	23	36	30	64
558	1-13/16"	C	68	58	23	36	30	64
560	1-7/8"	C	70	58	25	36	30	66
562	1-15/16"	C	72	58	27	36	30	68
564	2"	C	74	58	29	36	30	70
566	2-1/16"	C	75	58	29	36	30	70
568	2-1/8"	C	78	58	29	36	30	70
570	2-3/16"	C	80	62	32	35	30	72
572	2-1/4"	C	84	62	34	35	30	75
574	2-5/16"	C	86	62	34	35	30	75
576	2-3/8"	C	87	62	35	38	30	78
578	2-7/16"	C	89	62	35	38	30	78
580	2-1/2"	C	91	62	36	40	30	80
582	2-9/16"	C	93	62	36	40	30	80
584	2-5/8"	C	95	62	38	40	33	82
586	2-11/16"	C	97	62	38	40	33	82
588	2-3/4"	C	98	62	40	40	33	85
590	2-13/16"	C	100	62	40	42	33	87
592	2-7/8"	C	102	62	40	42	33	87
594	2-15/16"	C	104	86	48	42	38	95
596	3"	C	106	86	52	40	38	98
5100	3-1/8"	C	109	86	52	42	38	100
5104	3-1/4"	C	113	86	52	42	38	100
5108	3-3/8"	C	115	86	52	42	38	100
5112	3-1/2"	C	119	86	55	44	38	105
5116	3-5/8"	C	127	86	55	32	20	105
5120	3-3/4"	C	130	86	55	32	20	105
5124	3-7/8"	C	136	86	55	32	20	105
5128	4"	C	140	86	55	32	20	105
5132	4-1/8"	C	143	86	55	32	20	105
5136	4-1/4"	C	146	86	55	32	20	105

1" DR. STANDARD
6 POINT METRIC



A

B




C


Item	Size	Shape	d	D	T1	T2	L1	L
519M	19mm	A	36	51	17	31	33	58
521M	21mm	A	38	51	17	31	33	58
522M	22mm	A	39	51	17	31	33	58
523M	23mm	A	40	51	17	31	33	58
524M	24mm	A	40	51	17	31	33	58
525M	25mm	A	41	51	17	31	33	58
526M	26mm	A	42.5	51	17	31	33	58
527M	27mm	A	44	51	17	31	33	58
528M	28mm	A	45	51	17	31	33	58
529M	29mm	A	46	51	19	31	33	60
530M	30mm	A	48	51	19	31	33	60
532M	32mm	B	/	51	19	31	/	60
533M	33mm	C	53	52	21	31	30	62
535M	35mm	C	54	52	21	31	30	62
536M	36mm	C	56	52	21	31	30	62
538M	38mm	C	58	52	21	31	30	62
540M	40mm	C	60	52	21	31	30	62
541M	41mm	C	61.5	52	21	31	30	62
542M	42mm	C	63	52	23	31	30	64
546M	46mm	C	68	58	23	36	30	64
550M	50mm	C	73	58	29	36	30	70
552M	52mm	C	75	58	29	36	30	70
554M	54mm	C	78	58	29	36	30	70
555M	55mm	C	79	62	31	36	30	72
556M	56mm	C	80	62	33	36	30	74
558M	58mm	C	85	62	34	36	30	75
560M	60mm	C	87	62	35	38	30	78
566M	65mm	C	93	62	36	40	30	80
570M	70mm	C	98	62	40	40	33	85

IMPACT SOCKET SPECIFICATIONS


1" DR. DEEP
6 POINT SAE



A




B




C

Item	Size	Shape	d	D	T1	T2	L1	L
524D	3/4"	A	36	51	25	31	38	90
526D	13/16"	A	38	51	25	31	38	90
528D	7/8"	A	39	51	25	31	38	90
530D	15/16"	A	40	51	25	31	38	90
532D	1"	A	42	51	30	31	38	90
534D	1-1/16"	A	44	51	30	31	38	90
536D	1-1/8"	A	46	51	30	31	38	90
538D	1-3/16"	A	48	51	35	31	38	90
540D	1-1/4"	B	/	51	35	31	/	90
542D	1-5/16"	C	53	52	35	31	30	90
544D	1-3/8"	C	54	52	40	31	30	90
546D	1-7/16"	C	56	52	40	31	30	90
548D	1-1/2"	C	58	52	40	31	30	92
550D	1-9/16"	C	60	52	40	31	30	92
552D	1-5/8"	C	61.5	52	40	31	30	92
554D	1-11/16"	C	65	52	40	31	30	92
556D	1-3/4"	C	66	58	40	31	30	92
558D	1-13/16"	C	68	58	40	31	30	92
560D	1-7/8"	C	70	58	40	31	30	92
562D	1-15/16"	C	72	58	40	31	30	92
564D	2"	C	74	58	50	31	30	95
566D	2-1/16"	C	75	58	50	31	30	95
568D	2-1/8"	C	78	58	50	31	30	95
570D	2-3/16"	C	80	62	50	31	30	100
572D	2-1/4"	C	84	62	50	31	30	100
574D	2-5/16"	C	86	62	55	31	30	105
576D	2-3/8"	C	87	62	55	31	30	105
578D	2-7/16"	C	89	62	60	31	30	110
580D	2-1/2"	C	91	62	60	31	30	110
582D	2-9/16"	C	93	62	70	31	30	120
584D	2-5/8"	C	95	62	70	35	33	120
586D	2-11/16"	C	97	62	75	35	33	124
588D	2-3/4"	C	98	62	75	35	33	124
590D	2-13/16"	C	100	62	80	40	35	128
592D	2-7/8"	C	102	62	80	40	35	128
594D	2-15/16"	C	104	86	85	45	38	135
596D	3"	C	106	86	85	45	38	135
5100D	3-1/8"	C	109	86	85	45	38	135
5104D	3-1/4"	C	113	86	85	45	38	135
5108D	3-3/8"	C	115	86	85	45	38	135
5112D	3-1/2"	C	119	86	85	45	38	135
5116D	3-5/8"	C	128	86	90	32	20	140
5120D	3-3/4"	C	130	86	90	32	20	140
5124D	3-7/8"	C	136	86	90	32	20	140
5128D	4"	C	140	95	100	32	20	155
5132D	4-1/8"	C	143	95	100	32	20	155
5136D	4-1/4"	C	146	95	100	32	20	155
5140D	4-1/2"	C	152	95	100	32	20	155


1" DR. DEEP
6 POINT METRIC



A




B




C

Item	Size	Shape	d	D	T1	T2	L1	L
519MD	19mm	A	36	51	25	31	38	90
521MD	21mm	A	38	51	25	31	38	90
522MD	22mm	A	39	51	25	31	38	90
524MD	24mm	A	40	51	25	31	38	90
525MD	25mm	A	41	51	30	31	38	90
526MD	26mm	A	42.5	51	30	31	38	90
527MD	27mm	A	44	51	30	31	38	90
529MD	29mm	A	46	51	30	31	38	90
530MD	30mm	A	48	51	35	31	38	90
532MD	32mm	B	/	51	35	31	/	90
533MD	33mm	C	53	52	35	31	30	90
535MD	35mm	C	54	52	40	31	30	90
536MD	36mm	C	56	52	40	31	30	90
538MD	38mm	C	58	52	40	31	30	92
540MD	40mm	C	60	52	40	31	30	92
541MD	41mm	C	61.5	52	40	31	30	92
542MD	42mm	C	63	52	40	31	30	92
546MD	46mm	C	68	58	40	31	30	92
550MD	50mm	C	58	73	54	31	30	95
554MD	54mm	C	78	58	54	31	30	95
555MD	55mm	C	79	62	60	31	30	100
556MD	56mm	C	80	62	60	31	30	100
558MD	58mm	C	85	62	62	31	30	105
560MD	60mm	C	87	62	62	31	30	105
565MD	65mm	C	93	62	75	31	30	120
570MD	70mm	C	98	62	78	31	30	124


1" DR. DEEP THIN-WALL
6 POINT SAE & METRIC



A



B




C

Item	Size	Shape	d	D	T1	T2	L1	L
534DT	1-1/16"	A	42.5	51	43	31	50	108
536DT	1-1/8"	A	43	51	43	31	50	108
540DT	1-1/4"	A	47	51	43	31	50	108
542DT	1-5/16"	A	49	51	43	31	50	108
548DT	1-1/2"	B	/	54	43	31	43	108
541MDT	41mm	C	57	54	43	31	30	108


IMPACT SOCKET SPECIFICATIONS

1" DR. EXTRA LONG
6 POINT SAE & METRIC




Item	Size	d	d1	D	D1	T	L2	L1	L
540EL	1-1/4"	42	28	51	54	32	40	38	270
533MEL	33mm	42	28	52	54	32	40	38	270

1" DR. EXTRA DEEP
6 POINT SAE




Item	Size	d	D	T1	T2	L
556XD	1-3/4"	66	58	70	38	120

1" DR. SQUARE & HEAVY DUTY SQ.
SAE




Item	Size	Shape	d	D	T	L2	L1	L
526S	13/16"	A	44	52	31	/	/	57
530S	15/16"	A	44	52	31	/	/	57
526HDS	13/16"	B	48	56	/	35	31	68

1" DR. DOUBLE SQUARE
METRIC




Item	Size	D	T	t	L
517MS	17mm	52	31	26	57
519MS	19mm	52	31	26	57
520MS	20mm	52	31	26	57
521MS	21mm	54	31	26	57

1" DR. CONTROLLED DEPTH
SAE




Item	Size	D	T	L1	L
548CDS	1-1/2"	60	14	31	98

1" DR. COMBINATION BUDD WHEEL
SAE & METRIC



Item	Size	Shape	D	T	t1	t2	t3	L1	L
5826C	1-1/2" x 13/16"	A	57	14	38	34	31	/	99
53517	35mm x 17mm	B	54	13	34	20	31	30	94
53820	38mm x 20mm	B	56	14	36	20	31	30	96
54121	41mm x 21mm	B	58	14	38	22	31	30	99


#5 SPLINE STANDARD
6 POINT SAE



Item	Size	Shape	D2	D1	3L1	L	T1
5500S	7/8"	A	55	44	/	80	24
5525	15/16"	A	55	44	/	80	24
5526	1-1/16"	A	55	44	/	80	24
5502	1-1/8"	A	55	44	/	80	24
5504	1-3/16"	A	55	44	/	80	24
5503	1-1/4"	B	55	/	/	80	24
5534	1-5/16"	B	55	/	/	80	24
5533	1-3/8"	C	55	57	38	80	24
5535	1-7/16"	C	55	60	38	80	24
5505	1-1/2"	C	55	60	38	80	24
5506	1-5/8"	C	55	67	38	80	24
5507	1-3/4"	C	65	73	38	98	38
5536	1-13/16"	C	65	73	38	98	38
5508	1-7/8"	C	65	73	38	98	38
5537	1-15/16"	C	65	73	38	98	38
5509	2"	C	65	79	38	98	38
5568	2-1/8"	C	65	79	38	98	38
5572	2-1/4"	C	65	86	38	106	46
5576	2-3/8"	C	65	86	38	106	46
5580	2-1/2"	C	86	99	38	117	57
5584	2-5/8"	C	86	99	38	117	57
5588	2-3/4"	C	86	99	38	117	57
5596	3"	C	86	111	38	135	75
5600	3-1/8"	C	86	111	38	135	75


IMPACT SOCKET SPECIFICATIONS

5 SPLINE STANDARD
6 POINT METRIC




Item	Size	Shape	d	D	L1	L	T1
5522M	22mm	A	55	44	38	80	24
5524M	24mm	A	55	44	38	80	24
5525M	25mm	A	55	60	38	80	24
5527M	27mm	A	65	73	38	98	38
5529M	29mm	A	65	79	38	98	38
5530M	30mm	A	65	79	38	98	38
5532M	32mm	B	65	86	/	106	46
5533M	33mm	B	65	86	/	106	46
5535M	35mm	C	86	99	/	117	57
5538M	38mm	C	86	99	/	117	57
5540M	40mm	C	86	99	/	117	57
5541M	41mm	C	86	111	/	135	75
5546M	46mm	C	86	111	/	135	75

5 SPLINE DEEP
6 POINT SAE & METRIC




Item	Size	d	D	T1	L1	L2	L
5548D	1-1/2"	60	55	64	38	48	105
5552D	1-5/8"	63	58	40	38	41	110
5556D	1-3/4"	68	60	75	38	41	135

5 SPLINE EXTRA DEEP
& CONTROLLED DEPTH SAE




Item	Size	Shape	D	t1	L
5548XDH	1-1/2"	A	60	55	103
5548CDS	1-1/2"	B	60	14	102

5 SPLINE THIN-WALL
SAE




Item	Size	D2	D1	T1	L
5527	1-1/16"	54	42.5	25	106
5528	1-1/8"	54	43	25	106
5529	1-1/4"	54	47	25	106

5 SPLINE DEEP THIN-WALL
SAE & METRIC



Item	Size	Shape	d	D	T1	L1	L
5542DT	1-5/16"	A	49	54	25	60	106
5548DT	1-1/2"	B	/	55	25	/	108
5535MDT	35mm	A	51	54	25	60	108
5541MDT	41mm	B	/	57	25	/	108


5 SPLINE SQUARE
& HEAVY DUTY SQUARE SAE



Item	Size	d	D	L1	L
5532	13/16"	44	55	24	68
5500S	7/8"	44	55	24	80
5510	15/16"	46	55	24	68
5532HDS	13/16"	44	55	23	68


IMPACT SOCKET SPECIFICATIONS

5 SPLINE DOUBLE SQUARE
METRIC




Item	Size	S	S1	S2	d	D	T1	L
5517MSS	17mm	17.25	19.5	24	52	55	24	77
5521MSS	21mm	21.25	24.5	29.5	52	55	24	77

5 SPLINE
COMBINATION BUDD WHEEL




Item	Size	S	S1	D	T	t1	t2	L
5530	1-1/2"x13/16"	38.5	20.8	58	14	40	25	108

5 SPLINE
EXTENSIONS



Item	Size	d	D	t1	L
5608	8"	41	53	46	200
5615	15"	41	53	46	380

5 SPLINE
ADAPTORS



Item	Size (F)	Size (M)	Shape	D	L1	L
5524	#5 Spline (F)	3/4" (M)	A	53	54	87
5531	#5 Spline (F)	1" (M)	B	53	61	94

A

B

PRODUCT INDEX

Model # Page

210.....	94
212.....	19, 36, 94
214.....	19, 20, 24, 36, 94
216.....	19, 20, 24, 36, 94
218.....	19, 20, 24, 36, 94
220.....	19, 20, 24, 36, 94
222.....	19, 20, 24, 36, 94
224.....	19, 20, 24, 36, 94
226.....	19, 20, 24, 36, 94
228.....	19, 20, 24, 36, 94
230.....	19, 20, 24, 36, 94
232.....	19, 20, 24, 36, 94
234.....	19, 20, 24, 36, 94
236.....	19, 20, 24, 36, 94
238.....	19, 20, 24, 36, 94
240.....	19, 20, 24, 36, 94
242.....	19, 20, 24, 36, 94
244.....	19, 20, 24, 36, 94
246.....	19, 20, 24, 36, 94
248.....	19, 20, 24, 36, 94
250.....	20, 36, 94
252.....	20, 36, 94
254.....	20, 36, 94
256.....	20, 36, 94
258.....	20, 36, 94
260.....	20, 36, 94
262.....	20, 36, 94
264.....	20, 36, 94
266.....	20, 36, 94
268.....	20, 36, 94
270.....	20, 36, 94
272.....	10, 11, 36, 94
310.....	8, 10, 11, 16, 85
312.....	8, 10, 11, 16, 85
314.....	8, 10, 11, 16, 85
316.....	8, 10, 11, 16, 85
318.....	8, 10, 11, 16, 85
320.....	8, 10, 11, 16, 85
322.....	8, 10, 11, 16, 85
324.....	8, 10, 11, 16, 85
326.....	8, 11, 16, 85
328.....	8, 11, 16, 85
330.....	8, 11, 16, 85
332.....	8, 11, 16, 85
416.....	112
418.....	112
420.....	112
422.....	112
424.....	39, 41, 43, 112
426.....	39, 41, 43, 112
428.....	39, 41, 43, 112

Model # Page

430.....	39, 41, 43, 112
432.....	40, 39, 41, 43, 112
434.....	40, 39, 41, 43, 112
436.....	40, 39, 41, 43, 112
438.....	40, 39, 41, 43, 112
440.....	40, 39, 41, 43, 112
442.....	40, 39, 41, 43, 112
444.....	40, 39, 41, 43, 112
446.....	40, 39, 41, 43, 112
448.....	40, 39, 41, 43, 112
450.....	40, 41, 43, 112
452.....	40, 41, 43, 112
454.....	40, 41, 43, 112
456.....	40, 41, 43, 112
458.....	40, 41, 43, 112
460.....	40, 41, 43, 112
462.....	40, 41, 43, 112
464.....	40, 41, 43, 112
466.....	41, 43, 112
468.....	41, 43, 112
470.....	41, 43, 112
472.....	41, 43, 112
474.....	41, 43, 112
476.....	41, 43, 112
478.....	41, 43, 112
480.....	41, 43, 112
482.....	43, 112
484.....	43, 112
486.....	43, 112
488.....	43, 112
490.....	43, 112
492.....	43, 112
494.....	43, 112
496.....	43, 112
524.....	46, 48
526.....	46, 48, 120
528.....	45, 46, 48, 120
530.....	46, 48, 120
532.....	45, 45, 47, 48, 120
534.....	46, 47, 18, 120
536.....	46, 47, 18, 120
538.....	46, 47, 18, 120
540.....	46, 47, 18, 120
542.....	46, 47, 18, 120
544.....	46, 47, 18, 120
546.....	46, 47, 18, 120
548.....	46, 47, 18, 120
550.....	46, 47, 18, 120
552.....	46, 47, 18, 120
554.....	46, 47, 18, 120
556.....	46, 47, 18, 120

Model # Page

558.....	46, 47, 18, 120
560.....	46, 47, 18, 120
562.....	46, 47, 18, 120
564.....	46, 47, 18, 120
566.....	48, 120
568.....	48, 120
570.....	48, 120
572.....	48, 120
574.....	48, 120
576.....	48, 120
578.....	48, 120
580.....	48, 120
582.....	48, 120
584.....	48, 120
586.....	48, 120
588.....	48, 120
590.....	48, 120
592.....	48, 120
594.....	48, 120
596.....	48, 120
668.....	50
670.....	50
674.....	50
676.....	50
682.....	50
688.....	50
694.....	50
806.....	2, 4, 6, 7, 81
807.....	2, 4, 6, 7, 81
808.....	2, 4, 6, 7, 81
809.....	2, 4, 6, 7, 81
810.....	2, 4, 6, 7, 81
811.....	2, 4, 6, 7, 81
812.....	2, 4, 6, 7, 81
814.....	2, 4, 6, 7, 81
816.....	2, 4, 6, 7, 81
818.....	2, 4, 6, 7, 81
1800.....	4, 6, 7, 79, 80
1801.....	58, 79, 80
1802.....	4, 6, 7, 79, 80
1804.....	6, 7, 79, 80
1805.....	58, 79, 80
1806.....	6, 7, 79, 80
1809.....	2
1810.....	2
1811.....	2
1812.....	3
1813.....	3
1814.....	3
1818.....	4
1825.....	5

Model # Page

1830.....	5
1831.....	5
1848.....	4
1874.....	6
2300...24, 25, 28, 33, 58, 79, 80	
2301.....	11, 58, 79, 80
2302.....	58, 79, 80
2303.....	57, 58
2343.....	57, 58
2450.....	66
2465.....	66,111
2480.....	66,111
2500.....	59
2503.....	19, 30, 59, 79, 80
2504.....	59
2505.....	59, 79, 80
2510.....	59, 79, 80
2515.....	59, 79, 80
2524.....	59, 79, 80
2536.....	59, 79, 80
2611.....	19
2617.....	19, 37, 100
2619.....	19, 37, 100
2621.....	19, 37, 100
2622.....	19, 37, 100
2623.....	19, 37, 100
2624.....	19, 99
2626.....	19, 99
2628.....	19, 99
2632.....	19, 99
2634.....	19, 99
2637.....	53
2638.....	54
2639.....	54
2640.....	19
2641.....	19
2644.....	19
2645.....	20
2646.....	20
2650.....	20
2651.....	21
2652.....	21
2653.....	22
2654.....	22
2655.....	23
2657.....	21
2658.....	23
2659.....	23
2661.....	23
2662.....	24
2665.....	24

PRODUCT INDEX

Model #	Page	Model #	Page
2668.....	24	3921.....	77
2669.....	25	4050.....	38
2670.....	25	4300.....	58, 79, 80
2672.....	25	4301.....	58, 79, 80
2678.....	26	4302.....	59, 79, 80
2679.....	27	4303.....	44
2690.....	20	4304.....	44, 58, 79, 80
2691.....	21	4305.....	57, 58
2692.....	22	4310.....	59, 79, 80
2693.....	22	4313.....	59, 79, 80
2695.....	26	4405.....	58
2696.....	27	4506.....	55
2698.....	28	4507.....	55
2699.....	28	4626.....	39
2700.....	35, 111	4667.....	69
2701.....	33, 35, 11	4680.....	39
2702.....	35, 111	4681.....	39
2703.....	35	4682.....	39
2704.....	33, 35, 111	4683.....	40
2705.....	35, 111	4684.....	40
2706.....	30, 35, 111	4685.....	40
2707.....	35, 111	4686.....	40
2708.....	30, 35, 111	4687.....	41
2710.....	30, 35, 111	4695.....	41
2712.....	35, 111	4696.....	41
2713.....	35	5100.....	120
2724.....	30	5104.....	120
2748.....	54	5108.....	120
2749.....	54	5112.....	120
2800.....	31, 34, 35, 109	5116.....	120
2801.....	34, 66, 110	5120.....	120
2802.....	31, 34, 35, 109	5124.....	120
2803.....	31, 34, 35, 109	5128.....	120
2806.....	31, 34, 35	5132.....	120
2819.....	29	5136.....	120
2820.....	29	5140.....	48
2826.....	29	5300.....	59, 79, 80
2827.....	29	5301.....	49
2830.....	31, 34, 35, 109	5302.....	49
2832.....	31, 34, 35, 109	5303.....	58, 79, 80
2834.....	31, 34, 35, 109	5304.....	49, 58, 79, 80
2835.....	30	5305.....	58
2837.....	30	5306.....	58, 79, 80
2838.....	31	5310.....	59, 79, 80
2839.....	31	5313.....	59, 79, 80
2840.....	68	5501.....	51
2841.....	64	5502.....	51, 125
2842.....	68	5503.....	51, 125
2843.....	68	5504.....	51, 125
2845.....	31	5505.....	51, 125
3841.....	64	5506.....	51, 125

Model #	Page	Model #	Page
5507.....	51, 125	8844 3/4.....	73
5508.....	51, 125	8844 13/16.....	73
5509.....	51, 125	8845.....	73
5510.....	51, 127	9913.....	78
5524.....	58, 128	9724.....	78
5525.....	51, 125	10000.....	70
5526.....	51, 125	10001.....	70
5527.....	51, 127	10002.....	70
5528.....	51, 127	10003.....	72
5529.....	51, 127	10004.....	61
5530.....	51, 128	10005.....	71
5531.....	58, 128	10006.....	70
5532.....	51, 127	10007.....	61
5533.....	51, 125	10008.....	73
5534.....	51, 125	10009.....	71
5535.....	51, 125	10010.....	72
5536.....	51, 125	10011.....	72
5537.....	51, 125	10200.....	64
5568.....	51, 125	10202.....	65
5572.....	51, 125	10203.....	61
5576.....	51, 125	10204.....	63
5580.....	51, 125	10205.....	62
5584.....	51, 125	10206.....	62
5588.....	51, 125	10207.....	62
5596.....	51, 125	10208.....	65
5600.....	51, 125	10209.....	63
5606.....	55	10210.....	63
5607.....	55	10212.....	61
5608.....	59, 128	10213.....	63
5615.....	59, 128	10214.....	63
5626.....	45	10600.....	69
5681.....	45	10601.....	69
5685.....	45	10602.....	69
5688.....	45	10603.....	69
5692.....	45, 46	10604.....	69
5693.....	45, 46	10605.....	69
5699.....	47	10606.....	69
6100.....	50	10607.....	69
6106.....	50	10608.....	69
6112.....	50	10609.....	69
6120.....	50	10610.....	69
6124.....	50	10611.....	69
6128.....	50	10612.....	69
6136.....	50	10613.....	69
6140.....	50	10614.....	69
6144.....	50	10615.....	69
6160.....	50	10616.....	69
6332.....	58, 79, 80	10617.....	69
8844.....	73	10618.....	69
8844 9/16.....	73	10619.....	69
8844 5/8.....	73	10620.....	69

Model #	Page	Model #	Page	Model #	Page
10621.....	69	28406.....	34, 68	45062.....	55, 56, 118
10622.....	69	28407.....	34, 68	45063.....	55, 56, 118
10623.....	69	28408.....	34, 68	45064.....	55, 56, 118
10624.....	69	28409.....	34, 68	45065.....	55, 56, 118
10625.....	69	28471.....	69	53517.....	49, 125
10626.....	29	28472.....	69	53820.....	49, 125
10627.....	69	28473.....	69	54121.....	49, 125
10628.....	69	28474.....	69	56061.....	55, 56
10629.....	69	28475.....	69	56062.....	55, 56
10630.....	69	28476.....	69	56063.....	55, 56
10631.....	69	28477.....	69	56064.....	55, 56
10632.....	69	28492.....	36, 68, 107	56065.....	55, 56
10633.....	69	28494.....	36, 68, 107	56066.....	55, 56
10636.....	62	28496.....	36, 68, 107	264810.....	108
22610.....	66	28498.....	36, 68, 107	264811.....	56
23014.....	66	28501.....	72	264910.....	53, 54, 108
24100.....	66, 111	28502.....	72	264911.....	108
24120.....	66, 111	28503.....	72	264912.....	53, 54, 56, 108
24140.....	66, 111	28504.....	72	264913.....	53, 54, 108
26481.....	53, 54, 56, 108	28505.....	72	264914.....	56
26482.....	53, 54, 56, 108	28506.....	72	264915.....	56
26483.....	53, 54, 56, 108	28507.....	72	267010.....	25, 28, 29, 36, 101
26484.....	53, 54, 56, 108	36460.....	52	267011.....	25, 28, 29, 36, 101
26485.....	53, 54, 56, 108	36471.....	52, 92	267012.....	25, 28, 29, 36, 101
26486.....	53, 54, 56, 108	36472.....	52, 92	267013.....	25, 28, 29, 36, 101
26487.....	53, 54, 56, 108	36473.....	52, 92	267014.....	25, 28, 29, 36, 101
26488.....	53, 54, 56, 108	36474.....	52, 92	267015.....	25, 28, 29, 36, 101
26489.....	53, 54, 56, 108	36475.....	52, 92	267210.....	25, 28, 29, 101
26491.....	53, 54, 56, 108	36476.....	52, 92	267211.....	25, 28, 29, 101
26492.....	53, 54, 56, 108	36477.....	52, 92	267212.....	25, 28, 29, 37, 101
26493.....	53, 54, 56, 108	36478.....	92	267213.....	25, 28, 29, 37, 101
26494.....	53, 54, 56, 108	36479.....	92	267214.....	25, 28, 29, 37, 101
26495.....	53, 54, 56, 108	36481.....	52, 92	267215.....	25, 28, 29, 37, 101
26496.....	53, 54, 56, 108	36482.....	52, 92	267216.....	25, 28, 29, 37, 101
26497.....	53, 54, 56, 108	36483.....	52, 92	267217.....	25, 28, 29, 37, 101
26498.....	53, 54, 56, 108	36484.....	52, 92	267218.....	25, 28, 29, 37, 101
26499.....	53, 54, 56, 108	36485.....	52, 92	267219.....	25, 28, 29, 37, 101
26701.....	25, 28, 29, 36, 102	36486.....	56	267220.....	25, 28, 29, 37, 101
26702.....	25, 28, 29, 36, 102	36487.....	52	267221.....	25, 28, 29, 37, 101
26703.....	25, 28, 29, 36, 102	36488.....	52	267222.....	25, 28, 29, 37, 101
26704.....	25, 28, 29, 36, 102	36489.....	56	267223.....	25, 28, 29, 37, 101
26705.....	25, 28, 29, 36, 102	36801.....	8, 15, 16, 87	267224.....	25, 28, 29, 37, 101
26706.....	25, 28, 29, 36, 102	36802.....	8, 15, 16, 87	274806.....	54, 56, 109
26707.....	25, 28, 29, 36, 102	36803.....	8, 15, 16, 87	274808.....	54, 56, 109
26708.....	25, 28, 29, 36, 102	36804.....	8, 15, 16, 87	274810.....	54, 56, 109
26709.....	25, 28, 29, 36, 102	36805.....	8, 15, 16, 87	274812.....	54, 56, 109
28401.....	34, 68	36806.....	8, 15, 16, 87	274814.....	54, 56, 109
28402.....	34, 68	36807.....	8, 15, 16, 87	274816.....	54, 56, 109
28403.....	34, 68	36808.....	8, 15, 16, 87	274818.....	54, 56, 109
28404.....	34, 68	36809.....	8, 15, 16, 87	274820.....	54, 56, 109
28405.....	34, 68	45061.....	55, 56, 118	274906.....	54, 56, 109

PRODUCT INDEX

Model #	Page	Model #	Page
274907.....	54, 56, 109	365802.....	53, 56, 93
274908.....	54, 56, 109	365804.....	53, 56, 93
274910.....	54, 56, 109	365806.....	53, 56, 93
274912.....	54, 56, 109	365808.....	53, 56, 93
274914.....	54, 56, 109	365810.....	53, 56, 93
274915.....	56, 109	365812.....	53, 56, 93
274917.....	54, 56, 109	365814.....	53, 56, 93
274918.....	56, 109	365904.....	53, 56, 93
274919.....	54, 56, 109	365905.....	53, 56, 93
284317.....	68	365906.....	53, 56, 93
284319.....	68	365907.....	53, 56, 93
284321.....	68	365908.....	53, 56, 93
284910.....	36, 68	365910.....	53, 56, 93
284912.....	36, 68, 107		
284915.....	37		
284917.....	37, 68, 107		
284919.....	37, 68, 107		
284921.....	37, 68, 107		
364601.....	52		
364602.....	52		
364603.....	52		
364604.....	52		
364605.....	52		
364606.....	52		
364607.....	52		
364608.....	52		
364609.....	52		
364610.....	52		
364611.....	52		
364612.....	52		
364614.....	52		
364617.....	52		
364619.....	52		
364807.....	92		
364808.....	92		
364809.....	92		
364810.....	92		
364811.....	92		

Model #	Page	Model #	Page	Model #	Page
365912.....	53, 56, 93	884507.....	73	212MMG	37
367124.....	71	991301.....	78	212MXD	37, 99
367127.....	71	991302.....	78	212MZB	75
367129.....	71	991303.....	78	212MZUD	24, 37, 106
367132.....	71	991304.....	78	212QD	33, 36, 107
367135.....	71	991305.....	78	212U	36, 103
367138.....	71	991306.....	78	212UD	23, 36, 103
368010.....	8, 15, 16	991307.....	78	212UM	24, 37, 103
368011.....	8, 15, 16	991308.....	78	212UMD	23, 37, 104
368012.....	8, 15, 16	991309.....	78	212UZ	32, 36, 104
368207.....	15, 17, 88	991310.....	78	212XD	36, 98
368208.....	9, 15, 17, 88	991311.....	78	212Z	28, 29, 36, 100
368209.....	9, 15, 17, 88	991312.....	78	212ZM	27, 28, 29, 37, 101
368210.....	9, 15, 17, 88	991313.....	78	212ZUD	23, 36, 105
368211.....	9, 15, 17, 88	208M	37, 95	212ZUDL	27,35,75
368212.....	9, 15, 17, 88	208MD	37, 97	212ZUM	32, 37
368213.....	9, 15, 17, 88	208MXD	37, 99	212ZUMDL	26, 35, 74, 76
368214.....	9, 15, 17, 88	208ZUMDL	26, 35, 74, 76	213M	20, 21, 25, 37, 95
368215.....	9, 15, 17, 88	209M	25, 37, 95	213MD	20, 22, 25, 33, 37, 97
368216.....	9, 15, 17, 88	209MD	25, 37, 97	213MMG	37
368217.....	9, 15, 17, 88	209MXD	37, 99	213MXD	32, 37, 99
368218.....	9, 15, 17, 88	209ZM	28, 37, 101	213MZUD	24, 37, 106
368219.....	9, 15, 17, 88	209ZMD	28, 37, 102	213UM	23, 24, 37, 103
392101.....	77	210D	36, 96	213UMD	23, 37, 103
392102.....	77	210M	20, 21, 25, 37, 95	213ZM	27, 28, 29, 37, 101
392103.....	77	210MD	20, 22, 25, 33, 37, 97	213ZUM	32, 37, 105
392104.....	77	210MMG	37	213ZUMDL	26, 35, 74, 76
392105.....	77	210MXD	37, 99	214D	19, 21, 24, 33, 36, 96
392106.....	77	210MZB	75	214FP	64
392107.....	77	210MZUD	24, 37, 106	214M	20, 21, 25, 37, 95
392108.....	77	210UM	37, 103	214MD	20, 22, 25, 33, 37, 97
450714.....	55, 56, 118	210UMD	23, 37, 104	214MG	36
450717.....	55, 56, 118	210XD	36, 98	214MMG	37
450719.....	55, 56, 118	210ZM	27, 28, 29, 37, 101	214MXD	32, 37, 99
450722.....	55, 56, 118	210ZUDL	27, 35, 75	214MZB	75
450724.....	55, 56, 118	210ZUM	32, 37, 105	214MZUD	24, 37, 106
53517.....	45	210ZUMDL	26, 35, 74, 76	214P	64
53820.....	45	211M	20, 21, 25, 37, 95	214QD	33, 36, 107
54121.....	45	211MD	20, 22, 25, 33, 37, 97	214U	19, 21, 36, 103
560714.....	55, 56	211MMG	37	214UD	23, 36, 103
560717.....	55, 56	211MXD	37,99	214UM	23, 24, 37, 103
560719.....	55, 56	211MZUD	24, 37, 106	214UMD	23,37, 104
560722.....	55, 56	211UM	37, 103	214UZ	32,36, 104
560724.....	55, 56	211UMD	23, 37, 104	214XD	36, 98
560727.....	55, 56	211ZM	27, 28, 28, 29, 37, 101	214Z	26, 28, 29, 36, 100
884501.....	73	211ZUM	32, 37, 105	214ZM	27, 28, 29, 37, 101
884502.....	73	211ZUMDL	26, 35, 74, 76	214ZUD	23, 36, 105
884503.....	73	212D	19, 24, 36, 96	214ZUDL	27, 35, 75, 76
884504.....	73	212M	20, 21, 25, 95	214ZUM	32, 37, 105
884505.....	73	212MD	20, 22, 25, 33, 97	214ZUMDL	26, 35, 74, 76
884506.....	73	212MG	36	215M	20, 21, 25, 37, 95

Model #	Page	Model #	Page
215MD	20, 22, 25, 33, 37, 97	218P	64
215MMG	37	218QD	33, 36, 107
215MXD	32, 37, 99	218U	19, 21, 22, 36, 103
215MZUD	24, 37, 106	218UD	23, 36, 103
215UM	23, 24, 37, 103	218UM	23, 24, 37, 103
215UMD	23, 37, 104	218UMD	23, 37, 104
215ZM	27, 28, 29, 37, 101	218UZ	32, 36, 104
215ZUM	32, 37, 105	218XD	31, 36, 98
215ZUMDL	26, 35, 74, 76	218Z	26, 28, 29, 36, 100
216D	19, 21, 24, 33, 36, 96	218ZM	27, 28, 29, 37, 101
216FP	64	218ZUD	23, 36, 105
216M	20, 21, 25, 37, 95	218ZUDL	27, 35, 75, 76
216MD	20, 22, 25, 33, 37, 97	218ZUM	32, 37, 105
216MG	36	21910m	66
216MMG	37	21965m	66
216MXD	32, 37, 99	21980m	66
216MZUD	24, 37, 106	219M	20, 21, 25, 37, 95
216P	64	219MD	20, 22, 25, 33, 37, 97
216QD	33, 36, 107	219MMG	37
216U	19, 21, 22, 36, 103	219MXD	32, 37, 99
216UD	23,36, 103	219MZUD	24, 37, 106
216UM	23, 24, 37, 103	219M	23, 24, 37, 103
216UMD	23, 37, 104	219UMD	23, 37, 104
216UZ	32, 36, 104	219ZM	27, 28, 29, 37, 101
216XD	31, 36, 98	219ZUM	32,37, 105
216Z	26, 28, 29, 36, 100	220D	19, 21, 24, 33, 36, 96
216ZM	27, 28, 29, 37, 101	220FP	64
216ZUD	23, 36, 105	220M	20, 25, 37, 95
216ZUDL	27, 35, 76	220MD	20, 25, 37, 97
216ZUM	32, 37, 105	220MG	36
216ZUMDL	26, 35, 74, 76	220MMG	37
21755M	66	220MXD	32, 37, 99
21780M	66	220MZUD	24, 37, 106
217M	20, 21, 25, 37, 95	220P	64
217MD	20, 22, 25, 33, 37, 97	220QD	33, 36, 107
217MMG	37	220U	19, 21, 22, 36, 103
217MXD	32, 37, 99	220UD	23, 36, 103
217MZUD	24, 37, 106	220UM	24, 37, 103
217UM	23,24,37,103	220UMD	37, 104
217UMD	23,37,104	220UZ	32, 36, 104
217ZM	27, 28, 29, 37, 101	220XD	31, 36, 98
217ZUM	32, 37, 105	220Z	26, 28, 29, 36, 100
217ZUMDL	26, 35, 74, 76	220ZM	28, 29, 37
218D	19, 21, 24, 33, 36, 96	220ZUD	23, 36, 105
218FP	64	220ZUM	32, 37, 105
218M	20, 21, 25, 37, 95	22180M	66
218MD	20, 22, 25, 33, 37, 97	221M	20, 21, 25, 37, 95
218MG	36	221MD	20, 22, 25, 33, 37, 97
218MMG	37	221MMG	37
218MXD	32, 37, 99	221MXD	32, 37, 99
218MZUD	24, 37, 106	221MZUD	24, 37, 106

Model #	Page	Model #	Page	Model #	Page
221UM	24, 37, 103	225MD	20, 22, 37, 97	230UZ	32, 36, 104
221UMD	37	225MXD	37, 99	230XD	31, 36, 98
221ZM	27, 28, 29, 37, 101	225ZM	29, 37, 101	230Z	26, 28, 29, 36, 100
221ZUM	32, 37, 105	225ZMD	29, 37	230ZM	28, 29, 37, 101
22212M	66	2265PT	74	230ZMD	28, 29, 37
22214M	66	226D	19, 21, 24, 33, 36, 96	230ZUD	23, 36, 105
222D	19, 21, 24, 33, 36, 96	226M	20, 21, 22, 25, 37, 95	231M	22, 37, 95
222M	20, 21, 25, 37, 95	226MD	20, 22, 25, 33, 37, 97	231MD	22, 37, 97
222MD	20, 22, 25, 33, 37, 97	226MG	36	231MXD	32, 37, 99
222MG	36	226MXD	32, 37, 99	231ZM	37, 101
222MXD	32, 37, 99	226QD	33, 36, 107	231ZMD	37
222MZUD	24, 37, 106	226U	19, 21, 22, 36, 103	232D	19, 24, 33, 36
222QD	33, 36, 107	226UD	23, 36, 103	232M	20, 22, 37, 95
222U	19, 21, 22, 36, 103	226UZ	32, 36, 104	232MD	20, 22, 37, 97
222UD	23, 36, 103	226XD	31, 36, 98	232MG	36
222UM	24, 37, 103	226Z	26, 28, 29, 36, 100	232MXD	32, 37, 99
222UMD	37, 104	226ZM	28, 29, 37, 101	232QD	33, 36, 107
222UZ	32, 36, 104	226ZMD	28, 29, 37	232U	19, 36
222XD	31, 36, 98	226ZUD	23, 36, 105	232UZ	32, 36, 104
222Z	26, 27, 28, 29, 36, 100	227M	20, 21, 22, 25, 37, 95	232XD	31, 36, 98
222ZM	28, 29, 37, 101	227MD	20, 22, 25, 33, 37, 97	232Z	26, 28, 29, 36, 100
222ZUD	23, 36, 105	227M	32, 37, 99	232ZM	29, 37, 101
222ZUDL	27, 35, 75, 76	227ZM	28, 29, 37, 101	232ZMD	29, 37
222ZUM	32, 37, 105	227ZMD	28, 29, 37	232ZUD	23, 36, 105
223M	20, 22, 25, 37, 95	228D	19, 21, 24, 33, 36, 96	234M	20, 22, 37, 95
223MD	20, 22, 25, 37, 97	228M	20, 22, 37, 95	234MD	20, 22, 37, 97
223MXD	32, 37, 99	228MD	20, 22, 37, 97	234MXD	32, 37, 99
223MZUD	24, 37, 106	228MG	36	234QD	33, 36, 107
223UM	24, 37, 103	228MXD	32,37,99	234U	19, 36
223UMD	37, 104	228QD	33,36,107	234UZ	32, 36, 104
223ZM	28, 29, 37	228U	19,21,22,36,103	234XD	31, 36, 98
223ZUM	32, 37, 105	228UD	23, 36, 103	234Z	26, 28, 29, 36, 100
224D	19, 21, 24, 33, 36, 96	228UZ	32, 36, 104	234ZM	29, 37, 101
224M	20, 22, 25, 37, 95	228XD	31, 36, 98	234ZMD	29, 37
224MD	20, 22, 25, 37, 97	228Z	26, 28, 29, 36, 100	234ZUD	23, 36, 105
224MG	36	228ZM	29, 37, 101	235M	20, 37
224MXD	32, 37, 99	228ZMD	29, 37	235MD	20, 37
224MZUD	24, 37, 106	228ZUD	23, 36, 105	235MXD	37, 99
224QD	33, 36, 107	229M	20, 22, 37	235ZM	29, 37, 101
224U	19, 21, 22, 36, 103	229MD	20, 22, 37	235ZMD	29, 37
224UD	23, 36, 103	229MXD	32, 37, 99	236D	19, 21, 24, 33, 36, 96
224UM	24, 37, 103	229ZM	29, 37	236M	20, 22, 37, 95
224UMD	37, 104	229ZMD	29, 37	236MD	20, 22, 37, 97
224UZ	32, 36, 104	230D	19, 21, 24, 33, 36, 96	236MXD	37, 99
224XD	31, 36, 98	230M	20, 22, 25, 37, 95	236QD	36, 107
224Z	26, 28, 29, 36, 100	230MD	20, 22, 25, 37, 97	236U	19, 36, 103
224ZM	27, 28, 29, 37, 101	230MG	36	236UZ	32, 36, 104
224ZUD	23, 36, 105	230MXD	32, 37, 99	236XD	31, 36, 98
224ZUDL	27, 35, 75, 76	230QD	33, 36, 107	236Z	26, 28, 29, 36, 100
224ZUM	32, 37, 105	230U	19, 21, 36, 103	236ZM	29, 37, 101
225M	20, 22, 37, 95	230UD	23, 36, 103	236ZMD	29, 37

Model #	Page	Model #	Page
236ZUD	23, 36, 105	2690S2	27, 33, 107
237MXD	37, 99	2690S3	27, 33, 107
238D	19, 24, 36, 96	2690S4	27, 33, 107
238MXD	37, 99	2690S5	27, 33, 107
238U	19,36	2690S6	27, 33, 107
238UZ	32, 36, 104	2690S7	5, 27, 33, 107
238XD	36, 98	2690S8	27, 33, 107
238Z	26, 29, 100	2690SE	27
238ZUD	23, 105	2690SE1	27, 33, 108
239MZDT	74	2690SE2	27, 33, 108
240D	19, 21, 24, 96	2690SE3	27, 33, 108
240HDD	34, 110	2690SE4	27, 33, 108
240U	19, 36	2690SE5	27, 33, 108
240UZ	32, 36, 104	2690SE6	27, 33, 108
240XD	31, 36, 98	2690SE7	27, 33, 108
240Z	26, 29, 36, 100	2690SE8	27, 33, 108
240ZUD	23, 36, 105	2690SE9	27, 33, 108
242D	19, 21, 24, 36, 96	270D	21, 36, 96
242XD	31, 36, 98	272D	21, 36, 96
242Z	29, 36, 100	272LN	65
242ZD	28, 29, 36, 102	2800ZD	30, 35
244D	19, 21, 24, 36, 96	2801ZD	30
244XD	36, 98	2802ZD	30, 35
244Z	28, 29, 36, 100	2804ZD	30
244ZD	28, 29, 36, 102	2805ZD	30
246D	19, 21, 24, 36, 96	2806ZD	30
246XD	36, 98	2807ZD	30
246Z	28, 29, 36, 100	2836Z	30
246ZD	28, 29, 36, 102	284LN	65
248D	19, 21, 24, 36, 96	304PC	64
248XD	36, 98	304SE	18
248Z	28, 29, 29, 36, 100	307M	10, 17, 85
248ZD	28, 29, 36, 102	307MD	10, 17, 86
2503W	59	307MMG	17, 91
2505W	59	307MZ	14, 17, 87
250D	21, 36, 96	307MZUD	15, 17, 90
2510W	59	307ZUM	16, 17, 90
2515W	59	308EPC	64
252D	21, 36, 96	308M	9, 10, 17, 85
2536T	59, 110	308MD	9, 10, 11, 17, 86
254D	21, 36, 96	308MG	16, 91
256D	21, 36, 96	308MMG	17, 91
258D	21, 36, 96	308MZ	9, 14, 17, 87
260D	21, 36, 96	308MZUD	15, 17, 90
262D	21, 36, 96	308PC	64
264D	21, 36, 96	308ZUM	16, 17, 90
266D	21, 36, 96	309EPC	64
268D	21, 27, 36, 96	309M	9, 10, 12, 17, 85
2690S	27, 33, 107	309MD	9, 10, 11, 12, 17, 86
2690S1	27, 33, 107	309MMG	17, 91

Model #	Page
309MZ	9, 14, 17, 87
309MZUD	15, 17, 90
309PC	64
309ZUM	16, 17, 90
310D	8, 10, 11, 12, 16, 86
310EPC	64
310M	9, 10, 12, 17, 85
310MD	9, 10, 11, 12, 17, 86
310MG	16, 91
310MMG	17, 91
310MZ	9, 14, 17, 87
310MZUD	15, 17, 90
310PC	64
310U	16, 88
310UD	16, 89
310UM	13, 17, 88
310UMD	13, 17, 89
310UZ	16, 89
310Z	8, 14, 16, 86
310ZUD	15, 16, 90
310ZUM	16, 17, 90
311EPC	64
311M	9, 10, 12, 17, 85
311MD	9, 10, 11, 12, 17, 86
311MMG	17, 91
311MZ	9, 14, 17, 87
311MZUD	15, 90
311PC	64
311UM	13, 17, 88
311UMD	13, 17, 89
311ZUM	16, 17, 90
312D	8, 10, 11, 12, 16, 86
312EPC	64
312M	9, 10, 17, 85
312MD	9, 10, 11, 17, 86
312MG	16, 91
312MMG	17, 91
312MZ	9, 14, 17, 87
312MZUD	15, 17, 90
312PC	64
312U	12, 16, 88
312UD	13, 16, 89
312UM	13, 17, 88
312UMD	13, 17, 89
312UZ	16, 89
312Z	8, 14, 16, 86
312ZUD	15, 16, 90
312ZUM	16, 17, 90
313M	9, 10, 12, 17, 85
313MD	9, 10, 11, 12, 17, 86

Model #	Page
313MMG	17, 91
313MZ	9, 14, 17, 87
313MZUD	15, 17, 90
313UM	13, 17, 88
313UMD	13, 17, 89
313ZUM	16, 17, 90
314D	8,10,11,12,16,86
314M	9, 10, 12, 17, 85
314MD	9, 10, 11, 12, 17, 86
314MG	16, 91
314MMG	17, 91
314MZ	9, 14, 17, 87
314MZUD	15, 17, 90
314U	12, 16, 88
314UD	13, 16, 89
314UM	13, 17, 88
314UMD	13, 17, 89
314UZ	16, 89
314Z	8, 14, 16, 86
314ZUD	15, 16, 90
314ZUM	16, 17, 90
315M	9, 10, 12, 17, 85
315MD	9, 10, 11, 12, 17, 86
315MMG	17, 91
315MZ	9, 14, 17, 87
315MZUD	15, 17, 90
315UM	13, 17, 88
315UMD	13, 17, 89
315ZUM	16, 17, 90
316D	8, 10, 11, 12, 16, 86
316M	9, 10, 17, 85
316MD	9, 10, 11, 17, 86
316MG	16, 91
316MMG	17, 91
316MZ	9, 14, 17, 87
316MZUD	15, 17, 90
316U	12, 16, 88
316UD	13, 16, 89
316UM	13, 17, 88
316UMD	13, 17, 89
316UZ	16, 89
316Z	8, 14, 16, 86
316ZUD	15, 16, 90
316ZUM	16, 17, 90
317M	9, 10, 12, 17,85
317MD	9, 10, 11, 12, 17, 86
317MMG	17, 91
317MZ	9, 14, 17, 87
317MZUD	15, 17, 90
317UM	13, 17, 88

Model #	Page
317UMD	13, 17, 89
317ZUM	16, 17, 90
318D	8, 10, 11, 12, 16, 86
318M	9, 10, 12, 17, 85
318MD	9, 10, 11, 17, 86
318MG	16, 91
318MMG	17, 91
318MZ	9, 14, 17, 87
318MZUD	15, 17, 90
318U	12, 16, 88
318UD	13, 16, 89
318UM	13, 17, 88
318UMD	13, 17, 89
318UZ	16, 89
318Z	8, 14, 16, 86
318ZUD	15, 16, 90
318ZUM	16, 17, 90
319M	9, 10, 12, 17, 85
319MD	9, 10, 11, 12, 17, 86
319MMG	17, 91
319MZ	9, 14, 17, 87
319MZUD	15, 17, 90
319UM	13, 17, 88
319UMD	13, 17, 89
319ZUM	16, 17, 90
320D	8, 10, 11, 12, 16, 86
320M	17, 85
320MD	17
320MG	16, 91
320U	12, 16, 88
320UD	13, 16, 89
320UM	17
320UMD	17, 89
320UZ	16, 89
320Z	8, 14, 16, 86
320ZM	87
320ZUD	15, 90
3206M	88
321M	9, 17, 85
321MD	9, 11, 17, 86
321UM	17, 88
321UMD	17, 89
321ZM	9, 87
321ZMD	9, 17
322D	8, 10, 11, 12, 16, 86
322M	9, 17, 85
322MD	9, 11, 17, 86
322MG	16, 91
322U	12, 16, 88
322UD	13, 16, 89
322UM	17, 88

Model #	Page
322UMD	17, 89
322UZ	16, 89
322Z	8, 14, 16, 86
322ZM	9, 87
322ZMD	9, 17
322ZUD	15, 90
324D	8, 10, 11, 12, 16, 86
324MG	16, 91
324U	12, 16, 88
324UD	13, 16, 89
324UZ	16, 89
324Z	8, 14, 16, 86
324ZUD	15, 90
326D	8, 11, 16, 86
326U	16, 88
326UD	16, 89
326UZ	16, 89
326Z	8, 14, 16, 86
326ZUD	15, 90
328D	8, 11, 16, 86
328U	16, 88
328UD	16, 89
328UZ	16, 89
328Z	8, 14, 16, 86
328ZUD	15, 90
330D	8, 11, 16, 86
330UZ	16, 89
330Z	8, 14, 16, 86
330ZUD	15, 90
332D	8, 11, 16, 86
332UZ	16, 89
332Z	8, 14, 16, 86
332ZUD	15, 90
3360DD	11
3503W	59
3505W	59
3510W	59
3515W	59
3670S	14
3670S1	14, 18, 91
3670S2	14, 18, 91
3670S3	14, 18, 91
3670S4	14, 18, 91
3670S5	5, 14, 18, 91
3670S6	5, 14, 18, 91
3670S7	5, 14, 18, 91
3670S8	5, 14, 18, 91
3670S9	5, 14, 18, 91
3670SE	14
3670SE1	14, 17, 92
3670SE2	14, 17, 92

Model #	Page	Model #	Page
3670SE3	14, 17, 92	496D	43, 114
3670SE4	14, 17, 92	5100D	48, 122
3670SE5	14, 17, 92	5104D	48, 122
3670SE6	14, 17, 92	5108D	48, 122
3670SE7	14, 17, 92	5112D	48, 122
3670SE8	14, 17, 92	5116D	48, 122
3670SE9	14, 17, 92	5120D	48, 122
4011M	38	5124D	48, 122
4050M	38	5128D	48, 122
4070M	38	5132D	48, 122
4121C	39, 42, 118	5136D	48, 122
412MH	56, 118	5140D	48, 122
415MZT	44, 116	5153DD	33
416D	41, 114	517MS	124
416H	56	517MSS	47, 49
416MZT	44, 116	519M	49, 121
417MSS	38, 42, 117	519MD	49, 123
417MZT	44, 116	519MS	49, 124
418D	43, 114	520MS	49, 124
418MZT	44, 116	521M	49, 121
419M	44, 113	521MD	49, 123
419MD	44, 115	521MS	124
419MS	42, 117	521MSS	49
419MZT	44, 116	522M	49, 121
463M	44	522MD	49, 123
464AN	69, 119	523M	49, 121
464D	40, 41, 43, 114	523MD	49
465M	44, 113	524D	46, 48, 122
465MD	44, 115	524M	49, 121
466D	41, 43, 114	524MD	49, 123
468AN	69, 119	525M	49, 121
468D	41, 43	525MD	49, 123
470D	41, 43	526D	46, 48, 122
472AN	69, 119	526HDS	48, 124
472D	41, 43	526M	49, 121
474D	41, 43	526MD	49, 123
476AN	69,119	526S	45, 47, 48, 124
476D	41, 43, 114	527M	49, 121
478D	41, 43	527MD	47, 49, 123
480AN	69, 119	528D	45, 46, 47, 48, 122
480D	41, 43,114	528M	49, 121
4826C	39, 42, 118	529M	49, 121
482D	43, 114	529MD	49, 123
484AN	69, 119	530D	45, 46, 48, 122
484D	43, 114	530M	49, 121
486D	43, 114	530MD	49, 123
488AN	69, 119	530S	47, 48, 124
488D	43, 114	5315TE	67
490D	43, 114	5320TE	67
492D	43, 114	5325TE	67
494D	43, 114	532D	45, 46, 47, 48, 122

PRODUCT INDEX

NOTES

Model #	Page	Model #	Page	Model #	Page
532M.....	49, 121	5527M.....	51, 126	572D	48, 122
532MD.....	49, 123	5529M.....	51, 126	574D	48, 122
5330TE.....	67	552D	46, 48, 122	576D	48, 122
5335TE.....	67	552M.....	49, 121	578D	48, 122
533M.....	45, 49, 121	5530M.....	51, 126	580D	48, 122
533MD.....	45, 47, 49, 123	5532HDS.....	51, 127	5826C	48, 125
533MEL.....	49, 124	5532M.....	51, 126	582D	48, 122
533TS.....	67	5533M.....	51, 126	584D	48, 122
5340TE.....	67	5533MD.....	51	586D	48, 122
5345TE.....	67	5535M.....	51, 126	588D	48, 122
534D	45, 46, 48, 122	5535MDT.....	51, 127	590D	48, 122
534DT.....	45, 47, 48, 123	5536MD.....	51	592D	48, 122
535M.....	49, 121	5538M.....	51, 126	594D	48, 122
535MD.....	47, 49, 123	5540M.....	51, 126	596D	48, 122
536D	45, 46, 48, 122	5541M.....	51, 126	6100D	50
536DT.....	45, 47, 48, 123	5541MDT.....	51, 127	6106D	50
536M.....	49, 121	5542DT.....	51, 127	6112D	50
536MD.....	47, 49, 123	5546M.....	51, 126	6120D	50
538D	45, 46, 47, 48, 122	5548CDS.....	51, 126	6124D	50
538M.....	49, 121	5548D	51, 126	6128D	50
538MD.....	49, 123	5548DT.....	51, 127	6136D	50
540D	45, 46, 48, 122	5548XDH.....	51, 126	6140D	50
540DT.....	45, 47, 48, 123	554D	46, 48, 122	6144D	50
540EL.....	48, 124	554M.....	49, 121	6148D	50
540M.....	49, 121	554MD.....	49, 123	6160D	50
540MD.....	49, 123	5552D	51, 126	648D	50
540TS.....	67	5556D	51, 126	652D	50
541M.....	49, 121	555M.....	49, 121	654D	50
541MD.....	47, 49, 123	555MD.....	49, 123	664D	50
541MDT.....	49, 123	556D	46, 47, 48, 122	668D	50
542D	45, 46, 48, 122	556M.....	49, 121	670D	50
542DT.....	48, 123	556MD.....	49, 123	674D	50
542M.....	49, 121	556XD	48, 124	676D	50
542MD.....	49, 123	558D	46, 48, 122		
544D	46, 48, 122	558M.....	49, 121		
546D	46, 122	558MD.....	49, 123		
546M.....	49, 121	560D	46, 48, 122		
546MD.....	49, 123	560M.....	49, 121		
548CDS.....	45, 48, 125	560MD	49, 123		
548D	45, 46, 48, 122	562D	46, 48, 122		
548DT.....	48, 123	564D	46, 48, 122		
548TS.....	67	565M.....	49		
5500S	51, 125, 127	565MD.....	49, 123		
550D	46, 48, 122	566D	48, 122		
550M.....	49, 121	566M.....	121		
550MD.....	49, 123	568D	48, 122		
5517MSS.....	51, 128	5690A.....	47		
5521MSS.....	51, 128	5697M.....	47		
5522M.....	51, 126	570D	48, 122		
5524M.....	51, 126	570M.....	49, 121		
5525M.....	51, 126	570MD.....	49, 123		

Distributed by:



www.sunextools.com

Shipping Address: Sunex Tools • 315 Hawkins Rd. • Travelers Rest, SC 29690

Mailing Address: Sunex Tools • PO Box 1233 • Travelers Rest, SC 29690

Sunex Tools® Service: 877.786.3939 • Toll Free: 1.800.833.7869

Fax: 864.834.7954



REF: SXSC187-12

Rev. 04/10/12