

Keeps your car on the go



AUTOMOTIVE CATALOG

Todd Gas Caddy

Todd Fuel Caddy holds up to 28 gallons, roll easily on pneumatic tires with nylon bearings and aluminum axle, and are designed for easy balance and movement. Constructed of rotationally molded cross-linked polyethylene with a molded-in baffle for

strength and durability. Both Fuel Caddys meet UN and DOT specifications (#UN3H1W) when used according to fuel transportation guidelines.

Dimensions: 52"H, 27 1/2"W, 22 1/2"D

The Todd Evacuation Caddy solves gasoline transfer problems. Drain or fill gas tanks with ease. Evacuation Caddy comes with an industrial grade 2-way rotary hand pump with a 3/4" ID UL approved 10' hose, 3/4" ball valve and flexible siphon hose. Designed with easy grip handles and pneumatic tires, proportioned for comfortable balance and movement. The Evacuation Caddy is ideal for larger service areas. UN and DOT approved (#UN3H1W). Color: Red

Product Number: 2403IPQD

The Todd Gas Caddy A large volume portable gas tank that fills mowers, generators and other gas powered equipment with ease. **Product Numbers:**

Gas Caddy without a pump (gravity feed): A93-2400 Gas Caddy with a standard pump (1-way): 932403WP

Gas Caddy with an industrial pump (2-way), hose and nozzle: 932403IP

NOTE: AN ELECTRIC PUMP CANNOT BE USED WITH A GAS OR EVACUATION CADDY.



Shown with Industrial Pump and Evacuation Kit P/N 2403IPQD



Shown with Standard Pump P/N 932403WP



Shown with Industrial Pump P/N 932403IP



Shown with Gravity Feed P/N A93-2400

Todd Diesel Caddy, Fuel Pal and Gas Kart

The Todd Diesel Caddy

solves diesel fuel handling problems.

The Todd Diesel Caddy is a safe and easy way to fill a diesel tank. Constructed of cross-linked polyethylene and comes with an industrial grade 2-way rotary hand pump with a 3/4" ID UL approved 10' hose and spring loaded nozzle. Color: Yellow

Product Numbers:

Diesel Caddy with an industrial pump (2-way): 932404IP

Diesel Caddy without a pump (gravity feed): A93-2401 (Shown)

Diesel Caddy with a standard pump (1-way): 932404WP



Shown with Gravity Feed See Gas Caddy Images for Pump Configuration

Evacuation Diesel Caddy with an industrial pump (2-way): 2404IPQD

To convert a Diesel Caddy to an Evacuation Diesel Caddy use Todd's optional **Evacuation Kit: Product Number: 2400-12**

Todd 11 Gallon Fuel Pal

The Todd Fuel Pal holds up to 11 gallons of fuel, handles and rolls easily to the dispensing site. The Fuel Pal is a unique product that can be used for refueling lawn tractors, lawn mowers, ski mobiles, personal watercraft, boats, ATV's, snowblowers, generators, pumps, etc. Fuel Pal meets UN and DOT specifications when used according to fuel transportation guide lines.

SPECIAL FEATURES include:

- 11 gallon capacity
- 6' long UL Listed hose approved for fuel use
- Brass shut-off valve
- Rolls easily on polypropylene wheels
- Molded-in handle
- Optional manual pump (2400-43) for pumping above tank

Dimensions:

11"W, 13"D, 33 1/2"H

Product Numbers:

Fuel Pal, 2400-39 For gas.

Color: Red

Diesel Pal, 2400-40 For diesel.

Color: Yellow

Optional Pump Kit for Fuel Pal,

2400-43





Shown with Optional Pump

NOTE: AN ELECTRIC PUMP CANNOT BE USED WITH A DIESEL CADDY.

NOTE: AN ELECTRIC PUMP CANNOT BE USED WITH A FUEL PAL.

Todd Gas Kart

The Gas Kart holds up to 15 gallons of fuel, handles and easily rolls to the dispensing site. The Gas Kart is a unique product that can be used for refueling lawn tractors, lawn mowers, snowmobiles, personal watercrafts, boats, ATVs, snowblowers, generators, pumps, etc. Gas Kart meets UN and DOT specifications when used according to fuel transportation guidelines.

Special Features include:

- * 15 gallon capacity
- * 6' long hose approved for fuel use
- * Brass shut-off valve
- * Rolls easily on polypropylene wheels which are impervious to fuel and temperature variations
- * Molded-in handle
- * Optional manual pump (2400-43) for pumping above tank

Product Number: WP-1 / Dimensions: 39 1/2" Height ,10" Depth, 11" Width



Todd Caddy Accessories

Todd Standard Pump

One-way Standard Pump can be used to pump fuel above Caddy level.

Product Number: 2400-02



Todd 10' Extension Hose and Nozzle

10' Extension Hose is U.L. approved with an imbedded static wire and two 3/4" male NPT fittings.

Product Number: 9996-107

Nozzle is spring loaded aluminum

and is U.L. approved.

Product Number: 9996-103



Todd Industrial Grade Pump U.L. approved Industrial Grade 2-way Pump can be used to evacuate hard to access reservoirs. Product Number: 2400-03



Todd Oil Drains Drain oil with ease.

The Todd Oil Drains are the safe and easy way to drain waste oil. Unique wide-bodied design assures proper balance eliminating tipping. Constructed of rugged, heavy duty polyethylene for strength and durability. The Todd Oil Lift Drains will resist rust and dents. Standard features: Stainless steel clamp to

secure the 2" non-corrosive adjustable tube, 18" funnel made out of rugged black polyethylene. Shipped one per box and are UPS-able.

NOT FOR USE WITH GASOLINE.

Todd 6 Gallon Oil Drain with Casters Special Features:

- 6 gallon capacity
- Four ball bearing casters
- 3/4" pour spout for oil evacuation
- Hand grips on bottom and top for ease in evacuation
- Height adjusts from 48" to 67"
- Heavy-duty polyethylene body is translucent for easy viewing of oil level
- Rugged 18" black polyethylene funnel with a 2" non-corrosive adjustable tube

Product Number: 2400-45



Todd 8 Gallon Oil Drain with Casters Special Features:

- 8 gallon capacity
- Four ball bearing casters
- 3/4" pour spout for oil evacuation
- Hand grips on bottom and top for ease in evacuation
- Height adjusts from 48" to 71"
- Heavy-duty polyethylene body is translucent for easy viewing of oil level
- Rugged 18" black polyethylene funnel with a 2" non-corrosive adjustable tube

Product Number: 2400-20



Todd Oil Drains Drain oil with ease. (cont.)

Todd 18 Gallon Oil Drain with Casters

Special Features:

- •18 gallon capacity
- Four ball bearing casters
- 3/4" pour spout for oil evacuation
- Spout for evacuation
- Hand grips on bottom and top for easy evacuation
- Height adjusts from 48" to 71"
- Heavy-duty polyethylene body is translucent for easy viewing of oil level
- Rugged 18" black polyethylene funnel with a 2" non-corrosive adjustable tube

Product Number: 2400-19 Optional Oil Drain Pump Product Number: 2400-26



Shown with optional pump

Todd 30 Gallon Oil Drain with Casters Special Features:

- 30 gallon capacity
- Four heavy-duty 4" casters (2 fixed and 2 swivel)
- Heavy-duty polyethylene construction
- 3/4" evacuation valve
- Rugged 18" black polyethylene funnel with a 2" non-corrosive adjustable tube
- Height adjusts from 55" to 78"
- Oval shape ideal for easy movement in a garage or shop environment
- Orange heavy-duty polyethylene body is translucent for easy viewing of oil level
- Top surface can be used as a tool tray

Dimensions: 24"W, 18"D **Product Number: 2400-68** Optional Oil Drain Pump **Product Number: 2400-26**



Shown with optional pump

Todd Low-Boy 17 Gallon Oil Drain

The Todd Low-Boy Oil Drain rolls under trucks or buses to drain oil or anti-freeze with ease. The Todd Low-Boy Oil Drain is constructed of rugged heavy-duty polyethylene that will resist rust and dents. The polyethylene body is translucent for viewing of the fluid level and rolls easily on 4 casters. The gravity drain valve is recessed and the wire screen in the pan prevents foreign matter from entering into the reservoir. 8"H, 25"W, 46"L Shown with optional 115v Evacuation Kit.

Product Numbers:

Low-Boy Oil Drain: 2400-34 Evacuation Kit: 2400-36.

Low-Boy Oil Drain with an Evacuation Kit: 2400-37.



NOT FOR USE WITH GASOLINE

Todd Auto Accessories

Todd Automatic Drain Pan

Made of rugged heavy-duty polyethylene, this Todd Drain Pan resists rust, dents and other chemicals. This 24" x 24" drain pan fits on top of a funnel to increase surface area of fluid containment. 3/16" dia holes strain material being handled. Fits 6", 13" and 18" funnels.



Ships via regular UPS. Product Number: 2400-09

Todd Oversized Drain Pan

The Todd Oversized Drain Pan is manufactured of rugged heavy-duty polyethylene. Resists rust, dents and other chemicals. This 36 3/4"L x 23 3/4" W drain pan fits on top of funnel to increase surface area



of fluid containment. 3/16" dia. holes strain material being handled. Fits 6", 13" and 18" funnels. Product Number: 2400-18

Todd Catch-All Drip Pan

The Todd Catch-All Drip Pan protects the area under vehicles from automotive fluids and other chemicals. Constructed of heavy-duty polyethylene, resists rust, dents, automotive fluids and other chemicals.



1/2 gallon capacity, available in black only. 1 1/2"H, 23 1/2"W, 36 1/2"L Product Number: 2400-32


Todd All Purpose Tub

The Todd All Purpose Tub is manufactured of rugged heavy-duty polyethylene. Resists rust, dents and other chemicals. Unique built-in drain surface allows easy handling of small parts. 33 1/2"L, 22 1/2"W, 8"H Product Number: 2400-22



Todd 18" Replacement Funnel

The Todd 18" Replacement Funnel is manufactured of rugged heavy-duty polyethylene. Resists rust, dents and other chemicals. The 18" Replacement Funnel will fit all 1 1/2" to 1 7/8" ID tubes.





Todd Tire Testers

Todd Tire Testers are manufactured of rugged heavy-duty polyethylene. Resists rust, dents and other chemicals. Units nest for economical shipping. Outside Dimensions: 34"L, 14"W, 14 3/4"H. Inside Dimensions: 31 1/2"L. 14"W. 12"H.



Product Number: 2400-10


Todd Oversized Tire Tester

Outside Dimensions: 37 3/4" L, 18" W, 17 1/4" H Inside Dimensions: 35" L, 15 1/4" W, 16 1/2" H

Product Number: 2400-44

Todd Drum Funnel

The Todd Drum Funnel eliminates overspills while pouring. Large surface area permits drainage of multiple containers simultaneously. Resists rust, dents and other chemicals. Fits all types of 55 gallon drums. Patented design. Color: Yellow. Product Number: 2400-14



Todd Drum Funnel Cover

Todd Drum Funnel Cover keeps the the Todd Drum Funnel (2400-14) clean and protects the drum from contaminants. Todd's Drum Funnel Cover is constructed of heavy-duty polyethylene that will resist rust, dents, and most chemicals. Available in yellow only. 22"Dia., 9 1/4"H Product Number: 2400-35

Todd Spill Pan

Todd Spill Pan holds a 55 gallon drum or four 5 gallon buckets. Constructed of heavy-duty polyethylene that will resist rust. dents, automotive fluids or other chemicals. Catches small drips, leaks or spills from drums or buckets. Holds 5 gallons of spilled liquid. Available in black only. 32 1/2"Dia., 8"H Product Number: 2400-33



Todd Drum Bib

The Todd Drum Bib catches spills and drips from pumps. Constructed of heavy-duty polyethylene that will resist rust, dents, automotive fluids or other chemicals. Complete with stainless steel brackets that easily attach to drum. 9"D, 19"W, 6" H


Product Number: SP1011HA



Spill Containment, Steps, Battery Boxes & Tanks

Todd Double Drum Containment Vessel

The perfect solution for storing your chemical drums. Constructed of heavy duty polyethylene that will resist rust, dents, automotive fluids and other chemicals. Designed



so that hazardous spills can be safely contained in pallet basin, not on your floors or in the soil. Pallets hold two 55 gallon drums. Convenient forklift entry. Designed for in-plant use, not for transport. Complies with Federal Regulation 40CFR-264.175. 55" L, x 28"W x 17" H Color: Black

Product Number: SP1006HA

Todd 4 Drum Containment Pallet

Holds four 55 gallon drums. Designed so that hazardous spills are safely contained in pallet basin, not on your floors or in soil. Convenient fork lift entry. Designed for in-plant use, not for



transport. Complies with Federal Regulation 40CFR-264.175. 54"L, 54" W, 14 1/2" H

Product Number: SP1003HA



Todd Industrial Steps

Constructed of durable black polyethylene, The Todd Industrial Steps are lightweight, water proof and chemical resistant. Optional handrails are available for the 2 and 3 step models.



Single Step: 91-2333R, 19 1/4"D, 15 1/2"W, 12"H Double Step: 91-2334R, 21 3/4"D, 20 14"W, 17 1/4"H

Double Step Handrail (not shown): 91-2348, 18 1/4"D, 50 1/4"H

Triple Step: 91-2335R, 31 3/4"D, 20 1/4"W, 26"H Triple Step Handrail: 91-2349, 30"D, 59"H

Quad Step (not shown): 93-2336R, 36"D, 20"W, 32"H Quad Step Handrail (not shown): 93-2352, 35"D, 66"H

Todd Battery Boxes

Rugged, seamless, heavy wall molded polyethylene. Superior chemical resistance, maintains impact properties down to -40°F. Full flow ventilation ensures adequate



cooling. Available in black only.


- A) 8D High Battery Box: Product Number: 90-2170 OD: 24 1/2"D, 15"W, 14 1/2"H; ID: 21 1/2"D, 11 1/2"W, 11"H
- B) 4D Battery Box: Product Number: 90-2138 OD: 25"D, 13"W, 13 1/2"H; ID: 20 1/2"D, 9 1/2"W, 11 1/2"H
- C) 8D Low Battery Box: Product Number: 90-2169 OD: 25"D, 15"W, 12"H; ID: 21 1/2"D, 11 1/2"W, 9 1/2"H
- D) Double Battery Box: Product Number: 84-1480 OD: 17 1/2"D, 13"W, 11"H; ID: 16"D, 11"W, 8"H

8D High Double Battery Box for 2 High D Batteries (Not shown): Product Number: 91-2339

OD: 28"D, 24 1/2"W, 14 1/2"H; ID: 24 1/2"D, 21"W, 12 1/2"H. Golf Cart Battery Box (Not shown): Product Number: 00-1480 OD: 17 1/2"D, 13"W, 14"H; ID: 16"D, 11"W, 11"H.

Todd Water and Holding Tanks

One piece molded durable polyethylene, these tanks comply with U.S. FDA regulation 21 CFR 177.1520 (c) 3.1 and 3.2. Translucent for visible content level. All openings are female NPT (National Pipe Threads) Plugs are included to convert to either water or holding tank. Instructions are included.



NOT FOR USE WITH GASOLINE

Gallons	L	W	Н	Tank Product No.
3	14"	11"	8"	85-1859WH
6	16"	12"	6 1/2"	85-1531WH
9	17"	14"	10"	85-1667WH
13	24"	10"	14"	85-1626WH
15	25"	11"	15"	94-1627WH
20	30"	16"	10"	85-1666WH
25	37"	17 1/2"	10"	85-1532WH
35	36"	15 1/2"	16"	85-1525WH
55	54 1/2"	13"	20"	85-1533WH

General Information

Todd has been a manufacturer of rotationally molded products for over 30 years, servicing many different industries. During that time, we have enjoyed a reputation for innovation, quality merchandise and competitive pricing.

RETURN GOODS POLICY

All returns are subject to restocking charge and must have prior authorization from our customer service department. Packages without a Return Material Authorization (RMA) displayed will not be accepted. Authorized returns must be recieved within (30) days of RMA issuance. Returns must be in original saleable condition and must be returned freight prepaid.

CLAIMS

All claims must be made in writing and received by Todd within ten days after receipt of merchandise. If a shipment is received in a damaged condition, a claim must be filed with the delivering carrier and noted on the freight bill before you accept merchandise.

PRICES AND SPECIFICATIONS

All prices and specifications of products shown in this catalog are subject to change without notice.

TAXES

Any Federal or State Excise Tax and/or Sales Tax for which we may be liable for on any sale will be charged to and paid by the buyer. Buyer is responsible for furnishing tax exempt or resale certificates if applicable.

MINIMUM BILLING CHARGE

\$150.00 net. Orders less than minimum are subject to a \$10.00 charge and must be paid by cash or credit card.

TODD LIMITED WARRANTY

Todd Enterprises warrants its products to be free of defects in material and workmanship for a period of twelve (12) months from the date of shipment. This warranty is extended to the original purchaser provided that the product has not been altered or neglected and is installed and used in a normal and appropriate manner as per Todd's written instructions. The Buyer's sole and exclusive remedy for any defect or failure of performance of the product shall be the return of the product with proof of purchase and shipping charges prepaid to Todd Enterprises. Todd, at its option, will repair, replace or refund the purchase price of any product found upon inspection by Todd to be defective. TODD ENTERPRISES MAKES NO WARRANTY OTHER THAN THAT STATED ABOVE AND HEREBY DISCLAIMS ALL OTHER WARRANTIES. EXPRESSED OR IMPLIED. INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ANY WARRANTIES, WHETHER EXPRESSED OR IMPLIED. INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICUAR PURPOSE, ARE HEREBY LIMITED IN DURATION TO THE WARRANTY PERIOD EXPRESSED ABOVE. LIABILITY FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES UNDER ANY AND ALL WARRANTIES IS HEREBY EXPRESSLY EXCLUDED. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, OR LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATIONS OR EXCLU-SIONS MAY NOT APPLY TO YOU.

This warranty gives you specific legal rights and you may also have other rights which vary from state to state. Some states do not allow the exclusion or limitation of incidental or consequential damages, or limitations on how long an implied warranty lasts, so the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Todd is a proud subsidiary of Chem-Tainer Industries. For over 50 years Chem-Tainer has been a leader in designing, developing and manufacturing products used in many industries.

Todd manufactures a wide variety of products for the marine, automotive and industrial markets.

Visit our subsidiaries' sites:

Marine Divisions

aquaworld-products.com kodiakmarine.com nautical-structures.com tracy-intl.com toddusa.com shinglecreek.com

Equestrian Division dans-saddlery.com

Material Handling Division maxi-movers.com

Tank Division chemtainer.com



361 Neptune Ave., West Babylon, NY 11704 USA
Phone: 631-661-8300 / Fax: 631-661-8209 / E-mail: info@toddusa.com

